

## DAFTAR PUSTAKA

- Abbate, M., Brown, D. & Bonventre, J.V. 1999. Expression of NCAM recapitulates tubulogenic development in kidneys recovering from acute ischemia. *Am. J. Physiol.* 277: F454–F463.
- Alpers, C.E., Seifert, R.A., Hudkins, K.L., Johnson, R.J., Bowen-Pope, D.F. 1993. PDGF-receptor localizes to mesangial, parietal epithelial, and interstitial cells in human and primate kidneys. *Kidney Int.* 43: 286–294.
- Alpers, C.E., Hudkins, K.L., Floege, J. & Johnson, R.J. 1994. Human renal cortical interstitial cells with some features of smooth muscle cells participate in tubulointerstitial and crescentic glomerular injury. *J. Am. Soc. Nephrol.* 5: 201-210.
- Alvarez, R.J., Sun, M.J., Haverty, T.P., Iozzo, R.V., Meyers, J.C., Neilson, E.G. 1992. Biosynthetic and proliferative characteristics of tubulointerstitial fibroblasts probed with paracrine cytokines. *Kidney Int.* 41: 14–23.
- Arfian, N., Emoto, N., Vignon-Zellweger, N., Nakayama, K., Yagi, K. & Hirata, K. 2012. ET-1 deletion from endothelial cells protects the kidney during the extension phase of ischemia/reperfusion injury. *Biochem. Biophys. Res. Commun.* 425: 443-449.
- Asada, N., Takase, M., Nakamura, J., Oguchi, A., Asada, M., Suzuki, N., *et al.* 2011. Dysfunction of fibroblasts of extrarenal origin underlies renal fibrosis and renal anemia in mice. *J. Clin. Invest.* 121(10): 3981–3990.
- Ashworth, S.L., Molitoris, B.A. 1999. Pathophysiology and functional significance of apical membrane disruption during ischemia. *Curr. Opin. Nephrol. Hypertens.* 8: 449–458.
- Bachmann, S., Le, H.M. & Eckardt, K. 1993. Co-Localization of erythropoietin mRNA and ecto-5'-nucleotidase immunoreactivity in peritubular cells of rat renal cortex indicates that fibroblasts produce erythropoietin. *J. Histochem. Cytochem.* 41: 335-341.
- Basile, D.P., Donohoe, D., Roethe, K. & Osborn, J.L. 2001. Renal ischemic injury results in permanent damage to peritubular capillaries and influences long-term function. *Am. J. Physiol.* 281: F887–F899.
- Basile, D.P. 2007. The endothelial cell in ischemic acute kidney injury: implications for acute and chronic function. *Kidney Int.* 72: 151-156.
- Basile, D.P., Friedrich, J.L., Spahic, J., Knipe, N., Mang, H., Leonard, E.C., *et al.* 2011. Impaired endothelial proliferation and mesenchymal transition contribute to vascular rarefaction following acute kidney injury. *Am. J. Physiol.* 300: F721–F733.
- Bayati, A., Nygren, K., Kallskog, O., Wolgast, M. 1989. The longterm outcome of post-ischaemic acute renal failure in the rat. II. A histopathological study of the untreated kidney. *Acta. Physiol. Scand.* 138: 35-47.
- Bellomo, R., Ronco, C., Kellum, J. A., Mehta, R. L. & Palevsky, P. 2004. Acute renal failure - definition, outcome measures, animal models, fluid therapy and information technology needs: the second international consensus

- conference of the Acute Dialysis Quality Initiative (ADQI) Group. *Crit. Care.* 8: R204-212.
- Bergstrom, J., Lindholm, B., Lacson, E., *et al.* 2000. What are the causes and consequences of the chronic inflammatory state in chronic dialysis patients? *Semin. Dial.* 13: 163–175.
- Bonventre, J.V. 1993. Mechanism of acute renal failure. *Kidney Int.* 43: 1160-1178.
- Bonventre, J.V & Weinberg, J.M. 2003. Recent advances in the pathophysiology of ischemic acute renal failure. *J. Am. Soc. Nephrol.* 14: 2199-2210.
- Bonventre, J.V. & Zuk, A. 2004. Ischemic acute renal failure : an inflammatory disease? *Kidney Int.* 66: 480-485.
- Bonventre, J.V. & Yang, L. 2011. Cellular pathophysiology of ischemic acute kidney injury. *J. Clin. Invest.* 121: 4210-4221.
- Bosman, D.R., Winkler, A.S., Marsden, J.T. 2001. Anemia with erythropoietin deficiency occurs early in diabetic nephropathy. *Diabet. Care.* 24: 495–499.
- Brezis, M. & Rosen, S. 1995. Hypoxia of the renal medulla – its implication for disease. *N. Engl. J. Med.* 332: 647-655.
- Brown, D., Lee, R. & Bonventre, J.V. 1997. Redistribution of villin to proximal tubule basolateral membranes after ischemia and reperfusion. *Am. J. Physiol.* 273 (*Renal Physiol.* 42): F1003–F1012.
- Bunn, H.F. 2013. Erythropoietin. *Cold. Spring. Harb. Perspect. Med.* 3: A011619.
- Bush, K.T., Keller, S.H. & Nigam, S.K. 2000. Genesis and reversal of the ischemic phenotype in epithelial cells. *J. Clin. Invest.* 106: 621-626.
- Caro, J., Brown, S., Miller, O., Murray, T., Erslev, A.J. 1979. Erythropoietin levels in uremic nephric and anephric patients. *J. Lab. Clin. Med.* 93: 449–458.
- Cerda, J., Lameire, N., Eggers, P., Pannu, N., Uchino, S., Wang, H., *et al.* 2008. Epidemiology of acute kidney injury. *Clin. J. Am. Soc. Nephrol.* 3: 881-886.
- Chandra, M., Clemons, G.K. & McVicar, M.I. 1988. Relation of serum erythropoietin levels to renal excretory function: evidence for lowered set point for erythropoietin production in chronic renal failure. *J. Pediatr.* 113: 1015-1021.
- Chateauvieux, S., Grigorakaki, J., Morceau, F., Dicato, M. & Diederich, M. 2011. Erythropoietin, erythropoiesis and beyond. *J. Biochem. Pharm.* 82: 1291-1303.
- Chertow, G.M., Burdick, E., Honour, M., Bonventre, J.V. & Bates, D.W. 2005. Acute kidney injury, mortality, length of stay, and costs in hospitalized patients. *J. Am. Soc. Nephrol.* 16: 3365-3370.
- Choi, Y.J., Chakraborty, S., Nguyen, V., Nguyen, C., Kim, B.K., Shim, S.I., *et al.* 2000. Peritubular capillary loss is associated with chronic tubulointerstitial injury in human kidney : altered expression of vascular endothelial growth factor. *Hum. Pathol.* 31: 1491–1497.
- Chuang, P.Y., Menon, M.C. & He, J.C. 2012. Molecular targets for treatment of kidney fibrosis. *J. Mol. Med.* 9: 549–559.

- Constantinescu, S.N., Huang, L.J., Nam, H., Lodish, H.F. 2001. The erythropoietin receptor cytosolic juxtamembrane domain contains an essential, precisely oriented, hydrophobic motif. *Mol. Cell.* 2: 377-385.
- Coresh, J., Selvin, E. & Stevens, L.A. 2007. Prevalence of chronic kidney disease in the united states. *JAMA.* 298: 2038-2047.
- Costa, E., Lima, M., Alves, J.M., Rocha, S., Rocha-Pereira, J., Castro, E., *et al.* 2007. Inflammation, T-cell phenotype, and inflammatory cytokines in chronic kidney disease patients under hemodialysis and its relationship to resistance to recombinant human erythropoietin therapy. *J. Clin. Immunol.*
- Dallalio, G., Law, E., Means Jr, R.T. 2006. Heparin inhibits *in vitro* erythroid colony formation at reduced erythropoietin concentrations. *Blood.* 107: 2702–2704
- Deswal, A., Petersen, N.J., Feldman, A.M., Young, J.B., White, B.G., Mann, D.L. 2001. Cytokines and cytokine receptors in advanced heart failure an analysis of the cytokine database from the vesnarinone trial (VEST). *Circulation.* 103: 2055-2059.
- Donnahoo, K.K., Meldrum, D.R., Shenkar, R. 2000. Early renal ischemia, with or without reperfusion, activates NFkappaB and increases TNF-alpha bioactivity in the kidney. *J. Urol.* 163: 1328–1332.
- Donovan, A. 2005. The iron exporter ferroportin/ Slc40a1 is essential for iron homeostasis. *Cell. Metab.* 1: 191–200.
- Dorweiler, B., Pruefer, D., Andrasi, T.B., Maksan, S.M., Schmiedt, W., Neufang, A., *et al.* 2007. Ischemia-reperfusion injury pathophysiology and clinical implications. *Eur. J. Trauma. Emerg. Surg.* 33:600–612.
- Epstein, A.C., Gleadle, J.M., McNeill, L.A. 2001. C. elegans EGL-9 and mammalian homologs define a family of dioxygenases that regulate HIF by prolyl hydroxylation. *Cell.* 107: 43–54.
- Erslev, A.J. 1953. Humoral regulation of red cell production. *Blood.* 8:349-357.
- Erslev, A.J. & Besarab, A. 1997. Erythropoietin in the pathogenesis and treatment of the anemia of chronic renal failure. *Kidney Int.* 51: 622-630.
- Eschbach, J.W. 2002. Anemia management in chronic kidney disease: role of factors affecting epoetin responsiveness. *J. Am. Soc. Nephrol.* 13:1412-1414.
- Fehr, T., Ammann, P., Garzoni, D., Korte, W., Fierz, W., Rickli, H., *et al.* 2004. Interpretation of erythropoietin levels in patients with various degrees of renal insufficiency and anemia. *Kidney Int.* 66pp: 1206–1211.
- Fisher, J.W., Koury, S., Ducey, T. & Mendel, S. 1996. Erythropoietin production by interstitial cells of hypoxic monkey kidneys. *Br. J. Haematol.* 95:27–32.
- Floege, J., Johnson, R.J., Feehally, J. 2010. *Comprehensive Clinical Nephrology.* Elsevier Saunders, St. Louis, MO.
- Frede, S., Freitag, P., Geuting, L., Konietzny, R. & Fandrey, J. 2011. Oxygen-regulated expression of the erythropoietin gene in the human renal cell line REPC. *Blood.* 117:4905–4914.
- Fried, W. 2009. Erythropoietin and erythropoiesis. *J. Exp. Hem.* 37:1007-1015.

- Friedewald, J.J. & Rabb, H. 2004. Inflammatory cells in ischemic acute renal failure. *Kidney Int.* 66:486-491.
- Friedman, S.L., Roll, F.J., Boyles, J., Arenson, D.M., Bissel, D.M. 1989. Maintenance of dedifferentiated phenotype of cultured red hepatic lipocytes by basement membrane matrix. *J. Biol. Chem.* 264: 10756-10762.
- Gilbert, R.E. & Cooper, M.E. 1999. The tubulointerstitium in progressive kidney disease: more than an aftermath after glomerular injury. *Kidney Int.* 56:1627-1637.
- Go, A.S., Chertow, G.M., Fan, D., McCulloch, C.E. & Hsu, C.Y. 2004. Chronic kidney disease and the risks of death, cardiovascular events, and hospitalization. *N. Engl. J. Med.* 351:1296-1305.
- Gobe, G.C., Bennett, N.C., West, M., Colditz, P., Brown, L., Vesey, D.A. *et al.* 2014. Increased progression to kidney fibrosis after erythropoietin is used as a treatment for acute kidney injury. *Am. J. Physiol. Renal. Physiol.* 306: F681-F692.
- Grande, M.T. & Lopez-Novoa, J.M. 2009. Fibroblast activation and myofibroblast generation in obstructive nephropathy. *Nat. Rev. Nephrol.* 5:319-328.
- Gruber, M., Hu, C.J., Johnson, R.S. 2007. Acute postnatal ablation of Hif-2alpha results in anemia. *Proc. Natl. Acad. Sci. USA.* 104: 2301-2306.
- Gueler, F., Gwinner, W., Schwarz, A., Haller, H. 2004. Long term effects of acute ischemia and reperfusion injury. *Kidney Int.* 66: 523-527.
- Guyton, A.C. & Hall, J.E. 2006. *Medical Physiology*. 11<sup>th</sup> ed. Elsevier Saunders, Philadelphia.
- Hallan, S. I., Coresh, J., Astor, B. C., Asberg, A., Powe, N. R., Romundstad, S., *et al.* 2006. International comparison of the relationship of chronic kidney disease prevalence and ESRD risk. *J. Am. Soc. Nephrol.* 17:2275-2284.
- Harris, R.C. 1997. Growth factors and cytokines in acute renal failure. *Adv. Ren. Replace. Ther.* 4:43-53.
- Harris, R.C. & Neilson, E.G. 2006. Toward a unified theory of renal progression. *Annu. Rev. Med.* 57:365-380.
- Han, W.K., Bailly, V., Abichandani, R., Thadhani, R. & Bonventre, J.V. 2002. Kidney Injury Molecule-1 (KIM-1) : a novel biomarker for human renal proximal tubule injury. *Kidney Int.* 62:237-244.
- Hinz B. 2010. The myofibroblast: paradigm for a mechanically active cell. *J. Biomech.* 43: 146-155.
- Horbelt, M., Lee, S.Y., Mang, H.E., Knipe, N.L., Sado, Y., Kribben, A. & Sutton, T.A. 2007. Acute and chronic microvascular alterations in a mouse model of ischemic acute kidney injury. *Am. J. Physiol. Renal. Physiol.* 29:F688-F695.
- Horl, W.H. 2013. Anaemia management and mortality risk in chronic kidney disease. *Nat. Rev. Nephrol.* 9: 291-301.
- Icardi, A., Paoletti, E., De Nicola, L., Mazzafero, S., Russo, R., Cozzolino, M. 2013. Renal anaemia and EPO hyporesponsiveness associated with vitamin D deficiency: the potential role of inflammation. *Nephrol. Dial. Transplant.* 28:1672-1679.

- Ishibashi, N., Weisbrot-Lefkowitz, M., Reuhl, K. 1999. Modulation of chemokine expression during ischemia/reperfusion in transgenic mice overproducing human glutathione peroxidases. *J. Immunol.* 163:5666–5677.
- Jaakkola, P., Mole, D.R., Tian, Y.M., Wilson, M.I., Gielbert, J., Gaskell, S.J., *et al.* 2001. Targeting of HIF- $\alpha$  to the von Hippel-Lindau ubiquitylation complex by O<sub>2</sub>-regulated prolyl hydroxylation. *Science.* 292:468–472.
- Jacobs, C., Frei, D., Perkins, A.C. 2005. Results of the European Survey on Anaemia Management 2003(ESAM 2003): current status of anaemia management in dialysis patients, factors affecting epoetin dosage and changes in anaemia management over the last 5 years. *Nephrol. Dial. Transplant.* 20 [Suppl 3]: iii3–iii24.
- John, M., Hoernig, S., Doehner, W., Okonko, D.D., Witt, C., Anker, S.D. 2005. anemia and inflammation in COPD. *CHEST.* 127:825-829.
- Kalluri, R. & Zeisberg, M. 2006. Fibroblasts in cancer. *Nat. Rev. Cancer.* 6:392–401.
- Kapper, S., Beck, G., Riedel, S. 2002. Modulation of chemokine production and expression of adhesion molecules in renal tubular epithelial and endothelial cells by catecholamines. *Transplantation.* 74:253–260.
- Kelly, K.J., Williams, W.W., Colvin, R.B., Bonventre, J.V. 1994. Antibody to intercellular adhesion molecule-1 protects the kidney against ischemic injury. *Proc. Natl. Aca. Sci. USA.* 91:812–816.
- Kelly, K.J., Plotkin, Z., Dagher, P.C. 2001. Guanosine supplementation reduces apoptosis and protects renal function in the setting of ischemic injury. *J. Clin. Invest.* 108:1291–1298.
- Kim, J., Jung, K.J., Park, K.M. 2010. Reactive oxygen species differently regulate renal tubular epithelial and interstitial cell proliferation after ischemia and reperfusion injury. *Am. J. Physiol. Renal. Physiol.* 298(5) : F1118-F1129.
- Kimura, M., Asano, M., Abe, K., Miyazaki, M., Suzuki, T., Hishida, A. 2005. Role of atrophic changes in proximal tubular cells in the peritubular deposition of type IV collagen in a rat renal ablation model. *Nephrol. Dial. Transplant.* 20: 1559–1565.
- Kliem, V., Johnson, R.I., Alpers, C.E. 1996. Mechanisms involved in the pathogenesis of tubulointerstitial fibrosis in 5/6-nephrectomized rats. *Kidney Int.* 49: 666-678.
- Koury, S.T., Bondurant, M.C. & Koury, M.J. 1988. Localization of erythropoietin synthesizing cells in murine kidneys by in situ hybridization. *Blood.* 71:524–527.
- Kuncio, G.S., Neilson, E.G., Haverty, T. 1991. Mechanisms of tubulointerstitial fibrosis. *Kidney Int.* 39: 550–556.
- Lacombe, C., Da Silva, J.L., Bruneval, P., Fournier, J.G., Wendling, F. & Casadevall, N. 1988. Peritubular cells are the site of erythropoietin synthesis in the murine hypoxic kidney. *J. Clin. Invest.* 81:620–623.
- Lawrence, C.M., Ray, S., Babyonyshev, M., Galluser, R., Borhani, D.W., Harrison, S.C. 1999. Crystal structure of the ectodomain of human transferrin receptor. *Science.* 286 (5440)00. 779-782.

- Le Dorze, M., Legrand, M., Payen, D. & Ince, C. 2009. The role of the microcirculation in acute kidney injury. *Curr. Opin. Crit. Care.* 15(6):503–508.
- Lemley, K.V., Kriz, W. 1991. Anatomy of renal interstitium. *Kidney Int.* 39 pp: 370—381.
- Levin, A. 2006. KDOQI clinical practice guidelines and clinical practice recommendations for anemia in chronic kidney disease. *Am. J. Kidney Dis.* 47: S11–5.
- Levey, A.S., Eckardt, K.U. & Tsukamoto, Y. 2005. Definition and classification of chronic kidney disease: a position statement from Kidney Disease: Improving Global Outcomes (KDIGO). *Kidney Int.* 67:2089–2100.
- Linas, S.L., Shanley, P.F., Whittenburg, D. 1988. Neutrophils accentuate ischemia-reperfusion injury in isolated perfused rat kidneys. *Am. J. Physiol.* 255:F728–F735.
- Liu, Y. 2004. Epithelial to mesenchymal transition in renal fibrogenesis: pathologic significance, molecular mechanism, and therapeutic intervention. *J. Am. Soc. Nephrol.* 15: 1–12.
- Liu, Y. 2011. Cellular and Molecular mechanisms of renal fibrosis. *Nat. Rev. Nephrol.* 7:684–696.
- Macdougall, I.C. & Cooper, A.C. 2002. Erythropoietin resistance: the role of inflammation and pro-inflammatory cytokines. *Nephrol. Dial. Transplant.* 17(suppl 11):39-43.
- Mackensen-Haen, S., Bader, R., Grund, K.E. & Bohle, A. 1981. Correlations between renal cortical interstitial fibrosis, atrophy of the proximal tubules and impairment of the glomerular filtration rate. *Clin. Nephrol.* 15:167–171.
- Majno, G., Gabbiani, G., Hirschel, B.J., Ryan, G.B. & Statkov, P.R. 1971. Contraction of granulation tissue in vitro: similarity to smooth muscle. *Science.* 173:548–550.
- Mason-Garcia, M., Beckman, B.S., Brookins, J.W., Powell, J.S., Lanham, W., Blaisdell, S., *et al.* 1990. Development of a new radioimmunoassay for erythropoietin using recombinant erythropoietin. *Kidney Int.* 38pp. 969-975.
- Mason, J., Olbricht, C., Takabatake, T., Thurau, K. 1977. The early phase of experimental acute renal failure. I. Intratubular pressure and obstruction. *Pflugers. Arch.* 370:153-163.
- Matsumoto, Y., Ueda, S., Yamagishi, S., Matsuguma, K., Shibata, R., Fukami, K., *et al.* 2007. Dimethylarginine dimethylaminohydrolase prevents progression of renal dysfunction by inhibiting loss of peritubular capillaries and tubulointerstitial fibrosis in a rat model of chronic kidney disease. *J. Am. Soc. Nephrol.* 18:1525-1533.
- McAnulty, R.J. 2007. Fibroblasts and myofibroblasts: Their source, function and role in disease. *Int. J. Biochem. Cell. Biol.* 39: 666-671.
- McCook, O., Georleff, M., Scheuerle, A., Thiemermann, C., Radermacher, P. 2012. Erythropoietin in the critically ill: do we ask the right questions? *Critical Care.* 16:319.

- Means, R.T. & Krantz, S.B. 1992. Progress in understanding the pathogenesis of the anemia of chronic disease. *J. Am. Soc. Hem.* 80:1638-1647
- Mehta, R.L., Pascual, M.T., Soroko, S., Savage, B.R., Himmelfarb, J., Ikizler, T.A., *et al.* 2004. Spectrum of acute renal failure in the intensive care unit : the PICARD experience. *Kidney Int.* 66:1613-1621.
- Moore, K.L., Dalley, A.F. & Agur, A.M.R. 2010. *Clinicaly Oriented Anatomy*. 7<sup>th</sup> ed. Lippincott William & Wilkins, Philadelphia.
- Molitoris, B.A., Dahl, R.H., Falk, S.A. 1989. Ischemic-induced loss of epithelial polarity. Role of the tight junction. *J. Clin. Invest.* 84: 1334 -1339.
- Molitoris, B.A. & Sutton, T.A. 2004. Endothelial injury and dysfunction: role in the extension phase of acute renal failure. *Kidney Int.* 66:496–499.
- Morita, M., Ohneda, O., Yamashita, T., Takahashi, S., Suzuki, N., Nakajima, O., *et al.* 2003. HLF/ HIF-2<sub>α</sub> is a key factor in retinopathy of prematurity in association with erythropoietin. *EMBO J.* 22: 1134–1146.
- Muller, G.A., Zeisberg, M. & Strutz, F. 2000. The importance of tubulointerstitial damage in progressive renal disease. *Nephrol. Dial. Transplant.* 15(suppl 6):76-77.
- Mustoe, T. 2004. Understanding chronic wounds : a unifying hypothesis on their pathogenesis and implications for therapy. *Am. J. of Surg.* 187:65S–70S.
- Nangaku, M. 2006. Chronic hypoxia and tubulointerstitial injury : a final common pathway to end-stage renal failure. *J. Am. Soc. Nephrol.* 17:17-25.
- Napoli, P.D., Taccardi, A.A., Caterina, R. & Barsotti, A. 2002. Patophysiology of ischemia-reperfusion injury:experimental data. *Ital. Heart. J.* 3(Suppl 4):24S-28S.
- Nath, K.A. 1992. Tubulointerstitial changes as a major determinant in the progression of renal damage. *Am. J. Kidney.* 20:1–17.
- Nemeth, E., Rivera, S., Gabayan, V., Keller, C., Taudorf, S., Pedersen, B.K., *et al.* 2004. IL-6 mediates hypoferremia of inflammation by inducing the synthesis of the iron regulatory hormone hepcidin. *J. Clin. Invest.* 113: 1271–1276.
- Nemoto, T., Yokota, N., Keane, W.F. & Rabb, H. 2001. Recombinant erythropoietin rapidly treats anemia in ischemic acute renal failure. *Kidney Int.* 59:246–25.
- Nurko, S. 2006. Anemia in chronic kidney disease: causes, diagnosis, treatment. *Clev. Clin. J. Med.* 73:289-297.
- Obara, N., Suzuki, N., Kim, K., Nagasawa, T., Imagawa, S., Yamamoto, M. 2008. Repression via the GATA box is essential for tissue-specific erythropoietin gene expression. *Blood.* 111(10):5223–5232.
- Opasich, C., Cazzola, M., Scelsi, L., De Feo, S., Bosimini, E., Lagiola, R., *et al.* 2005. Blunted erythropoietin production and defective iron supply for erythropoiesis as major causes of anaemia in patients with chronic heart failure. *Eur. Heart. J.* 26:2232-2237.
- Paliege, A., Rosenberger, C., Bondke, A., Sciesielski, A., Shina, A, Heyman, S.N. 2010. Hypoxia-inducible factor-2 $\alpha$ -expressing interstitial fibroblasts are the only renal cells that express erythropoietin under hypoxia-inducible factor stabilization. *Kidney Int.* 77: 312–318.

- Paschos, N., Lykissas, M.G., Beris, A.E. 2008. The role of erythropoietin as an inhibitor of tissue ischemia. *Int. J. Biol. Sci.* 4(3):161-168.
- Patel, N.S., Sharples, E.J., Cuzzocrea, S., Chatterjee, P.K., Britti, D., Yaqoob, M.M., *et al.* 2004. Pretreatment with EPO reduces the injury and dysfunction cause by ischemia/reperfusion in the mouse kidney in vivo. *Kidney Int.* 66:983-989.
- Peralta, C.A., Shlipak, M.G., Judd, S., Cushman, M., McClellan, W., Zakai, N.A., *et al.* 2011. Detection of chronic kidney disease with creatinine, cystatin C, and urine albumin-to-creatinine ratio and association with progression to end stage renal disease and mortality. *JAMA.* 305(15) : 1545-1552.
- Perrone, R.D., Madias, N.E., Levet, A.S. 1992. Serum creatinine as an index of renal function: new insight into old concepts. *Clin. Chem.* 38(10): 1933-1953.
- Prodjosudjadi, W. 2006. Incidence, prevalence, treatment and cost of end stage renal disease in indonesia. *Ethn. Dis.* 16[suppl 2]:S2-14-S2-16.
- Prodjosudjadi, W. & Suhardjono, A. 2009. End-stage renal disease in indonesia: treatment development. *Ethn. Dis.* 19[Suppl 1]:S133-36.
- Qi, W., Chen, X., Poronnik, P. & Pollock, C.A. 2006. The renal cortical fibroblast in renal tubulointerstitial fibrosis. *Int. J. Biochem. Cell. Biol.* 38:1-5.
- Rabb, H., O'Meara, Y.M., Maderna, P. 1997. Leukocytes, cell adhesion molecules and ischemic acute renal failure. *Kidney Int.* 51:1463-1468.
- Rajkumar, V.S., Shiwen, X., Bostrom, M., Leoni, P., Muddle, J., Ivarsson, M., *et al.* 2006. Platelet derived growth factor beta receptor activation is essential for fibroblast and pericyte recruitment during cutaneous wound healing. *Am. J. Pathol.* 169(6): 2254-2265.
- Rankin, E.B., Biju, M.P., Liu, Q. 2007. Hypoxia-inducible factor-2 (HIF-2) regulates hepatic erythropoietin in vivo. *J. Clin. Invest.* 117: 1068-1077.
- Rastaldi, M.P., Ferrario, F., Giardino, L., Antonio, G., Grillo, C., Grillo, P., *et al.* 2002. Epithelial-mesenchymal transition of tubular epithelial cells in human renal biopsies. *Kidney Int.* 62:137-146.
- Remuzzi, G & Bertani, T. 1998. Pathophysiology of progressive nephropathies. *N. Engl. J. Med.* 339:1448-1456.
- Rosert, J. & Eckardt, K. 2005. Erythropoietin receptors: their role beyond erythropoiesis. *Nephrol. Dial. Transplant.* 20: 1025-1028.
- Safirstein, R., Megyesi, J., Saggi, S.J. 1991. Expression of cytokinelike genes JE and KC is increased during renal ischemia. *Am. J. Physiol.* 261:F1095 F1101.
- Saladin, K.S. 2014. *Anatomy & Physiology : The Unity of Form and Function.* 7<sup>th</sup> ed. McGraw-Hill Education, Philadelphia.
- Sappino, A.P., Schurch, W. & Gabbiani, G. 1990. Biology of disease. differentiation repertoire of fibroblastic cells: expression of cytoskeletal proteins as marker of phenotypic modulations. *Lab. Invest.* 63:144-161.
- Scanlon, C.V. & Sanders, T. 2007. *Essentials of Anatomy & Physiology.* 5<sup>th</sup> ed. F.A. Davis Company, Philadelphia.
- Schena, F.P. 1998. Role of growth factors in acute renal failure. *Kidney Int.* 53(Suppl 66):S11-S15.

- Schlondorff, D.O. 2008. Overview of factors contributing to the pathophysiology of progressive renal disease. *Kidney Int.* 74:860-866.
- Schrier, R. W., Wang, W., Poole, B. & Mitra, A. 2004. Acute renal failure: definitions, diagnosis, pathogenesis, and therapy. *J. Clin. Invest.* 114:5-14.
- Segeer, S., Nelson, P.J., Schlondorff, D. 2000. Chemokines, chemokine receptors, and renal disease: From basic science to pathophysiologic and therapeutic studies. *J. Am. Soc. Nephrol.* 11:152-176.
- Semenza, G.L. 2001. HIF-1 and mechanisms of hypoxia sensing. *Curr. Opin. Cell. Biol.* 13: 167-171.
- Sharples, E.J. & Yaqoob, M.M. 2006. Erythropoietin in experimental acute renal failure. *Nephron. Exp. Nephrol.* 104:e83-e88
- Siegel, N.J., Devarajan, P., VanWhy, S. 1994. Renal cell injury: Metabolic and structural alterations. *Pediatr. Res.* 36:129-136.
- Singh, A.K., Szczech, L., Tang, K.L., Barnhart, H., Sapp, S., Wolfson, M., et al. 2006. Correction of anemia with epoetin alfa in chronic kidney disease. *N. Engl. J. Med.* 355:2085-2098.
- Souma, T., Yamazaki, S., Moriguchi, T., Suzuki, N., Hirano, I., Pan, X., et al. 2013. Plasticity of renal erythropoietin-producing cells govern fibrosis. *J. Am. Soc. Nephrol.* 24(10): 1599-1616.
- Star, R.A. 1998. Treatment of acute renal failure. *Kidney Int.* 54:1817- 1831.
- Stenvinkel, P. 2001. The role of inflammation in the anaemia of end-stage renal disease. *Nephrol. Dial. Transplant.* 16:Suppl 7: 36-40.
- Stevens, L.A., Coresh, J., Greene, T., Levey, A.S. 2006. Assessing kidney function-measured and estimated glomerular filtration rate. *N. Engl. J. Med.* 354(23): 2473-2483.
- Stockmann, C. & Fandrey, J. 2006. Hypoxia-induced erythropoietin production: a paradigm for oxygen-regulated gene expression. *Clin. Exp. Pharmacol. Physiol.* 33: 968-979.
- Striker, G.E., Schainuck, L.I., Cutler, R.E. & Benditt, E.P. 1970. Structural-functional correlations in renal disease. i. a method for assaying and classifying histopathologic changes in renal disease. *Hum. Pathol.* 1:615-630.
- Strutz, F., Zeisberg, M., Hemmerlein, B., Sattler, B., Hummel, K., Becker, V., et al. 2000. Basic fibroblast growth factor (FGF-2) expression is increased in human renal fibrogenesis and may mediate autocrine fibroblast proliferation. *Kidney Int.* 57: 1521-1538.
- Strutz, F. & Zeisberg, M. 2006. Renal fibroblasts and myofibroblasts in chronic kidney disease. *J. Am. Soc. Nephrol.* 17:2992-2998.
- Strutz, F. & Muller, G.A. 2006. Renal fibrosis and the origin of the renal fibroblast. *Nephrol. Dial. Transplant.* 21(suppl 6):3368-3370.
- Sutton, T.A., Molitoris, B.A. 1998. Mechanisms of cellular injury in ischemic acute renal failure. *Semin. Nephrol.* 18: 490-497.
- Sutton, T.A., Fisher, C.J. & Molitoris, B.A. 2002. Microvascular endothelial injury and dysfunction during ischemic acute renal failure. *Kidney Int.* 62:1539-1549.

- Suwa, T., Hogg, J.C., Klut, M.E. 2001. Interleukin-6 changes deformability of neutrophils and induces their sequestration in the lung. *Am. J. Resp. Crit. Care. Med.* 163:970–976.
- Tan, C.C., Tan, L.H. & Eckardt, K.U. 1996. Erythropoietin production in rats with post ischemic acute renal failure. *Kidney Int.* 50:1958-1964.
- Taniguchi, S., Dai, C., Price, J.O., Krantz, S.B. 1997. Interferon  $\gamma$  downregulates stem cell factor and erythropoietin receptors but not insulin-like growth factor-I receptors in human erythroid colony-forming cells. *Blood.* 90(6)pp 2244-2252.
- Thadhani, R., Pascual, M., Bonventre, J.V. 1996. Acute renal failure. *N. Engl. J. Med.* 334:1448–1460.
- Thomas, M.C., Tsalamandris, C., Macisaac, R. 2006. Functional erythropoietin deficiency in patients with Type 2 diabetes and anaemia. *Diabet. Med.* 23: 502–509.
- Thomas, R., Kalso, A. & Sedor, J.R. 2008. Chronic kidney disease and its complications. *Prim. Care.* 35:329-344.
- Tomasek, J.J., Gabbiani, G., Hinz, B., Chaponnier, C. & Brown, R.A. 2002. Myofibroblasts and mechano-regulation of connective tissue remodelling. *Nat. Rev. Mol. Cell. Biol.* 3:349–363.
- Tortora, G.J. & Berrickson, B. 2012. *Principles of Anatomy & Physiology.* 13<sup>th</sup> ed. John Wiley & Sons Inc.
- Tsompos, C., Panoulis, C., Toutouzas, K., Zografos, G., Papalois, A. 2014. The acute effect of erythropoietin on mean corpuscular hemoglobin levels during ischemia reperfusion injury in rats. *General Endocrinology.* 3:363-372.
- Van der Putten, K., Braam, B., Jie, K.E. 2008. Mechanisms of Disease: erythropoietin resistance in patients with both heart and kidney failure. *Nat Clin. Pract. Nephrol.* 4: 47–57
- Venkatachalam, M.A., Griffin, K.A., Lan, R., Geng, H., Saikumar, P., Bidani, A.K. 2010. Acute kidney injury: a springboard for progression in chronic kidney disease. *Am. J. Physiol. Renal. Physiol* 298: F1078–F1094.
- Vesey, D.A., Cheung, C., Pat, B., Endre, Z., Gobe, G., Johnson, D.W. 2004. Erythropoietin protects against ischaemic acute renal injury. *Nephrol. Dial. Transplant.* 19: 348–355
- Wagner, M., Alam, A., Zimmermann, J. 2011. Endogenous erythropoietin and the association with inflammation and mortality in diabetic chronic kidney disease. *Clin. J. Am. Soc. Nephrol.* 6: 1573–1579.
- Wagner, M. & Ashby, D. 2013. Hcpidin- a well known iron biomarker with prognostic implications in chronic kidney disease. *Nephrol. Dial. Transplant.* 0:1-4.
- Wang, S., DeNichilo, M., Brubaker, C., & Hirschberg, R. 2001. Connective tissue growth factor in tubulointerstitial injury of diabetic nephropathy. *Kidney Int.* 60:96–105.
- Weinstein, D.A., Roy, C.N., Fleming, M.D., Loda, M.F., Wolfsdorf, J.I., Andrews, N.C. 2002. Inappropriate expression of hepcidin is associated

- with iron refractory anemia : implications for the anemia of chronic disease. *Blood*. 100:3776-3761.
- Weiss, G. & Goodnough, L.T. 2005. Anemia of chronic disease. *N. Engl. J. Med.* 352:1011-1023.
- Williams, J.C., Schafer, J.A. 1988. Cortical interstitium as a site for solute polarization during tubular reabsorption. *Am. J. Physiol.* 254:F813—F823.
- Willinger, C.C., Schramek, H., Pfaller, K., Pfaller, W. 1992. Tissue distribution of neutrophils in postischemic acute renal failure. *Virchows Arch B Cell Pathol Incl Mol Pathol.* 62:237–243.
- Wu, H., Chen, G., Wyburn, K. R., Yin, J., Bertolino, P., Eris, J. M., *et al.* 2007. TLR4 activation mediates kidney ischemia/reperfusion injury. *J. Clin. Invest.* 117:2847-2859.
- Wynn, T.A. 2008. Cellular and molecular mechanisms of fibrosis. *J Pathol.* 214:199–210.
- Yazihan, N. & Kavas, G.O. 2010. Protective effect of erythropoietin in renal ischemia-reperfusion injury. *Op. Dr. Disc. J.* 2:3-7
- Zeisberg, M. & Kalluri, R. 2004. The role of epithelial-to-mesenchymal transition in renal fibrosis. *J. Mol. Med.*82:175–181.
- Zeisberg ,M. & Duffield, J.S. 2010. Resolved: EMT produces fibroblasts in the kidney. *J. Am. Soc. Nephrol.* 21:1247–1253.
- Zeisberg, M. & Neilson, E.G. 2010. Mechanisms of tubulointerstitial fibrosis. *J. Am. Soc. Nephrol.* 21:1819–1834.
- Zhang, C., Meng, X., Zhu, Z., Yang, X., Deng, A. 2004. Role of connective tissue growth factor in renal tubular epithelial-myofibroblast transdifferentiation and extracellular matrix accumulation in vitro. *Life Sciences.* 75:367–379.
- Zuk, A., Bonventre, J.V., Brown, D. & Matlin, K.S. 1998. Polarity, integrin, and extracellular matrix dynamics in the postischemic rat kidney. *Am. J. Physiol.* 275 (*Cell Physiol.* 44):C711–C731.