

## DAFTAR PUSTAKA

- de Macêndo Andrade, A, Júnior, C, Guimarães, B, Barros, A, de Almeida, G, & Weller, M 2014, *BMC Women's Health*, vol. 14, no. 110, pp. 1-9.
- El fatemi, H, Chahbouni, S, Jayi, S, Moumna, K, Melhouf, MA, Bannani, A et al. 2012, Luminal B tumors are the most frequent molecular subtype in breast cancer of North African women: an immunohistochemical profile study from Morocco, *Diagnostic Pathology*, vol. 7, pp. 1-7.
- El-Hawary, AK, Abbas, AS, Elsayed, AA, & Zalata, KR 2012. Molecular subtypes of breast carcinoma in Egyptian women: clinicopathological features. *Pathology-Research Practice*, vol.28, pp. 382-386.
- Eroles, P, Bosch, A, Pérez-Fidalgo. J.A., & Lluch, A 2012. Molecular biology in breast cancer: intrinsic subtypes and signaling pathways. *Cancer Treatment Reviews*, vol.38, pp. 698-707.
- Gaol, HL & Briani, F 2014, *Kapita selekta kedokteran*, 4 edn, Aesculapius, Jakarta.
- Hoda, SA, Brogi, E, Koerner FC & Rosen, PR 2014, *Rosen's breast pathology*, 4 edn, Lippincott Williams & Wilkins, Philadelphia.
- Howland, NK, Driver, TD, Sedrak, MP, Wen, X, Dong, W, Hatch, S et al. 2013, Lymph node involvement in immunohistochemistry-based molecular classifications of breast cancer, *Journal of Surgical*, pp. 697-703.
- Kumar, V, Abbas, AK, & Aster, JC 2013, *Robbins basic pathology*, 9 edn, Elsevier Saunders, Canada.
- Michaelson, JS 2003, The Effect of Tumor Size and Lymph Node Status on Breast Carcinoma Lethality, vol. 98, pp. 2133-2143.
- Si, C, Jin, Y, Wang, H, & Zou Q 2014, Association between molecular subtypes and lymph node status in invasive

breast cancer, *Int J Clin Exp Pathol*, vol. 7, no. 10, pp. 6800-6806.

Spitale, A, Mazzola, P, Soldini, D, Mazzucchelli, L, & Bordoni, A 2009, Breast cancer classification according to immunohistochemical markers: clinicopathologic features and short-term survival analysis in a population-based study from the South of Switzerland, *Annals of Oncology*, vol. 20, no. 4, pp. 628-635, viewed 24 September 2014, <http://annonc.oxfordjournals.org/>

Su, Y, Zheng, Y, Gu, K, Chen, Z, Li, G, Cai, Q et al. 2011, Distinct distribution and prognostic significance of molecular subtype of breast cancer in Chinese women: a population-based cohort study, *BMC Cancer*, vol. 11. Pp. 1-11.

Widodo, I, Dwianingsih, E.K., Triningsih, E, Utoro, T, & Soeripto 2014, Clinicopathological features of Indonesian breast cancers with different molecular subtypes, *Asian Pacific Journal of Cancer Prevention*, vol. 15, pp. 6109-6113.

Yanagawa, M, Ikemoto, K, Kawauchi, S, Furuya, T, Yamamoto, S, Oka, M et al. 2012, Luminal A and luminal B (HER2 negative) subtypes of breast cancer consist of mixture of tumors with different genotype, *BMC Research Notes*, vol. 5. Pp. 1-8.

2015, Lymph Nodes and Cancer n.d, American Cancer Society, viewed 29 April 2015, <[www.cancer.org/cancer/cancerbasics/lymph-nodes-and-cancer](http://www.cancer.org/cancer/cancerbasics/lymph-nodes-and-cancer)>