



DAFTAR PUSTAKA

- [1] “Pengertian Autentikasi by aditya ilham on Prezi.” [Online]. Available: <https://prezi.com/g1yctqdgvfkf/pengertian-autentikasi/>. [Accessed: 28-May-2015].
- [2] C. Barral, “Biometrics & Security : Combining Fingerprints , Smart Cards and Cryptography,” ÉCOLE POLYTECHNIQUE FÉDÉRALE DE LAUSANNE, 2010.
- [3] A. M. Bazen and S. H. Gerez, “Fingerprint matching by thin-plate spline modelling of elastic deformations,” *Pattern Recognit.*, vol. 36, no. 8, pp. 1859–1867, 2003.
- [4] D. Maltoni, D. Maio, A. K. Jain, and S. Prabhakar, *Handbook of Fingerprint Recognition*, 2nd ed. Springer, 2003.
- [5] A. Mohammad Abdel-Mawgoud Saleh, “Enhanced Secure Algorithm for Fingerprint Recognition,” 2004.
- [6] L. Wieclaw, “A MINUTIAE-BASED MATCHING ALGORITHMS IN FINGERPRINT RECOGNITION,” *J. Med. informatics Technol.*, vol. 13, no. Fig 2, 2009.
- [7] A. Surya Rikin, D. Li, T. Isshiki, and H. Kunieda, “A fingerprint matching using minutia ridge shape for low cost Match-on-Card systems,” *IEICE Trans. Fundam. Electron. Commun. Comput. Sci.*, vol. E88-A, no. 5, pp. 1305–1312, 2005.
- [8] (SYRIS Technology Corp), “About FAR, FRR and EER,” *Tech. Doc.*, pp. 0–4, 2004.
- [9] A. N. Marana and A. K. Jain, “Ridge-Based Fingerprint Matching Using Hough Transform,” *Image Process.*
- [10] A. Solichin, *Pemrograman Bahasa C dengan Turbo C*. 2003.
- [11] S. B. Pan, D. Moon, D. Ahn, and Y. Chung, “An Ultra-Low Memory Fingerprint Matching Algorithm,” pp. 453–459, 2003.
- [12] M. M. Indra, M. S. Krishnaveni, and M. P. Suriyapriya, “Incorporating Ridges with Minutiae for Improved Fingerprint verification,” vol. 3, no. 5, pp. 81–90, 2012.



- [13] H. Choi, K. Choi, and J. Kim, "Fingerprint matching incorporating ridge features with minutiae," *IEEE Trans. Inf. Forensics Secur.*, vol. 6, no. 2, pp. 338–345, 2011.