

DAFTAR PUSTAKA

- Academy of Nutrition and Dietetics. (2012) Nutrition Care Process Snapshot. [Internet]. Available from: <<http://aincp.webauthor.com/NAsnapshot>> [Accessed 16 December 2014].
- Budiarto, E. (2004) *Metodologi Penelitian Kedokteran*. Jakarta: Penerbit EGC (Buku Kedokteran).
- CANADA-USA (CANUSA). (1996) Peritoneal Dialysis Study Group: Adequacy of Dialysis and Nutrition in Continuous Peritoneal Dialysis: Association with Clinical Outcomes. *Journal of American Society of Nephrology*, 7, pp.198-207.
- Carrero, J.J., Chmielewski, M., Axelsson, J., Snaedal, S., Heimbürger, O., Bárány, P., Suliman, M.E., Lindholm, B., Stevinkel, P., Qureshi, A.R. (2008) Muscle Atrophy, Inflammation and Clinical Outcome in Incident and Prevalent Dialysis Patients. *Clinical Nutrition*, 27, pp. 557–64.
- Chakraborty R, Bose K, Bisai S, 2009. Use of Mid Upper Arm Circumference As a Measure of Nutritional Status and Its Relationship With Self Reported Morbidity Among Adult Bengalee Slum Dwellers of Kolkata, India. *Appetite and Nutritional Assessment, NOVA Science Pub Inc*; 377-385.
- Chilima, D.M. & Suraiya, J.I. (2000) Nutrition and Handgrip Strength of Older Adults in Rural Malawi. *Public Health Nutrition*, 4 (1), pp.11-17
- Clarkson, Hazel M. (2000) *Muskuloskeletal Assessment: Joint Range of Motion and Manual Muscle Strength Second Edition*. Philadelphia: Lippincott Williams & Wilkins.
- de Mutsert, R., Diana, C.G., Elisabeth W.B., Hans, B., Jeannette, G.M., Raymond, T.K., Friedo, W.D. (2009) Subjective Global Assessment of Nutritional Status is Strongly Associated with Mortality in Chronic Dialysis Patients. *American Journal of Clinical Nutrition*, 89, pp. 787-793.
- Detsky A.S., Baker, J.P., Mendelson, R.A., Wolman, S.L., Wesson, D.E., Jeejeebhoy, K.N. (1984) Evaluating the Accuracy of Nutritional Assessment Techniques Applied to Hospitalized Patients: Methodology and Comparisons. *Journal of Parenteral and Enteral Nutrition*, 8 (2) pp. 153-9.
- Detsky A.S., McLaughlin, J.R., Baker, J.P., Nancy, J., Whittaker, S., Mendelson, R.A., Jeejeebhoy, K.N. (1987) What is Subjective Global Assessment of Nutritional Status. *Journal of Parenteral and Enteral Nutrition*, 11 (1) pp. 8-13.
- Dumler, F., Kilate, C. (2003) Body Composition Analysis by Bioelectrical Impedance in Chronic Dialysis Patients: Comparison to the National Health

and Nutrition Examination Survey III. *Journal of Renal Nutrition*, 13 (2), pp. 166-72.

Duruoz M.T., Cerrahoglu, L., Dincer-Turhan, Y., Kursat, S. (2003) Hand Function Assessment in Patients Receiving Haemodialysis. *Swiss Medical Weekly*, 133, pp. 433-438.

Elisabeth Heng, Anne., Noel, J. (2009) Nutritional Problems in Adult Patients with Stage 5 Chronic Kidney Disease on Dialysis (Both Hemodialysis and Peritonela Dialysis). *Oxford University Press*, 3, pp. 109-117.

Fouque, D., Kalantar-Zadeh, K., Kopple, J., Cano, N., Chauveau, P., Cuppari, L., Franch, H., Guarnieri, G., Ikizler, T.A., Kaysen, G., Lindholm, B., Massy, Z., Mitch, W., Pineda, E., Stevinkel, P., Trevino-Becerra, A., Wanner, C. (2008) A Proposed Nomenclature and Diagnostic Criteria for Protein-Energy Wasting in Acute and Chronic Kidney Disease. *Kidney International*, 73, pp. 391-8.

Garcia, M.F., Elizabeth W., Moreno, Y.M.F., Fuhr, L.M., Gonzales-Chica, D.A. (2013) Diagnostic Accuracy of Handgrip Strength in the Assessment of Malnutrition in Hemodialyzed Patients. *e-SPEN Journal*, 8 (4), pp. e181-6.

Gibson, R.S. (2005) *Principles of Nutritional Assessment Second Edition*. New York: Oxford University Press.

Heimbürger, O., Qureshi A.R., Blarer, W.S., Berglund, L., Stevinkel, P. (2000) Hand-grip Muscle Strength, Lean Body Mass, and Plasma Proteins As Markers of Nutritional Status in Patients with Chronic Renal Failure Close to Start of Dialysis Therapy. *American Journal of Kidney Disease*, 36, pp. 1213-25.

Isoyama, Naohito., Qureshi, A.R., Avesani, C.M., Lindholm, B., Barany, P., Heimbürger, O., Cederholm, T., Tevinkel, P., Carrero, J. (2014) Comparative Associations of Muscle Mass and Muscle Strength with Mortality in Dialysis Patients. *Clinical Journal of American Society of Nephrology*, 9, pp. 1720-1728.

Jones CH, Wolfenden RC, Wells LM. (2004) Is Subjective Global Assessment A Reliable Measure of Nutritional Status in Hemodialysis?. *Journal Renal Nutrition*, 14 pp. 26-30.

Kidney Disease Outcome Quality Initiative (K/DOQI), National Kidney Foundation. (2000) Clinical Practice Guidelines for Nutrition in Chronic Renal Failure. *American Journal Kidney Disease*, 35, pp. S1-140.

Kidney Disease Outcome Quality Initiative (K/DOQI). (2002) Clinical Practice Guidelines for Chronic Kidney Disease: Evaluation, Classification and Stratification, National Kidney Foundation, USA.

- Leal, V.O., Denise, M., Denis, F., Luiz, A.A. (2011) Use of Handgrip Strength in the Assessment of the Muscle Function in Chronic Kidney Disease Patients on Dialysis: A Systematic Review. *Nephrology Dialysis Transplantation*, 26 (4), pp. 1354-60.
- Lemeshow, Stanley., Hosmer, D.W. (1997) *Besar Sampel dalam Penelitian Kesehatan. Gajah Mada University Press (Alih Bahasa)*. Yogyakarta: Gajah Mada University Press.
- Lozano, R., Naghavi M., Foreman, K., Lim, S., Shibuya, K., Aboyans, V., Abraham, J., Adair, T., Aggarwal, R., Ahn, S.Y., Alvarado, M., Anderson, H.R., Anderson, L.M., Andrews, K.G., Atkinson, C., Baddour, L., Barker-Collo, S. (2012) Global and Regional Mortality from 235 Causes of Death for 20 Age Groups in 1990 and 2010: A Systematic Analysis for The Global Burden of Disease Study 2010. *Lancet* [Internet], Desember 15; 380 (9859) pp. 2095-128. Available from: <http://www.thelancet.com> [Accessed 11 June 2014].
- Mahdavi, Sara. (2013) *Predictors of Muscle Function in Hemodialysis Patients*. Thesis, University of Toronto.
- Makhija, S. & Baker, J. (2008) The Subjective Global Assessment: A review of Its Use in Clinical Practice. *Nutrition in Clinical Practice*, 23 (4), pp. 405-409.
- Munirulanam. (2007) *Hubungan antara Kelemahan Otot dan Status Albumin Penderita Gagal Ginjal Kronik dengan Hemodialisis Rutin*. Tesis, Universitas Gadjah Mada.
- Park, S.W., Goodpaster, Bret H., Strotmeyer, E.S., de Rekeneire, N., Harris, T.B., Schwartz, Ann V., Tylavsky, F.A., Newman, A.B. (2006) Decreased Muscle Strength and Quality in Older Adults with Type 2 Diabetes: The Health, Aging, and Body Composition Study. *Diabetes*, 55 (6), pp. 1813-8.
- Perhimpunan Nefrologi Indonesia. (2003) *Penyakit Ginjal Kronik & Glomerulopati: Aspek Klinik & Patologi Ginjal & Pengelolaan Hipertensi Saat Ini*. JNHC. PERNEFRI.
- Pusponegoro, H., Wirya, W, Bisanto, J., Zulkarnain, Z., Pidjadi, A. (2008) *Uji Diagnostik, dalam buku Dasar-dasar Metodologi Penelitian Klinis*. Jakarta: Binarupa Aksara.
- Putrawan, I.B.P. & Kuswardhani, RA. T. (2011) Faktor-Faktor yang Menentukan kekuatan Genggaman Tangan pada Pasien Lanjut Usia di Panti Wredha Tangtu dan Poliklinik Geriatri RSUP Sanglah-Denpasar. *Jurnal Penyakit Dalam*, 12 (2), pp. 87-91.
- Qureshi, A.R., Alvestrand, A., Danielsson, A., Divino-Filho, J.C., Gutierrez, A., Lindholm, B., Bergstrom, J. (1998) Factors Predicting Malnutrition in Hemodialysis Patients: A Cross Sectional Study. *Kidney International*, 53, pp. 773–82.

- Qureshi, A.R., Alvestrand, A., Divino-Filho, J.C., Gutierrez, A., Heimbürger, O., Lindholm, B., Bergstrom, J. (2002) Inflammation, Malnutrition, and Cardiac Disease as Predictors of Mortality in Hemodialysis Patients. *Journal of American Society of Nephrology*, 13, pp. S28-S36.
- Rivai, Allan Taufiq. (2009) *Status Albumin Serum Pasien Penyakit Ginjal Kronik yang Menjalani Hemodialisis di Rumah Sakit Cipto Mangunkusumo pada Bulan Februari 2009 dan Hubungannya dengan Lama Menjalani Hemodialisis*. Skripsi, Universitas Indonesia.
- Rocco, M.V., Ikizler T.A. (2007) *Nutrition*. In: *Handbook of Dialysis*. Dourgirdas, J.T., Blake, P.G, Ing, T.S. (eds), 4th ed. Philadelphia: Lippincot Williams & Wilkins.
- Roberts, H.C., Denison, H.J., Martin, H.J., Patel, H.P., Syddall, H., Cooper, C., Sayer, A.A. (2011) A Review of the Measurement of Grip Strength in Clinical and Epidemiological Studies: Towards A Standardised Approach. *Journal Oxford*, 40 (4), pp. 423-9.
- Silva, L.F., Matos, C.M., Lopes, G.B., Martins, M.T., Martins, M.S., Arias, L.U., Pisoni, R.L., Lopes, A.A. (2011) Handgrip Strength As a Simple Indicator of Possible Malnutrition and Inflammation in Men and Women on Maintenance Hemodialysis. *Journal of Renal Nutrition*, 21 (3), pp. 235-45.
- Smeltzer, S.C., & Barre, B.G. (2009) *Textbox of Medical Surgical Nursing (11th ed)*. Philadelphia: Lippincott Williams & Wilkins.
- Sofyan, Shilvina. (2011) *Perbedaan Pengaruh Pemberian Latihan de Lorme terhadap Otot Bicep Brachii dan Kolaborasi Bicep Brachii dan Brachioradialis dalam Peningkatan Kekuatan Menggenggam*. Skripsi, Universitas Esa Unggul.
- Stenvinkel, P., Heimbürger, O., Lindholm, B., Kaysen, G.A., Bergstrom, J. (2000) Are There Two Types of Malnutrition in Chronic Renal Failure? Evidence for Relationship between Malnutrition, Inflammation, and Atherosclerosis (MIA syndrome). *Nephrology Dialysis Transplantation*, 15, pp. 953-60.
- Stenvinkel, P., Barany, P., Chung, S.H., Lindholm, B., Heimbürger, O. (2002) A Comparative Analysis of Nutritional Parameters as Predictor of Outcome in Male and Female ESRD Patients. *Nephrology Dialysis Transplantation*, 17, pp. 1266-74.
- Suhardjono. (2009, November). Penyakit Ginjal Kronik adalah Suatu Wabah Baru (Global Epidemic) Diseluruh Dunia. *Naskah dipresentasikan dalam Annual Meeting Perhimpunan Nefrologi Indonesia*, Surabaya.
- Suharjono, Susalit E. (2009) *Hemodialisis*. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S (eds). *Buku Ajar Ilmu Penyakit Dalam Jilid I*.

Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI, pp: 1050-2.

Sultana, Tania., Karim, Md. Nazmul., Ahmed, Tahmeed., Hossain, Md. Iqbal. (2015) Assessment of Under Nutrition of Bangladeshi Adults Using Anthropometry: Can Body Mass Index be Replaced by Mid-Upper-Arm-Circumference?. *PLoS One*, 10 (4).

Supariasa, I.D.N, Bakhyar B, & Ibnu F. (2002) *Penilaian Status Gizi*. Jakarta: Penerbit Buku Kedokteran EGC.

Thompson, B. (2011) *Hand Grip Strength (HGS) As an Indicator of Nutritional Status in Patients in a Rural Hospital*. New South Wales: Health Education & Training Institute.

Timreck, T. C. PhD. (2005) *Epidemiologi Suatu Pengantar Edisi 2*. Jakarta: EGC.

Wang, A.Y., Sea, M.M., Ho, Z.S., Lui, S.F., Li, P.K., Woo, J. (2005) Evaluation of Handgrip Strength As a Nutritional Marker and Prognostic Indicator in Peritoneal Dialysis Patients. *American Journal of Clinical Nutrition*, 81, pp. 79-86.

Yu-Tzu Chang., Wu, H.L., Guo, H.R., Cheng, Y.Y., Tseng, C.C., Wang, M.C., Lin, C.Y., Sung, J.M. (2011) Handgrip Strength is an Independent Predictor of Renal Outcomes in Patients with Chronic Kidney Disease. *Nephrology Dialysis Transplantation*, 0, pp. 1-8.

Zou, K.H., O'Malley, A.J. & Mauri L. (2007) Receiver-Operating Characteristic Analysis for Evaluating Diagnostic Tests and Predictive Models. *Circulation*, 115, pp. 654-657.