

DAFTAR PUSTAKA

- Afandi, M., 2013, Optimasi Formula Fast Disintegrating Tablet Natrium Diklofenak dengan Bahan Penghancur Ac-Di-Sol dan Filler Binder Avicel PH 102, *Skripsi*, Universitas Gadjah Mada, Yogyakarta.
- Azeem, A., Rizwan, M., Ahmad, F.J., Iqbal, Z., Khar, R.K., Aqil, M., Talegaonkar S., 2009, Nanoemulsion Components Screening and Selection: a Technical Note, *AAPS PharmSciTech.*, **10**(1), 69-76.
- Bandyopadhyay S., Katare, O.P., Singh, B., 2012, Optimized Self Nano-Emulsifying System of Ezetimibe with Enhanced Bioavailability Potential Using Long Chain and Medium Chain Triglycerides, *Colloids Surf B Biointerfaces*, **100**, 50-61.
- Basalious E.B., Shawky, N., Badr-Eldin, S.M., 2010, SNEDDS Containing Bioenhancers for Improvement of Dissolution and Oral Absorption of Lacidipine I: Development and Optimization, *Int J Pharm*, **391**(1-2), 203-11.
- Benita, S., 2006, *Microencapsulation: Methods & Industrial Applications Vol 158*, 2nd Edition, 2-5, Marcel Dekker Inc., New York.
- Bolton, S., dan Bon, C., 2004, *Pharmaceutical Statistics Vol. 135*, 265-281, Marcell Dekker Inc., New York.
- Bothiraja, C., Shinde, M.B., Rajalakshmi, S., Pawar, A.P., 2009. Evaluation of Molecular Pharmaceutical and In-vivo Properties of Spray-Dried Isolated Andrographolide-PVP. *J. Pharm. Pharmacol.* **61**, 1465-1472.
- Chao, W.W., dan Lin, B.F., 2010, Isolation and Identification of Bioactive Compounds in *Andrographis paniculata* (Chuanxinlian), *Chin. Med. J.* **5**, 1-15.
- Date, A.A., Desai, N., Dixit, R., Nagarsenker, M., 2010, Self-nanoemulsifying Drug Delivery Systems Formulation Insight, Applications and Advances, *Nanomedicine (Lond)*, **5**(10), 1595-1616.
- Depkes, 2008, Farmakope Herbal Indonesia, Edisi I, Departemen Kesehatan Republik Indonesia, Jakarta.
- Dewan, I., Gaji, M., Shahriar, M., Islam, S.M.A., 2012, In Vitro Study of Self Emulsifying Drug Delivery System of Poorly Water Soluble Drug Spironolactone, *IJPR*, **3**(3), 890-895.

- Dixit A.R., Rajput, J.R., Patel, S.G., 2010, Preparation and Bioavailability Assesment of SMEDDS Containing Valsartan, *AAPS PharmSciTech*, **11**(1), 314-321.
- Doh, H.J., Jung, Y., Balakrishnan, P., Cho, H.J., Kim, D.D., 2013, A Novel Lipid Nanoemulsion System for Improved Permeation of Granisetron, *Colloids Surf B Biointerfaces*, **101**, 475-480.
- Eid, A.M., El-Enshasy, H.A., Aziz, R., Elmarzuqi, N.A., 2014, The Preparation and Evaluation of Self-Nanoemulsifying System Containing Swietenia Oil and An Examination of Its Anti-Inflammatory Effects, *Int J Nanomedicine*, **9**, 4685-95.
- Grove, M., Mullertz, A., Nielsen, J.L., Pedersen, G.P., 2006, Bioavailability of Seocalcitol II : Development and Characterisation of Self Microemulsifying Drug Delivery System (SMEDDS) for Oral Administration Containing Medium and Long Chain Triglycerides, *Eur J Pharm Sci.*, **28** (3), 233-42.
- Gupta, R. 1991. *Agrotechnology of Medicinal Plants. In the Medicinal Plant Industry*. CRC press. Florida, USA, 43-57.
- Gursoy, R.N., dan Benita, S., 2004, Self-Emulsifying Drug Delivery Systems (SEDDS) for Improved Oral Delivery of Lipophilic Drugs, *Biomed and Pharmacother*, **58**, 173-182.
- Han, D.H., Jin, Z.H., Jin, Y.Z., Yin, X.Z., Shen, Y.Y., Gao, Z.G., 2010, Thermal Reversible Microemulsion System for Poorly Water-Soluble YH439 for Oral Delivery, *Chem Pharm Bull*, **58**(1), 11-5.
- Hariana, A. 2007. *Tumbuhan obat dan khasiatnya*. Seri 3. Penebar Swadaya. Jakarta.
- Hauss, D.J., 2007, Oral Lipid-based Formulation, *Adv Drug Deliv Rev*, **59**(7), 667-76.
- Heshmati, N., Cheng, X., Eisenbrand, G., Fricker, G., 2013, Enhancement of Oral Bioavailability of E804 by Self-Nanoemulsifying Drug Delivery System (SNEDDS) in Rats, *J Pharmaceut Sci*, **102** (10), 3792-9.
- Iosio, T., Voinovich, D., Perissutti, B., Serdoz, F., Hasa, D., Grabnar, I., Acqua, S.D., Zara, G.P., Muntoni, E., Pinto, J.K., 2011, Oral Bioavailability of Silymarin Phytocomplex Formulated as Self-Emulsifying Pellets, *Phytomedicine*, **18**, 505-512.

- Jeevana, J.B., dan Sreelakshmi, 2011, Design and Evaluation of Self-nanoemulsifying Drug Delivery System of Flutamide, *J Young Pharm*, **3**(1), 4-8.
- Kaukonen, A.M., Boyd, B.J., Porter, C.J., Charman, W.N., 2004, Drug Solubilization Behavior During In Vitro Digestion of Simple Triglyceride Lipid Solution Formulation, *Pharm Res.*, (**21**) 2, 245-35.
- Kawakami, K., Yoshikawa, T., Moroto, Y., Kanaoka, E., Takahashi, K., Nishihara, Y., dan Masuda, K., 2002, Microemulsion Formulation for Enhanced Absorption of Poorly Soluble Drugs. I. Prescription design, *J Control Release.*, **81**(1-2), 65-74.
- Kommuru, T.R., Gurley, B., Khan, M.A., Reddy, I.K., 2001, Self-Emulsifying Drug Delivery Systems (SEDDS) of Coenzyme Q10: Formulation Development and Bioavailability Assessment, *Int. J. Pharm.*, **212**, 233-246.
- Lin, Y.M., Wu, J.Y., Chen, Y.C., Su, Y.D., Ke, W.T., Ho, H.O., Sheu, M.T., 2011, In Situ Formation of Nanocrystals from A Self-Microemulsifying Drug Delivery System to Enhance Oral Bioavailability of Fenofibrate, *Int J Nanomedicine*, **6**, 2445-57.
- Ling, Y., Tao, W., Lan, T., Wei, L., Zhen, Y., Juan, Z., Zhijie, Z., Zheng, C., Ming, H., Zhongqiu, L., 2011, Poor Oral Bioavailability of a Promising Anticancer Agent Andrographolide is Due to Extensive Metabolism and Efflux by P-glycoprotein, *J Pharm Sci.*, **100** (11), 5007.
- Maiti, K., Mukherjee, K., Murugan, V., Saha, B.P., Mukherjee, P.K., 2010, Enhancing Bioavailability and Hepatoprotective Activity of Andrographolide from *Andrographis paniculata*, a Well-known Medicinal Food, Through Its Herbosome, *J. Sci. Food Agr.*, **90**(1), 43-51.
- Makadia, H.A., Bhatt, A.Y., Parmar, R.B., Paun, J.S., Tank, H.M., 2013, Self-Nano Emulsifying Drug Delivery System (SNEDDS) : Future Aspects, *Asian J Pharm Res.*, **3**(1), 21-27.
- Mandlik, S.K., Adhikari, S., Deshpande, A.A., 2012, Application of Simplex Lattice Design in Formulation and Development of Buoyant Matrices of Dipyramidole, *JAPS.*, **2**(12), 107-111.
- Martien, R., Loretz, B., dan Schnürch, A.B., 2006, Oral Gene Delivery: Design of Polymeric Carrier Systems Shielding toward Intestinal Enzymatic Attack, *Biopolimers.*, **83**, 327-336.

- Meirista, I., 2014, Formulasi dan Uji Aktivitas Nano-herbal Anti-Hiperkolesterol dari Kombinasi Ekstrak Temulawak (*Curcuma xanthorrhiza* Roxb.) dan Sambung Nyawa (*Gynura procumbens* (Lour.) Merr.) Menggunakan Myritol 318 Sebagai Fase Minyak, *Tesis*, Universitas Gadjah Mada, Yogyakarta.
- Milovic, M., Djuris, J., Djekic, L., Vasiljevic, D., Ibrics, S., 2012, Characterization and Evaluation of Solid Self-microemulsifying Drug Delivery System for Improved Carbamazepine Release, *Int J Pharm*, **436**(1-2), 58-65.
- Mohanraj, V.J. dan Chen, Y., 2006, Research Article Nanoparticle-A Review, *Trop J. Pharm. Res*, **5**(1), 564-566.
- Niranjan, A., Tewari, S.K., Lehri, A., 2010, Biological Activities Of Kalmegh (*A. paniculata* Ness) and Its Active Principles, *Ind. J. Nat. Prod. Res.*, **1**(2), 125-135.
- Nugroho, Y.A. dan Nafrialdi. 2001. Sambiloto Tumbuhan Obat Indonesia Penurun Kadar Lipid Darah. *Prosiding Seminar Nasional XIX. Tumbuhan Obat Indonesia. POKJANAS TOI*. hal. 353-358.
- Panossian, A., Hovhannisyanyan, A., Mamikonyan, G., Abrahamian, H., Hambarzumyan, E., Gabrielian, E., 2000, Pharmacokinetic and oral Bioavailability of Andrographolide from *Andrographis paniculata* Fixed Combination Kan Jang in Rats and Human, *Phytomedicine.*, **7**(5), 351-364.
- Patel, N.D., Patel, K.V., Panchai, L.A., Shukla, A.K. dan Shelat, P.K., 2011, An Emerging Technique for Poorly Soluble Drugs: Self Emulsifying Drug Delivery Systems, *Int. J. Pharm. Bio. Arch.*, **2**(2), 621-629.
- Patel, R.P., Ravi, K.L., Mehul, J.P., dan Bhatt, T.V., 2010, Modern Optimization Techniques in Field of Pharmacy, *Res. J. Pharm. Biol. Chem. Sci.*, **1**(2), 148.
- Pouton, C.W., 1985, Effect of the Inclusion of a Model Drug on the Performance of Selfemulsifying Formulation, *J Pharm Pharmacol*, **37**:1P.
- Rachmawati, A.N., 2012, Optimasi Tablet Dispersibel Ekstrak Daun Jambu Biji (*Psidium guajava* L) dengan Kombinasi Bahan Penghancur *Croscarmellose Sodium* dan *Sodium Strarch Glycolate*, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.

- Ragelle, H., Crauste-Manciet, S., Seguin, J., Brossard, D., Scherman, D., Arnaud, P., Chabot, G.G., 2012, Nanoemulsion Formulation of Fisetin Improves Bioavailability and Antitumour Activity in Mice, *Int. J. Pharm.*, **427**, 452-459.
- Rane, S.S. dan Anderson, B.D., 2008, What Determines Drug Solubility in Lipid Vehicles: Is it Predictable?, *Adv. Drug Deliv. Rev.*, **60**, 638-656.
- Rao, S.V.R. dan Shao, J., 2008, Self-Nanoemulsifying Drug Delivery Systems (SNEDDS) for Oral Delivery of Protein Drugs: Formulation Development, *Int. J. Pharm.*, **362**, 2-9.
- Rowe, R.C., Sheskey, P.J., & Quinn, M.E., 2009, *Handbook of Pharmaceutical Excipients*, Sixth Edition, Pharmaceutical Press, London.
- Satish, M., Saugat, A., Ameya, D., 2012, Application of Simplex Lattice Design in Formulation and Development of Buoyant Matrices of Dipyridamole, *J.App.Pharm.Sci*, **2** (12), 107-111.
- Selvam, P., Kulkarni, P.K., Dixit, M., 2013, Preparation and Evaluation of Self-nanoemulsifying Formulation of Efavirenz, *IJPER*, **47**(1), 47-54.
- Sermkaew, N., Ketjinda, W., Boonme, P., Phadoongsombut, N., Wiwattanapatpee, R., 2013, Liquid and Solid Self-microemulsifying Drug Delivery Systems for Improving The Oral Bioavailability of Andrographolide From a Crude Extract of *Andrographis paniculata*, *Eur J Pharm Sci.*, **50**(3-4), 459-66.
- Shafiq-un-Nabi, S., Shakeel, F., Talegaonkar, S., Ali, J., Baboota, S., Ahuja, A., Khar, R.K., Ali, M., 2007, Formulation Development and Optimization Using Nanoemulsion Technique: A Technical Note, *AAPS PharmSciTech*, **8**(2), Article 28.
- Sheeja, K., Shihab, P.K., Kuttan, G., 2006. Antioxidant and Antiinflammatory Activities of The Plant *Andrographis paniculata* Nees. *Immunopharmacol. Immunotoxicol.* **28**, 129-140.
- Subramanian, R., Asmawi, M.Z., Sadikun, A., 2008, In Vitro Alpha-glucosidase and Alphaamylase Enzyme Inhibitory Effects of *Andrographis paniculata* Extract and Andrographolide. *Acta, J. Biochem. Pol.*, **55**(2), 391-398.
- Sudarsono, Pudjoarinto, A., Gunawan, D., Wahyuono, S., Donatus, I.A., Drajad, M., Wibowo, S., Ngatidjan, 2006, *Tumbuhan Obat I*. Pusat Penelitian Obat Tradisional, Universitas Gadjah Mada, Yogyakarta. Hal 25-28.

- Wadhwa, J., Nair, A., Kumria, R., 2012, Emulsion Forming Drug Delivery System for Lipophilic Drugs, *Acta Pol Pharm*, **69**(2), 179-91.
- Wakerly, M.G., Pouton, C.W., Meakin, B.J., 1987, Evaluation of the Selfemulsifying Performance of a Non-ionic Surfactant : Vegetable Oil Mixture, *J. Pharm Pharmacol*, 39-45.
- Wang, Z., Sun, J., Wang, Y., Liu, X., Liu, Y., Fu, Q., Meng P., He Z., 2010, Solid Selfemulsifying Nitrendipine Pellets: Preparation and In Vitro/In Vivo Evaluation, *Int. J. Pharm.*, **383**, 1–6.
- Wasan, E.K., Bartlett, K., Gershkovich, P., Sivak, O., Banno, B., Wong, Z., Gagnon, J., Gates, B., Leon, C.G., Wasan, K.M., 2009, Development and Characterization of Oral Lipid-based Amphotericin B Formulations with Enhanced Drug Solubility, Stability and Antifungal Activity in Rats Infected with *Aspergillus fumigatus* or *Candida albicans*, *Int. J. Pharm.*, **372**, 76-84.
- Wijayakusuma, H.M.S., Dalimarta, dan A.S. Wina., 1991, *Tanaman berkhasiat obat di Indonesia*, Jilid II, Pustaka Kartini, Jakarta.
- Xi, J., Chang, Q., Chan, C.K., Meng, Z.Y., Wang, G.N., Sun, J.B., Wang, Y.T., Tong, H.H.Y., Zheng, Y., 2009, Formulation Development and Bioavailability Evaluation of a Self-Nanoemulsified Drug Delivery System of Oleanic Acid, *AAPS PharmSciTech*, **10**(1), 172-82.
- Yang, T., Sheng, H.H, Feng, N.P, Wei, H., Wang, Z.T., Wang, C.H., 2013, Preparation of Andrographolide-loaded Solid Lipid Nanoparticles and Their In Vitro and In Vivo Evaluations: Characteristics, Release, Absorption, Transports, Pharmacokinetics, and Antihyperlipidemic Activity, *J Pharm Sci.*, **102** (12), 4414-25.
- Yulinah, E., Sukrasno, Fitri, M.A., 2011, Aktivitas Antidiabetika Ekstrak Etanol Herba Sambiloto (*Andrographis paniculata* Nees (Acanthaceae)), *JMS ITB* Vol. **6**.
- Zein, K.A.Y., 2014, Pembuatan S-SNEDDS (Solid-Self Nanoemulsifying Drug Delivery System) Ketoprofen Menggunakan Minyak Nabati, *Skripsi*, Fakultas Farmasi, Yogyakarta.
- Zhang, X.F. dan Tan, B.K., 2000, Anti-diabetic Property of Ethanolic Extract of *Andrographis paniculata* in Streptozotocin-diabetic Rats, *Acta Pharmacol Sin.*, **21**(12), 1157–64.

Zhang, P., Liu, Y., Feng, N., Xu, J., 2008, Preparation and Evaluation of Self-Microemulsifying Drug Delivery System of Oridonin, *Int. J. Pharm.*, **355** (1-2), 269-76.

Zhao, Y., Wang, C., Chow, A.H., Ren, K., Gong, T., Zhang, Z., dan Zheng, Y., 2010, Self-Nano Emulsifying Drug Delivery Systems (SNEDDS) for Oral Delivery of Zedoary Essential Formulation and Bioavaibility Studies, *Int. J. Pharm.*, **383**(1-2), 170-177.