

## DAFTAR PUSTAKA

- Abdelmageed, A. H. A., Faridah, Q. Z., Nur, A. A. and Yacoob, M., 2011, The Influence of Organ and Post-harvest Drying Period on Yield and Chemical Composition of the Essential Oils of *Etlingera elatior* (Zingiberaceae). *J. Med. Plant. Res.*, 5(15), 3432-3439.
- Adri, D. and Hersoelistyorini, W., 2013, Aktivitas Antioksidan dan Sifat Organoleptik Teh Daun Sirsak (*Annona muricata* Linn.) Berdasarkan Variasi Lama Pengeringan, *J. Pangan dan Gizi*, 4(7), 1-12.
- Alali, F. Q., Tawaha, K., Tamam, E., Maha, S., Mosa, E., Khaled, A., Samara, J. N., William, D. W., Joseph, O. F. and Nicholas, H. O., 2007. Antioxidant Activity and Total Phenolic Content of Aqueous and Methanolic Extracts of Jordanian Plants: an ICBG project, *Nat. Prod. Res.*, 21(12), 1121-1131.
- Almeida, J. R. G. S., de Oliveira, M. R., Guimaraes, A. L., de Oliveira, A. P., Ribeiro, L. A. A., Lucio, A. S. S. C. and Quintans Junior, L. J., 2011, Phenolic Quantification and Antioxidant Activity of *Anaxagorea dolichocarpa* and *Duguetia chrysocarpa*, *Int. J. Pharm. Biosci.*, 2(4), 367-374.
- Anonim, 2001, *Cough and Cold Remedies for The Treatment of ARI in Young Children*, World Health Organization, Switzerland.
- Astuti, D. dan Setyani, W., 2008, Perbandingan Randemen Minyak Atsiri Temulawak (*Curcuma xanthorrhiza* Roxb.) yang Dikeringkan Dengan Dianginkan, Panas Matahari dan Oven 50 °C Serta Identifikasi Secara Kromatografi Lapis Tipis, *Media Farmasi Indonesia*, 3(1), 216-222.
- Astuti, E., Sunarminingsih, R., Jenie, U. A., Mubarika, S. dan Sismindari, 2014, Pengaruh Lokasi Tumbuh, Umur Tanaman, dan Variasi Jenis Destilasi Terhadap Komposisi Senyawa Minyak Atsiri *Curcuma mangga* Produksi Beberapa Sentra di Yogyakarta, *J. Manusia dan Lingkungan*, 21(3), 323-330.
- Astuti, S., 2008, Isoflavon Kedelai dan Potensinya Sebagai Penangkap Radikal Bebas, *J. Teknologi Industri dan Hasil Pertanian*, 13(2), 126-136.
- Barasi, M. E., 2010, *At a Glance Ilmu Gizi*, Penerbit Erlangga, Jakarta
- Bernawai dan Nurliani, 2006, *Status Teknologi Budidaya dan Pasca Panen Tanaman Kunyit dan Temulawak*, Balai Penelitian Tanaman Obat dan Aromatik, Bogor
- Blois, M. S., 1958, Antioxidant Determination by The Use of a Stable Free Radical, *Nature*, 181, 1199-1200.

- Breitmmeier, E., 2006, *Terpenes: Flavors, Fragrances, Pharmacology, Pheromones*, 1st edition, Wiley-VCH, Weinheim.
- Buchbauer, G., 2010, Biological Activities of Essential Oils. Dalam: K. H. C. Baser & G. Buchbauer, *Handbook of Essential Oils: Science, Technology and Application*, CRC Press - Taylor and Francis Group, New York.
- Bäcktorp, C., Wass, J. R. T. J., Panas, I., Sköld, M., Börje, A. and Nyman, G., 2006, Theoretical Investigation of Linalool Oxidation. *J. Phys. Chem. A*, 110(44), pp. 12204-12212.
- Chen, H. and Mujumdar, A. S., 2006, Drying of Herbal Medicines and Tea. Dalam: A. S. Mujumdar, *Handbook of Industrial Drying*, CRC Press - Taylor and Francis Group, New York.
- Darwis, S., Indo, M. dan Hasiyah, S., 1991, Tumbuhan Obat Famili Zingiberaceae, *Seri Pengembangan Puslitbangtri*, 17, 53-59.
- Derwich, E., Benziene, Z., Chabir, R. and Taouil, R., 2011, Characterization of Volatiles and Evaluation of Antioxidant Activity of the Flower Essential Oil of *Myrtus communis* L. from Morocco. *Int. J. Curr. Pharm. Res.*, 3(3).
- Douglas, M., Heyes, J. and Smallfield, B., 2005, *Herbs, Spices and Essential Oils*, New Zealand Institute for Crop and Food Research, New Zealand.
- Dris, R. and Jain, S. M., 2004, Methods to Evaluate The Antioxidant Activity, *Production Practices and Quality Assessment of Food Crops*, 3, 55-71.
- El-Beltagi, H. S., Afify, A. M. R. and Shalaby, E. A., 2011, Antioxidant Activity of Aqueous Extracts of Different Caffeine Products, *Not. Bot. Horti Agrob.*, 39(2), 117-123.
- Emami, S. A., Abedindo, B. F. and Hassanzadeh-Khayyat, M., 2011, Antioxidant Activity of the Essential Oils of Different Parts of *Juniperus excelsa* M. Bieb. subsp. *excelsa* and *J. excelsa* M. Bieb. subsp. *polycarpus* (K. Koch) Takhtajan (Cupressaceae), *Iran. J. Pharm. Res.*, 10(4), 799-810.
- Estiasih, Teti dan Ahmadi, 2009, *Teknologi Pengolahan Pangan*, Bumi Aksara, Malang.
- Fessenden, R. J. and Fessenden, J. S., 1986, *Kimia Organik Jilid I*. edisi ke-3, Penerbit Erlangga, Jakarta.
- Fitriani, A. N., 2014, Studi Waktu Pengaruh Destilasi dan Uji Aktivitas Sebagai Insektisida Alami Minyak Atsiri Anakan Rimpang dan Empu Curcuma mangga Val., *Skripsi*, Universitas Gadjah Mada, Yogyakarta.

- Franz, C. and Novak, J., 2010, Source of Essential Oils. Dalam: K. H. C. Baser & G. Buchbauer, *Handbook of Essential Oils: Science, Technology and Applications*, CRC Press - Taylor & Francis Group, New York.
- Gekas, V., Orphanides, A. and Goulas, V., 2013, Effect of Drying Method on The Phenolic Content and Antioxidant Capacity of Spearmint, *Czech J. Food Sci.*, 31(5), 509-513.
- Gopalakrishnan, V. K., Vishnupriya, M., Nishaa, S., Sasikumar, J. M., Teepica, P. D. and Hephzibah, C. P., 2012. Chemical Composition and Antioxidant Activity of Essential Oil from *Curcuma amada* Roxb., *Int. Res. J. Pharm.*, 3(6), 99-103.
- Grabowski, S., Marcotte, M. and Ramaswamy, H. S., 2003, Drying of Fruits, Vegetables, and Spices. Dalam: A. Chakraverty, A. S. Mujumdar, G. S. V. Raghavan & H. S. Ramaswamy, *Handbook of Postharvest Technology: Cereals, Fruits, Vegetables, Tea and Spices*, Marcell Dekker, Inc., New York.
- Guenther, E., 1948, *The Essential Oils: History-Origin in Plants Production-Analysis*, 8<sup>th</sup> ed., D Van Nostrand Company, New York.
- Handa, S., 2008, Distillation Technology for Essential Oils. Dalam: *Extraction Technology for Medicinal and Aromatic Plants*. International Centre of Science and High Technology, Trieste.
- Hernani dan Nurdjanah, R., 2009, Aspek Pengeringan Dalam Mempertahankan Kandungan Metabolit Sekunder Pada Tanaman Obat. *Perkembangan Teknologi TRO*, 21(2), 33-39.
- Huang, B., Wang, G., Chu, Z. and Qin, L., 2013, Effect of Microwave Drying, Oven Drying, and Silica Gel Drying Methods on the Volatile Components of Ginger (*Zingiber officinale* Roscoe) by HS-SPME GC-MS, *Dry. Techno.*, 30(3), 248-255.
- Huang, T., Chung, C., Wang, H., Law, C. and Chen, H., 2011, Formation of 6-Shogaol of Ginger Oil Under Different Drying Conditions, *Dry. Techno.*, 29, 1884-1889.
- Ibrahim, H., Syamsir, D. R., Aziz, A. N. and Awang, K., 2009, Essential Oils of *Elettariopsis curtisii* (Zingiberaceae) and Their Microbial Activities, *J. Essent. Oil Res.*, 21, 464-466.
- Jager, W., 2010, Metabolism of Terpenoids in Animal Models and Humans. Dalam: K. H. C. Baser & G. Buchbauer, *Handbook of Essential Oils: Science, Technology and Applications*, CRC Press - Taylor & Francis Group, New York.

- Jantan, I. b., Ahmad, A. S., Ali, N. A. M., Ahmad, A. R., and Ibrahim, H., 1999, Chemical Composition of the Rhizome Oils of Four Curcuma Species from Malaysia, *J. Essent. Oil Res.*, 11(6), 719-723.
- Jian, L., Guo, S. and Tian, Y., 2013, Study on Extraction Process of *Curcuma zedoaria* Volatile Oil and Its Effect on Anticancer, *Asian J. Chem.*, 25(13), 7617-7620.
- Kamazeri, S. A., Samah, O. A., Taher, M., Susanti, D. and Qaralleh, H., 2012, Antimicrobial Activity and Essential Oils of *Curcuma aeruginosa*, *Curcuma mangga*, and *Zingiber cassumunar* from Malaysia. *Asian Pac. J. Trop. Med.*, 1, 202-209.
- Kitson, F. G., Larsen, B. S. and McEwen, C. N., 1996, *Gas Chromatography and Mass Spectrometry: A Practical Guide*, Academic Press, London.
- Kumar, A., Chomwal, R., Kumar, P. and Sawal, R., 2009, Anti inflammatory and Wound Healing Activity of *Curcuma aromatica* Salisb Extract and Its Formulation, *J. Chem. Pharm. Res.*, 1(1), 304-310.
- Kumavat, S. D., Chaudhari, Y. S., Borole, P., Mishra, P., Shenghani, K. and Duvvuri, P., 2013, Degradation Studies of Curcumin, *Int. J. Pharm. Rev. Res.*, 3(2), 50-55.
- Kuncahyo, I. dan Sunardi, 2007, Uji Aktivitas Antioksidan Ekstrak Belimbing Wuluh (*Averrhoa bilimbi*, L.) terhadap 1,1-diphenyl-2-picrylhydrazyl (DPPH), *Seminar Nasional Teknologi*, , Yogyakarta.
- Letizia, C. S., Cocchiara, J., Lalko, J. and Api, A. M., 2003, Fragrance Material Review on Linalyl Propionate, *Food Chem. Toxicol.*, 41, 1023-1027.
- Mahboubi, M., Haghi, G., Kazempour, N. and Hatemi, A. R., 2013, Total Phenolic Content, Antioxidant, and Antimicrobial Activities of *Blepharis edulis* Extracts, *Songklanakarin J. Sci. Technol.*, 35(1), 11-16.
- Mitic-Culafic, D., Zegura, B., Nikolic, B., Vukocic-Bacic, B., Knezevic-Vukcevic, J. and Filipic, M, 2009, Protective Effect of Linalool, Myrcene and Eucalyptol Against t-Butyl Hydroperoxide Induced Genotoxicity in Bacteria and Cultured Human Cells, *Food Chem. Toxicol.*, 47, 260-266.
- Molyneux, P., 2004, The Use of The Stable Free Radical Diphenylpicrylhydrazyl (DPPH) for Estimating Antioxidant Activity, *J. Sci. Technol.*, 26(2), 211-219.
- Muhlisah, F., 1999, *Temu-Temuan dan Empon-Emponan: Budidaya dan Manfaatnya*, Penerbit Kanisius, Yogyakarta.

- Murakami, A., Takahashi, M., Jiwajinda, S., Koshimizu, K. and Ohigashi, H., 2002, Zerumbone, a Southeast Asian Ginger Sesquiterpene, Markedly Suppresses Free Radical Generation, Proinflammatory Protein Production, Cancer Cell Proliferation Accompanied by Apoptosis: the  $\alpha,\beta$ -unsaturated carbonyl group is a prerequisite, *Carcinogenesis*, 23(5), 795-802.
- Murakami, A., Takahashi, D., Kinoshita, D., Koshimizu, K., Kim, H. W., Yoshihiro, A., Nakamura, Y., Jiwajinda, S., Terao, J. and Ohigashi, H., 1999, Identification of Zerumbone in Zingiber zerumbet Smith as a Potent Inhibitor of 12-O-tetradecanoylphorbol-13-acetate-induced Epstein-Barr Virus Activation, *Biosci. Biotech. Biochem.*, 63, 1811-1812.
- Mutmainah, 2013, Pengaruh Cara Pengeringan Terhadap Randemen Hasil Soxhletasi Rimpang Temu Giring (*Curcuma heyneana* Val. & V. Zijp), *J. Para Pemikir*, 2(4).
- Mwaniki, J. M. and Kamau, G. N., 2003, Factors Affecting Yield of Essential Oil from Clavenger Distillation of Chamomile Flowers, *Int. J. BioChemiPhysics*, 11-12(1-2), 27-31.
- Ojeda-sana, A. M., Baren, C. M. van, Elechosa, M. A., Juarez, M. A. and Moreno, S., 2013, New Insights Into Antibacterial and Antioxidant Activities of Rosemary Essential Oils and Their Main Components, *Food Control*, 31(1), 189-195.
- Olszewska, M. A., Presler, A. and Michel, P., 2012, Profiling of Phenolic Compounds and Antioxidant Activity of Dry Extracts from The Selected Sorbus Species, *Molecules*, 17, 3093-3113.
- Pangestika, F. W., 2013, Pengaruh Cara Preparasi dan Waktu Panen Terhadap Aktivitas Antioksidan Minyak Atsiri Curcuma mangga Val. yang Diukur Dengan Metode 1,1-Difenil-2-Pikrilhidrazil (DPPH) dan Thiobarbituric Acid Reactive Substances (TBARS), *Skripsi*, Universitas Gadjah Mada, Yogyakarta.
- Pavia, D. L., Lampman, G. M., Kriz, G. S. and Vyvyan, J. R., 2009, *Introduction to Spectroscopy*. 4<sup>th</sup> ed., Brooks/Cole, California.
- Pine, S. H., Hendrickson, J. B., Cram, D. J. and Hammond, G. S., 1988, *Kimia Organik 2*, 4th ed., Penerbit ITB, Bandung.
- Pisoschi, A. M. and Negulescu, G. P., 2011, Methods for Total Antioxidant Activity Determination: A Review, *Biochem. and Analyt. Biochem.*, 1(1), 1-10.

- Policegoudra, R. and Aradhya, S., 2007, Biochemical Changes and Antioxidant Activity of Mango Ginger (*Curcuma amada* Roxb.) Rhizomes During Post-Harvest Storage at Different Conditions, *Postharvest Biol. Tec.*, 46, 189-194.
- Policegoudra, R. S., Abiraj, K., Gowda, D. C. and Aradhya, S. M., 2007, Isolation and Characterization of Antioxidant and Antibacterial Compound from Mango Ginger (*Curcuma amada* Roxb.) Rhizome, *J. Chrom. B*, 852, 40-48.
- Prior, R. L., Wu, X. and Schaich, K., 2005, Standardized Methods for The Determination of Antioxidant Capacity and Phenolics in Foods and Dietary Supplements, *J. Agr. Food Chem.*, 53(10), 4290-4302.
- Race, S., 2009, *Antioxidants: The truth about BHA, BHT, TBHQ and other antioxidants used as food additives*, Tigmor Books, England.
- Riyadi, W., 2009, Isolasi Minyak Atsiri dari Temulawak (*Curcuma xanthorrhiza* Roxb.) Dengan Metode Destilasi Air, *Skripsi*, Universitas Riau, Riau.
- Robards, K., Antolovich, M., Prenzler, P. D., Patsalides, E. and McDonald, S., 2002, Methods for Testing Antioxidant Activity, *Analyst*, 127, 183-198.
- Robinson, J. W., 1995, *Undergraduate Instrumental Analysis*, 5<sup>th</sup> ed., Marcell Dekker Inc., New York.
- Ruberto, G. and Baratta, M. T., 2000, Antioxidant Activity of Selected Essential Oil Components in Two Lipid Model Systems, *Food Chem.*, 69(2), 167-174.
- Rukmana, R., 1994, *Temulawak: Tanaman Rempah dan Obat*, Penerbit Kanisius, Yogyakarta.
- Rumiyati, Sudibyo, R. S., Sismindari dan Jenie, U. A., 2007, Selective Cytotoxicity of Essential Oil of *Curcuma mangga* Val. on Cell Lines and Its Effect on Expressions of p53 dan Bcl-2, *Proceeding of The International Symposium on Recent Progress in Curcumin Research, 11-12 September 2006*, Yogyakarta
- Safaei-Ghomi, J., Ghadami, M. and Batooli, H., 2010, Bioactivity of Methanol Extracts of *Eucalyptus sargentii* Maiden Cultivated in Iran, *Dig. J. Nanomater. Bios.*, 5(4), 859-863.
- Schmidt, E., 2010, Production of Essential Oils. Dalam: K. H. C. Baser & G. Buchbauer, *Handbook of Essential Oils: Science, Technology, and Applications*, CRC Press - Taylor & Francis Group, New York
- Sell, C., 2010, Chemistry of Essential Oils. Dalam: K. H. C. Baser and G. Buchbauer, *Handbook of Essential Oils: Science, Technology and Applications*, CRC Press - Taylor & Francis Group, New York

- Setyani, W. dan Astuti, D. W., 2008, Perbandingan Randemen Minyak Atsiri Rimpang Temulawak (*Curcuma xanthorrhiza* Roxb.) yang Dikeringkan Dengan Diangin-anginkan, Panas Matahari dan Oven 50 °C serta Identifikasi Secara Kromatografi Lapis Tipis, *Media Farmasi Indonesia*, 3(1), pp. 216-222.
- Sunarni, T., Suwidjiyo, P. dan Ratna, A., 2007, Flavonoid Antioksidan Penangkap Radikal dari Daun Kepel (*Stelechocarpus burahol* (Bl) Hook f. & Th.), *Majalah Farmasi Indonesia*, 18(3), 111-116.
- Sutjipto, K. dan Kusumadewi, A., 2008, Pengaruh Waktu Pengeringan Terhadap Kadar Tanin Daun Jati Belanda (*Guazoma Ulmifolia* Limk.), *J. Tumbuhan Obat Indonesia*, 1(1), 38-46.
- Tandon, S., 2008, Distillation Technology for Essential Oils. Dalam: S. S. Handa, S. P. S. Khanuja, G. Longo and D. D. Rakesh, *Extraction Technologies for Medicinal and Aromatic Plants*, International Centre for Science and High Technology, Trieste.
- Tandon, S. and Rane, S., 2008, Decoction and Hot Continuous Extraction Techniques. Dalam: S. S. Handa, S. P. S. Khanuja, G. Longo and D. D. Rakesh, *Extraction Technologies for Medicinal and Aromatic Plants*, International Centre for Science and High Technology, Trieste.
- Tapan, E., 2005, *Kanker, Antioksidan, dan Terapi Komplementer*, PT. Elex Media Komputindo, Jakarta.
- Tønnesen, H. H., Karlsen, J. and Henegouwen, G. B., 1986, Studies on Curcumin and Curcuminoids, *Eur. Food Res. Technol.*, 183(2), 116-122.
- Turek, C. and Stintzing, F., 2013, Stability of Essential Oils: A Review, *Compr. Rev. Food Sci. F.*, 12(1), 40-53.
- Ul-Husna, N., 2014, Aktivitas Antioksidan dan Kemoprevensi Minyak Atsiri Rimpang Temu Mangga (*Curcuma mangga* val.) Yang Dianalisis Dengan Metode Lipid Peroxidation (LPO)-Assay, *Skripsi*, Universitas Gadjah Mada, Yogyakarta.
- Vasundhara, M., Priyanka, R, Ashwini, J., Radhika, B., and Thara, B. S., 2014, Screening Fresh, Dry, and Processed Turmeric (*Curcuma longa* L.) Extract Against Pathogenic Bacteria, *Res. J. Pharm. Biol. Chem. Sci.*, 5(6), 1041-1046.
- Wahab, I. R. A., Blagojevic, P. D., Radulovic, N. S. and Boylan, F., 2011, Volatiles of *Curcuma mangga* Val. & Zijp (Zingiberaceae) from Malaysia, *Chem. Biodivers.*, 13(11), 2005-2014.
- Winarsi, H., 2007, *Antioksidan Alami dan Radikal Bebas: Potensi dan Aplikasinya dalam Kesehatan*, Penerbit Kanisius, Yogyakarta.



- Yang, R., Wang, Q., Gou, X. and Gao, G., 2014, Chemical Composition, Antioxidant and Antibiosis Activities of Leaves Essential Oils of *Curcuma phaeocaulis*, *Asian J. Agr. Food Sci.*, 2(4), 363-370.
- Young, P. R., 2000, *Practical Spectroscopy: The Rapid Interpretation of Spectral Data*, Brooks/Cole, California.
- Youngson, D. R., 2005, *Antioksidan: Manfaat Vitamin C & E Bagi Kesehatan*, Penerbit Arcan, Jakarta.
- Yuliarti, N., 2010, *Sehat, Cantik, Bugar dengan Herbal dan Obat Tradisional*, Penerbit Andi, Yogyakarta.
- Yuliarto, F., Khasanah, L. dan Anandito, R., 2012, Pengaruh Ukuran Bahan dan Metode Destilasi Terhadap Kualitas Minyak Atsiri Kulit Kayu Manis (*Cinnamomum burmannii*), *J. Teknosains Pangan*, 1(1), 12-23.
- Zahro, L., Cahyono, B. dan Hastuti, R. B., 2009. Profil Tampilan Fisik dan Kandungan Kurkuminoid dari Simplisia Temulawak (*Curcuma xanthorrhiza* Roxb.) pada Beberapa Metode Pengeringan, *J. Sains dan Matematika*, 17(2), 24-32.
- Zellner, B. D., Dugo, P., Dugo, G. and Mondello, L., 2010, Analysis of Essential Oils. Dalam: K. H. C. Baser and G. Buchbauer, *Handbook of Essential Oils: Science, Technology and Applications*, CRC Press - Taylor & Francis Group, New York.
- Zhang, Y., Yin, Z., Gu, X. and Kang, W., 2012, Antioxidant and  $\alpha$ -glucosidase Inhibitory Activity of *Adina rubella* Hance in vitro, *African J. Pharm. Pharmacol.*, 6(41), 2888-2894.