

## DAFTAR PUSTAKA

- Akashi, T. (2008) Creating the 'Wind Paths' in the City to Mitigate Urban Heat Island Effects A Case Study in Central District of Tokyo. Paper Presented at the CIB-W101 (Spatial Planning and Infrastructure Development) Annual Meeting 2008.
- Auliciems, A., & Szokolay, S. V. (1997). *Thermal comfort*. Brisbane.
- BNPB. (2012). *Pedoman Umum Pengkajian Risiko Bencana*
- BNPB. (2013). *Indeks Risiko Bencana Indonesia Tahun 2013*. Jawa Barat: Direktorat Pengurangan Risiko Bencana Deputi Bidang Pencegahan dan Kesiapsiagaan.
- Bambrick, H. J., dkk. (2011). Climate change and health in the urban environment: adaptation opportunities in Australian cities. *Asia-Pacific Journal of Public Health / Asia-Pacific Academic Consortium for Public Health*, 23(2 Suppl), 67S–79.
- Bednar, M. & Bednar, T. (2013). A New Method For The Calculation Of The Sky View Factor For Non-Rectangular Surroundings. *Proceedings of BS2013: 13th Conference of International Building Performance Simulation Association*, 2839–2844.
- Bonab, H. R., & Ghasemzadeh, B. (2013). Comfortable climate to attract tourist by enjoying the PET and PMV indicators ( case study : Savar Village ), 6, 1–17.
- Boutet, T. S. (1987). *Controlling Air Movement: A Manual for Architects and Builders*. New York: McGraw-Hill
- Brontowiyono, W., dkk. (2011). Urban Heat Islands Mitigation By Green Open Space (Gos) Canopy Improvement: A Case Of Yogyakarta Urban Area (YUA), Indonesia. *International Journal of Technology*, Vol .3, pp. 207-214.
- Cardona, O.-D., dkk. (2012). Determinants of Risk : Exposure and Vulnerability, 65–108.
- Cheng, V. (2010) 'Understanding Density and High Density' dalam Ng, E., eds., *Designing High-Density Cities: For Social & Environmental Sustainability*, UK: Cromwell Press, Trowbridge.
- Cheng, V., dkk. (2012). Outdoor thermal comfort study in a sub-tropical climate: a longitudinal study based in Hong Kong. *International Journal of Biometeorology*, 56(1), 43–56.
- Cohen, P., dkk. (2013). Human thermal perception of Coastal Mediterranean outdoor urban environments. *Applied Geography*, 37, 1–10.
- Corobov, R., dkk. (2013). Assessment of climate change vulnerability at the local level: a case study on the Dniester River Basin (Moldova). *TheScientificWorldJournal*, 201.
- Deb, C., & Ramachandraiah, A. (2010). The significance of Physiological Equivalent Temperature ( PET ) in outdoor thermal comfort studies, 2(7), 2825–2828.

- Epstein, Y. & Moran, D.S. (2006). Thermal Comfort and the Heat Stress Indices. *Ind. Health* 44, 388–398.
- Fellmann, T. (2012). The assessment of climate change-related vulnerability in the agricultural sector : reviewing conceptual frameworks. In A. Meybeck, J. Lankoski, S. Redfern, N. Azzu, & V. Gitz (Eds.), *Building resilience for adaptation to climate change in the agriculture sector - Proceedings of a Joint FAO/OECD Workshop, Rome, 23–24 April 2012* (pp. 37–62).
- Gartland, L. (2008). *Heat Island: Understanding and Mitigating Heat in Urban Areas*. UK: Cromwell Press, Trowbridge.
- Glenn, T & Lyle, H. (1980). Introduction to Climate. Michigan: McGraw-Hill.
- Harlan, S., L., dkk. (2006). Neighborhood Microclimates and Vulnerability to Heat Stress. *Social Science & Medicine*, Vol. 63, pp. 2847-2863.
- Hathway, E. A. & Sharples, S. (2012). The interaction of rivers and urban form in mitigating the urban heat island effect: a UK case study. *Building and Environment*. 58: 14-22.
- Hellmann, J., dkk. (2014). The Notre Dame Global Adaptation Index. *University of Notre Dame Global Adaptation Index Detailed Methodology Report*, 1–30.
- Honjo, T. (2009). Thermal Comfort in Outdoor Environment, 43–47.
- Höppe, P. (1999). The physiological equivalent temperature – a universal index for the biometeorological assessment of the thermal environment. *Int J Biometeorol* 43, 71–75.
- Holmer, B., dkk. (2001). Sky view factors in forest canopies calculated with IDRISI. *Theoretical and Applied Climatology* 68, 33-40
- Huang, J., dkk. (2007). A global comparative analysis of urban form: Applying spatial metrics and remote sensing. *Landsc. Urban Plan.* 82, 184–197.  
<http://universotokyo.com/2013/10/14/vertical-gardens-going-green/>, diakses 3 Juni 2015  
<http://www.epa.gov/heatisland/about/index.html>, diakses 1 Mei 2014.  
<http://www.discoverhongkong.com/eng/see-do/great-outdoors/city-parks/hong-kong-park.jsp>, diakses 3 Juni 2015  
[https://www.flickr.com/photos/andrew\\_buckie/479614513](https://www.flickr.com/photos/andrew_buckie/479614513), diakses 3 Juni 2015  
<http://www.greenroofs.com/projects/pview.php?id=21>, diakses 3 Juni 2015
- Johansson, E., & Emmanuel, R. (2006). The influence of urban design on outdoor thermal comfort in the hot, humid city of Colombo, Sri Lanka. *International Journal of Biometeorology*, 51(2), 119–33.
- Johnson, G. & Watson, I. (1984). The Determination of View-Factors in Urban Canyons. *Journal of Climate and Applied Meteorology* 23, 329-335
- Katzchner, L. (2010). ‘Urban Climate in Dense Cities’ dalam Ng, E., eds., *Designing High-Density Cities: For Social & Environmental Sustainability*, UK: Cromwell Press, Trowbridge.

- Khalizah, S., dkk. (2012). Modification of Urban Temperature in Hot-Humid Climate through Landscape Design Approach : A review. *Procedia - Social and Behavioral Sciences*, Vol 68, pp. 439-150.
- Kinney, P. L., dkk. (2008). Approaches for estimating effects of climate change on heat-related deaths: challenges and opportunities. *Environmental Science & Policy*, 11(1), 87–96.
- Klein, R., J., dkk. (2014). Intra-urban vulnerability to heat-related mortality in New York City, 1997-2006. *Health Place* 30C, 45–60.
- Lin, T.-P. (2009). Thermal perception, adaptation and attendance in a public square in hot and humid regions. *Building and Environment*, 44(10), 2017–2026.
- Lin, T.-P., & Matzarakis, A. (2008). Tourism climate and thermal comfort in Sun Moon Lake, Taiwan. *International Journal of Biometeorology*, 52(4), 281–90.
- Lindley, S., dkk. (2011). Climate Change, Justice and Vulnerability. *Joseph Rowntree Foundation*.
- Loughnan, M., dkk. (2013). *A spatial vulnerability analysis of urban populations during extreme heat events in Australian capital cities - Final Report*. Australia.
- Luber, G., & McGeehin, M. (2008). Climate Change and Extreme Heat Events. *American Journal of Preventive Medicine*, Vol. 35, No. 5, pp. 429-435.
- Makaremi, N., dkk. (2012). 607 : Study on outdoor thermal comfort in hot and humid context, 8–11.
- Maller, C.J., Strengers, Y. (2011). Housing, heat stress and health in a changing climate: promoting the adaptive capacity of vulnerable households, a suggested way forward. *Health Promot. Int.* 26, 492–8.
- Mantra, I. B & Kasto. (1982). ‘Penentuan Sampel’ dalam Singarimbun, M. dan Effendi, S., eds., *Metode Penelitian Survei*, Jakarta: LP3ES.
- Monam, A., & Rückert, K. (2013). The Dependence of Outdoor Thermal Comfort on Urban Layouts. In K. Rückert (Ed.), *Young Cities – Developing Urban Energy Efficiency*. Berlin, Germany: Universitätsverlag der TU.
- Monteiro, L. M., & Alucci, M. P. (1999). Proposal of an outdoor thermal comfort index : empirical verification in the subtropical climate.
- Monteiro, L. M., & Alucci, M. P. (2006). Calibration of outdoor thermal comfort models, (September), 6–8.
- Matzarakis, A & Amelung, B. (2008). *Physiological Equivalent Temperature as Indicator for Impacts of Climate Change on Thermal Comfort of Humans*.
- Muta’ali, L. (2012). Daya Dukung Lingkungan untuk Perencanaan Pengembangan Wilayah. Yogyakarta: Badan Penerbit Fakultas Geografi (BPFG).
- Muta'ali, L. (2014). *Perencanaan Pengembangan Wilayah Berbasis. Pengurangan Risiko Bencana*. Yogyakarta: Badan Penerbit Fakultas Geografi (BPFG).

- Muthers, S., dkk. (2010). Summer climate and mortality in Vienna - a human-biometeorological approach of heat-related mortality during the heat waves in 2003. *Wiener Klinische Wochenschrift*, 122(17-18), 525–31.
- Neiburger, M., Edinger, J.G., Bonner, W., D. (1982). *Memahami Lingkungan Atmosfer Kita*. Bandung: Penerbit ITB.
- Ng, E., Ren, C., & Katzschner, L. (2009). *Urban Climatic Mapping in Hong Kong Thermal Comfort Survey*. 2nd International Conference on Countermeasures to Urban Heat Islands - September 21-23, 2009: Berkeley, California.
- O'Brien, dkk. (2004). Mapping vulnerability to multiple stressors: climate change and globalization in India. *Global Environmental Change*, 14(4), 303–313.
- O'Neill, M. S., dkk. (2010). Preventing heat-related morbidity and mortality: New approaches in a changing climate. *Maturitas*, 64(2), 98–103.
- Parsons, K. (2008). *Human Thermal Environments: The Effect of Hot, Moderate, and Cold Environment of Human Health, Comfort, and Performance*. New York: CRC Press.
- Rahtama, A., P. (2014). *Kenyamanan Termal Ruang Luat di Koridor Tugu – Kraton Kota Yogyakarta*. UGM: Skripsi S1.
- Rajagopalan, P., dkk. (2014). Urban heat island and wind flow characteristics of a tropical city. *Solar Energy*, 107, 159–170.
- Reid, C., E., dkk. (2009). Mapping Community Determinants of Heat Vulnerability. *Environmental Health Prespective*, Vol. 117, No. 11, pp. 1730-1736.
- Rinner, C., dkk. (2010). The Role of Maps in Neighborhood-level Heat Vulnerability Assessment for the City of Toronto. *Cartography and Geographic Information Science*, Vol. 37, No. 1, pp. 31-44.
- Rukmana, D. (2011) 'Perubahan Iklim dan Tantangan Perencanaan Kota' dalam Gunawan, M.P., dkk., eds., *Menarik Pelajaran dari 50 Tahun Perjalanan Perencanaan Wilayah dan Kota di Indonesia*. Bandung: Penerbit ITB.
- Santoso, S. (2014). *Statistik Multivariat: Konsep dan Aplikasi dengan SPSS*: Elex Media Komputindo: Jakarta
- Sarwono, J. (2006). *Metode Penelitian Kuantitatif dan Kualitatif*. Yogyakarta: Graha Ilmu
- Schwarz, N. (2010). Urban form revisited—Selecting indicators for characterising European cities. *Landsc. Urban Plan.* 96, 29–47.
- Sakar, H. (2005). Skripsi S1: A study of landcover and population density unfulances on urban heat island phenomena using Landsat ETM+ and GIS in Yogyakarta City of Indonesia. Yogyakarta: UGM. Unpublished.
- Smit, B., & Wandel, J. (2006). Adaptation, adaptive capacity and vulnerability. *Global Environmental Change*, 16(3), 282–292.

- Steel, Z. L., dkk. (2012). Assessing species and area vulnerability to climate change for the Oregon Conservation Strategy : Willamette Valley Ecoregion. *Oregon Conservation Strategy: Willamette Valley Ecoregion - Defenders of Wildlife*.
- Takano, T. (2003). *Healthy Cities and Urban Policy Research*. (T. Takano, Ed.). London: Routledge.
- Tan, J. (2008). Commentary: People's vulnerability to heat wave. *Int. J. Epidemiol.* 37, 318–20. doi:10.1093/ije/dyn023
- Thorsson, S., dkk. (2007). Different methods for estimating the mean radiant temperature in an outdoor urban setting. *International Journal Of Climatology*, 1993(October), 1983–1993.
- Tjasjono, B. (1999). *Klimatologi Umum*. Bandung: Penerbit ITB.
- Tsai, Y.-H. (2005). Quantifying urban form: compactness versus “sprawl.” *Urban Stud.* 42, 141–161.
- Tratalos, J., dkk. (2007). Urban form, biodiversity potential and ecosystem services. *Landsc. Urban Plan.* 83, 308–317.
- Uejio, C.K., dkk. (2011). Intra-urban societal vulnerability to extreme heat: the role of heat exposure and the built environment, socioeconomics, and neighborhood stability. *Health Place* 17, 498–507.
- Webster, P., & Sanderson, D. (2013). Healthy Cities indicators--a suitable instrument to measure health? *Journal of Urban Health : Bulletin of the New York Academy of Medicine*, 90 Suppl 1, 52–61.
- Weihe, W. H. & Metrens, R. (1991). ‘Human Well-being, Disease and Climate’, dalam Jager, J. & Ferguson, H. L. eds., *Climate Change: Science, Impacts and Policy*. UK: University Press Cambridge.
- Wilhelmi, O., V & Hayden, M. (2010). Connecting People and Place: A New Framework for Reducing Urban Vulnerability to Extreme Heat. *Environmental Research Letter*, Vol . 5, pp. 14-21.
- Whittingham, N. (tanpa tahun). Towards the Healthy City : An urban planner ' s reflection on health and wellbeing ., 61–87.
- Wolf, T. & Mc.Gregor, G. (2013). The Development of A Heat Vulnerability Index for London, United Kingdom. *Weather and Climate Extremes*, Vol. 1, pp. 59-68.
- Wong, N. & Chen, Y. (tanpa tahun). The Role of Urban Greenery in High-Density Cities. UK: Cromwell Press, Trowbridge.