

REFERENCES

- Anonym^a. (2017). *What is a Cocoon?*. Retrieved March 16th, 2017 from <http://cocoon.org/what-is-cocoon/>.
- Anonym^b. (2016). *Life Cycle of a Silkworm*. Retrieved March 17th, 2017 from <https://everythingsilkworms.com.au/silkworms/life-cycle-of-a-silkworm/>.
- Anonym^c. (2014). *Spray Dryer and Spray Drying Technology*. Retrieved April 05th, 2017 from <http://www.spraydrysys.com/spray-dryers/spray-dryers.htm>.
- Anonym^d. (2015). Water Activity (aw) in Foods. Retrieved April 8th, 2017 from <https://www.fda.gov/iceci/inspections/inspectionguides/inspectiontechnicalguides/ucm072916.htm>
- Anonym^e. (2013). Scanning Electron Microscope. Retrieved May 5th, 2017 from <http://www.ammrf.org.au/myscope/sem/practice/principles/layout.php#detail>.
- Anonym^f. (2017). Ampholytes. Retrieved May 16th 2017, from <http://wpage.unina.it/petrilli/chembasi/ampholy.htm?html>.
- Anonym^g. 2013. Hue Shifting and Colorizing. Retrieved July 11th 2017 from <http://flylib.com/books/en/2.816.1.70/1/>.
- Aramwit, P., Kanokpanont, S., Nakphaeng, T., & Srichana, T. (2010). The Effect of Sericin from Various Extraction Methods on Cell Viability and Collagen Production. *International Journal of Molecular Sciences*, 11, 2200-2211.
- Aramwit, P., Siritientong, T., & Srichana, T. (2012). Potential Application of Silk Sericin, A Natural Protein From Textile Industry by-products. *Waste Management & Research*, 30(3), 217-224.
- Atmosoedarjo, H. S., Katsubrata, J., Kaomini, M., Saleh, W. & Moerdoko, W. (2000). *Sutera Alam Indonesia*. Jakarta: Sarana Wana Jaya.
- Barley, J. (2012). *Basic Principles of Freeze Drying*. Retrieved April 5th, 2017 from <http://www.spscientific.com/freeze-drying-lyophilization-basics/>.
- Beucat, L. R. (1981). Control of Foodborne Pathogens and Spoilage Microorganisms by Naturally Occurring Antimicrobials. *Microbial Food Contamination*. New York .CRC Press. pp. 149-163.

- Brenidorfer, B., Kennedy, L., Bateman, C. O. O., Trim, D. S., Mrema, G. C. & Brobby, C. W. (1985). *Solar Dryers: Their Role in Post-harvest Processing*. London: Commonwealth Science Council.
- Briggs, D. (2017). The Difference Between Chroma and Saturation. Retrieved July 11th 2017, from <http://munsell.com/color-blog/difference-chroma-saturation/>
- Chen, F., Porter, D., & Vollrath, F. (2012). Structure and Physical Properties of Silkworm Cocoons. *Journal of The Royal Society Interface*, 9, 2299-2308.
- Clementson, C.L., K.E. Ijeleji and K.A. Rosentrater. (2010). Evaluation of measurement procedures used to determine the bulk density of distillers dried grains with soluble (DDGS). *Trans. ASABE* 53(2): 485-490.
- Engel, W. & Hoppe, U. (1988). Aqueous hair preparations containing sericin and peltogenic acids. *Chemical Abstracts* 108 (16), 4.
- Favaro-Trindade, C. S., Santana, A. S., Monterrey-Quintero, E. S., Trindade, M. A. & Netto, F. M. (2010). The Use of Spray Drying Technology to Reduce Bitter Taste of Casein Hydrolysate. *Food Hydrocolloids*, 24(4), 336-340.
- Fäldt, P. & Bergenståhl, B. (1996). Spray-Dried Whey Protein/Lactose/Soybean Oil Emulsions 2 Redispersibility, Wettability, and Particle Structure. *Food Hydrocoll*, 10, 431-439.
- Febriyentil, Mohtar, N., Mohamed, N., Hamdan, M. R., Salleh, S. N. M., & Bai, S. (2014). Comparison of Freeze Drying and Spray Drying Methods of Haruan Extract. *International Journal of Drug Delivery*. 6, 286-291.
- Gamo, T. 1973. Genetically Different Components of Fibroin and Sericin in the Mutants, Nd and Nd-s, of the silkworm *Bombyx mori*. *Japan J. Genetics* (48) 2, pp. 99-104.
- Genç, G., Narin, G., & Bayraktar, O. (2009). Spray Drying as a Method of Producing Silk Sericin Powders. *Journal of Achievements in Materials and Manufacturing Engineering*.37(1), 78-86.
- Gulrajani, M. L. (2005). Sericin: A Bio-Molecule Of Value. In *Proceedings of the Souvenir 20th Congress of the International Sericulture Commission*, pp. 21-29.
- Gupta, D., Agrawal, A., & Rangil, A. (2014). Extraction and Characterization of Silk Sericin. *Indian Journal of Fibre & Textile Research*. 39, pp. 364-372.

- Hata, O. (1987). Cosmetics containing sericin hydrolysates. *Chemical Abstracts* 106 (26), 7.
- Hebert, V. (2011). Bulk Density of Powders Made Easy. Retrieved May 16th 2017, from http://www.brookfieldengineering.com/download/files/Bulk_Density_of_Powders.pdf.
- Heslot, H. (1998). Artificial Fibrous Proteins: A Review. *Biochimie*, 80, 19-31.
- Hoppe, U., Koerbaecher, K. & Roeckl, M. (1984). Hair and bath preparations containing sericin. *Chemical Abstracts* 100 (1), 15.
- Horváth, Zs. H., Szabó, B. P. & Véha, A. (2016). Investigation of Wheat Grits During Storage. *Acta Univ. Sapientiae, Alimentaria*, 9, 41-49.
- Inserco^a. (2013). *Statistic: Global Silk Industry*. Retrieved March 17th, 2017 from <http://inserco.org/en/statistics>.
- Inserco^b. (2013). *Thailand: History*. Retrieved March 17th, 2017 from <http://inserco.org/en/thailand>.
- Jinapong, N., Suphantharika, M. & Jamnong, P. (2008). Production of Instant Soymilk Powders by Ultrafiltration, Spray Drying and Fluidized Bed Agglomeration. *Journal of Food Engineering*, 84(2), 194-205.
- Joseph, J. & Raj, S. J. (2012). Therapeutic Applications and Properties of Silk Proteins From *Bombyx mori*. *Frontiers in Life Science*, 6(3-4), 55-60.
- Kelly, A. L., O'Connell, J. E. & Fox, P. F. (2003). Manufacture and Properties of Milk Powder. In: Fox, P. F., Mc Sweeney, P. L. H., editors. *Advanced Dairy Chemistry*, 1, 1027-1054.
- Kim, E. H., Chen, X. D. & Pearce, D. (2002). Surface Characterization of Four Industrial Spray-Dried Dairy Powders in Relation To Chemical Composition, Structure and Wetting Property. *Colloid Surface B*, 26, 197-212.
- Kirikawa, M., Kasaharu, T., Kishida, K. & Akiyama, D. (2000). Silk protein micropowders for coating with excellent feeling, antistaticity and moisture absorbability and releasability and there manufacture. *Chemical Abstracts*. 132 (1), 8.
- Kodama, K. (1926). The Preparation and Pshyco-chemical Properties of Sericin. *Biochem*. 20(06), 1208-1222.
- Kurabo Industries. (2010). Reading Color Differences. Retrieved April 8th, 2017 from <https://www.kurabo.co.jp.e.be.hp.transer.com/el/room/color/page2.html>.
- Kurioka, A., Kurioka, F., & Yamazaki, M. (2004). Characterization of Sericin Powder Prepared from Citric Acid-degraded Sericin Polypeptides of

the Silkworm, *Bombyx Mori*. *Biosci. Biotechnol. Biochem.*, 68(4), 774-780.

- Ma, M., Hussain, M., Dong, S., & Zhou, W. (2016). Characterization of The Pigment In Naturally Yellow-Colored Domestic Silk. *Journal of Dyes and Pigments*, 124, 6-11.
- Makos , G.,& Capitaine, S. L. (2017). Co-Current Vs. Counter Current Drying. Retrieved May 13th 2017 from <http://feeco.com/co-current-vs-counter-current-drying/>.
- Maskat, M. Y., Lung, C. K., Momeny, E., Khan, M. J. & Siddiqui, S. A. (2014). Temperature and Feed Rate Effects Properties of Spray Dried *Hibiscus sabdariffa* Powder. *Int. J. Drug Dev. & Res.*, 6(4), 28-34.
- Mc Intyre J.E., Daniel, P.N. (1997). *Textile Terms and Definitions* 10th Edition. England : The Textile Institute. pp 93.
- Medhekar, A. (2015). *Lifecycle of Silkworm (With Diagram)*. Retrieved March 17th, 2017 from <http://www.biologydiscussion.com/animals-2/lifecycle-of-silkworm-with-diagram>.
- Minora, N., & Tsukada, M. (1991). Oxygen permeable membranes, Jpn Kokai Tokkyo Koho Jap 02233128 A2 (to Agency of Ind Aci & Tech, Japan; Ministry of agriculture & Forestry sericulture, Japan). *Chem Abstr*, 114(6), 45871.
- Mujic, I., Kralj, M. B., Jokic, S., Jarni, K., Jug, T. & Prgomet, Z.(2012). Changes in Aromatic Profile of Fresh and Dried Fig-The Role of Pre-treatments in Drying Process. *International Journal of Food Science and Technology*, 47(11), 2282-2288.
- Mujumdar, A. S. (1995). *Handbook of Industrial Drying*. 2nd edition, volume 1. New York : Marcel Dekker, Inc.. 309-314.
- Morales, F. J., Van Boekel, M. A. J. S. (1998). A Study on Advance Maillard Reaction in Heated Casein/ Sugar Solution: Color Formation. *International Dairy Journal*. 8, 907-915.
- Nindhia, T. G. T., Surata, I. W., Knejzlik, Z., Ruml, T., Nindhia, T. S. (2015). New Route in Degumming of Bombyx Mory Silkworm Cocoon for Biomaterial. *Journal of Medical and Bioengineering*.4(4), 338-341.
- Nursten, H. E. (1986). Maillard browning reactions in dried foods. pp 53-68. En D. MacCarthy (ed.), *Concentration and Drying of Foods*. Elsevier Applied Science, London.
- Padamwar, M. N. & Pawar, A. P. (2004). Silk Sericin and its applications: A review. *Journal of Scientific & Industrial Research*, 63, 323-329.

- Padamwar, M. N., Pawar, A. P., Daithankar, A. V., & Mahadik, K. R. (2005). Silk Sericin as a Moisturizer : an *In Vivo* Study. *Journal of Cosmetic Dermatology*. 4(4), 250-257.
- Panthong, J., Eamchotchawalit, C., & Songsermpong, S. (2015). Effect of Spray Drying Conditions on the Characteristic of Sericin Powder from Eri Silk Boiling Water. *LIFE : International Journal of Health and Life-Sciences*, 1(1), 151-160.
- Peigler R. 1989. A Revision Of The Indo-Australian Genus *Attacus*. California: The Lepidoptera Research Foundation, Inc. Beverly Hill.
- Rongsak, J., &Thapphasaraphone, S. (2009). Silk Protein Sericin Preparation and Its Characterization. *KKU Res J*,14(5).
- Saraswathi, B. (2016). *Spray Dryer*. Retrieved April 05th, 2017 from <http://www.pharmainfo.net/book/pharmaceutical-machines/spray-dryer>.
- Sasaki, M., Yamada, H., & Kato, N. (2000). Consumption of Silk Protein, Sericin Elevates Intestinal Absorption of Zinc, Iron, Magnesium and Calcium in Rats. *Nutrition Research*. 20(10), 1505-1511.
- Shaw, J. T. B., & Smith, S. G. 1975. Amino Acid of Silk Sericin. *Nature*. 4278.
- Silva, J. V. C. & O'Mahony, J. A. (2016). Flowability and Wetting Behaviour of Milk Protein Ingredients as Influenced by Powder Composition, Particle Size, and Microstructure. *International Journal of Dairy Technology*, 16, 1-10.
- Sinohara, H.(1979). Glycopeptides Isolated From Sericin of the Silkworm, *Bombyx mori*. *Comp. Biochem. Physiol.* 63B, 87-91.
- Sothornvit, R., Chollakup, R., & Suwanruji, P. (2010). Extracted sericin from silk waste for film formation. *Songklanakarin Journal of Science and Technology*, 32(1), 17-22.
- Tabunoki,H., Hiburashi, S., Ninagi, O., Fujii, H., Banno, Y., Nozaki, M., Kitajima, N., Miura, N., Atsumi, S., Tsuchida, K., Maekawa, H., & Sato, R. (2004). A Carotenoid-Binding Protein (CBP) Plays A Crucial Role in Cocoon Pigmentation of Silkworm (*Bombyx mori*) Larvae. *FEBS Letters* ,567, 175-178.
- Takasu, Y., Yamada, H., & Tsubouchi, K. (2002). Extraction and Chromatographic Analysis of Cocoon Sericin of the Silkworm, *Bombyx mory*. *Journal of Insect Biotechnology and Sericology*, 71, 151-156.

- Teramoto, H., Kameda, T., & Yamada, Y. (2008). Preparation of Gel Film from *Bombyx mori* Silk Sericin and Its Characterization as a Wound Dressing. *Bioscience, Biotechnology, and Biochemistry*. 72(12), pp. 3189-3196.
- Teresinha. (2017). *Silk Cocoons*. Retrieved March 15th, 2017 from http://www.wildfibres.co.uk/html/silk_cocoons.html.
- Thai Department of Agricultural Extension. 1993. Sericulture Development in Thailand, Bangkok.
- Vaithanomsat, P. & Kitpreechavanich, V. (2008). Sericin Separation From Silk Degumming Wastewater. *Separation and Purification Technology* (59),129–133.
- Voegeli R, Meier J and Blust R (1993) Sericin silk protein, unique structure and properties. *Cosmetics & Toiletries* 108: 101–108.
- Wakabayashi, S., & Sugioka, M. (1994). *Jap Pat*. 06-017372A.
- Wangkiat, P. (Feb 19th, 2017). *Ericulture Reeling Them In*. Retrieved March 16th, 2017 from <http://www.bangkokpost.com/news/special-reports/1201117/ericulture-reeling-them-in>.
- Watson, E. L. & Bhargava, V. K. (1974). Thin-Layer Drying Studies on Wheat. *Canadian Agricultural Engineering*, 16(1), 18-22.
- Xinqing, C., Fung, L. K., Fong, M. S., Kwong, C. W., Nok, N. T., & Lun, Y. K. (2012). Assessment of Sericin Biosorbent for Selective Dye Removal. *Chinese Journal of Chemical Engineering*. 20(3), 4246-432.
- Yamada, H., & Matsunaga, A. (1994). *Jap Pat*. 06-017373A.
- Yamada, H., Nakao, H., Takasu, Y., Tsubouchi, K. (2001). Preparation of Undegraded Native Molecular Fibroin Solution from Silkworm Cocoons. *Materials Science and Engineering C*.14, 41-46.
- Yamada, H., & Yuri, O. (1998). Sericin Coated Powders for Cosmetics. *Jpn Kokai Tokyo Koho jap 10226626 A2* (to Noevir Co Ltd, Seiren Co Ltd, Japan). *Chem Abstr*. 129(16), 207009.
- Zhang, Y. Q., Tao, M. L., Shen, W. D., Zhou, Y. Z., Ding, Y., Ma, Y., Zhou, W. L. (2004). Immobilization of L-asparaginase on the Microparticles of the Natural Silk Sericin Protein and Its Characters. *Biomaterials*. 25, 3751-3759.
- Zhaorigetu, S., Sasaki, M., Watanabe, H., & Kato, N. (2001). Supplemental Silk Protein, Sericin, Suppresses Colon Tumorigenesis in 1,2-dimethylhydrazine- treated mice by Reducing Oxidative Stress and Cell Proliferation. *Biosci, Bioechnol, Biochem*,65(10), 2181-2186.

Zhu, L, J., Hizahayashi, K., & Aari, M. (1997). Gelation of Sericin and It's Structure and Properties. *Canye Kexue*. 17(1), 33-38.