

## DAFTAR PUSTAKA

- Alotaibi, M.B., Azmy, R. and Nasr-El-Din, H.A., 2010, January. *A comprehensive EOR study using low salinity water in sandstone reservoirs*. In *SPE Improved Oil Recovery Symposium*. Society of Petroleum Engineers.
- Al-Shalabi, E.W., Sepehrnoori, K. and Pope, G., 2014. *Mysteries behind the low salinity water injection technique*. *Journal of Petroleum Engineering*, 2014.
- Anggita Rezki Amelia (Januari, 2016). Lifting Minyak Tujuh Kontraktor Lebih Rendah dari Target 2016. Dikutip dari <http://katadata.co.id/berita/2016/01/06/lifting-minyak-tujuh-kontraktor-lebih-rendah-dari-target-2016>
- Anggita Rezki Amelia (Juli, 2016). Hingga Juni, Lifting Minyak Masih di Bawah Target. Dikutip dari <http://katadata.co.id/berita/2016/07/20/lifting-minyak-masih-di-bawah-target-apbnp-2016>
- Aronofsky, J.S., Masse, L. and Natanson, S.G., 1958. *A model for the mechanism of oil recovery from the porous matrix due to water invasion in fractured reservoirs*.
- Ashraf, A., Hadia, N., Torsaeter, O. and Tweheyo, M.T., 2010, January. *Laboratory investigation of low salinity waterflooding as secondary recovery process: effect of wettability*. In *SPE Oil and Gas India Conference and Exhibition*. Society of Petroleum Engineers.
- Bagci, S., Kok, M.V. and Turksroy, U., 2001. Effect of brine composition on oil recovery by waterflooding. *Petroleum science and technology*, 19(3-4), pp.359-372.
- Berg, S., Cense, A.W., Jansen, E. and Bakker, K., 2010. *Direct experimental evidence of wettability modification by low salinity*. *Petrophysics*, 51(05).
- Bernard, G.G., 1967, January. *Effect of floodwater salinity on recovery of oil from cores containing clays*. In *SPE California Regional Meeting*. Society of Petroleum Engineers.
- Bernard, G.G., 1967, January. *Effect of floodwater salinity on recovery of oil from cores containing clays*. In *SPE California Regional Meeting*. Society of Petroleum Engineers.
- Bird R B., Stewart, W.E. and Lightfoot, E.N., 1960. *Transport phenomena*, John Wiley and Sons.
- Borazjani, S., Behr, A., Genolet, L., Kowollik, P., You, Z. and Bedrikovetsky, P., 2017, May. *Low-Salinity Fines-Assisted Waterflooding: Multiscale Analytical and Numerical Modelling*. In *SPE Reservoir Characterisation and Simulation Conference and Exhibition*. Society of Petroleum Engineers.

- Buckley, J.S., 1996. *Mechanisms and consequences of wettability alteration by crude oils* (Doctoral dissertation, Heriot-Watt University).
- Cissokho, M., Bertin, H., Boussour, S., Cordier, P. and Hamon, G., 2010. *Low salinity oil recovery on clayey sandstone: experimental study*. *Petrophysics*, 51(05).
- Cissokho, M., Bertin, H., Boussour, S., Cordier, P. and Hamon, G., 2010. *Low salinity oil recovery on clayey sandstone: experimental study*. *Petrophysics*, 51(05).
- E. Suryadi., 2015, *Enhanced Oil Recovery Sebagai Opsi Meningkatkan Lifting MinyakIndonesia*, Dikutip dari [http://www.kompasiana.com/erwin-suryadi/enhanced-oil-recovery-sebagai-opsi-meningkatkan-lifting-minyak-indonesia\\_552963ed6ea8348e108b4586](http://www.kompasiana.com/erwin-suryadi/enhanced-oil-recovery-sebagai-opsi-meningkatkan-lifting-minyak-indonesia_552963ed6ea8348e108b4586)
- Etemadi, A., Khodapanah, E. and Tabatabaei-Nejad, S.A., 2017. *Modelling low-salinity waterflooding: Effect of divalent cations and capillary pressure*. *Journal of Petroleum Science and Engineering*, 149, pp.1-8.
- Frontiers, BP Magazine, *Less Salt, More Oil*, Issue 25, August 2009.
- Høgnesen, E.J., Strand, S. and Austad, T., 2005, June. *Waterflooding of Preferential Oil-Wet Carbonates—Oil Recovery Related to Reservoir Temperature and Brine Composition* (SPE94166). In *67th EAGE Conference & Exhibition*.
- <http://ostseis.anl.gov/guide/oilshale/>
- J. Sevin and B. Capron., 2013, *Seizing The EOR Opportunity (How management practices can contribute to a successful implementation)*. SBC Energy Perspective
- J. Welty, C. E. Wicks, G. L. Rorrer, R. E. Wilson., 2008, *Fundamentals of Momentum, Heat and Mass Transfer*. Wiley, Dept. Mechanical. Eng., Dept. Chem. Eng., Univ. Oregon State University
- Khorsandi, S., Qiao, C. and Johns, R.T., 2016. *Displacement Efficiency for Low-Salinity Polymer Flooding Including Wettability Alteration*. *SPE Journal*.
- Khorsandi, S., Qiao, C. and Johns, R.T., 2016. *Displacement Efficiency for Low-Salinity Polymer Flooding Including Wettability Alteration*. *SPE Journal*.
- Kia, S.F., Fogler, H.S. and Reed, M.G., 1987. *Effect of pH on colloidal induced fines migration*. *Journal of colloid and interface science*, 118(1), pp.158-168.
- Kirby, B.J., 2010. *Micro-and nanoscale fluid mechanics: transport in microfluidic devices*. Cambridge University Press.
- Kokal, S. and Al-Kaabi, A., 2010. *Enhanced oil recovery: challenges & opportunities*. *World Petroleum Council: Official Publication*, 64.

- Kosmulski, M., 2009. *Surface charging and points of zero charge* (Vol. 145). CRC Press.
- Lager, A., Webb, K.J., Black, C.J.J., Singleton, M. and Sorbie, K.S., 2008. *Low salinity oil recovery-an experimental investigation1. Petrophysics*, 49(01).
- Larryisgood., 2011, *A Diagram of the electrical double layer that forms at the surface of a charged particle*, Creative Commons, Attribution-Share Alike 3.0 Unported license
- Ligthelm, D.J., Gronsveld, J., Hofman, J., Brussee, N., Marcelis, F. and van der Linde, H., 2009, January. *Novel Waterflooding Strategy By Manipulation Of Injection Brine Composition*. In *EUROPEC/EAGE Conference and Exhibition*. Society of Petroleum Engineers.
- Lima, S.A., Murad, M.A. and Domingues, R., 2017, February. *A New Multiscale Computational Model for Low Salinity Alkaline Waterflooding in Clay-Bearing Sandstones*. In *SPE Reservoir Simulation Conference*. Society of Petroleum Engineers.
- Mahani, H., Berg, S., Ilic, D., Bartels, W.B. and Joekar-Niasar, V., 2015. *Kinetics of low-salinity-flooding effect*. *SPE Journal*, 20(01), pp.8-20..
- Mahani, H., Keya, A.L., Berg, S. and Nasralla, R., 2015, September. *The effect of salinity, rock type and ph on the electrokinetics of carbonate-brine interface and surface complexation modeling*. In *SPE Reservoir Characterisation and Simulation Conference and Exhibition*. Society of Petroleum Engineers.
- Mahani, H., Keya, A.L., Berg, S. and Nasralla, R., 2017. *Electrokinetics of carbonate/brine interface in low-salinity waterflooding: Effect of brine salinity, composition, rock type, and pH on  $\zeta$ -potential and a surface-complexation model*. *SPE Journal*, 22(01), pp.53-68.
- Martin, J.C., 1959, January. *The effects of clay on the displacement of heavy oil by water*. In *Venezuelan Annual Meeting*. Society of Petroleum Engineers.
- McGuire, P.L., Chatham, J.R., Paskvan, F.K., Sommer, D.M. and Carini, F.H., 2005, January. *Low salinity oil recovery: An exciting new EOR opportunity for Alaska's North Slope*. In *SPE Western Regional Meeting*. Society of Petroleum Engineers.
- Mohammadi, H. and Jerauld, G., 2012, January. *Mechanistic modeling of the benefit of combining polymer with low salinity water for enhanced oil recovery*. In *SPE Improved Oil Recovery Symposium*. Society of Petroleum Engineers.
- Morrow, N.R., Tang, G.Q., Valat, M. and Xie, X., 1998. *Prospects of improved oil recovery related to wettability and brine composition*. *Journal of Petroleum science and Engineering*, 20(3), pp.267-276.
- N. Ezekwe. *Petroleum Reservoir Engineering Practice*. Prentice Hall, 2011

- OMEKEH, A.V., EVJE, S. and FRIIS, H.A., 2013. *Modeling of low salinity effects in sandstone oil rocks. Int. J. Numer. Anal. Model., Ser. B, 4(2)*, pp.95-128.
- Omekeh, A.V., Friis, H.A., Evje, S. and Fjelde, I., 2015. A model for low salinity flooding experiments: Dissolution and ion exchange. *Journal of Porous Media, 18(3)*.
- Qiao, C., Johns, R., Li, L. and Xu, J., 2015, September. *Modeling low salinity waterflooding in mineralogically different carbonates. In SPE Annual Technical Conference and Exhibition. Society of Petroleum Engineers.*
- Qiao, C., Johns, R.T. and Li, L., 2016, May. *Understanding the Chemical Mechanisms for Low Salinity Waterflooding. In 78th EAGE Conference and Exhibition 2016.*
- Qiao, C., Li, L., Johns, R.T. and Xu, J., 2015. *A mechanistic model for wettability alteration by chemically tuned waterflooding in carbonate reservoirs. SPE Journal, 20(04)*, pp.767-783.
- Reiter, P.K., 1961, *A Water-Sensitive Sandstone Flood Using Low Salinity Water*, MSc Thesis, University of Oklahoma, Norman, Oklahoma, USA.
- Reza Azin, *Is there any commercial software that consider smart water flooding problem for enhance oil recovery?*, Retrieved from [https://www.gate.net/post/Is there any commercial software that considers smart water flooding problem for enhanced oil recovery](https://www.gate.net/post/Is_there_any_commercial_software_that_considers_smart_water_flooding_problem_for_enhanced_oil_recovery)
- Sharma, M.M. and Filoco, P.R., 2000. *Effect of brine salinity and crude-oil properties on oil recovery and residual saturations. SPE Journal, 5(03)*, pp.293-300.
- Sheng, J., 2010. *Modern chemical enhanced oil recovery: theory and practice.* Gulf Professional Publishing.
- Shouxiang, M., Morrow, N.R. and Zhang, X., 1997. *Generalized scaling of spontaneous imbibition data for strongly water-wet systems. Journal of Petroleum Science and Engineering, 18(3-4)*, pp.165-178.
- Skrettingland, K., Holt, T., Tweheyo, M.T. and Skjevrak, I., 2011. *Snorre Low-Salinity-Water Injection--Coreflooding Experiments and Single-Well Field Pilot. SPE Reservoir Evaluation & Engineering, 14(02)*, pp.182-192.
- Strand, S., Austad, T., Puntervold, T., Høgnesen, E.J., Olsen, M. and Barstad, S.M.F., 2008. *"Smart water" for oil recovery from fractured limestone: a preliminary study. Energy & fuels, 22(5)*, pp.3126-3133.
- Tang, G.Q. and Morrow, N.R., 1996. *Effect of temperature, salinity and oil composition on wetting behavior and oil recovery by waterflooding (No. CONF-961003--)*. Society of Petroleum Engineers (SPE), Inc., Richardson, TX (United States).

- Tang, G.Q. and Morrow, N.R., 1999. *Influence of brine composition and fines migration on crude oil/brine/rock interactions and oil recovery*. *Journal of Petroleum Science and Engineering*, 24(2), pp.99-111.
- Tang, G.Q., and Morrow, N.R., 1999, *Oil Recovery by Waterflooding — Invading Brine Cation Valency and Salinity*, *J. Pet. Sci. Eng.*(December), Vol.24, pp. 99-111.
- Tarekh Ahmed., 2010, *Reservoir Engineering Handbook*. Gulf Professional Publishing
- Tombacz, E., 2002, *Adsorption from electrolyte solutions, in Adsorption: Theory, Modeling, and Analysis*, Toth, J., ed., Marcel Dekker, New York
- Wall Street Journal. (15 April 2016). *Barrel Break Down : The cost of producing a barrel of oil and gas varies widely across the world, setting up winners and losers as the price of crude fluctuates at historically low levels*, Dikutip dari : <http://graphics.wsj.com/oil-barrel-breakdown/>
- Webb, K., Lager, A. and Black, C., 2008, October. *Comparison of high/low salinity water/oil relative permeability*. In *International symposium of the society of core analysts, Abu Dhabi, UAE* (Vol. 29).
- Wu, Y.S. and Bai, B., 2009, January. *Efficient simulation for low salinity waterflooding in porous and fractured reservoirs*. In *SPE Reservoir Simulation Symposium*. Society of Petroleum Engineers.
- Yuan, B., Moghanloo, R.G. and Zheng, D., 2016, March. *Analytical modeling of nanofluid injection to improve the performance of low salinity water flooding*. In *Offshore Technology Conference Asia*. Offshore Technology Conference.
- Z. Ilyas., 2016, Shale Oil Membuat Harga Minyak Mahal Sudah Tinggal Sejarah, Dikutip dari: [http://www.kompasiana.com/zainal.ilyas/shale-oil-membuat-harga-minyak-mahal-sudah-tinggal-sejarah\\_568e1895b17e61120783ddad](http://www.kompasiana.com/zainal.ilyas/shale-oil-membuat-harga-minyak-mahal-sudah-tinggal-sejarah_568e1895b17e61120783ddad)
- Zhang, P., Tweheyo, M.T. and Austad, T., 2007. *Wettability alteration and improved oil recovery by spontaneous imbibition of seawater into chalk: Impact of the potential determining ions  $Ca^{2+}$ ,  $Mg^{2+}$ , and  $SO_4^{2-}$* . *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 301(1), pp.199-208.
- Zhang, Y. and Morrow, N.R., 2006, January. *Comparison of secondary and tertiary recovery with change in injection brine composition for crude-oil/sandstone combinations*. In *SPE/DOE Symposium on Improved Oil Recovery*. Society of Petroleum Engineers.
- Zhang, Y., Xie, X. and Morrow, N.R., 2007, January. *Waterflood performance by injection of brine with different salinity for reservoir cores*. In *SPE Annual Technical Conference and Exhibition*. Society of Petroleum Engineers.