

DAFTAR PUSTAKA

- Abigail, M., Qin, L., Bauver-Wu, S. (2007). Prevalence and predictor of complementary therapy use in advanced-stage breast cancer patients. *Journal of Oncology Practice* 3(6): 292-295.
- Aditomo, A., Retnowati, S. (2004). Perfeksionisme, harga diri dan kecenderungan depresi pada remaja akhir. *Jurnal Psikologi* 2003(1): 1-15.
- Ai, A. L., Peterson, C., Bolling, S. F., Koenig, H. (2002). Private prayer and optimism in middle-aged and older patients awaiting cardiac surgery. *The Gerontologist* 42(1): 70–81.
- Akmal, M., Zely, I. (2010). *Ensiklopedia Kesehatan Untuk Umum*. Yogyakarta: Ar-nuzz Media.
- Algier, L., Hanouglu, Z., Ozden, G., Kara, F. (2005). The use complementary and alternative (non-conventional) medicine in cancer patient in turkey. *European Journal of Oncology Nursing* 9:138-146.
- Allen, J. (2010). *The effectiveness of group music and imagery on improving the self-concept of breast cancer survivors*. Philadelphia: Temple University.
- Ashing-Giwa, K.T., Geraldine, P., Judith, T. (2004). Understanding the breast cancer experience of women: A qualitative study of African, American, Asian American, Latina and Caucasian Cancer survivors. *Psycho-Oncology* 13: 408-428.
- Atwater, H. (2009). Binaural Beats and the Regulation of Arousal Levels. *Hemi-Sinc Journal* 1: 1-2.
- American Cancer Society (ACS). (2011). *Cancer Facts And Figures 2011*. Atlanta: American Cancer Society Inc.
- American Cancer Society (ACS). (2015). *Caring for patient with cancer at home: A guide for patients and families*. Atlanta: American Cancer Society.
- American Joint Committee on Cancer (AJCC). (2006). *AJCC Cancer Staging Manual*. Edisi 7. New York: Springer.
- American Music Therapy Association. (2008). *Music therapy mental health-evidence based practice support*. Tersedia di : <http://www.musictherapy.org/factsheet/b.b.psychopathology.pdf>. Diakses pada tanggal 20 September 2016.

- American Psychiatric Association. (2013). *Diagnostic And Statistical Manual of Mental Disorder Edition "DSM-5"*. Washinton DC: American Psychiatric Publishing.
- Amir, N. (2005). *Depresi, Aspek Neurologi Diagnosis dan Tatalaksana*. Jakarta: Fakultas Kedokteran Universitas Indonesia.
- Anjali, J., Ulrich, R. (2007). Sound control for improved outcome in health care settings. *The Center for Health Design Issue Paper 4*: 1-15.
- Arslan, S., Ozer, N., Ozyurt, F. (2007). Effect of music on preoperative anxiety in me during undergoing urogenital surgery. *Australian Journal of Advenced Nursing* 26(2): 46-54.
- Baradero, M., Dayrit, M. W., Siswandi, Y. (2008). *Seri Asuhan Keperawatan Pada Klien Kanker*. Jakarta: EGC.
- Barret-lee, P. J., Ludwing, H., Birgegard, G., Bokemeyer, C., Gascon, P., Kosmidis, P. A. (2006). Independent risk factor for anemia in cancer patients receiving chemotherapy: Results from europan cancer anemia survey. *Oncology Journal* 70(1): 34-48.
- Batt-Rawden, B. K. (2010). The benefits of self-selected music on health and well-being. *The Arts in Psychotherapy* 37: 301–310.
- Beck, A. T., Steer, R. A., Garbin, G. M. (1988). Psychometric properties of the Beck Depression Inventory: Twenty-five years of evaluation. *Clinical Psychology Review* 8: 77-100.
- Barraclough, S. (1999). Women and tobacco in Indonesia. *Tob Control* 8: 327-332.
- Barret-lee, P. J., Ludwing, H., Birgegard, G., Bokemeyer, C., Gascon, P., Kosmidis, P. A. (2006). Independent risk factor for anemia in cancer patients receiving chemotherapy: Results from europan cancer anemia survey. *Oncology* 70(1): 34-48.
- Bennet, M. P., Lengacher, C. A. (2008). Humor and Laughter may influence Health. II Complementary therapist and humor in a clinical population. *Journal Evidence Based Complementary Alternative Medicine* 3: 187-190.
- Berger, A. M., Portenoy, R. K., Weissman, D. E. (2002). *Principles and Practice of Palliative Care and Supportive Oncology*. 2nd Edition. Philadelphia: Lippincott Williams & Wilkins Publishers.

- Boehm, K., Cramer, H., Staroszynski, T., Ostermann, T. (2014) Arts Therapies for anxiety, depression, and Quality of life in Breast Cancer Patients: A systematic review and meta-analysis. *Evidence-Based Complementary and Alternative Medicine* 2014: 1-9.
- Boothy, D. M., Robbins, S. J. (2011). The effect of music listening and art production on negative mood: a randomized controlled trial. *The Art in Psychotherapy* 38: 204-208.
- Bradt, J., Dileo, C., Grocke, D., Magill, L. (2011). *Music interventions for improving psychological and physical outcomes in cancer patients (Review)*. The Cochrane Collaboration: JohnWiley & Sons, Ltd.
- Bradt, J., Potvin, N., Kesslick, A., Shim, M., Radl, D., Schriver, E., Gracely, J.E., Lydia, T., & Kocher, K. (2014). The impact of music therapy versus music medicine on psychological outcomes and pain in cancer patients: a mixed methods study. *Support Care Cancer* 2015(23): 1261–1271.
- Bumberry, W., Oliver, J. M., & McClure, J. N. (1978). Validation of the beck depression inventory in a university population using psychiatric Estimate as the Criterion. *Journal of Consulting and Clinical Psychology* 46(1): 150-155.
- Burgess, C., Cornelli, V., Love, S. Graham, J. Richards, M., & Ramirez, A. (2005). Depression and anxiety in women with early breast cancer: five year observational cohort study. *BMJ* 330(7493): 1-4.
- Burns, D. S., Azzouz, F., Sledge, R., Rutledge, C., Hinchey, K., Monahan, P.O, (2008). Music imagery for adults with acute leukemia in protective environments: a feasibility study. *Support Care Cancer* 16(5): 507–513.
- Burrai, F., Micheluzzi, V., Bugani, V. (2014). Effects of sax music on various physiological parameters, pain level, and mood level in cancer patients: a randomized controlled trial. *Holistic Nurse Practice* 23: 238-242
- Cai, G. R., Li, P. W., Jiao, L. P. (2001). Clinical observation of music therapy combined with anti-tumor drugs in treating 116 cases of tumor patients. *Chinese Journal of Integrated Traditional & Western Medicine* 21(12): 891–894.
- Campbell, D. (2006). *Music: Physician for time to come*. 3rd Edition. Wheaton: Quest Books.

- Cassileth, B. R., Vickers A. J., Magill, L. A. (2003). Music therapy for mood disturbance during hospitalization for autologous stem cell transplantation: a randomized controlled trial. *Cancer Journal* 98(12): 2723–2729.
- Cancer Council. (2012). *Living with Advance Cancer. A Guide for People with Cancer, Their Families and Friends*. The Cancer Council NSW: Cancer Council Victoria.
- Chan, M. F., Chan, E. A., Mok, E., Tse, F. Y. K. (2009). Effect of music on depression levels and physiological responses in community-based older adults. *International Journal of Mental Health Nursing* 18: 285–294.
- Chan, M. F., Wong, Z. Y., Onishi, H., Thayala, N. V. (2011). Effects of music on depression in older people: A randomised controlled trial. *Journal Oc Clinical Nursing* 21: 776–783.
- Chanda, M. L., Levitin, D. J. (2013). Feature review: The neurochemistry of music. *Trends in Cognitive Sciences* 17(4): 179-193.
- Chi, G.C., Young , A. (2011). Selection of music for inducing relaxation and alleviating pain: Literature review. *Holistic Nursing Practice* 25 (3): 127-135.
- Chiang, L. (2012). *The effect of music and nature sounds on cancer pain and anxiety in hospice cancer patients*. Dissertaion paper. France: Frances Payne Bolton School of Nursing Case Western Reserve University.
- Chespi, C.M., Smith, S.K., Petersen, L., Zimmerman, S., Ganz, P.A. (2010) Measuring the impact of cancer: a comparison of non-Hodgkin lymphoma and breast cancer survivors. *J Cancer Surviv* 4 (1): 45-58.
- Chintamani, C., Gogne, A., Khandelwal, R., Tandon, M., Jain, S., Kumar, Y., Narayan, N., Rahul, B., Srinivas, S., & Saxena, S. (2011). The correlation of anxiety and depression levels with response to neoadjuvant chemotherapy in patients with breast cancer. *JRSM Short Report* 2(3): 1-15.
- Clark, M., Isaacks-Downton, G., Wells, N., Redlin-Frazier, S., Eck C, Hepworth, J.T., & Chakravaty, B. (2006). Use of preferred music to reduce emotional distress and symptom activity during radiation therapy. *Journal of Music Therapy* 43(3): 247–65.
- Cohen, J., Welcowitz, J., Ewen, R.B. (1982). *Introductory statistics for the behavioral sciences*. Orlando: Harcourt, Brace Jovanovich, Inc.

- Cooper, L., Foster, I. (2007). The use of music to aid patients relaxation in a radiotherapy waiting room. *Radiography Journal* 14: 184-188. Published by Elsevier Ltd.
- Cortan, R. S., Stanly L, R., Kumar, V. (2007). *Buku Ajar Patologi Volume 1*. Jakarta: EGC.
- Corwin, E. J. (2009). *Buku saku patofisiologi*. Jakarta: EGC.
- Cristina, W. (2007). *Pengaruh penggunaan fluoxetin terhadap disfungsi seksual pada pria yang mengalami depresi di poliklinik jiwa RSUP Dr. Sardjito Yogyakarta*. Yogyakarta: Fakultas Kedokteran Universitas Gadjah Madha.
- Dahlan, M. S. (2013). *Statistik untuk kedokteran dan kesehatan*. Edisi 6. Jakarta: Salemba Medika.
- Dahlan, M. S. (2014). *Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan*. Edisi 3. Jakarta: Salemba Medika.
- Danaei, G., Vander H. S., Loopez, A. D., Murray, C. J., Ezzati, M. (2005). Causes of cancer in the world: comparative risk assessment of nine behavioural and environmental risk factors. *Lancet* 366: 1784-93.
- Dani, I. R. (2010). *Kekuatan Musik Religi Mengurai Cinta Merefleksi Iman Menuju Kebaikan Universal*. Jakarta: PT Gramedia.
- DeNora, T. (2000). *Music in Everyday Life*. Cambridge: University Press.
- Desen, W. (2008). *Buku Ajar Onkologi Klinis*. Edisi 2. Jakarta: Fakultas Kedokteran Universitas Indonesia.
- Djohan. (2006). *Terapi Musik Teori Dan Aplikasi*. Yogyakarta: Galang Press.
- Djohan. (2009). *Psikologi musik*. Yogyakarta: Best Publisher.
- Dinas Kesehatan Daerah Istimewa Yogyakarta (Dinkes DIY). (2015). *Workshop kanker payudara dan kanker leher rahim bagi masyarakat*. Diperoleh dari <http://kesehatan.jogjakota.go.id/berita/id/48/dpuf> Yogyakarta. Diakses pada tanggal 17 September 2016.
- Effendy C., Vissers K., Osse B.H., Tejawijaya, S., Vernooij-Dagsen, M., Engels, Y . (2014). Comparison of problems and unmet needs of patients with advanced cancer in a European country and an Asian country. *Pain Pract* 2014(5): 433-440.

- Erkkila, J., Gold, C., Fachner, J., Ala-Ruona, E., Punkanen, M., Vanhala, M. (2008). The effect of improvisational music therapy on the treatment of depression: Protocol for a randomised controlled trial. *BMC Psychiatry* 8: 553-562.
- Esch, T., Guarna, M., Bianchi, F., Stefano, G. B. (2004). Medication and limbic processes. *Biofeedback* 32(3): 22-29.
- EUROCAM. (2014). *CAM 2020: The Contribution of Complementary and Alternative Medicine to sustainable healthcare in Europe*. Belgium: EUROCAM Iva office.
- European Society for Medical Oncology (ESMO). (2009). *Handbook of Cancer :Diagnosis and Treatment*. USA : Informa Healthcare, Inc.
- Fabian, E., Toscher, S., Elmadfa, I., Pieber, T. R. (2011). Use of complementary and alternative medicine supplements in patients with diabetes mellitus. *Annals of Nutrition and Metabolism* 58: 101-108. doi:10.1159/000326765.
- Fann, J. R., Thomas-Rich, A. M., Katon, W. J., Cowley, D., Pepping, M., McGregor, B. A. (2008). Major depression after breast cancer: a review of epidemiology and treatment. *General Hospital Psychiatry* 2008: 112-126.
- Ferrer, A. J. (2007). The effect of live music on decreasing anxiety in patients undergoing chemotherapy treatment. *Journal of Music Therapy* 44(3): 242–255.
- Fine, P. G., Miaskowski, C., Paice, J. A. (2004). Meeting the challenges in cancer of pain: Principles and Applications. *Med Clin North Am* 71: 217-286.
- Frold, T., Schule, C., Schmitt, G. (2007). Association of brain derived neurotrophic factor val66met polymorphism with reduced hippocampal volumes in major depression. *Arch Gen Psychiatry* 64: 410-416.
- GLOBOCAN. (2012). Estimated Cancer Incidence, Mortality, Prevalence and Disability-adjusted life years (DALYs) Worldwide in 2008. *International Agency for Research on Cancer (IARC) Cancer Base* No. 11. Diakses tanggal 27 Juli 2016.
- Golden-Kreutz, D.M & Anderson, B. L. (2004). Depressive symptoms after breast cancer surgery: relationships with global, cancer-related, and life event stress. *Psycho-Oncology* 13: 211-220.

- Good, M., Staton-Hicks, M., Grass, J. A., Anderson, G.C. Lai, H., Roykulcharon, V., Adler, P.A. (2001). Relaxation and music to reduce postsurgical pain. *Journal of Advanced Nursing* 33(39): 208-215.
- Gozum, S., Ankan, D., Buyukava, M. (2007). Complementary and Alternative Medicine Use in Pediatric Oncology Patients in Eastern Turkey. *Cancer Nursing* 30(1): 38-44.
- Gravetter, F. J., Wallnau, L. B. (2004). *Statistics for the Behavioral sciences*. Belmont: Thomson, Inc.
- Greist, J. H., Jefferson, J.W. (1988). *Depresi dan Penyembuhannya*. Alih Bahasa: Cahya Subrata. Jakarta: PT. BPK Gunung Mulia.
- Griffiths, J., Ewing, G., Rogers, M. (2010). Moving Swiftly On. Psychological Support Provided by District Nursing to Patients With Palliative Care Needs. *Cancer Nursing* 33(5): 390-397.
- Guyton, A. C., Hall, J. E. (2007). *Indra Pendengaran Dalam: Textbook of Medical Physiology*, Eleventh Edition.
- Hamel, W. (2001). The effect of music intervention on anxiety in the patients waiting for cardiac catheterization. *Intensive and Critical Care Nursing* 17(5): 279-285.
- Handayani, A. (2012). *Perempuan Berbicara Kretek*. Jakarta: Indonesia Berdikari.
- Handoyo, A. (2005). *Panduan Praktis Aplikasi Olah Nafas 2*. Jakarta : Elex Media Komputindo.
- Hanser, S.B., Bauer-Wu, S., Kubicek, L., Healey, M., Manola, J., Hernandez, M. (2006). Effects of a music therapy intervention on quality of life and distress in women with metastatic breast cancer. *Journal of the Society for Integrative Oncology* (3): 116–124.
- Harper, E.I. (2001). *Reducing treatment-related anxiety in cancer patients: Comparison of psychological interventions*. Doctoral dissertation. Dedman College: Southern Methodist University.
- Hasanan, N. U., Subandi. (1999). *Pembakuan Alat Kepekaan terhadap Humor*. Laporan penelitian. Skripsi. Yogyakarta: Fakultas Psikologi UGM.
- Hawari, D. (2008). *Manajemen stress, cemas dan depresi*, Jakarta: Fakultas Kedokteran Universitas Indonesia.

- Hawks, J., Moyad, M. (2003). CAM : Definition and Classification Overview. *Urologic Nursing* 23(3): 221-223.
- Hayama, Y., Inoue, T. (2011). The effect of deep breathing on “tensione anxiety” and fatigue in cancer patient undergoing adjuvant chemotherapy. *Complementary Therapies in Clinical Practice* XXX: 1-5.
- Hertanti, S. N., Setiyarini, S., Kristanti, M. S.. (2015). Pengaruh *Self-Selected Individual Music Therapy* (SeLIMuT) tingkat nyeri pasien kanker paliatif di RSUP Dr. Sardjito Yogyakarta. *Indonesian Journal of Cancer* 9(4): 159-165.
- Huang, S., Good, M., Zauszniewski. (2010). The efectiveness of music in relieving pain in cancer patients: a randomized control trial. *International Journal of Nursing Studies* 47: 1354-1362.
- Hsia, F. N., Spruijt-Metz, D. (2008). Gender Differences in Smoking and Meanings of Smoking in Asian-American College Students. *Journal of Health Psychology* Vol 13(4): 459–463.
- Indriyanti. (2007). *Faktor yang mempengaruhi depresi pada pasien DM tipe 2*. Yogyakarta : Fakultas Kedokteran Universitas Gadjah Madha.
- International Agency for Research on Cancer (IARC). (2013). *Latest world cancer statistics: Extimated Cancer Incidence*. Diakses tanggal 18 September 2016.
- International Union Against Cancer (UICC). (2009). *Jika Tidak Dikendalikan 26 Juta Orang Di Dunia Menderita Kanker*. Diperoleh dari: <http://www.depkes.go.id/index.php/berita/press-release/1060-jika-tidakdikendalikan-26-juta-orang-di-dunia-menderita-kanker-html>. Diakses tanggal 21 Mei 2016.
- Jia, L., Chen, J., Ho, Th.R., Yu, J., Guo, L., Li, L. (2016). Music intervention can improve emotional in cancer patients during disease progression. *Arch Deppres Anxiety* 2(1): 007-009.
- Judith, H. Walkim,S. Cherry, G. (2010). The efficacy of music therapy. *Journal of Perianesthesia Nursing* 25(4): 226-232.
- Kementrian Kesehatan Republik Indonesia (Kemenkes RI). (2012) *Profil Kesehatan Indonesia*. Jakarta.. Diperoleh dari: http://www.depkes.go.id/downloads/PROFIL_DATA_KESEHATAN_INDONESIA.pdf. Diakses pada 21 Juli 2016.

- Kementerian Kesehatan Republik Indonesia (Kemenkes RI). (2014). *Peraturan Menteri Kesehatan Republik Indonesia Nomor 19 Tahun 2014 Tentang Penggunaan Dana Kapitasi Jaminan Kesehatan Nasional Untuk Jasa Pelayanan Kesehatan Dan Dukungan Biaya Operasional Pada Fasilitas Kesehatan Tingkat Pertama Milik Pemerintah Daerah.pdf*. Jakarta. Diakses pada 21 Juli 2016.
- Kerns, D. R. (2016). *Beck Depression Inventory Minimum important Difference*. VA Connecticut Healthcare System: Yale University.
- Kitano, T., Tada, H., Nishimura, T., Teramukai, S., Kanai, M. (2007). Prevalence and incidence of anemia in Japanese cancer patients receiving outpatient chemotherapy. *International journal of hematology* 86(1): 37-41.
- Khalaf, A. J., Whitford, D. L. (2010). The use of complementary and alternative medicine by patients with diabetes mellitus in Bahrain: A cross-sectional study. *BioMed Central Complementary and Alternative Medicine* 10(35): 1-5.
- Koningan, A. (2008). *Depresi pada penderita kanker-pusat pengembangan paliatif dan bebas nyeri RSUD Dr. Soetomo Surabaya*. Available from <http://www.Paliative.surabaya.com>. Diakses pada 21 Juli 2016.
- Kurniawan, D., Setiyarini, S., Kristanti, M. S. (2013). *Pengaruh Self-Selected Individual Music Therapy (SeLIMuT) terhadap perubahan status hemodinamik pasien kanker paliatif di RSUP Dr. Sardjito Yogyakarta*. Skripsi. Yogyakarta: Fakultas Kedokteran Universitas Gadjah Mada.
- Lai, W. S., Chao C, S., Yang, W. P., Chen, C. H. (2010). Efficacy of guide imagery with theta music for advanced cancer patient with dyspnea: a pilot study. *Biol Res Nurs* 12: 188-197.
- Lingham, J., Theorell, T. (2009). Self-selected “favourite” stimulative and sedative music listening—How does familiar and preferred music listening affect the body? *Nordic Journal of Music Therapy* 18: 150–166.
- Longo, D. L., Braunwald, E., Fauci, A.S. Hauser, S. L. (2008). *Harrison's Principles of Internal Medicine*. 17nd Edition. USA: McGrawHill.
- Lueckenotte, A. G. (2000). *Gerontologic Nursing*. Second Edition. Missouri: Mosby.
- Lyness J. M, Niculescu, A., Tu, X., Reynolds, C. F., Caine, E.D. (2006). The relationship of medical comorbidity and depression in older, primary care patients. *Psychosomatics* 47: 435.

- Matsuda, T., Takayama, T., Tashiro, M., Nakamura, Y., Ohashi, Y., Shimozuma, K. (2005). Mild Cognitive Impairment after adjuvant chemotherapy in breast cancer patient-evaluation of appropriate research design and methodology to measure symptoms. *Breast Cancer* 12(4): 279-287.
- Martini, S. (2014). Smoking Menaning In Young Women Smokers. *Jurnal Psikologi Pendidikan dan Perkembangan Fakultas Psikologi Universitas Airlangga* 3(2): 119-127.
- Maslim, R., 2001. *Diagnosis Gangguan Jiwa Rujukan Ringkas dari PPDGJ-III*. Jakarta: PT. Nuh Jaya.
- McVeight, K. H., Mostashari, F., Thorpe, L. E. 2004. Serious psychological distress among persons with diabetes. *MMWR* 53: 1089-1092
- Mehnert, A., Lehmann, C., Graefen, M., Huland, H., Koch, U. (2010) Depression, anxiety, post-traumatic stress disorder and health-related quality of life and its association with social support in ambulatory prostate cancer patients. *Eur J Cancer Care* 19(6): 736-745.
- Merriman, D.J., Diane, A.V., Miaskowski, C., & Aouizerat, E. B. (2013). Proposed mechanism for cancer and treatment-related cognitive changes. *Semin Oncology Nursing* 28(4): 206-269.
- Mhaidat, N. M., Alzoubi, K. H., Alhusein, B. A. (2009). *Prevalence of depression among cancer patients in Jordan: A National Survey*. Jordan: Springer-Verlag.
- Montgomery G. H., Bovbjerg, D. H. Pre-infusion expectations predict post-treatment nausea during repeated adjuvant chemotherapy infusion for breast cancer. *British Journal of Health Psychology* (5): 105–119.
- Miller, G. (2008). *Pencegahan dan pengobatan penyakit kanker*. Alih bahasa : Muhammad Jauhar. Jakarta : pustakaraya.
- National Cancer Institute. (2005). *Thinking about Complementary and Alternative Medicine : A guide for people with cancer*. Available from : URL:<http://www.cancer.gov>. Diakses pada tanggal 21 September 2016.
- Nevid, S. F., Rathus, A. S., Greene, B. (2003). Psikologi Abnormal. Edisi kelima Jilid satu. Jakarta: Erlangga.
- New Zealand Society for Music Therapy (NZSMT). (2005). Evidence Based Review Music Therapy. *Accident Cooperation* 4: 1-54.

- Nguyen, T. N., Nilsson, S., Hellstrom, A., Bengtson, A. (2010). Music therapy to reduce pain and anxiety in children with cancer undergoing lumbar puncture: A randomized clinical trial. *Journal of Pediatric Oncology Nursing* 27(3): 146–155.
- Notoadmojo, S. (2010). *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta.
- Nowick, A., Szwed, A., Lasowski, R. (2008). Depression and anxiety before and after breast amputation in women. *Polish Journal of Surgery* 8: 7.
- Nicholas & Humenick. 2002. *Cara Kerja Musik Sebagai Terapi*. Jakarta: Salemba Medika.
- Nilsson, U. (2009). Soothing music can increase oxytocin level during bed rest after open-herat surgery : A Randomised Control Trial. *Journal of Clinical Nursing* 18: 2154-2161.
- Nilsson, U. (2008). The anxiety and pain reducing effects of music interventions : A systematic review. *AORN Journal* 87: 780-807.
- Osse, B., Dassen, V., Schade, E., Grol, R. (2005). The problem experienced by patients with cancer and their needs for palliative care. *Support Care Cancer* 13: 722-732.
- Payne, D. K., Hoffman, R. G., Theodolou, M, Dosik, M, Massie, M. J., (2006). Screening for Anxiety and Depression in Women With Breast Cancer. *Psychosomatics* 40: 64-69.
- Payne, S., Seymour, J., Ingleton, C. (2004). *Paliative Care Nursing : Principles and Evidence for Practice*. UK : Bell & Bain Ltd, Glasglow.
- Prabandari, D. (1989). Hubungan antara stress dan motivasi berprestasi dengan depresi pada mahasiswa tingkat lanjut. *Jurnal Psikologi*. Tahun XVII No. 1. Yogyakarta : Fakultas Psikologi Universitas Gadjah Mada.
- Purbowinoto, S. E., Kartinah. (2011). Pengaruh terapi musik terhadap perubahan tingkat depresi pada lansia di PSRW (Panti Sosial Tresna Wredha) Unit Budi Luhur, Kasongan, Bantul Yogyakarta. *Publikasi Ilmiah UMS* 4: 44-49.
- Puspita, G. (2007). Perbedaan Penggunaan Strategi Koping PFC dan EFC Terhadap Intensitas Nyeri Pada Pasien Kanker Payudara di RSUP Dr. Sardjito Yogyakarta. Skripsi. Yogyakarta: Fakultas Kedokteran Universitas Gadjah Mada.

- Price, S. A., Standbridge, M. P. (2006). *Patofisiologi konsep klinis proses-proses penyakit*. Edisi 6. Jakarta: EGC.
- Potter, P. A., Perry, A. G. (2006). *Fundamental of Nursing: Concepts, Process and Practice*. Edisi 4. Alih bahasa : Renata, K. Jakarta: EGC.
- Rayes-Gibby, C. C., Anderson, K. O., Morrow, P. K., Shete, S., Hassan, S. (2012). Depressive symptoms and health-related quality of life in breast cancer survivors. *Journal of Women's Health* 21(3): 311-328.
- Rice, I. B. (2001). Mind body intervention. *Diabetes Spectrum* 14(4): 213-217.
- Rabin, E. G., Heldt, E., Hirkata, V. N., Bittelbrunn, A. C., Chachamovich, E., Marcelo, P. A. (2009). Depression and perceptions of quality of life of breast cancer survivors and their male partners. *Oncology Nursing Forum* 36(3):153-159.
- Riset Kesehatan Dasar (Riskesdas). (2013). Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI. Diperoleh dari: <http://depkes.go.id/downloads/riskesdas2013/Hasil%20Riskesdas%202013>. Pdf. Diakses pada 21 Juni 2016.
- Robb, S. (2000). Music assisted progressive muscle relaxation, progressive muscle relaxation, music listening, and silence: A comparison of relaxation techniques. *Journal of Music Therapy* 37: 2–21.
- Romito, F., Lagattolla, F. Costanzo, C., Giotta, F., Mattioli, V. (2013). Music therapy and emotional expression during chemotherapy. How do breast cancer patient feel? *European Journal of Integrative Medicine* 5 (2013): 438-442.
- Roth, E.W. (2004). Music therapy: the rhythm of recovery. *Case Manager* 15: 52–56.
- Sadock, B. J., Sadock, V. A. (2007). *Kaplan & Sadock's Synopsis of Psychiatry Behavioral Sciences/Clinical Psychiatry*. 10th Ed. Philadelphia: Lippincott Williams & Wilkins.
- Salamon, E., Bernstein, S. R., Kim, S., Kim, M., Stefano, G.B. (2003). The effect of auditory perception and musical preference on anxiety in naive human subjects. *Medical Science Monitor* 9(9): 227-284.
- Samuel, H. (2007). *Efek mozart dan terapi musik dalam dunia kesehatan*. Diperoleh dari <http://www.tempo.co.id/medika/arsip/012003/pus-2.htm>. Diakses 21 Juli 2016.

- Sauer, S., Ziegler, M., Schmitt, M. (2013). Rasch analysis of a simplified Beck Depression Inventory. *Personality and Individual Differences* 54: 530–535.
- Schou, K. (2007). *Music therapy for post operative cardiac patients, a randomized controlled trial evaluating guided relaxation with music and music istening on anxiety, pain, and mood*. Dissertation Thesis. Department of Communication: Aalborg University.http://www.mt-phd.aau.dk/digital_Assets/6/6484_karin_schou_thesis.pdf. Diunduh 5 septemser 2016.
- Siedliecky, S. L., Good, M. (2006). Effect of Music on Power, Pain, Depression and Disability. *Journal Advence Nurse* 54(5): 553-562.
- Singletary, L., & Connolly. (2006). Breast cancer staging working with the sixth edition of the AJCC cancer staging manual. American Cancer Society Inc., Atlanta. *CA Cancer J Clin* (56): 37-47.
- Smith, M., Casey, L., Johnson, D., Gwede, C., Riggin, O.Z. (2001). Music as a therapeutic intervention for anxiety in patients receiving radiation therapy. *Oncology Nursing Forum* 28(5): 855–862.
- Smeltzer, S. C., Bare, B. G., Hinkle, J. I., Cheever, K. H., 2008. *Brunner and Suddarth's Textbook of Medical Surgical Nursing*. 11th rev. Ed. Philadelphia: Lippincott Williams and Wilkins.
- Smith-Temple, J., Johnson, J.Y. (2010). *Buku saku prosedur klinis keperawatan*. Jakarta: Penerbit Buku Kedokteran EGC.
- Stahl, S. M., Wise, D. D. (2008). The potential role of corticotropin-releasing factor receptor-1 antagonist. *Psychiatry* 21(2): 106-111.
- Staum, M. J., Brotons, M. (2000). The effect of music amplitude on the relaxation response. *Jurnal of Music Therapy* XXXVII(1): 22-39.
- Task, P. C. (2004). Assessment of depression in cancer patients. *Journal of National Cancer Institute Monographs* 32: 80-90.
- Teodora, B. A., Ianovici, N., Bancilla, S. (2012). Modifying factors of chronic pain perception in oncology patient. *Therapeutics, Pharmacology, and Clinical Technology* 16(2): 226-231.
- The Psychosocial Collaborative Oncology Group (PSYCOG). (2012). The prevalence of psychiatric disorders among cancer patients. *JAMA* 249: 751-757.

- Tursina, H. M., Setiyarini, S., Kristanti, M. S. (2012). *Pengaruh Self-Selected Individual Music Therapy (SeLIMuT) terhadap tingkat kecemasan pasien kanker paliatif di RSUP Dr. Sardjito Yogyakarta*. Skripsi. Yogyakarta: Fakultas kedokteran Universitas gadjah Mada.
- Varcarolis, E. M., Halter, M. J. (2010). *Foundations of Psychoterapy Mental Health Nursing: A Clinical Approach* 6th Edition. New York: Elsevier Inc.
- Videbeck, S. L. (2008). *Buku Ajar Keperawatan Jiwa*. Jakarta: Penerbit Buku Kedokteran EGC.
- Wan, Y., Mao, Z., Qiu, Y. (2009). Influence of music therapy on anxiety, depression and pain of cancer patients *Chinese Nursing Research* 23(5A): 1172–1175.
- Whitmer, K. M., Pruemer, J. M., Nahleh, Z. A., Jazieh, A. R. (2006). Symptom management needs of oncology outpatients. *Journal of Palliative Medicine* 9(3): 628-30.
- Wilgram, A. L. (2002). *The effect of vibroacoustic therapy on clinical and non-clinical population*. London: St. Georges Hospital Medical School London University.
- Wiramihardja. (2007). *Pengantar Psikologi Klinik*. Bandung: PT Rafika Aditama.
- World Health Organization (WHO). (2011). *Global status report on noncommunicable diseases 2010*. Geneva: World Health Organization
- World Health Organization (WHO). (2007). *WHO guide for effective programmes: Palliative Care*. ed. Geneva: World Health Organization.
- Xie, Z., Wang, G., Yin, Z., Liao, S., Lin, J., Yu, Z. (2001). Effect of music therapy and inner image relaxation on quality of life in cancer patients receiving chemotherapy. *Chinese Mental Health Journal* 15(3): 176–178.
- Yates, J. G., Silverman, M. J. (2015). Immediate effects of single-session therapy on affective state in patients on a post-surgical oncology unit: A randomized effectiveness study. *The Art in Psychoterapy* 44: 57-61.
- Zainul, Z. (2007). *Hidup sehat dengan olah lahir, fikir, & zikir*. Jakarta: Qultum Media.
- Zhao, P.T., Liang, J., Shao, Q.J, Liang, F., Yuan H.Q., You F.S. (2008). Interventional effects of musical therapy to physiological and

psychological conditions in process of radiotherapy for patients with cancer. *Chinese Journal of Cancer Prevention and Treatment* 15(14):1097–1099.

Zhou, K., Li, X., Li, J., Liu, M., Dang, S., Wang, D., Xin, X. (2015). A clinical randomized controlled trial of music therapy and progressive muscle relaxation training in female breast cancer patients after radical mastectomy: results on depression, anxiety and length of hospital stay. *European Journal of Oncology Nursing* 19: 54-59.