

DAFTAR PUSTAKA

- [1] C. Cheng and C. Yu, "Data Gathering in Wireless Sensor Networks : A Combine – TSP – Reduce Approach," vol. 65, no. 4, pp. 2309–2324, 2016.
- [2] F. Wong and M. Shao, "F. Wong and Muzhou Shao," pp. 767–770.
- [3] J. Miller, S. Il Kim, and T. Menard, "Intelligent Transportation Systems Traveling Salesman Problem (ITS-TSP) - A specialized TSP with dynamic edge weights and intermediate cities," *IEEE Conf. Intell. Transp. Syst. Proceedings, ITSC*, pp. 992–997, 2010.
- [4] M. a. S. Casquilho, *Travelling Salesman Problem*, vol. 43, no. 2. 2012.
- [5] A. Chaudhuri, "A Study of the Traveling Salesman Problem Using Fuzzy Self Organizing Map Department of Mathematics," pp. 8–12, 2008.
- [6] L. Brocki, "Kohonen Self-Organizing Map for the Traveling Salesperson Problem," pp. 2–8.
- [7] J. Liu, Y. W. Chen, G. K. Yang, and Y. Z. Lu, "Self-organized combinatorial optimization," *Expert Syst. Appl.*, vol. 38, no. 8, pp. 10532–10540, 2011.
- [8] H. Schabauer, E. Schikuta, and T. Weishäupl, "Solving very large traveling salesman problems by SOM parallelization on cluster architectures," *Parallel Distrib. Comput. Appl. Technol. PDCAT Proc.*, vol. 2005, no. January 2006, pp. 954–958, 2005.
- [9] L. Fausett, "Fundamentals of Neural Networks," *Igarss 2014*, no. 1, pp. 1–5, 2014.
- [10] B. H. Arabi, "Solving NP-Complete Problems Using Genetic Algorithms," 2016.
- [11] F. Glover, "Tabu search fundamentals and uses," *Vasa*, 1995.
- [12] K. Bryant and A. Benjamin, "Genetic Algorithms and the Traveling Salesman Problem," no. December, pp. 8–11, 2000.
- [13] X. H. Shi, Y. C. Liang, H. P. Lee, C. Lu, and Q. X. Wang, "Particle swarm optimization-based algorithms for TSP and generalized TSP," vol. 103, pp. 169–176, 2007.
- [14] S. Url, T. J. Archive, and T. Archive, "KirkpatrickAnnealScience1983," vol. 220, no. 4598, pp. 671–680, 2007.
- [15] J. Kennedy and R. Eberhart, "Particle swarm optimization," *Neural Networks*, 1995.

- [16] a Astolfi, “An introduction.,” *J. Anal. Psychol.*, vol. 55, no. 5, pp. 617–635, 2010.
- [17] H. Ingole and V. B. Kute, “a Survey on Different Methods To Solve Travelling Salesman Problem,” pp. 84–88.
- [18] M. Hahsler and K. Hornik, “TSP – Infrastructure for the Traveling Salesperson Problem,” vol. 1, no. 1.
- [19] D. S. Johnson and L. A. Mcgeoch, “The Traveling Salesman Problem : A Case Study in Local Optimization,” pp. 1–103.
- [20] S. Nasini, “The Travelling Salesman Problem : Introductory notes and computational analysis,” pp. 1–19, 1832.
- [21] W. S. McCulloch and W. Pitts, “A logical calculus of the ideas immanent in nervous activity,” *Bull. Math. Biophys.*, vol. 5, no. 4, pp. 115–133, 1943.
- [22] J. J. Shynk, “Performance Surfaces of a Single-Layer Perceptron,” *IEEE Trans. Neural Networks*, vol. 1, no. 3, pp. 268–274, 1990.
- [23] P. H. S. Ã, M. Teresinha, and A. Steiner, “A new approach to solve the traveling salesman problem,” vol. 70, pp. 1013–1021, 2007.
- [24] T. Kohonen, “Self-organized formation of topologically correct feature maps,” *Biol. Cybern.*, vol. 43, no. 1, pp. 59–69, 1982.
- [25] T. Kohonen and P. Somervuo, “Self-organizing maps of symbol strings,” *Neurocomputing*, vol. 21, no. 1–3, pp. 19–30, 1998.
- [26] A. Neme, P. Miramontes, D. E. Rumelhart, D. Zipser, and H. Yin, “The self-organizing maps: Background, theories, extensions and applications,” *Artif. Neural Networks–ICANN 2006*, vol. 9, pp. 455–463, 2006.
- [27] I. Neuroscience, *Neural Networks*, vol. 21. 2008.
- [28] A. Singh, A. Yadav, and A. Rana, “K-means with Three different Distance Metrics,” *Int. J. Comput. Appl.*, vol. 67, no. 10, pp. 13–17, 2013.
- [29] J. C. Bezdek, R. Ehrlich, and W. Full, “FCM: The fuzzy c-means clustering algorithm,” *Comput. Geosci.*, vol. 10, no. 2–3, pp. 191–203, 1984.
- [1] C. Cheng and C. Yu, “Data Gathering in Wireless Sensor Networks : A Combine – TSP –

Reduce Approach,” vol. 65, no. 4, pp. 2309–2324, 2016.

- [2] F. Wong and M. Shao, “F. Wong and Muzhou Shao,” pp. 767–770.
- [3] J. Miller, S. Il Kim, and T. Menard, “Intelligent Transportation Systems Traveling Salesman Problem (ITS-TSP) - A specialized TSP with dynamic edge weights and intermediate cities,” *IEEE Conf. Intell. Transp. Syst. Proceedings, ITSC*, pp. 992–997, 2010.
- [4] M. a. S. Casquilho, *Travelling Salesman Problem*, vol. 43, no. 2. 2012.
- [5] A. Chaudhuri, “A Study of the Traveling Salesman Problem Using Fuzzy Self Organizing Map Department of Mathematics,” pp. 8–12, 2008.
- [6] L. Brocki, “Kohonen Self-Organizing Map for the Traveling Salesperson Problem,” pp. 2–8.
- [7] J. Liu, Y. W. Chen, G. K. Yang, and Y. Z. Lu, “Self-organized combinatorial optimization,” *Expert Syst. Appl.*, vol. 38, no. 8, pp. 10532–10540, 2011.
- [8] H. Schabauer, E. Schikuta, and T. Weishäupl, “Solving very large traveling salesman problems by SOM parallelization on cluster architectures,” *Parallel Distrib. Comput. Appl. Technol. PDCAT Proc.*, vol. 2005, no. January 2006, pp. 954–958, 2005.
- [9] L. Fausett, “Fundamentals of Neural Networks,” *Igarss 2014*, no. 1, pp. 1–5, 2014.
- [10] B. H. Arabi, “Solving NP-Complete Problems Using Genetic Algorithms,” 2016.
- [11] F. Glover, “Tabu search fundamentals and uses,” *Vasa*, 1995.
- [12] K. Bryant and A. Benjamin, “Genetic Algorithms and the Traveling Salesman Problem,” no. December, pp. 8–11, 2000.
- [13] X. H. Shi, Y. C. Liang, H. P. Lee, C. Lu, and Q. X. Wang, “Particle swarm optimization-based algorithms for TSP and generalized TSP,” vol. 103, pp. 169–176, 2007.
- [14] S. Url, T. J. Archive, and T. Archive, “KirkpatrickAnnealScience1983,” vol. 220, no. 4598, pp. 671–680, 2007.
- [15] J. Kennedy and R. Eberhart, “Particle swarm optimization,” *Neural Networks, 1995. Proceedings., IEEE Int. Conf.*, vol. 4, pp. 1942–1948 vol.4, 1995.
- [16] a Astolfi, “An introduction,” *J. Anal. Psychol.*, vol. 55, no. 5, pp. 617–635, 2010.
- [17] H. Ingole and V. B. Kute, “a Survey on Different Methods To Solve Travelling Salesman

- [18] M. Hahsler and K. Hornik, “TSP – Infrastructure for the Traveling Salesperson Problem,” vol. 1, no. 1.
- [19] D. S. Johnson and L. A. Mcgeoch, “The Traveling Salesman Problem : A Case Study in Local Optimization,” pp. 1–103.
- [20] S. Nasini, “The Travelling Salesman Problem : Introductory notes and computational analysis,” pp. 1–19, 1832.
- [21] W. S. McCulloch and W. Pitts, “A logical calculus of the ideas immanent in nervous activity,” *Bull. Math. Biophys.*, vol. 5, no. 4, pp. 115–133, 1943.
- [22] J. J. Shynk, “Performance Surfaces of a Single-Layer Perceptron,” *IEEE Trans. Neural Networks*, vol. 1, no. 3, pp. 268–274, 1990.
- [23] P. H. S. ã, M. Teresinha, and A. Steiner, “A new approach to solve the traveling salesman problem,” vol. 70, pp. 1013–1021, 2007.
- [24] T. Kohonen, “Self-organized formation of topologically correct feature maps,” *Biol. Cybern.*, vol. 43, no. 1, pp. 59–69, 1982.
- [25] T. Kohonen and P. Somervuo, “Self-organizing maps of symbol strings,” *Neurocomputing*, vol. 21, no. 1–3, pp. 19–30, 1998.
- [26] A. Neme, P. Miramontes, D. E. Rumelhart, D. Zipser, and H. Yin, “The self-organizing maps: Background, theories, extensions and applications,” *Artif. Neural Networks–ICANN 2006*, vol. 9, pp. 455–463, 2006.
- [27] I. Neuroscience, *Neural Networks*, vol. 21. 2008.
- [28] A. Singh, A. Yadav, and A. Rana, “K-means with Three different Distance Metrics,” *Int. J. Comput. Appl.*, vol. 67, no. 10, pp. 13–17, 2013.
- [29] J. C. Bezdek, R. Ehrlich, and W. Full, “FCM: The fuzzy c-means clustering algorithm,” *Comput. Geosci.*, vol. 10, no. 2–3, pp. 191–203, 1984.