

## DAFTAR PUSTAKA

- Abbott, R., Whear, R., Nikolaou, V., Bethel, A., Coon, J.T., Stein, K., Dickens, C., (2015) Tumour Necrosis Factor- $\alpha$  Inhibitor Therapy in Chronic Physical Illness: A Systematic Review and Meta-Analysis of the Effect on Depression and Anxiety. *Review Article Journal of Psychosomatic Research*; Volume 79, Issue 3, September: Pages 175-184 13
- Abell, F., Happe, F., Frith, U. (2000) Do triangles play tricks? Attribution of mental states to animated shapes in normal and abnormal development. *Journal of Cognitive Development*. 15: 1-16
- Álvarez, M.D.V.S. & Merino, M.T.G., (2008). Environmental Uncertainty: The Side Object of Perception. *Rev. Innovar*. vol. 18, no. 32
- Bocchi, A., Carrieri, M., Lancia, S., Quaresima, V., Piccardi, L., (2017). The Key of the Maze: The role of Mental Imagery and cognitive flexibility in navigational planning. *Neuroscience Letters*, Volume 651,9. Pages 146-150
- Bond, F.W., Dryden, W., (2002). *Handbook of Brief Behavior Therapy*. John Wiley & Sons Ltd, The Atrium, Southern Gate, Chichester, West Sussex, England: 279-283
- Bortolato B, Carvalho AF, Soczynska JK, Perini GI, McIntyre RS. (2015) The Involvement of TNF- $\alpha$  in Cognitive Dysfunction Associated with Major Depressive Disorder: An Opportunity for Domain Specific Treatments. *Current Neuropharmacology*. 13(5):558-576
- Buchheim A, Viviani R, Kessler H, Kächele H, Cierpka M, Roth G, et al. (2012) Changes in Prefrontal-Limbic Function in Major Depression after 15 Months of Long-Term Psychotherapy. *PLoS ONE* 7(3): e33745
- Bullock, G., Newman-Taylor, K., Stopa, L., (2016). The Role of Mental Imagery in Non-Clinical Paranoia. *Journal of Behavior Therapy and Experimental Psychiatry*, Volume 50, March, Pages 264-26
- Buttgereit, F., Smolen, J.S., Coogan, A.N., Cajochen, C., 2015. Clocking in: chronobiology in rheumatoid arthritis. *Nat. Rev. Rheumatol*. 11, 349–356. doi:10.1038/nrrheum.2015.31
- Carine, P., Petrovic, M., Vogelaers, D., Crombez, G., (2013). Cognitive Behavior Therapy in Patients With Chronic Fatigue Syndrome: The Role of Illness Acceptance and Neuroticism., *Journal of Psychosomatic Research*, Volume 74, Issue 5, Pages 367-372

- Castrén E, Rantamäki T. (2010) The role of BDNF and its receptors in depression and antidepressant drug action: Reactivation of developmental plasticity. *Dev Neurobiol.* Apr; 70 (5): 289-97
- Cavanagh, J., Paterson, C., McLean, J., Pimlott, S., McDonald, M., Patterson, J., Wyper, D., McInnes, I., 2010. Tumour Necrosis Factor Blockade Mediates Altered Serotonin Transporter Availability in Rheumatoid Arthritis: A Clinical, Proof-of-Concept Study. *Ann. Rheum. Dis.* 69, 1251–1252.
- Cavanagh, P.,(2011). Visual Cognition. *Vision Res.* July 1; 51(13): 1538–1551
- Cols-Sagarra, C., López-Simarro, F., Alonso-Fernández, M., Mancera-Romero, J., Pérez-Unanua, M.P., Mediavilla-Bravo, J.J., Barquilla-García, A., Miravet-Jiménez, S.,(2016). Prevalence of Depression in Patients with Type 2 Diabetes Attended in Primary Care in Spain, *Prim. Care Diab.*
- Comella, N.F.L., Matilla, M.F., Cuesta, J.A.C., (2016). Have Complementary Therapies Demonstrated Effectiveness in Rheumatoid Arthritis?. *Reumatología Clínica (English Edition)*; Volume 12, Issue 3, May–June:Pages 151-157
- De Timary, P., Heenen-Wolff, S. and Philippot, P., (2011). The Question of “Representation” in The Psychoanalytical and Cognitive-Behavioral Approaches: Some theoretical aspects and therapy considerations. *Front. Psychology* 2:71
- Donaldson, V.W.,(2000). A Clinical Study of Visualization on Depressed White Blood Cell Count in Medical Patients. *Applied Psychophysiology and Biofeedback*; Vol. 25, No. 2,: 117-128
- Dunn, A.J., 2000. Cytokine activation of the HPA axis. *Ann. N. Y. Acad. Sci.* 917, 608–617.
- Ehde, D.M., Dillworth, T.M., Turner, J.A. (2014) Cognitive-behavioral therapy for individuals with chronic pain: Efficacy, innovations, and directions for research. *Am. Psychol.* 69: 153–166.
- Ekeocha, T.C.,(2015).The Effects of Visualization & Guided Imagery in Sports Performance. A thesis submitted to the Graduate Council of Texas State University in partial fulfillment of the requirements for the degree of Master of Arts with a Major in Health Psychology.
- Ellis, A., Lynn, S.J., (2010) Rational and Irrational Belief : Research, Theory and Clinical Practice. *Oxford University Press* : 149-158

- Eymeren M.M. (2014). Memahami Persepsi Visual: Sumbangan Psikologi Kognitif dalam Seni dan Desain. *UltimArt*. September; Vol. V, No.01:47-63
- Farheen, K., Agarwal, S.K., (2011). Assessment of Disease Activity and Treatment Outcomes in Rheumatoid Arthritis. *J. Manag. Care Pharm. JMCP* 17, S09-13.
- Fernandez, E., Saleem, D., Swift, J.K., Ramtahal, N.,(2015). Meta-Analysis of Dropout from Cognitive Behavioral Therapy: Magnitude, Timing, and Moderators. *J Consult Clin Psychol*. Dec;83(6):1108-22
- Fernández-Lianio, N.C., Fernández, M.M., Castellano, J.A.C.,(2016). Have Complementary Therapies Demonstrated Effectiveness in Rheumatoid Arthritis? , *Reumatología Clínica (English Edition)*, Volume 12, Issue 3, May–June, Pages 151-157
- Flor, H.,(2014). Psychological Pain Interventions and Neurophysiology Implicationsfor a Mechanism-Based Approach. *American Psychological Association* Vol. 69, No. 2, 188–196
- Forsgren, S., Grimsholm, O., Dalén, T., Rantapää-Dahlqvist, S., 2011. Measurements in the Blood of BDNF for RA Patients and in Response to Anti-TNF Treatment Help Us to Clarify the Magnitude of Centrally Related Pain and to Explain the Relief of This Pain upon Treatment. *Int. J. Inflamm*. 2011, 1–7.
- Goes, A.C., Reis, L.A., Silva, M.B., Kahlow, B.S., Skare, T.L.,(2016). Rheumatoid Arthritis And Sleep Quality. *Rev Bras Reumatol*.
- Goldenberg, D.L., (2010) The Interface of Pain and Mood Disturbances in the Rheumatic Diseases., *Seminars in Arthritis and Rheumatism*, Volume 40, Issue 1, August, Pages 15-31
- Gonda, X.,Pompili, M., Serafini, G., Carvalho, A.F.,Rihmer, Z., Dome, P.,(2015). The Role of Cognitive Dysfunction in The Symptoms and Remission From Depression. *Ann Gen Psychiatry* 14:27.
- Grol, M., Vanlessen, N., Raedt, R.D.,(2017). Feeling Happy When Feeling Down: The Effectiveness of PositiveMental Imagery in Dysphoria. *Journal of BehaviorTherapy and Experimental Psychiatry*; Volume 57, December Pages 156-162
- Gyselinck, V., Beni, R.D., Pazzaglia, F., Meneghetti, C., Mondoloni, A.,(2007).Working Memory Components and Imagery Instructions in the

Elaboration of a Spatial Mental Model. *Psychological Research*; 71:373–382

Haile, C.N., Murrugh, J.W., Iosifescu, D.V., Chang, L.C., Al Jurdi, R.K., Foulkes, A., Iqbal, S., Mahoney, J.J., De La Garza, R., Charney, D.S., Newton, T.F., Mathew, S.J., 2014. Plasma brain derived neurotrophic factor (BDNF) and response to ketamine in treatment-resistant depression. *Int. J. Neuropsychopharmacol.* 17, 331–336.

Han, C., Pae C.,(2015). Pain and Depression: A Neurobiological Perspective of Their Relationship. *Psychiatry Investig*;12(1):1-8

Hans, E. dan Hiller W.,(2013). Effectiveness of and dropout from outpatient cognitive behavioral therapy for adult unipolar depression: a meta-analysis of nonrandomized effectiveness studies. *J Consult Clin Psychol.* Feb;81 (1):75-88

Hoffmann, S.G., Asnaani A., Vonk, I.J.J., Sawyer, A.T., Fang, A.,(2012). The Efficacy of Cognitive Behavioral Therapy: A Review of Meta-analyses. *Cognit Ther Res.* Oct 1; 36(5): 427–440

Hughes, M.M., Connor, T.J., Harkin, A., 2016. Stress-Related Immune Markers in Depression: Implications for Treatment. *Int. J. Neuropsychopharmacol.* pyw001.

Jain, A. dan Bhadauria, D.,(2013). Evaluation of Efficacy of Fluoxetine in The Management of Major Depression and Arthritis in Patients of Rheumatoid Arthritis. *Indian Journal of Rheumatology*, 8: 165-169.

Kleiber B, Jain S, and Trivedi MH. (2005) Depression and Pain. Implications for Symptomatic Presentation and Pharmacological Treatments. *Psychiatry (Edgmont)*. May; 2(5): 12–18.

Koch JM, Hinze-Selch D, Stingele K, Huchzermeier C, Goder R, Seeck-Hirschner M, Aldenhoff JB. (2009) Changes in CREB phosphorylation and BDNF plasma levels during psychotherapy of depression. *Psychother Psychosom.* 78(3):187-92

Krebs EE, Carey TS, and Weinberger M. (2007). Accuracy of the Pain Numeric Rating Scale as a Screening Test in Primary Care. *J Gen Intern Med* 22(10):1453–8

- Krupin'ska, K., Kulmatycki, L. (2014). Effectiveness of Progressive Muscle Relaxation(Pmr) In Alleviating Psychophysical Disorders-A Systematic Review (1982-2012). *GJRA- Global Journal for Research Analysis*. 3(10): 113-115.
- Kvien, T.K., Uhlig, T., Ødegård, S., Heiberg, M.S.,(2006). Epidemiological Aspects of Rheumatoid Arthritis: The Sex Ratio. *Ann N Y Acad Sci*. Jun;1069:212-22
- Lee B-H, Kim Y-K. (2010) The Roles of BDNF in the Pathophysiology of Major Depression and in Antidepressant Treatment. *Psychiatry Investigation*.7(4):231-235
- Leonard, B.E.,(2010). The Concept of Depression as a Dysfunction of The Immune System.*Curr Immunol Rev*. ; 6(3): 205–212
- Linke, J., Wessa, M.,(2017). Mental Imagery Training Increases Wanting of Rewards and Reward Sensitivity and Reduces Depressive Symptoms. *Behavior Therapy*, Volume 48, Issue 5, September: Pages 695-706
- Madalena, C., Ribeiro, A., André, S.,(2016). Anxiety, Depression and Stress in Patients with Rheumatoid Arthritis. *Procedia - Social and Behavioral Sciences*, Volume 217, 5 February, Pages 337-343
- Matte, I., (2016). Prevalence of Depression in COPD: A Systematic Review and Metaanalysis of Controlled Studies, *Respiratory Medicine*; 117: 154-161
- McEvoy, P.M., Erceg-Hurn, D.M., Saulsman, L.M., Thibodeau, M.A.,(2015). Imagery Enhancements Increase the Effectiveness of Cognitive Behavioural Group Therapy for Social Anxiety Disorder:A Benchmarking Study. *Behav Res Ther*; 65: 42-51
- McMahon, É., Wilson-Pauwels, L., Henry, J., Jenkinson, J., Sutherland, B., Brierley, M., (2008).The Iconic Pain Assessment Tool: Facilitating the Translation of Pain Sensations and Improving Patient-Physician Dialogue. *JBC*.Vol. 34, No. 2
- Meliala, L. (2004). *Terapi Rasional Nyeri: Tinjauan Khusus Nyeri Neuropatik*. Edisi Pertama. Yogyakarta, Aditya Media.
- Menzies, V., Taylor, A.G., Bourguignon, C.,(2006). Effects of Guided Imagery On Outcomes of Pain, Functional Status, and Self Efficacy In Persons Diagnosed With Fibromyalgia. *J Altern Complement Med.*; 12(1): 23-30.
- Moral, R.C., Rillo, O.L., Casalla, L., Morón, C.B., Citera, G.,Cocco, J.A.M.,Correa, M.Á., Buschiazzo, E., Tamborenea, N.,Mysler, E., Tate,

- G.,Baños, A., and Herscovich, N.,(2012). Work Productivity in Rheumatoid Arthritis: Relationship with Clinical and Radiological Features.*Clinical StudyArthritis.*,Volume 2012, Article ID 137635, 7 pages
- Moskowitz, M., Fishman, S.M., 2006. The Neurobiological and Therapeutic Intersection of Pain and Affective Disorders. *FOCUS* 4, 465–471.
- Murray, D.J.,(2012). Gestalt Psychology in Encyclopedia of the History of Psychological Theories. Editors : Robert W Rieber. *Reference Work:* 473-487
- Najafipour, F.,Najafipour, F.,Norozi, A.,Ahmadi, A.,(2014). Effect of Imagery Technic on Chronic Low Back Pain. *J Arch Mil Med.* December; 2: 4
- Najjar, S., Pearlman, D.M., Alper, K., Najjar, A., Devinsky, O., 2013. Neuroinflammation and psychiatric illness. *J. Neuroinflammation* 10, 816.
- Ögmen, H., Herzog, M.H.,(2010). The Geometry of Visual Perception: Retinotopic and Non-retinotopic Representations in the Human Visual System. *Proc IEEE Inst Electr Electron Eng;* 98(3): 479–492
- Partos, T.R., Cropper, S.J., Rawlings, D.(2016). You Don't See What I See: Individual Differences in the Perception of Meaning from Visual Stimuli. *PLoS ONE* 11(3): e0150615
- Pasma, A., Hazes, J.M.W., Busschbach, J.J.V., Van der Laan, W.H., Appels, C., De Man, Y.A. Nieboer, D., Timman, R., Van 't Spijker, A. (2017). Psychosocial Predictors of DMARD Adherence in The First Three Months of Treatment for Early Arthritis. *Patient Education and Counseling*, 100: 126-132
- Pearson, D.G., Deepröse, C., Wallace-Hadrill, S.M.A., Heyes, S.B., Holmes, E.A., (2013). Assessing Mental Imagery in Clinical Psychology: A Review Of Imagery Measures And A Guiding Framework. *Clinical Psychology Review* 33: 1–23
- Perhimpunan Reumatologi Indonesia.(2014). *Rekomendasi Perhimpunan Reumatologi Indonesia Untuk Diagnosis dan Pengelolaan Arthritis Reumatoid.* Perhimpunan reumatologi Indonesia.
- Pinna, B.,(2011).What is The Meaning of Shape? *Gestalt Theory;* Vol. 33, No.3/4: 383-422

- Pisella, L.,(2017). Visual Perception Is Dependent on Visuospatial Working Memory and Thus on The Posterior Parietal Cortex. *Annals of Physical and Rehabilitation Medicine*. 60: 141–147
- Qin, X., (2016). The prevalence of depression and depressive symptoms among adults in China: Estimation based on a National Household Survey. *China Economic Review*
- Raison, C.L., Dantzer, R., Kelley, K.W., Lawson, M.A., Woolwine, B.J., Vogt, G., Spivey, J.R., Saito, K., Miller, A.H.,(2010). CSF Concentrations of Brain Tryptophan and Kynurenes during Immune Stimulation with IFN- $\alpha$ : Relationship to CNS Immune Responses and Depression. *Mol Psychiatry*, 15(4): 393–403.
- Rathbun, A.M., Harrold, L.R., Reed, G.W. (2016). A Prospective Evaluation of the Effects of Prevalent Depressive Symptoms on Disease Activity in Rheumatoid Arthritis Patients Treated With Biologic Response Modifiers. *Clinical Therapeutics*, 38(7): 1759–1772
- Rezaei. (2014). Depression and Pain in Patients with Rheumatoid Arthritis: Mediating Role of Illness Perception. *The Egyptian Rheumatologist*; 36, 57–64
- Richards, B.L., Whittle, S.L., Buchbinder, R.,(2011). Antidepressants for Pain Management in Rheumatoid Arthritis. *Cochrane Database of Systematic Reviews*, Issue 11
- Ristevska-Dimitrovska G, Shishkov R, Gerazova VP, Vujovik V, Stefanovski B, Novotni A, et al. (2013). Different serum BDNF levels in depression: results from BDNF studies in FYR Macedonia and Bulgaria. *Psychiatr Danub*. Jun;25(2):123-7
- Rudan, I., Sidhu, S., Papan, A., Meng, S., Xin-Wei, Y., Wang, W., Campbell-Page, R.M., Demaio, A.R., Nair, H., Sridhar, D., Theodoratou, E., Dowman, B., Adeloje, D., Majeed, A., Car, J., Campbell, H., Wang, W., Chan, K.Y. (2015). Prevalence of rheumatoid arthritis in low-and middle-income countries: A systematic review and analysis. *J Glob Health*. 5(1): 010409
- Schimdt, F., Fleming, R.W., (2016). Visual Perception of Complex Shape-Transforming Processes. *Cognitive Psychology*; 90: 48-70
- Schindler, A., Hiller, W., Witthoft, M.,(2013). What Predicts Outcome, Response, and Drop-out in CBT of Depressive Adults? A Naturalistic Study. *Behav Cogn Psychother*. May;41(3):365-70

- Sharp, J., Keefe, B.,(2005). Psychiatry in Chronic Pain: a Review and Update. *Curr. Psychiatry Rep*; 7, 213–219.
- Sharpe, L., Sensky, T., Timberlake, N., Ryan,B., Allard,S.,(2003). Long-term Efficacy of ACognitive Behavioral Treatment From ARandomized Controlled Trial for Patients Recently Diagnosed With Rheumatoid Arthritis. *Rheumatology*; 42:435–441
- Stokes, M.,Thompson, R., Anna, C. (2009). Nobre. John Duncan. Shape-Specific Preparatory Activity Mediates Attention To Targets In Human Visual Cortex. *PNAS*; Vol. 106. No. 46: 19569-19574
- Summerfield, C.danEgner, T.,(2009)Expectation (and attention) in Visual Cognition. *Trends in Cognitive Sciences* , Vol.13 No.9
- Talarowska, M., Zajączkowska, M., Gałecki, P.,(2015) Cognitive Functions In First-Episode Depression And Recurrent Depressive Disorder. *Psychiatria Danubina*; Vol. 27, No. 1, pp 38–43
- Vickers, A., Zollman, C.,(1999) Hypnosis and Relaxation Therapy: ABC of complementary medicine. *BMJ* vol 319, November, Pages 1346 - 1349
- Vlieland, T.P.M.V., Pattison, D.,(2009). Non-Drug Therapies in Early Rheumatoid Arthritis.*Best Practice & Research Clinical Rheumatology*;Volume 23, Issue 1, February:Pages 103-116
- Wan, S.W., He, H.G., Mak, A.,Lahiri, M., Luo, N.,Cheung, P.P., Wang, W.R., (2016).Health-related Quality of Life and Its Predictors Among Patients with Rheumatoid Arthritis.*Applied Nursing Research*; 30: 176–183
- Wilk,(2010). A Randomized Trial of Three Psychosocial Treatments for the Symptoms of Rheumatoid Arthritis.,*Seminars in Arthritis and Rheumatism*;Volume 40, Issue 3, December:Pages 222-232
- Williams, S.E., Zanten, J.J.C.S., Trotman, G.P., Quinton, M.L., Ginty, A.T.,(2017). Challenge and ThreatImagery Manipulates Heart Rate and Anxiety Responses to Stress. *International Journal of Psychophysiology*; Volume 117, July, Pages 111-118
- Withall, J.,Haase, A.M.,Walsh, N.E.,Young, A., Cramp, F., (2016). Physical Activity Engagement in Early Rheumatoid Arthritis: AQualitative Study to Inform Intervention Development.,*Physiotherapy*, Volume 102, Issue 3, September: Pages 264-271
- Wood, P.B., (2009). Enhanced Pain Perception in Rheumatoid Arthritis: Novel Considerations. *Curr. Pain Headache Rep.* 13, 434–439.

- Yilmaz, V., Umay, E., Gundogdu, I., Ozgur Karaahmet, Z., Ozturk, A.E., 2017. Rheumatoid Arthritis: Are psychological factors effective in disease flare? *Eur. J. Rheumatol.* 4, 127–132.
- Zambrzycka, J., Kotsopoulos, D., Lee, J., Makosz, S., (2017). In Any Way, Shape, or Form? Toddlers' Understanding of Shapes. *Infant Behavior and Development*; Volume 46, February: Pages 144-157
- Zhou, B., Li, G., Zhang, Y., Zhao, Z. (2016). Effects of Nursing Intervention on Depression of Patients With Rheumatoid Arthritis: A Meta-Analysis of Randomized Controlled Trials. *Archives of Psychiatric Nursing*, 30 (6): 717-721
- Zyrianova, Y., Kelly, B.D., Gallagher, C., McCarthy, C., Molloy, M.G., Sheehan, J., Dinan, T.G., (2006). Depression and Anxiety in Rheumatoid Arthritis: The Role of Perceived Social Support. *Irish Journal Of Medical Science*; Vol. 175. No. 2