



## DAFTAR PUSTAKA

- Abraham, P. A., Kazman, J. Ben, Zeno, S. A., & Deuster, P. A. (2013). Obesity and African Americans: Physiologic and Behavioral Pathways, *ISRN Obesity*, 2013, 1-8.
- Anggara, F. H. D., Prayitno, N. (2013). Faktor-Faktor yang berhubungan dengan tekanan darah di Puskesmas Telaga Murni, Cikarang Barat Tahun 2012. *Jurnal Ilmiah Kesehatan*, 5(1), 20–25.
- Aripin, Sawitri, A.A.S., Adiputra, N. (2015). Faktor risiko kejadian hipertensi pada orang dewasa di Banyuwangi: Studi kasus-kontrol. *Public Health and Preventive Medicine Archive*. 3(2), 141-149
- Atun, L., Siswati, T., & Kurdanti, W. (2014). Asupan sumber natrium, rasio Kalium natrium, aktivitas fisik, dan tekanan darah pasien hipertensi. *MGMI*, 6(1), 63-71.
- Badan Pusat Statistik. (2016). Penduduk 15 Tahun Ke Atas Menurut Status Pekerjaan Utama 1986 – 2015. Tersedia di: [http://www.bps.go.id/website/tabelExcelIndo/indo\\_06\\_3.xls](http://www.bps.go.id/website/tabelExcelIndo/indo_06_3.xls) Diakses pada 6 Juni 2016.
- Battegay, E. J., Lip, G. Y. H., Bakris, G. L. (2005). *Hypertension: Principles and Practice*. Taylor & Francis Group. Boca Raton.
- Bauman, A. E., Reis, R. S., Sallis, J. F., Wells, J. C., Loos, R. J. F., Martin, B. W., (2012). Physical Activity 2 Correlates of physical activity: why are some people physically active and others not? *The Lancet*, 380(9838), 258-271.
- Beevers, D. G., Lip, G. Y. H., O'Brien, E. (2007). *ABC of Hypertension*. Blackwell Publishing. UK.
- Bernabe-Ortiz, A., Carrillo-Larco, R. M., Gilman, R. H., Checkley, W., Smeeth, L., & Miranda, J. J. (2016). Contribution of modifiable risk factors for hypertension and type-2 diabetes in Peruvian resource-limited settings. *Journal of epidemiology and community health*, 70(1), 49-55.
- Björntorp, P. (2001). *International Textbook of Obesity*. John Wiley & Sons, Ltd., UK.
- Borges, H.P., Cruz, N.C., Moura, E.C. (2008). Association Between Hypertension and Overweight in Adult in Belem, State of Para (Brazil), 2005. *Arq Bras Cardiol*. 91(2), 99-106
- Buchvold, H. V., Pallesen, S., Oyane, N. M. F., & Bjorvatn, B. (2015). Associations between night work and BMI, alcohol, smoking, caffeine and exercise: a cross-sectional study. *BMC public health*, 15, 1112.
- Budiati, R.E., Sugiyanto. (2012). Faktor-faktor yang berhubungan dengan kejadian hipertensi di Puskesmas Tlogowungu Kabupaten Pati. Cendekia



Utama. *Jurnal Keperawatan dan Kesehatan Masyarakat*. STIKES Cendekia Utama Kudus. 1.

- Burdick, L., Mielke, G. I., Parra, D. C., Gomes, G., Florindo, A., Bracco, M., ... Hallal, P. C. (2015). Physicians', nurses' and community health workers' knowledge about physical activity in Brazil: A cross-sectional study. *PMEDR*, 2, 467-472.
- Bustum, M.N. (2007). *Epidemiologi Penyakit Tidak Menular*. Jakarta: Rineka Cipta. 29-38.
- Carey, R.M., (2007). *Hypertension and Hormone Mechanisms*. Humana Press. Totowa. New Jersey.
- CDC. (2011). Vital Signs: Prevalence, Treatment, and Control of Hypertension- United States, 1999-2002 and 2005-2008. *MMWR*. 60(4).
- Cheng, S., Yu, H., Chen, Y., Chen, C., Lien, W., Yang, P., & Hu, G. (2013). Physical activity and risk of cardiovascular disease among older adults. *International Journal of Gerontology*, 7(3), 133-136.
- Chowdhury, M. A. B., Uddin, M. J., Haque, M. R., & Ibrahimou, B. (2016). Hypertension among adults in Bangladesh: Evidence from a national cross-sectional survey. *BMC Cardiovascular Disorders*, 16(22), 1-10.
- Cristina, T., Souza, F. De, Reynaldo, A., Périssé, S., & Moura, M. (2015). Noise exposure and hypertension: investigation of a silent relationship, *BMC Public Health*, 1-9.
- Depkes RI. (2006). *Pedoman Teknis Penemuan dan Tatalaksana Penyakit Hipertensi*. Jakarta. Direktorat Pengendalian Penyakit Tidak Menular. Dirjen PP & PL.
- Depkes RI. (2008). Riset Kesehatan Dasar (Riskesdas) Tahun 2007. *Laporan Nasional 2007*. Jakarta. Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan.
- Eckel, R. H., Jakicic, J. M., Ard, J. D., de Jesus, J. M., Houston Miller, N., Hubbard, V. S., ... Yanovski, S. Z. (2014). 2013 AHA/ACC guideline on lifestyle management to reduce cardiovascular risk: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *Journal of the American College of Cardiology*, 63(25 Pt B), 2960–84.
- Faizal, E., Djawwoto, B., Murtiningsih, B. (2012) Faktor risiko hipertensi pada wanita pekerja dengan peran ganda Kabupaten Bantul Tahun 2011. *Berita Kedokteran Masyarakat*, 28(2).
- Fatma, Y., (2010). Pola konsumsi, gaya hidup dan indeks massa tubuh sebagai faktor risiko terjadinya hipertensi pada nelayan di Kabupaten Bintan Provinsi Kepulauan Riau. *Tesis*. UGM. Yogyakarta.



- Finger, J.D., Tylleskar, T., Lampert, T., Mensink, G.B.M. (2012). Physical activity patterns and socioeconomic position: the German National Health Interview and Examination Survey, 1998 (GNHIES98). *BMC Public Health*, 12, 1079.
- Frohlic, E. D., Ventura, H. O., (2009). *An Atlas of Investigation and Management: Hypertension*. Clinical Publishing. Oxford USA.
- Gao, Y., et al., (2013) Prevalence of Hypertension in China: A Cross-sectional Study. *Plos One*. 8(6).
- Gatchel, R. J., Schultz, I. Z. (2012). *Handbook of Occupational Health and Wellness*. Springer. New York.
- Goswami, T., & Narayan, B. (2016). Behavioural risk factors distribution of cardiovascular diseases and its association with normotension, prehypertension and hypertension amongst tea garden population in Dibrugarh district of Assam, *clinical epidemiology and global health*. 4, 45-50.
- Gupta, V., Logerfo, J. P., Raingsey, P. P., & Fitzpatrick, A. L. (2013). The prevalence and associated factors for prehypertension and hypertension in Cambodia, *Heart Asia*. 253–258.
- Handayani, Y. N., Sartika, R. A. D. (2012). Hipertensi pada pekerja Migas X di Kalimantan Timur Indonesia. *Makara Seri Kesehatan*. 17(1).
- Harianto, E., Pratomo, H. (2013). Pajanan kebisingan dan hipertensi di kalangan pekerja pelabuhan. *Jurnal Kesehatan Masyarakat Nasional*. 8(5).
- Hashani, V., Roshi, E., & Burazeri, G. (2014). Correlates of hypertension among adult men and women in Kosovo. *Mater Sociomed*, 26(3), 203–215.
- He, F. J., & MacGregor, G. a. (2009). A comprehensive review on salt and health and current experience of worldwide salt reduction programmes. *Journal of human hypertension*, 23(6), 363-84.
- Heidenreich, P. A., Trogdon, J. G., Khavjou, O. A., Butler, J., Dracup, K., Ezekowitz, M. D., ... Woo, Y. J. (2011). Forecasting the future of cardiovascular disease in the United States. A policy statement from the American Heart Association. *Circulation*, 123, 933–944.
- Hong, S. W., Linton, J. A., Shim, J. Y., Lee, H. R., & Kang, H. T. (2016). Association of alcohol consumption pattern with risk of hypertension in Korean adults based on the 2010 - 2012 KNHANES. *Alcohol*, 54, 17-22.
- Indrawati, L., Werdhasari, A., Antonius, Y. (2009). Hubungan Pola kebiasaan konsumsi makanan masyarakat miskin dengan kejadian hipertensi di Indonesia. *Media Penelitian dan Pengembangan Kesehatan*. 19(4), 174-184.
- Inoue S, Zimmet P, Caterson I, Chunming C, Ikeda Y, Khalid AK, Kim YS, Basset J. (2000). *The Asia Pasific perspective: Redefining Obesity and its*



treatment. WHO Western Pacific Region. Tersedia di [http://iris.wpro.who.int/bitstream/handle/10665.1/5379/0957708211\\_eng.pdf](http://iris.wpro.who.int/bitstream/handle/10665.1/5379/0957708211_eng.pdf) Diakses pada 19 Juli 2016.

IOM (Institute of Medicine). 2010. *A Population-Based Policy and Systems Change Approach to Prevent and Control Hypertension*. Washington, DC: The National Academies Press.

Izzo, J.L., Sica, D.A., Black, H.R. (2008). *Hypertension Primer: The Essentials of High Blood Pressure: Basic Science, Population Science, and Clinical Management*, 4th Edition. Lippincott Williams & Wilkins.

James, L. C., Linton, J. C. (2009). *Handbook of Obesity Intervention for the Lifespan*. Springer. New York.

Juraschek, S. P., Blaha, M. J., Whelton, S. P., Blumenthal, R., Jones, S. R., Keteyian, S. J., ... Al-mallah, M. H. (2014). Physical fitness and hypertension in a population at risk for cardiovascular disease: The Henry Ford Exercise Testing (FIT) Project. *Journal of the American Heart Association*, 1-10.

Kannan, L., & Satyamoorthy, T. S. (2009). An epidemiological study of hypertension in a rural household community. *Sri Ramachandra Journal of Medicine*, 2(2), 9-13.

Kaplan, N. M.; Victor, R. G.; Flynn, J. T. (2010). *Kaplan's Clinical Hypertension*. 10th Edition. Lippincott Williams & Wilkins.

Kemenkes R.I. (2011). *Strategi Nasional Penerapan Pola Konsumsi Makanan dan Aktivitas Fisik untuk Mencegah Penyakit Tidak Menular*. Jakarta. Dirjen Bina Gizi dan KIA.

Kemenkes R.I. (2013). *Riset Kesehatan Dasar tahun 2013*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan.

Kemenkes R.I. (2013a). *Riskesdas 2013: Pedoman Pengisian Kuesioner*. Jakarta. Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan.

Kennedy, L. (2009). *Problem Solving in Hypertension*. Oxford Centre for Innovation. UK.

Khanam, M. A., Lindeboom, W., Razzaque, A., Niessen, L., & Milton, A. H. (2015). Prevalence and determinants of pre-hypertension and hypertension among the adults in rural Bangladesh: findings from a community-based study. *BMC public health*, 1-9.

Korneliani, K. Meida, D. (2012). Obesitas dan stres dengan kejadian hipertensi. *Jurnal Kesehatan Masyarakat*. 7(2):117-121.



- Larkin, K.T., (2005) *Stress and hypertension: Examining the relation between Psychological stress and High Blood Pressure*. Yale University Press. New Haven and London.
- Li, G., Wang, H., Wang, K., Wang, W., Dong, F., Qian, Y., ... Shan, G. (2016). Prevalence, awareness, treatment, control and risk factors related to hypertension among urban adults in Inner Mongolia 2014: differences between Mongolian and Han populations. *BMC Public Health*, 1-10.
- Lilyasari, O., (2007). Hipertensi dengan obesitas: Adakah peran endotelin-1?. *Jurnal Kardiologi Indonesia*. 28:460-475.
- Lip, G. Y. H., Hall, J. E. (2007). *Comprehensive Hypertension*. Mosby Elsevier. Philadelphia.
- Miura, K., & Torii, S. (2012). Diet, nutrients, and the prevention of hypertension, *Curr Nutr Rep*, 1:87-92.
- Monda, K.L., Gordon-Larsen P., Stevens, J., Popkin, B.M., (2007). China's transition: the effect of rapid urbanization on adult occupational physical activity. *Soc Sci Med*;64(4):858–70.
- NIH. (2004). The Seventh report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. *Complete Report*. NIH Publication.
- Noer, E. R., & Laksmi, K. (2014). Peningkatan angka kejadian obesitas dan hipertensi pada pekerja shift. *JNH*, 2(1).
- Nurjanah, F., & Roosita, K. (2015). Gaya hidup dan kejadian sindrom metabolik pada karyawan. *J. Gizi Pangan*, 10(1), 17-24.
- Padmawinata, K. (2001). Pengendalian Hipertensi. *Laporan komisi Pakar WHO*. Penerbit ITB. Bandung.
- Paruntu, O. L., Rumagit F. A., Kures, G. S. (2015). Hubungan aktivitas fisik, status gizi dan hipertensi pada pegawai di wilayah Kecamatan Tomohon Utara. *Gizido*, 7(1).
- Peer, N., Steyn, K., Lombard, C., Gwebushe, N., Levitt, N. (2013) A high burden of hypertension in the urban black population of cape town: the cardiovascular risk in Black South Africans (CRIBSA). *Plos One*, 8(11).
- Poorolajal, J., Farbakhsh, F., Mahjub, H., Bidarafsh, A., & Babaee, E. (2015). How much excess body weight, blood sugar, or age can double the risk of hypertension? *Public Health*, 133, 14-8.
- Qi, Q., Li., Y., Chomistek., A. K. Kang., J. H., Curhan, G. C., Pasquale, L. R., Willett, W. C. ...Qi, L. (2013). Television watching, leisure-time physical activity and the genetic predisposition in relation to body mass index in women and men. *NIH Public Access*, 126(15), 1821–1827.



- Rahajeng, E., Tuminah, R. (2009). Prevalensi hipertensi dan determinannya di Indonesia. *Maj Kedokt Indon*, 59(12):580-587.
- Ramirez, S. S. et al., (2010). Prevalence and correlates of hypertension: A cross sectional study among rural populations in Sub-Saharan Africa. *Journal of Human Hypertension*. 24, 786-795
- Rapsomaniki, E., Timmis, A., George, J., Pujades-Rodriguez, M., Shah, A. D., Denaxas, S., ... Hemingway, H. (2014). Blood pressure and incidence of twelve cardiovascular diseases: lifetime risks, healthy life-years lost, and age-specific associations in 1·25 million people. *Lancet* (London, England), 383(9932), 1899-911.
- Sapitri, N., Suyanto, Ristua, W. (2016). Analisis faktor risiko kejadian hipertensi pada masyarakat di pesisir Sungai Siak Kecamatan Rumbai Kota Pekanbaru. *Jom FK*.3(1).
- Setyanda, Y. O. G., Sulastri, D., Lestari, Y., (2015). Hubungan merokok dengan kejadian hipertensi pada laki-laki usia 35-65 tahun di Kota Padang. *Jurnal Kesehatan Andalas*. 4(2).
- Shishani, K., Dajani, R., & Khader, Y. (2013). Hypertension risk assessment in the largest ethnic groups in Jordan, *J Immigrant Minority Health*. 15:43–48.
- Sidang. I.N., 2006. Pengaruh olahraga terhadap penurunan tekanan darah pada penderita hipertensi di klub jantung sehat bhumi phala Kabupaten Temanggung. *Skripsi*. UGM. Yogyakarta.
- Sinubu, R. B., Rondonuwu, R., Onibala, F. (2015) Hubungan beban kerja dengan kejadian hipertensi pada tenaga pengajar di SMA N 1 Amurang Kabupaten Minahasa Selatan. *e-Journal Keperawatan (e-Kp)*. 3(2).
- Situmorang, P. R. (2015). Faktor-faktor yang berhubungan dengan kejadian hipertensi pada penderita rawat inap di Rumah Sakit Umum Sari Mutiara Medan Tahun 2014. *Jurnal Ilmiah Keperawatan*, 1(1), 67-72.
- Stam, L. E. (2010). *100 Questions & Answers About Kidney Dialysis*. Jones and Bartlett Publishers. Canada.
- Sudikno, Herdayati, M., Besral. (2010). Hubungan aktifitas fisik dengan kejadian obesitas pada orang dewasa di Indonesia (Analisis Data Riskesdas 2007). *Gizi Indon*. 33(1):37-49.
- Syahrini, E.N., Susanto, H.S., Udiyono, A. (2012). Faktor-faktor risiko hipertensi primer di Puskesmas Tlogosari Kulon Kota Semarang. *Jurnal Kesehatan Masyarakat*, 1, 315-325.
- Tarleton, H. P., Smith, L. V, & Kuo, Z. Z. T. (2014). Utility of anthropometric measures in a multiethnic population: Their association with prevalent diabetes, hypertension and other chronic disease comorbidities. *J Community Health*, 39, 471-479.



- Teh, C. H., Chan, Y. Y., Lim, K. H., Kee, C. C., Lim, K. K., Yeo, P. S., ... Nazni, W. A. (2015). Association of physical activity with blood pressure and blood glucose among Malaysian adults: a population-based study. *BMC Public Health*, 15(1205), 1–7.
- Tjekyan. R.M. 2014. Angka kejadian dan faktor risiko hipertensi di Kota Palembang Tahun 2013. *MKS*, 46(1).
- Triyanto, E. (2014). *Pelayanan Keperawatan bagi Penderita Hipertensi Secara Terpadu*. Graha Ilmu. Yogyakarta.
- Tseng, C., Yen, A. M., Chiu, S. Y., Chen, L., & Chen, H. (2012). A Predictive model for risk of prehypertension and hypertension and expected benefit after population-based life-style modification (KCIS No. 24). *American Journal of Hypertension*, 25(2), 171-179.
- Utsugi, M. T., Ohkubo, T., & Kikuya, M. (2008). Fruit and vegetable consumption and the risk of hypertension determined by self measurement of blood pressure at home: The Ohasama Study. *Hypertens Res*, 31(7), 1435-1443.
- Whelton, P. K., He, J., Louis, G. T., (2003). *Lifestyle Modification for the Prevention and Treatment of Hypertension*. Marcel Dekker, Inc. New York Basel.
- WHO. (2004) *Global strategy on diet, physical activity and health*, The World Health Report, Geneva.
- WHO. (2014). Global status report on noncommunicable diseases 2014. *World Health*, 176.
- WHO. (2014). Occupational health. Workplace health promotion. Tersedia di [http://www.who.int/occupational\\_health/topics/workplace/en/](http://www.who.int/occupational_health/topics/workplace/en/) Diakses pada 6 Juli 2016.
- WHO. 2010. *Global Recommendations on Physical Activity for Health*. Geneva WHO.
- WHO. *Global Physical Activity Questionnaire (GPAQ): Analysis Guide*. Geneva: WHO. Tersedia di [www.who.int/chp/steps](http://www.who.int/chp/steps) Diakses pada 6 Juli 2016.
- Williams, B. (2003). *Hypertension in Diabetes*. Martin Dunitz. Taylor & Francis Group. London and New York.
- Wong, S. S., Dixon, L. B., Gilbride, J. A., Chin, W. W., & Kwan, T. W. (2011). Diet, Physical Activity, and Cardiovascular Disease Risk Factors Among Older Chinese Americans Living in New York City. *J Community Health*, 36, 446-455.
- Wu, X., Zhou, S., Niu, Z., Liu, T., & Xie, C. (2015). CHRNA3 rs6495308 Genotype as an effect modifier of the association between daily cigarette



consumption and hypertension in Chinese male smokers. *Int. Environ. Res. Public Health*, 12, 4156-4169.

Yenni, D., (2016). Status gizi, pola makan dan aktivitas fisik bubungannya dengan hipertensi pada Pegawai Negeri Sipil Kantor Kecamatan di Kabupaten Ogan Komering Ulu Provinsi Sumatra Selatan. *Tesis*. UGM. Yogyakarta.

Yoo, D. H., Kang, M.-Y., Paek, D., Min, B., & Cho, S.-I. (2014). Effect of long working hours on self-reported hypertension among middle-aged and older wage workers. *Annals of occupational and environmental medicine*, 26(25), 1-10.