

## DAFTAR PUSTAKA

- Aardema, M.W., Oosterhof, H., Timmer, A., van Rooy, I., & Aarnoudse, J.G. 2001, Uterine Artery Doppler Flow and Uteroplacental Vascular Pathology in Normal Pregnancies and Pregnancies Complicated by Pre-eclampsia and Small for Gestational Age Fetuses, *Placenta*, 22(5): 405-411.
- Afroze, S.H., Kalagiri, R.R., Reyes, M., Zimmerman, J.D., Beeram, M.R., Drever, N., Zawieja, D.C., Kuehl, T.J., & Uddin, M.N. 2016, Apoptotic and stress signaling markers are augmented in preeclamptic placenta and umbilical cord. *BBA Clinical*, 6:25-30.
- Ahmed, A. & Ramma, W. 2015, Unraveling the Theories of pre-eclampsia: are the protective pathways the new paradigm?, *British Journal of Pharmacology*, 172:1574-1586.
- Allaire, A.D., Ballenger, K.A., Wells, S.R., McMahon, M.J., & Lessey, B.A. 2000, Placental apoptosis in preeclampsia, *Obstetrics and Gynecology*, 96(2):271-276.
- American College of Obstetricians and Gynecologists, Task Force on Hypertension in Pregnancy 2013, Hypertension in pregnancy: Report of the American College of Obstetricians and Gynecologists' Task Force on Hypertension in Pregnancy, *Obstetrics and Gynecology*, 122:1122
- Archana, M., Bastian, Yogesh, T.L., & Kumaraswamy, K.L. 2013, Various methods available for detection of apoptotic cells- A review, *Indian Journal of Cancer*, 50(3):274-283.
- Ashe, P. & Berry, M. 2003, Apoptotic signaling cascades, *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 27:199-214.
- Auger, N., Fraser, W.D., Healy-Profítós, J., & Arbour, L. 2015, Association between Preeclampsia and Congenital Heart Defects, *Journal of the American Medical Association*, 314(15):1588-1598.
- Badan Kependudukan dan Keluarga Berencana Nasional, Badan Pusat Statistik, Kementerian Kesehatan, Measure DHS, & ICF international 2013, *Survei Demografi dan Kesehatan Indonesia 2012*, Badan Pusat Statistik, Jakarta.
- Bardwell, P.D., Gu, J., McCarthy, D., Wallace, C., Bryant, S., Goess, C., Mathieu, S., Grinnell, C., Erickson, J., Rosenberg, S.H., Schwartz, A.J., Hugunin, M., Tarcsa, E., Elmore, S.W., McRae, B., Murtaza, A., Wang, L.C., & Ghayur, T. 2009, The Bcl-2 Family Antagonist ABT-737 Significantly Inhibits Multiple Animal Models of Autoimmunity, *Journal of Immunology*, 182:7482-7489.
- Besbes, S., Mirshahi, M., & Billard, C. 2015, new dimension in therapeutic targetting of BCL-2 family proteins, *Impact Journal*, 6(15): 12862-12871.
- Bilano, V.L., Ota, E., Ganchimeg, T., Mori, R., & Souza, J.P. 2014, Risk Factors Of Pre-Eclampsia/Eclampsia and Its Adverse Outcomes in Low- and middle- income countries: A WHO Secondary Analysis, *PLoS ONE*, 9(3): e91198.

- Bokslag, A., van Weissenburch, M., Mol, B.W., & de Groot, C.J.M. 2016, Preeclampsia; short and long-term consequences for mother and neonate, *Early Human Development*, 102:47-50.
- Bredessen, D.E. 2000, Apoptosis: overview and signal transduction pathways, *Journal of Neurotrauma*, 17(10):801-10.
- Brown, C.M. & Garovic, V.D 2014, Drugs Treatment of Hypertension in Pregnancy, *Drugs*, 74(3):283-296.
- Burton, G.J. & Yung, H.W. 2011, Endoplasmic reticulum stress in the pathogenesis of early onset preeclampsia, *Pregnancy Hypertension*, 1:72-78.
- Cali, U., Cavkaytar, S., Sirvan, L. & Danisman, N. 2013, Placental apoptosis in preeclampsia, intrauterine growth retardation, and HELLP syndrome: an immunohistochemical study with *caspase-3* and *bcl-2*, *Clinical and Experimental Obstetrics and Gynecology*, 40(1):45-8.
- Certo, M., Del, G.M.V., Nishino, M., Wei, G., Korsmeyer, S., Armstrong, S.A., & Letai, A. 2006, Mitochondria primed by death signals determine cellular addiction to antiapoptotic BCL-2 family member, *Cancer Cell*, 9(5):351-65
- Chaiworapongsa, T., Chaemsathong, P., Yeo, L., & Romero, R. 2014, Preeclampsia part 1: current understanding of its pathophysiology, *Nature Reviews Nephrology*, 10(8):466-480.
- Cho, G.J., Park, J.H., Shin, S.A., Oh, M.J., & Seo, H.S. 2016, Metabolic syndrome in the non-pregnant state is associated with the development of preeclampsia, *International Journal of Cardiology*, 203:982-986.
- Chonghaile, T.N., Sarosiek, K.A., Vo, T.T., Ryan, J.A., Tammareddi, A., Moore Vdel, G., Deng, J., Anderson, K.C., Richardson, P., Tai, Y.T., Mitsiades, C.S., Matulonis, U.A., Drapkin, R., Stone, R., Deangelo, D.J., Mc Conkey, D.J., Sallan, S.E., Silverman, L., Hirsch, M.S., Carrasco, D.R., & Letai, A. 2011, Pretreatment Mitochondrial Priming Correlates with Clinical Response to Cytotoxic Chemotherapy, *Science*, 334(6059): 1129-1133.
- Cobellis, L., De Falco, M., Torella, M., Trabucco, E., Caprio, F., Federico, E., Manente, L., Coppola, G., Laforgia, V., Cassandro, R., Colacurci, N. & De Luca, A. 2007, Modulation of Bax expression in physiological and pathological human placentas throughout pregnancy, *In Vivo*, 21(5):777-783.
- Conde-Agudelo, A. & Belizán, J.M. 2000, Risk factors for pre-eclampsia in a large cohort of Latin American and Caribbean women, *British Journal of Obstetrics and Gynaecology*, 107(1):75-83.
- Crocker, I. 2007, Gabor Than Award Lecture 2006: pre-eclampsia and villous trophoblast turnover: perspectives and possibilities, *Placenta*, 28 Suppl A:S4-13.
- Cunningham, F.G., Leveno, K.J., Bloom, S.L., Spong, C.Y., Dashe, J.S., Hoffman, B.L., Casey, B.M. & Sheffield, J.S. (eds.) 2014, *Williams Obstetrics*, 24<sup>th</sup> edn, McGraw-Hill Education, New York, NY, USA.
- Czabotar, P.E., Lessene, G., Strasser, A. & Adams, J.M. 2014, Control of apoptosis by the Bcl-2 protein family: implications for physiology and therapy, *Nature Review Molecular Cell Biology*, 15(1):49-63.

- Daayana, S., Baker, P., & Crocker, I. 2004, An image analysis technique for the investigation of variations in placental morphology in pregnancies complicated by preeclampsia with and without intrauterine growth restriction. *Journal of the Society of Gynecologic Investigation*, 11(8):545-52.
- Daher, S., Guimaraes, A.J., Mattar, R., Ishigai, M., Barreiro, E.G. & Bevilacqua E. 2008, Bcl-2 and Bax expressions in pre-term, term, and post-term placentas, *American Journal of Reproductive Immunology*, 60(2):172-178.
- Day, C.L., Smits, C., Fan, F.C., Lee, E.F., Fairlie, W.D., & Hinds, M.G. 2008, Structure of the BH3 domains from the p53-inducible BH3- only proteins Noxa and Puma in complex with Mcl-1, *Journal of Molecular Biology*, 380(5):958-971.
- De Falco, M., De Luca, L., Acanfora, F., Cavallotti, I., Cottone, G., Laforgia, V., De Luca, B., Baldi, A., & De Luca, A. 2001, Alteration of Bcl-2:Bax ratio in the placenta as pregnancy proceeds, *The Histochemical Journal*, 33(7):421-425.
- De Falco, M., Cobellis, L., Giraldo, D., Mastrogiacomo, A., Perna, A., Colaruci, N., Miele, L., & De Luca, A. 2007, Expression and Distribution of Notch Protein Members in Human Placenta Throughout Pregnancy, *Placenta*, 28:118-126.
- Delbridge, A.R.D. & Strasser, A. 2015, The Bcl-2 protein family, BH3-mimetics and cancer therapy, *Cell Death and Differentiation*, 22(7):1071-1080.
- DiFederico, E., Genbacev, O., & Fisher, S.J. 1999, Preeclampsia is Associated with Widespread Apoptosis of Placental Cytotrophoblasts within the Uterine Wall, *American Journal of Pathology*. 155: 293-301.
- Dinas Kesehatan Provinsi Daerah Istimewa Yogyakarta, Kementerian Kesehatan RI 2013, *Profil Kesehatan Daerah Istimewa Yogyakarta 2012*. Kementerian Kesehatan Republik Indonesia, Yogyakarta.
- Douglas, A.E., Corbett, K.D., Berger J.M., McFadden, G., & Handel, T.M. 2007, Structure of M11L: a myxoma virus structural homolog of the apoptosis inhibitor, Bcl-2, *Protein Science*, 16(4):695-703.
- Duan, W.R., Garner, D.S., Williams, S.D., Funckes-Shippy, C.L., Spath, I.S., & Blomme, E.A. 2003, Comparison of immunohistochemistry for activated caspase-3 and cleaved cytokeratin 18 with the TUNEL method for quantification of apoptosis in histological sections of PC-3 subcutaneous xenografts, *Journal of Pathology*, 119:221-8.
- Elmore, S. 2007, Apoptosis: a review of programmed cell death, *Toxicology Pathology*, 35(4):495-516.
- El-Dayem, T.M.A, Elagwany, A.S., Khamis, M.Y., Kamha, E.S., & Hassan, A.M.M. 2016, Correlation of serum soluble endoglin to the severity of pre-eclampsia and its effect on the pregnancy outcome. *International Journal of Reproduction, Contraception, Obstetrics and Gynecology*, 5(5): 1593-1600.
- El Moselhy, E.A., Khalifa, H .O., Amer, S.M., Mohammad, K.I., & Abd El-Aal, H.M. 2011, Risk Factors and Impacts of Pre-Eclampsia An Epidemiological Study among Pregnant Mothers in Cairo, *Journal of American Science*, 7(5): 311-323

- Emi, M., Kim, R., Tanabe, K., Uchida, Y., & Toge, T. 2015, Targetted therapy against Bcl-2-related protein in breast cancer cell, *Biomed central*, 7:R940.
- English, F.A., Kenny, L.C., & McCarthy, F.P. 2015, Risk Factors and Effective Management Pre Eclampsia, *Integrated Blood Pressure Control*, 8:7-12
- Esplin, M.S., Fausett, M.B., Fraser, A., Kerber, R., Mineau, G., Carrillo, J., & Varner, M.W. 2001, Paternal and maternal components of the predisposition to preeklamsia, *The New England Journal of Medicine*, 344:867-872.
- Euser, A.G. & Cipolla, M.J. 2009, Magnesium sulfate treatment for the prevention of eclampsia: A brief review, *Stroke*, 40(4):1169-1175.
- Favaloro, B., Allocati, N., Graziano V., Di Ilio, C., & De Laurenzi, V. 2012, Role of Apoptosis in disease, *Aging*, 4(5):333-42.
- Fink, S. & Cookson, B. 2005. Apoptosis, Pyroptosis, and Necrosis: Mechanistic Description of Dead and Dying Eukaryotic Cells, *Infection and Immunity*, 73(4): 1907-1916.
- Fogarty, N.M.E., Smith, F., & Burton, G.J., 2013, Syncytial Knots (Tenney-Parker Changes) in the Human Placenta, Evidence of Loss of Transcriptional Activity and Oxidative Damage, *The American Journal of Pathology*, 183(1): 144-52.
- Formigli, L., Papucci, L., Tani, A., Schiavone, N., Tempestini, A., Orlandini, G.E., Capaccioli, S., & Orlandini, S.Z. 2000, Aponecrosis: morphological and biochemical exploration of a syncretic process of cell death sharing apoptosis and necrosis, *Journal of Cellular Physiology*, 182: 41-49.
- Gewies, A. 2003, Introduction to Apoptosis, *ApoReview*, tersedia di <http://www.celldeath.de/encyclo/aporev/aporev.htm>, diakses pada 2 April 2017.
- Granger, J.P., Alexander, B.T., Llinas, M.T., Bennett, W.A., & Khalil, R.A. 2001, Pathophysiology of Hypertension During Preeclampsia Linking Placental Ischemia with Endothelial Dysfunction, *Hypertension*, 38(3 part 2):718-722.
- Harlap, S., Paltiel, O., Deutsch, L., Knaanie, A., Masalha, S., Tiram, E., Caplan, L.S., Malaspina, D., & Friedlander, Y. 2002, Paternal Age and Preeclampsia, *Epidemiology*, 13:660-667.
- He, G., Xu, W., Chen, Y., Liu, X., & Xi, M. 2013, Abnormal Apoptosis of Trophoblastic Cells Is Related to the Up-Regulation of CYP11A Gene in Placenta of Preeclampsia Patients, *PLoS ONE* 10.
- Heazell, A.E.P., Moll, S.J., Jones, C.J.P., Baker, P.N., & Crocker, I.P. 2007, Formation of Syncytial Knots is Increased by Hyperoxia, Hypoxia and Reactive Oxygen Species, Placenta 28, *Supplement A, Trophoblast Research*, 21(2007): S33-S40.
- Heazell, A.E., Buttle, H.R., Baker, P.N. & Crocker, I.P. 2008, Altered expression of regulators of caspase activity within trophoblast of normal pregnancies and pregnancies complicated by preeclampsia, *Reproductive Sciences*, 15(10):1034-1043.
- Heazell, A.E. & Crocker, I.P. 2008, Live and let die regulation of villous trophoblast apoptosis in normal and abnormal pregnancies, *Placenta*, 29(9):772-783.

- Hiby, S.E., Walker, J.J., O'Shaughnessy, K.M., Redman, C.W., Carrington, M., Trowsdale, J. & Moffett, A. 2004, Combinations of maternal KIR and fetal HLA-C genes influence the risk of preeclampsia and reproductive success, *The Journal of Experimental Medicine*, 200(8):957-965.
- Himpunan Kedokteran Feto Maternal POGI 2005, *Pedoman Pengelolaan Hipertensi Dalam Kehamilan di Indonesia*, 2<sup>nd</sup> edn, Himpunan Kedokteran Feto Maternal POGI, Jakarta.
- Himpunan Kedokteran Fetomaternal Perkumpulan Obstetrik dan Ginekologi Indonesia (POGI) 2016, *Pedoman Nasional Pelayanan Kedokteran Tentang Diagnosis dan Tatalaksana Pre-eclampsia*, Perkumpulan Obstetrik dan Ginekologi Indonesia (POGI), Jakarta.
- Hod, T., Cerdeira, A.S. & Karumanchi, S.A. 2015, Molecular mechanism of preeclampsia, *Cold Spring Harbor Perspectives in Medicine*, 5(10):1-21.
- Hu, R., Zhou, S., Li, X. 2006, Altered Bcl-2 and Bax expression is associated with cultured first trimester human cytotrophoblasts apoptosis induced by hypoxia, *Life Sciences*, 79:351-355.
- Hung, T.H., Chen, S.F., Liou, J.D., Hsu, J.J., Li, M.J., Yeh, Y.L., & Hsieh, T.T. 2008, Bax, bak and mitochondrial oxidants are involved in hypoxia-reoxygenation-induced apoptosis in human placenta, *Placenta*, 29(7):565-583.
- Hung, T.H., Chen, S.F., Lo, L.M., Li, M.J., Yeh, Y.L., & Hsieh, T.T. 2012, Increased autophagy in placentas of intrauterine growth-restricted pregnancies, *PLoS ONE* 7, 7(7):e40957.
- Huppertz, B., Kadyrov, M., & Kingdom, J.C. 2006, Apoptosis and its role in the trophoblast, *American Journal of Obstetrics and Gynecology*, 195(1):29-39.
- Huppertz, B. 2008, Placental origins of preeclampsia: challenging the current hypothesis, *Hypertension*, 51(4):970-975.
- Igney, F.H. & Krammer, P.H. 2002, Death and anti-death: tumor resistance to apoptosis, *Nature Review Cancers*, 2(4):277-288.
- Ishihara, N., Matsuo, H., Murakoshi, H., Laoag-Fernandez, J.B., Samoto, T. & Maruo, T. 2002, Increased apoptosis in the syncytiotrophoblast in human term placentas complicated by either preeclampsia or intrauterine growth retardation, *American Journal of Obstetrics and Gynecology*, 186(1):158-166.
- Ishioka, S., Ezaka, Y., Umemura, K., Hayashi, T., Endo, T. & Saito, T. 2007, Proteomic analysis of mechanism of hypoxia-induced apoptosis in trophoblastic cells, *International Journal of Medical Sciences*, 4(1):36-44.
- Jeschke, U., Schiessl, B., Mylonas, I., Kunze, S., Kuhn, C., Schulze, S., Friese, K., & Mayr, D. 2006, Expression of the proliferation marker Ki-67 and of p53 tumor protein in trophoblastic tissue of preeclamptic, HELLP, and intrauterine growth-restricted pregnancies, *International Journal of Gynecological Pathology*, 25(4):354-60.
- Kadyrov, M., Kingdom, J.C., & Huppertz, B. 2006, Divergent trophoblast invasion and apoptosis in placental bed spiral arteries from pregnancies complicated by maternal anemia and early-onset preeclampsia/intrauterine

- growth restriction, *American Journal of Obstetrics and Gynecology*, 194(2):557-63.
- Kanter, D., Lindheimer, M.D., Wang, E., Borromeo, R.G., Bousfield, E., Karumanchi, S.A., & Stillman, I.E. 2010, Angiogenic Dysfunction in Molar Pregnancy, *American Journal of Obstetrics & Gynecology*, 202(2): 184.e1–184.e5.
- Kaufmann, P., Black, S. & Huppertz, B. 2003, Endovascular trophoblast invasion: implications for the pathogenesis of intrauterine growth retardation and preeclampsia, *Biology of Reproduction*, 69(1):1-7.
- Keman, K., Prasetyorini, N., & Langgar, M.J. 2009, Perbandingan ekspresi p53, Bcl-2, dan Indeks Apoptosis Trofoblas pada Preeklamsia/Eklamsia dan Kehamilan Normal, *Majalah Obstetri dan Ginekologi Indonesia*, 33(3):151-159.
- Kementerian Kesehatan RI 2015, *Rencana Strategis Kementerian Kesehatan Tahun 2015-2019*, Kementerian Kesehatan Republik Indonesia, Jakarta.
- Kementerian Kesehatan RI 2016, *Profil Kesehatan Indonesia Tahun 2015*, Kementerian Kesehatan Republik Indonesia, Jakarta.
- Kos, M. & Matkovich, E. 2014, Bcl-2 and Bax immunoreactivity in placentas from pregnancies complicated with intrauterine growth restriction and hypertension, *Periodicum Biologorum*, 116(2):167-172.
- Kumar, V., Abbas, A.K., Fausto, N., & Aster, J.C. 2010, *Robbins and Cotran Pathologic Basic of Disease*, 8<sup>th</sup> edn, Saunders Elsevier, Philadelphia, PA, USA.
- Kuwana, T. & Newmeyer, D.D. 2003, Bcl-2-family protein and the role mitochondria in apoptosis, *Current Opinion in Cell Biology*. 15:691-699.
- Lam, C., Lim, K.H. & Karumachi, S.A. 2005, Circulating angiogenic factors in the pathogenesis and prediction of preeclampsia, *Hypertension*, 46(5):1077-1085.
- LaMarca, B. 2012, Endothelial dysfunction. An important mediator in the pathophysiology of hypertension during pre-eclampsia. *Minerva Ginecologica*, 64(4):309-320.
- Lambert, G., Brichant, J.F., Hartstein, G., Bonhomme, V., & Dewandre, P.Y. 2014, Preeclampsia: an update. *Acta Anaesthesia Belgica*, 65:137-149.
- Lamminpaa, R., Vehviläinen-Julkunen, K., Gissler, M. & Heinonen, S. 2012, Preeclampsia complicated by advance maternal age: a registry-based study on primiparous women in Finland 1997-2008, *BMC Pregnancy and Childbirth*, 12:47.
- Lee, E.F., Czabotar, P.E., Smith, B.J., Deshayes, K., Zobel, K., Colman, P.M., & Fairlie, W.D. 2007, Crystal structure of ABT-737 complexed with Bcl-xL: implications for selectivity of antagonists of the Bcl-2 family, *Cell Death and Differentiation*, 14(9):1711–1713.
- Leeman, L., Dresang, L.T., & Fontaine, P. 2016, Hypertensive Disorder of Pregnancy. *American Family Physicians*, 93(2):121-127.
- Leung, D.N., Smith, S.C., Sahota, D.S. & Baker, P.N. 2001, Increased placental apoptosis in pregnancies complicated by preeclampsia, *American Journal of Obstetrics and Gynecology*, 184(6):1249-1250.

- Levine, R.J., Lam, C., Qian, C., Yu, K.F., Maynard, S.E., Sachs, B.P., Sibai, B.M., Epstein, F.H., Romero, R., Thadhani, R., & Karumanchi, S.A. 2006, Soluble endoglin and other circulating antiangiogenic factors in preeclampsia, *New England Journal of Medicine*, 355(10):992-1005.
- Levy, R., Smith, S.D., Chandler, K., Sadovsky, Y., & Nelson, M. 2000, Apoptosis in human cultured trophoblasts is enhanced by hypoxia and diminished by epidermal growth factor, *American Journal of Physiology. Cell Physiology*, 278(5):C982-988.
- Levy, R. 2005, The role of apoptosis in preeclampsia, *The Israel Medical Association Journal*, 7(3):178-181.
- Lin, S., Leonard, D., Co, M.A., Mukhopadhyay, D., Giri, B., Perger, L., Beeram, M.R., Kuehl, T.J., & Uddin, M.N. 2015, Pre-eclampsia has an adverse impact on maternal and fetal health, *Translational research*, 165(4): 449-63.
- Lisonkova, S. 2013, Incidence of preeclampsia: risk factors and outcomes associated with early- versus late-onset disease, *American Journal of Obstetrics & Gynecology*, 209(6): 544.e1-544.e12.
- Liwak, U., Faye M., & Holcik, M. 2012, Translation Control in Apoptosis, *Experimental Oncology*, 34(3): 218–230.
- Longtine, M., Chen, B., Odibo, A., Zhong, Y., & Nelson, D. 2012, Villous trophoblast apoptosis is elevated and restricted to cytotrophoblasts in pregnancies complicated by preeclampsia, IUGR, or preeclampsia with IUGR, *Placenta*, 33(5): 352–359.
- Lowe, S.A, Bowyer, L., Lust, K., McMahon, L.P., Morton, M.R., North, R.A., Peach, M., & Said, J.M. 2014, *The Management Hypertensive Disorder of Pregnancy*. The Society of Obstetric Medicine of Australia and New Zealand (SOMANZ), Sydney, Australia.
- Luealon, P. & Phupong, V. 2010, Risk factor of preeclampsia in Thai women, *Journal of Medical Association of Thailand*, 93:661-6.
- Luo, ZC., An, N., Xu, H.R., Larante, A., Audibert, F. & Fraser, W.D. 2007, The effects and mechanism of primiparity on the risk of preeclampsia: a systematic review, *Pediatric and Perinatal Epidemiology*, 21 Suppl 1: 36-45.
- Macdonald-Wallis, C., Tilling, K., Fraser, A., Nelson, S.M. & Lawlor, D.A. 2011, Established preeclampsia risk factors are related to patterns of blood pressure change in normal term pregnancy: findings from Avon Longitudinal Study of Parents and Children, *Journal of Hypertension*, 29(9):1703-1711.
- Magee, L.S., von Dadelszen, P., & Stones, W. 2016, *The FIGO Textbook of Pregnancy Hypertension*. The Global Library of Women's Medicine, London.
- Martinvalet, D., Zhu, P. & Lieberman, J. 2005, Granzyme A induces caspase-independent mitochondrial damage, a required first step for apoptosis, *Immunity*, 22(3):355-370.
- Matthiesen, L., Berg, G., Ernerudh, J., Ekerfelt, C., Jonsson, Y. & Sharma, S. 2005, Immunology of preeclampsia, *Chemical Immunology and Allergy*, 89: 49-61.

- Moldoveanu, T., Follis, A.V., Kriwacki, R.W. & Green, D.R. 2014, Many players in Bcl-2 family affairs, *Trends in Biochemical Sciences*, 39(3):101–111.
- Mostello, D., Kallogjeri, D., Tungsiripat, R., & Leet, T. 2008, Recurrence of preeclampsia: effects of gestational age at delivery of the first pregnancy, body mass index, paternity, and interval between births, *American Journal of Obstetric & Gynecology*, 199:55.e1-55.e7.
- National Collaborating Centre for Women's and Children's Health 2011, *Hypertension in Pregnancy: The Management of Hypertensive Disorder during Pregnancy*. RCOG Press, London, UK.
- Negoescu, A., Lorimier, P., Labat-Moleur, F., Drouet, C., Robert, C., & Guillermet, C., Brambilla, C. & Brambilla, E.1996, In situ apoptotic cell labeling by the TUNEL method: Improvement and evaluation on cell preparations, *Journal of Histochemistry and Cytochemistry*, 44:959-68.
- Nelson, D.B., Chalak, L.F., McIntire, D.D., & Leveno, K.J. 2015, Is preeclampsia associated with fetal malformation? A review and report of original research, *The Journal of Maternal-Fetal & Neonatal Medicine*, 28(18): 2135–2140.
- Nishizawa, H, Ota, S, Suzuki, M, Kato, T, Sekiya, T, Kurahashi, H, & Udagawa, Y. 2011, Comparative gene expression profiling of placentas from patients with severe preeclampsia and unexplained fetal growth restriction, *Reproductive Biology and Endocrinology*, 9:107.
- Osungbade, K.O., & Ige, O.K. 2011, Public Health Perspectives of Preeclampsia In Developing Countries: Implication for Health System Strengthening, *Journal of Pregnancy*, 2011:481095.
- Phipps, E., Prasana, D., Brima, W., & Jim, B. 2016, Preeclampsia: Updates in Pathogenesis, Definitions, and Guidelines, *Clinical Journal of American Society of Nephrology*, 11(6): 1102-1113.
- Powe, C.E., Levine, R.J. & Karumanchi, S.A. 2011, Preeclampsia, a disease of the maternal endothelium: the role of anti-angiogenic factors and implications for later cardiovascular disease, *Circulation*, 123(24):1-23.
- Rautureau, G.J., Yabal, M., Yang, H., Huang, D.C., Kvensakul, M., & Hinds, M.G. 2012, The restricted binding repertoire of Bcl-B leaves Bim as the universal BH3-only prosurvival Bcl-2 protein antagonist, *Cell Death and Disease*, 3(12):e443.
- Raymond, D. & Peterson, E. 2011, A critical review of early-onset and late-onset preeclampsia, *Obstetrical and Gynecological Survey*, 66(8):497-506.
- Roberts, J.M. & Von Versen-Hoeynck, F. 2007, Maternal fetal/placental interactions and abnormal pregnancy outcomes [comment], *Hypertension*, 49(1):15-16.
- Robbert, J.M. & Hubel, C.A. 2009, The two stage model of preeclampsia: variations on the theme, *Placenta*, 30 Suppl A:S32-S37.
- Roberts, J.M. & Bell, M.J. 2013, If we know so much about preeclampsia, why haven't we cured the disease?, *Journal of Reproductive Immunology*, 99(1-2):1-9.
- Robillard, P.Y., Dekker, G., Chaouat, G., Hulsey, T.C. & Saftlas, A. 2011, Epidemiological studies on primipaternity and immunology in

- preeklamsia-a statement after twelve years of workshop, *Journal of Reproductive Immunology*, 89(2):104-117.
- Roeshadi, R.H. 2004, 'Hipertensi dalam Kehamilan', in Hariadi, R., *Ilmu Kedokteran Fetomaternal*, 1st edn, Himpunan Kedokteran Fetomaternal, Perkumpulan Obstetri dan Ginekologi Indonesia, Surabaya, pp 494-500.
- Romero, R. & Chaiworapongsa, T. 2013, Preeclampsia: a link between trophoblast dysregulation and an antiangiogenic state. *The Journal of Clinical Investigation*, 123(7):2775-2777.
- Say, L., Chou, D., Gemmill, A., Tuncalp, O., Moller, A.B, Daniels, J., Gulmezoglu, A.M., Temmerman, M., & Alkema, L. 2014, Global cause of maternal death: a WHO systematic analysis. *Lancet Global Health*, 2:e323-33.
- Shamas-Din, A., Kale, J., Leber, B. & Andrews, D.W. 2013, Mechanisms of action of Bcl-2 family proteins, *Cold Spring Harbor Perspectives in Biology*, 5(4):a008714.
- Shamsi, U., Saleem, S., & Nishter, N. 2013, Epidemiology and risk factors of preeclampsia; an overview of Observational Studies, *Al Ameen Journal of Medical Sciences*, 6(4):292-300.
- Sharp, A.N., Heazell, A.E.P., Crocker, I.P., & Mor, G. 2010, Placental Apoptosis in Health and Disease, *American Journal of Reproductive Immunology*, 64(3):159-169.
- Sharp, A.N., Heazell, A.E.P., Baczyk, D., Dunk, C.E., Lacey, H.A., Jones, C.J.P., Perkins, J.E., Kingdom, J.C.P, Baker, P.N. & Crocker, I.P. 2014, Preeclampsia Is Associated with Alterations in the p53 Pathway in Villous Trophoblast, *PLoS ONE*, 9(1):e87621.
- Shu, C., Liu, Z., Cui, L., Wei, C., Wang, S., Tang, J.J., Cui, M., Lian, G., Li, W., Liu, X., Xu, H., Jiang, J., Lee, P., Zhang, D.Y., He, J., & Ye, F. 2014, Protein Profiling of Preeclampsia Placental Tissues, *PLoS ONE*, 9(11): e112890.
- Siddiqui W.A., Ahad, A., & Ahsan, A. 2015, The mystery of BCL2 family: Bcl-2 proteins and apoptosis: an update, *Archives of Toxicology*, 89(3): 289-317.
- Sofowean, S. 1998, *Preeklamsia di beberapa Rumah Sakit di Indonesia, Patogenesis, dan Kemungkinan Pencegahan*, dipresentasikan pada Pidato Pengukuhan Jabatan Guru besar pada Fakultas Kedokteran Universitas Gadjah Mada, Yogyakarta.
- Sohlberg, S., Stephansson, O., Cnattingius, S. & Wikström, A.K. 2012, Maternal body mass index, height, and risk of preeclampsia, *American Journal of Hypertension*, 25(1):120-125.
- Stalker, P. 2008, *Kita Suarakan MDGs Demi Pencapaiannya di Indonesia*. Badan Perencanaan Pembangunan Nasional, Jakarta.
- Stegers, E.A.P., Dadelszen, P.V., Duvetkot, J.J. & Pijnenborg, R. 2010, Preeclampsia, *The Lancet*, 376(9741):631-644.
- Straszewski-Chavez, S.L., Abrahams, V.M. & Mor, G. 2005, The role of apoptosis in the regulation of trophoblast survival and differentiation during pregnancy, *Endocrine Reviews*, 26(7):877-897.

- Tait, S. & Green, D. 2010, Mitochondria and cell death: outer membrane permeabilization and beyond, *Nature Reviews Molecular Cell Biology*, 11:621–632.
- Teguh, M., Karkata, M.K., Wirakusumah, F.F., Mose, J.C., Satari, M.H., & Septiani, L. 2014, Correlaton between Protein-with-Molecular-Weight-53 (*p53*), Burkitt Cell Lymphoma 2 (*Bcl2*), and Fas Ligand (*FasL*) and Vascular-Cell-Adhesion Molecule-1 (VCAM-1) mRNA Expression Levels in a Pathogenesis Study of Preeclampsia, *Internatonal Journal of Integrated Health Sciences*, 2014;2(1):23–29.
- Tomas, S., Prusac, I., Roje, D., & Tadin, I. 2011, Trophoblast Apoptosis in Placentas from Pregnancies Complicated by Preeclampsia, *Gynecologic and Obstetric Investigation*, 71:250–255.
- Trapani, J. & Smyth, M. 2002, Functional significance of the perforin/granzyme cell death pathway, *Nature Reviews: Immunology*, 2: 735-743.
- Tse, C., Shoemaker, A.R., Adickes, J., Anderson, M.G., Chen, J., Jin, S., Johnson, E.F., Marsh, K.C., Mitten, M.J., Nimmer, P., Roberts, L., Tahir, S.K., Xiao, Y., Yang, X., Zhang, H., Fesik, S., Rosenberg, S.H., & Elmore, S.W. 2008, ABT-263: A Potent and Orally Bioavailable Bcl-2 Family Inhibitor, *Cancer Research*, 68(9): 3421-8.
- Van Cruchten, S. & Van Den Broeck, W. 2002, Morphological and biochemical aspects of apoptosis, oncosis and necrosis, *Anatomia, Histologia, Embryologia*, 31(4):214-23.
- Vavina, O.V., Khodzaeva, Z.S., Vyssokikh, M.Y., Klimenchenko, N.I., Muminova, K.T., Tarasova, N.V, *et al.* 2016, Profound mitochondrial dysfunction leads to early onset preeclampsia, *European Journal of Obstetrics & Gynecology and Reproductive Biology*, 206:e118.
- Verlohren, S., Stepan, H., & Dechend, R. 2012, Angiogenic growth factors in the diagnosis and prediction of pre-eclampsia, *Clinical Science*, 122:43-52.
- Vesce, F., Farina, A., Giorgetti, M., Jorizzo, G., Bianciotto, A., Calabrese, O., & Mollica, G. 1997, Increased Incidence of Preeclampsia in Pregnancies Complicated by Fetal Malformation, *Gynecologic and Obstetric Investigation*, 44:107-111.
- Von Dadelszen, P., Magee, L.A., & Roberts, J.M. 2003, Subclassification of preeclampsia, *Hypertension in Pregnancy*, 22(2):143-148.
- Voskoboinik, I., Whisstock, J., & Trapani, J. 2015, Perforin and granzymes: function, dysfunction and human pathology, *Nature Reviews Immunology*, 15(6): 388-400.
- Wagner, L.K. 2004, Diagnosis and management of preeclampsia, *American Family Physician*, 70(12):2317-2324.
- Whitehead, C.L., Walker, S.P., Lappas, M., & Tong, S. 2013, Circulating RNA coding genes regulating apoptosis in maternal blood in severe early onset fetal growth restriction and pre-eclampsia, *Journal of Perinatology*, 33:600–604.
- Whitley, G.S., Dash, P.R., Ayling, L.J., Prefumo, F., Thilaganathan, B., & Cartwright, J.E. 2007, Increased apoptosis in first trimester extravillous

- trophoblasts from pregnancies at higher risk of developing preeclampsia, *American Journal of Pathology*, 170: 1903–1909.
- Wilkström, A., Gunnarsdóttir, J., & Cnattingius, S. 2012, The paternal role in pre-eclampsia and giving birth to small for gestational age infant; a population-based cohort study, *British Medical Journal Open*, 2:e001178.
- World Health Organization 2011, *WHO recommendations for Prevention and Treatment of Preeclampsia and Eclampsia*, World Health Organization, Geneva.
- World Health Organization 2015, *Trends in maternal mortality: 1990 to 2015: estimates by WHO, UNICEF, UNFPA, World Bank Group and the United Nations Population Division*, World Health Organization, Geneva.
- Yang, J.I., Kong, T.W., Kim, H.S., & Kim, H.Y. 2015, The Proteomic Analysis of Human Placenta with Pre-eclampsia and Normal Pregnancy, *Journal of Korean Medical Science*, 30(6): 770-778.
- Youle, R. J. 2007, Cell biology. Cellular demolition and the rules of engagement, *Science*, 315(5813):776–777.
- Youle, R.J. & Strasser, A. 2008, The BCL-2 protein family: opposing activities that mediate cell death, *Nature reviews Molecular cell biology*, 9(1):47-59.
- Zhang, Z., Yang, X., Zhang, L., Duan, Z., Jia, L., Wang, P., Shi, Y., Li, Y. & Gao, J. 2015, Decreased expression and activation of stat3 in severe preeclampsia. *Journal of Molecular Histology*, 46(2):205-219.
- Zhou, Y., McMaster, M., Woo, K., Janatpour, M., Perry, J., Karpanen, T., Alitalo, K., Damsky, C. & Fisher, S.J. 2002, Vascular endothelial growth factor ligands and receptors that regulate human cytotrophoblast survival are dysregulated in severe preeclampsia and hemolysis, elevated liver enzymes, and low platelet syndrome, *American Journal of Pathology*, 160(4):1405-1423.
- Zusterzeel, P.L.M., te Morsche, R., Raijmakers, M.T.M., Roes, E.M., Peters, W.H.M., & Steegers, E.A.P. 2002, Paternal contribution to the risk for pre-eclampsia, *Journal of Medical Genetics*, 39:44-45