

DAFTAR PUSTAKA

- Albino, S., Tabb, K. M., Requena, D., Egoavil, M., Pineros-Leano, M. F., Zunt, J. R. and Garcia, P. J. (2014) 'Perceptions and Acceptability of Short Message Services Technology to Improve Treatment Adherence amongst Tuberculosis Patients in Peru: A focus Group Study', *PLoS ONE*, 9(5), pp. 1–6. doi: 10.1371/journal.pone.0095770.
- Bediang, G., Stoll, B., Elia, N., Abena, J., Nolna, D., Chastonay, P. and Geissbuhler, A. (2014) 'SMS reminders to improve the tuberculosis cure rate in developing countries (TB-SMS Cameroon): a protocol of a randomised control study', *Trials*, pp. 1–9.
- Desouza, S. I., Rashmi, M. R., Vasanthi, A. P., Joseph, S. M. and Rodrigues, R. (2014) 'Mobile Phones : The Next Step towards Healthcare Delivery in Rural India ?', *PLoS One*, 9(8), pp. 1–9. doi: 10.1371/journal.pone.0104895.
- Dinkes Provinsi Kalimantan Tengah (2014) *Profil kesehatan 2014 provinsi kalimantan tengah 2014*.
- Erawatyningasih, E., Purwanta and Subekti, H. (2009) 'Faktor-Faktor Yang Mempengaruhi Ketidapatuhan Berobat Pada Penderita Tuberkulosis Paru', *Berita Kedokteran Masyarakat*, 25(3), pp. 117–124.
- Finlay, A., Lancaster, J., Holtz, T. H., Weyer, K., Miranda, A. and van der Walt, M. (2012) 'Patient- and provider-level risk factors associated with default from tuberculosis treatment, South Africa, 2002: a case-control study', *BMC Public Health*. BioMed Central Ltd, 12(1), p. 56. doi: 10.1186/1471-2458-12-56.
- Gold, J., Lim, M. S. C., Hellard, M. E., Hocking, J. S. and Keogh, L. (2010) 'What ' s in a message ? Delivering sexual health promotion to young people in Australia via text messaging', *BMC Public Health*.
- Gupta, S., Gupta, S. and Behera, D. (2011) 'Reasons for interruption of anti-tubercular treatment as reported by patients with tuberculosis admitted in a tertiarycare institute', *Indian Journal of Tuberculosis*, 58(1), pp. 11–17.
- Ibrahim, L. M., Hadejia, I. S., Nguku, P., Dankoli, R., Waziri, N. E., Akhimien, M. O. and Nsubuga, P. (2014) 'Factors associated with interruption of treatment among Pulmonary Tuberculosis patients in Plateau State, Nigeria. 2011', *Pan African Medical Journal*, 17.
- Jaiswal, A., Singh, V., Ogden, J. A., Porter, J. D. H., Sharma, P. P., Sarin, R., Arora, V. K. and Jain, R. C. (2003) 'Adherence to tuberculosis treatment : lessons from the urban setting of Delhi , India', *Tropical Medicine and International Health*, 8(7), pp. 625–633.
- Jakubowiak, W., Bogorodskaya, E., Borisov, S., Danilova, I. and Kourbatova, E.

(2009) ‘Treatment interruptions and duration associated with default among new patients with tuberculosis in six regions of Russia’, *International Journal of Infectious Diseases*, pp. 362–368. doi: 10.1016/j.ijid.2008.07.015.

Jha, U. M., Satyanarayana, S., Dewan, P. K., Chadha, S. and Wares, F. (2010) ‘Risk Factors for Treatment Default among Re-Treatment Tuberculosis Patients in India , 2006’, *PLoS One*, 5(1), pp. 2–8. doi: 10.1371/journal.pone.0008873.

Kemendes RI (2011) *Terobosan Menuju Akses Universal, Strategi Nasional Pengendalian TB di Indonesia 2010-2014, Stop TB*.

Kemendes RI (2013) ‘Petunjuk Teknis Manajemen Terpadu Pengendalian Tuberkulosis Resisten Obat’, *Journal of Chemical Information and Modeling*, pp. 1689–1699. doi: 10.1017/CBO9781107415324.004.

Kemendes RI (2014) ‘Pedoman Nasional Pengendalian Tuberkulosis’, *Katalog Dalam Terbitan : Kementerian Kesehatan Nasional*, pp. 1–210.

Kemendes RI (2015) ‘Tuberkulosis Temukan Obati Sampai Sembuh’, *Infodatin*, pp. 2–3.

Kondoy, P. P. . and Rombot, D. V (2012) ‘Faktor-Faktor Yang Berhubungan Dengan Kepatuhan Tuberkulosis Paru di Lima Puskesmas di Kota Manado Berobat Pasien’, *Jurnal Kedokteran Komunitas dan Tropik*, II, pp. 1–8.

Lewandowski, C. M. (2015) *WHO Global tuberculosis report 2015, WHO Library Cataloguing-in-Publication Data*. doi: 10.1017/CBO9781107415324.004.

Lewis, C. P. and Newell, J. N. (2009) ‘Improving tuberculosis care in low income countries – a qualitative study of patients’ understanding of “ patient support ” in Nepal’, *BioMed Central*, 8, pp. 1–8. doi: 10.1186/1471-2458-9-190.

Liu, X., Lewis, J. J., Zhang, H., Lu, W., Zhang, S., Zheng, G., Bai, L., Li, J., Li, X., Chen, H., Liu, M., Chen, R., Chi, J., Lu, J., Huan, S., Cheng, S., Wang, L., Jiang, S., Chin, D. P. and Fielding, K. L. (2015) ‘Effectiveness of Electronic Reminders to Improve Medication Adherence in Tuberculosis Patients: A Cluster-Randomised Trial’, *PLoS Medicine*, 12(9), pp. 1–18. doi: 10.1371/journal.pmed.1001876.

Maulana, H. (2007) *Promosi Kesehatan*. Kesatu. Jakarta.

Mbuagbaw, L., Thabane, L. and Ongolo-zogo, P. (2013) ‘Opening communication channels with people living with HIV using mobile phone text messaging : insights from the CAMPS trial’, *BMC Research Notes*.

Muture, B. N., Keraka, M. N., Kimuu, P. K., Kabiru, E. W., Ombeka, V. O. and Oguya, F. (2011) ‘Factors associated with default from treatment among tuberculosis patients in nairobi province , Kenya : A case control study’, *BMC Public Health*.

Nglazi, M. D., Bekker, L., Wood, R., Hussey, G. D. and Wiysonge, C. S. (2013) 'Mobile phone text messaging for promoting adherence to anti-tuberculosis treatment : a systematic review', *BMC infectious diseases*, pp. 1–16.

Notoatmodjo, S. (2010) *Ilmu Perilaku Kesehatan (1 ed.)*. Jakarta: Rineka Cipta.

Nur'aeni, Mahardian, A. and Fungie, G. (2014) 'The Effect Of Giving Short Message Service Reminder On Adherence And The Effectiveness Of Treatment On Patients With Hypertension In District Health Center Sumbang Banyumas', *Fakultas Farmasi Universitas Muhammadiyah Purwokerto*, 102, pp. 100–109.

PDPI (2011) 'Pedoman Penatalaksanaan TB (Konsensus TB)', *Perhimpunan Dokter Paru Indonesia*, pp. 1–55. doi: 10.5860/CHOICE.41-4081.

Rahmah, P., Galistiani, G. and Kusuma, A. (2016) 'Pengaruh Short Message Service Terhadap Kepatuhan Pengobatan dan Gaya Hidup Pasien Diabetes Melitus di RSUP DR. M. Ashari Pemasang', *Media Farmasi*, 13, pp. 110–121.

Ray, S., Talukdar, A., Kundu, S., Khandra, D. and Sonthalia, N. (2013) 'Diagnosis and Management of Miliary Tuberculosis : Current State and Future Perspective. Therapy Clinical Risk and Management.'

Ridha, A. (2012) 'Motivasi Melalui Layanan Pesan Singkat Telepon Seluler Pada Perilaku Merokok', *Gadjah Mada University*.

Sadeli, M. (2012) *Aplikasi SMS dengan Visual Basic 6.0 dan Visual Basic 2010*. Palembang: Maxikom.

Saputra, Agus, Agustin and Feni (2012) *Membangun Aplikasi E-Commerce dan SMS*. Jakarta: PT Elex Media Komputindo.

Sejati, A. and Sofiana, L. (2015) 'Faktor-Faktor Terjadinya Tuberkulosis', *Jurnal Kesehatan Masyarakat*, 10(2), pp. 122–128.

Sudiya (2013) *Efektifitas Pengiriman Pesan Peningkat (SMS Reminder) Terhadap Peningkatan Keteraturan Pengobatan Penderita Tuberkulosis Di Fasilitas Pelayanan Kesehatan Kabupaten Sleman*, *Journal of Chemical Information and Modeling*. Universitas Gadjah Mada. doi: 10.1017/CBO9781107415324.004.

T, D. J., Atun, R. and Car, J. (2013) 'Mobile phone messaging reminders for attendance at healthcare appointments (Review)', *Cochrane Database of Systematic Reviews*, (12). doi: 10.1002/14651858.CD007458.pub3.www.cochranelibrary.com.

Tarigan, E. D. (2012) *Membangun SMS Gateway Berbasis Web dengan Codeigniter*. Yogyakarta: Lokomedia.

Trihandini, I., Sutiawan, R. and Yuniar, P. (2014) 'Information Model Of Women Empowerment And Its Impact Towards Tuberculosis Case Detection And Completeness Of Treatment At Lebak District , Indonesia', *Full Paper*

Proceeding, 1, pp. 70–76.

Ubaidillah (2001) *Faktor yang mempengaruhi ketidakteraturan berobat penderita Tb Paru di Kabupaten Lahat Propinsi Sumatera Selatan : Analisis data sekunder.*

Vijay, S., Kumar, P., Chauhan, L. S., Hanumanthappa, B., Kizhakkethil, U. P. and Rao, S. G. (2010) ‘Risk Factors Associated with Default among New Smear Positive TB Patients Treated Under DOTS in India’, *PLoS One*, 5(4). doi: 10.1371/journal.pone.0010043.

Wijanarko, B., Prabamurti, P. N. and Widyaningsih, N. (2006) ‘Analisis Faktor-Faktor yang Mempengaruhi Praktik Pengawas Menelan Obat (PMO) dalam Pengawasan Penderita Tuberkulosis Paru di Kota Semarang.’

Wu, P. S., Chou, P., Chang, N. T., Sun, W. J. and Kuo, H. S. (2009) ‘Assessment of changes in knowledge and stigmatization following tuberculosis training workshops in Taiwan’, *Journal of the Formosan Medical Association*. Formosan Medical Association & Elsevier, 108(5), pp. 377–385. doi: 10.1016/S0929-6646(09)60081-4.

Zacharia, M. T. and Widiadhi, J. (2006) *Aplikasi SMS untuk Berbagai Keperluan*. Bandung: Penerbit Informatika Bandung.

Zhou-wen, ChenLi-zheng, FangLi-ying and Dai, C. (2008) ‘Comparison of an SMS text messaging and phone reminder to improve attendance at a health promotion center: A randomized controlled trial’, *Journal Of Zhejiang University SCIENCE B*, 9(1).