Barriers and Gaps on Utilization and Coverage of Mass Drug Administration Program against Soil-Transmitted Helminth Infection in Bangladesh; an Implementation Research.
Tilak Chandra Nath, dr. Elsa Herdiana Murhandarwati, M.Kes., Ph.D. and Dr. Dra. Retna Siwi Padmawati, MA.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

BIBLIOGRAPHY

Albonico, M., Crompton, D. and Savioli L. (1999). Control strategies for human intestinal nematode infections. ***Advances in parasitology***. 42, pp. 277-341.

Amarillo, M.L.E., Belizario, V.Y., Jewel, T.S., Sison, S.A.M. and Dayag, A.M.S. (2008). Factors associated with the acceptance of mass drug administration for the elimination of lymphatic filariasis in Agusan del Sur, Philippines. ***Parasites & Vectors***. 1, p. 14. doi:10.1186/1756-3305-1-14

Anderson, R., Truscott, J., Hollingsworth, T.D. (2014). The coverage and frequency of mass drug administration required eliminating persistent transmission of soil-transmitted helminths. ***Phil. Trans. R. Soc. B.*** 369, e20130435. doi:10.1098/rstb.2013.0435

Annual Report Bangladesh. (2010). Communicable Disease Control Bangladesh. DGHS. MoH and FW.

Atun, R., deJongh, T., Secci, F., Ohiri, K., Adeyi, O. (2010). Integration of targeted health interventions in to health systems: a conceptual framework for analysis. ***Health Policy and Planning.*** 25(2), pp 104–111.

Babu, B., & Satyanarayana, K. (2003). Factors responsible for coverage and compliance in mass drug administration during the programme to eliminate lymphatic filariasis in the East Godavari District, South India. ***Tropical Medicine,*** 33(2), 79-82.

Bangladesh Bureau of Statistics (BBS). (2016). Access to information (a2i); online update. . http://www.a2i.pmo.gov.bd/

Banu, S.S., Ahmed, B., Jubayer, S., Banu, S.G., Ara, K., Jamal, K.F., Afroz, S. and Ameen, K.M.H. (2011). Prevalence of Soil Transmitted Helminths (STH) Infection among Children Aged 2-17 Years in Urban and Rural Areas of Dhaka District in Bangladesh. ***Bangladesh Journal of Medical. Microbiology.*** 5(2), pp. 16-22

Bhuller, N., Maikere, J. (2010). Challenges in mass drug administration for treating lymphatic filariasis in Papua, Indonesia. ***Parasit Vectors,*** 3, pp. 70-78

Bogus J. (2016). Community attitudes toward mass drug administration for control and elimination of neglected tropical diseases after the 2014 outbreak of Ebola Virus Disease in Lofa County, Liberia. ***Am J Trop Med Hyg.*** 94(3), pp 497–503.

UNIVERSITAS
GADJAH MADA
Barriers and Gaps on Utilization and Coverage of Mass Drug Administration Program against Soil-Transmitted Helminth Infection in Bangladesh; an Implementation Research.
Tilak Chandra Nath, dr. Elsa Herdiana Murhandarwati, M.Kes., Ph.D. and Dr. Dra. Retna Siwi Padmawati, MA.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Bozorgmehr, K., Saint, V.A. and Tinnemann, P. (2011). The 'global health' education framework: a conceptual guide for monitoring, evaluation and practice. ***Globalization and Health***. 7(8), pp. 1-12

Brooker, S., Clements, A.C.A. and Bundy, D.A.P. (2006). Global epidemiology, ecology and control of soil-transmitted helminth infections. ***Adv Parasitol***. 62, pp. 221–26.

Bundy, D.A.P. (1990). Control of intestinal nematode infections by chemotherapy: mass treatment versus diagnostic screening. ***Trans. R. Soc. Trop. Med. Hyg.*** 84, pp. 622–625.

Bundy, D.A.P., Cooper, E.S., Thompson, D.E., Didier, J.M. and Simmons, I. (1987). Epidemiology and population dynamics of *Ascaris lumbricoides* and *Trichuris trichiura* infection in the same community. ***Trans. R. Soc. Trop. Med. Hyg.*** 81, pp. 987–993.

Central Disease Control and Prevention (CDC). (2013). https://www.cdc.gov/parasites/sth/

Children Without worm (CWW). (2014). STH Coalition. Framework for Action. http://www.childrenwithoutworms.org/sites/default/files/STHCoalition_FFAReport

Chukumwa, M.C., Ekejindu, N.R., Agbakoba, D.A., Ezeagwuna, C., Anaghalu, D. and Nwosu, D.C. (2009). The Prevalence and Risk Factors of Geohelminths Infections among Primary School Children Middle- East. ***Journal of Scientific Research***. *4*(3), pp. 211-215.

Chung, J., Nazneen, A., Halder, A.K., Haque, R., Siddique, A. and Uddin, M.S. (2015). The Interaction of Deworming, Improved Sanitation, and Household Flooring with Soil-Transmitted Helminth Infection in Rural Bangladesh. ***PLoS Negl Trop Dis.*** 9(12), e0004256. doi:10.1371/journal.pntd.0004256)

Creswell, J., Plano K. A., Clark V., Smith K. (2013). Best practice for mixed methods research in the health sciences. Bethesda, MD: Office of Behavioral and Social Sciences Research, National Institutes of Health.

Curtale, F., Pezzotti, P., Sharbini, A., Al Maadat, H., Ingrosso, P., Saad, Y. and Babille, M. (1998). Knowledge, perceptions and behaviour of mothers toward intestinal helminths in Upper Egypt: implications for control. ***Health Policy Plan***. 13(4), pp. 423-432.

David, H.P., Nhan, T.T. and Taghreed, A. (2013). ***Implementation Research in Health: A Practical Guide.*** World Health Organization. http://who.int/alliance-hpsr/alliancehpsr_irpguide.pdf

Dembele, M. (2012). Implementing preventive chemotherapy through an integrated National Neglected Tropical Disease Control Program in Mali. ***PLoS Negl Trop Dis.*** 6(3), e1574.

UNIVERSITAS
GADJAH MADA
Barriers and Gaps on Utilization and Coverage of Mass Drug Administration Program against Soil-Transmitted Helminth Infection in Bangladesh; an Implementation Research.
Tilak Chandra Nath, dr. Elsa Herdiana Murhandarwati, M.Kes., Ph.D. and Dr. Dra. Retna Siwi Padmawati, MA.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Desalegn A. (2013). Assessment of Soil-Transmitted Helminths Infections, Malnutrition and Anemia among Primary School Children. ***World Journal of Scientific Research and Reviews.*** 1(1), pp. 01-06.

Dial, N.J., Ceesay, S.J., Gosling, R.D., D'Alessandro, U. and Baltzell, K.A. (2014). A qualitative study to assess community barriers to malaria mass drug administration trials in the Gambia. ***Malaria Journal.*** 13, pp. 47-62.

Elmar, S., Annette, O., Jane, D.K. and Chris, C.A. (2004). Patterns of geohelminths infection, impact of albendazole treatment and re-infection after treatment in schoolchildren from rural Kwazulu-Natal South Africa. ***BMC Infectious disease***. 4, pp. 27-41.

Family Health International (FHI)–360. (2015). Assessing progress in fighting STHs in Bangladesh. Technical Briefs. www.FHI360.org

Global Atlas of Helminth Infection (GAHI). (2016). http://www.thiswormyworld.org/

Global Atlas of Helminth Infection (GAHI). (2012). http://www.thiswormyworld.org/

Grang, J. and Zumla, A. (2003). Protozoa and helminth infections. ***Manson's tropical diseases***. 21st ed. London: Elsevier Sciences. pp. 1205–1527.

Green, J. and Thorogood, N. (2004). Qualitative Methods for Health Research: SAGE Publications.

Gyorkos, T.W. (2003). Monitoring and evaluation of large scale helminth control programs. ***Acta Trop***. 86, pp. 275–282

Hafiz, I., Berhan, M., Keller, A., Haq, R., Chesnaye, N., Koporc, K., Rahman, M., Rahman, S. and Mathieu, E. (2015). School-based mass distributions of mebendazole to control soil-transmitted helminthiasis in the Munshiganj and Lakshmipur districts of Bangladesh. ***Acta Tropica.*** 141(B), pp. 385–390.

Hall, A., Hewitt, G., Tuffrey, V. and Silva, D.N. (2008). A review and meta-analysis of the impact of intestinal worms on child growth and nutrition. ***Maternal & Child Nutrition*****.** 4(Suppl 1), pp. 118–136. doi:10.1111/j.1740-8709.2007.00127.x

Hall, A., Orinda, V., Bundy, D.A.P. and Broun, D. (1997). Promoting child health through helminth control – a way forward? ***Parasitol Today***. 13, pp. 411-423.

Hossain, M. (2015). Prevalence and Risk Factors of Soil-Transmitted Helminths (STHs) infection among tea garden community in Sylhet and slum dwellers of Dhaka City, Bangladesh. ***MS Thesis***. Sylhet Agricultural University, Bangladesh.

UNIVERSITAS
GADJAH MADA
Barriers and Gaps on Utilization and Coverage of Mass Drug Administration Program against Soil-Transmitted Helminth Infection in Bangladesh; an Implementation Research.
Tilak Chandra Nath, dr. Elsa Herdiana Murhandarwati, M.Kes., Ph.D. and Dr. Dra. Retna Siwi Padmawati, MA.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Hotez, A. (2003). Soil-transmitted helminth infections: ascariasis, trichuriasis, and hookworm. ***Lancet***, 367:1521-1532.

Hotez, P.J. and Herricks, J.R. (2015). Helminth Elimination in the Pursuit of Sustainable Development Goals: A "Worm Index" for Human Development. ***PLoS Negl Trop Dis.*** 9(4), e0003618. doi:10.1371/journal.pntd.0003618.

Hotez, P.J. and Kamath, A. (2009). "Neglected tropical diseases in sub-saharan Africa: review of their prevalence, distribution, and disease burden". ***PLoS Neglected Tropical Diseases.*** 3(8), e412.

Iman, F. and Abou E.N. (2015). Demographic, socioeconomic and environmental changes affecting circulation of neglected tropical diseases in Egypt. ***Asian Pacific Journal of Tropical Medicine***. 8(11), pp. 881–888.

Ismail, M.M., Premaratne, U.N. and Suraweera, M.G. (1991). Comparative efficacy of single dose anthelmintics in relation to intensity of geohelminth infections. ***Ceylon Med J***. 36, pp. 162-167.

Kagya, N. (2011). Prevalence, Intensity and Factors Associated with Soil transmittedhelminths among primary school pupils in Mkuranga district, Coast region, Tanzania. Dissertation for Master of Science in Tropical Disease Control Dissertation, Muhimbili University of Health and Allied Sciences.

Kaliyaperumal, K. (2014). Guideline for Conducting a Knowledge, Attitude and Practice (KAP) Study. ***AECS Illumination.*** 4(1), pp. 121-133.

Khair, M., Khanum, H., Hossain, M. and Alam, M.S. (2016). Prevalence, risk factors and comparative diagnosis of soil-transmitted helminths in children of slum areas of Dhaka and tea garden areas of Sylhet. Conference Paper. ***The 12th Biennial Bangladesh Society for Parasitology (BSP) Conference.*** Bangladesh Agricultural University, Volume: 12.

Khanam, H., Rahman, F. and Zaman, R.F. (2013). Occurrence of Intestinal Parasites among the Teachers, Students and Staffs of Dhaka University, Bangladesh. ***J. Asiat. Soc. Bangladesh, Sci.*** 39(2), pp. 239-246.

Kitson, A.L., Malone, J.R., Harvey, G., McCormack, B., Seers, K. and Titchen, A. (2008). Evaluating the successful implementation of evidence into practice using the PARiHS framework: theoretical and practical challenges. ***Implementation Science***. 3(1), pp. 1-12. **doi:** 10.1186/1748-5908-3-1

UNIVERSITAS
GADJAH MADA
Barriers and Gaps on Utilization and Coverage of Mass Drug Administration Program against Soil-Transmitted Helminth Infection in Bangladesh; an Implementation Research.
Tilak Chandra Nath, dr. Elsa Herdiana Murhandarwati, M.Kes., Ph.D. and Dr. Dra. Retna Siwi Padmawati, MA.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Kolaczinski, J.H. (2007). Neglected tropical diseases in Uganda: the prospect and challenge of integrated control. ***Trends Parasitol.*** 2007;23(10):485–493.

Lammie, P.J., Fenwick, A., Utzinger, J. (2006). A blueprint for success: integration of neglected tropical disease control programmes. ***Trends Parasitol.*** 22(7), pp 313–321.

Linehan, M., Hanson, C., Weaver, A., Baker, M., Kabore, A., Zoerhoff, K.L. and Ottesen, E.A. (2011). Integrated implementation of programs targeting neglected tropical diseases through preventive chemotherapy: proving the feasibility at national scale. ***The American Journal of Tropical Medicine and Hygiene*.** 84(1), pp. 5–14. doi:10.4269/ajtmh.2011.10-0411

Liu, C., Luo, R., Yi, H., Zhang, L., Li, S., Bai, Y. and Wang, J. (2015). Soil-transmitted helminths in Southwestern China: A Cross-Sectional Study of Links to Cognitive Ability, Nutrition, and School Performance among Children. ***PLoS Negl Trop Dis***. 9(6), e0003877. doi:10.1371/journal.pntd.0003877

Mathauer, I., and Imhoff, I. (2006). Health worker motivation in Africa: the role of nonfinancial incentives and human resource management tools. ***Human resources for health.*** 4(1), pp 24-35.

McManus, D.P., Bieri, F.A., Li, Y.S., Williams, G.M., Yuan, L.P., Henglin, Y. and Gray, D.J. (2014). Health education and the control of intestinal worm infections in China: a new vision. ***Parasites & Vectors***. *7*(1), pp. 344. doi:10.1186/1756-3305-7-344

Midzi, N., Mtapuri-Zinyowera, S., Mapingure, M.P., Paul, N.H., Sangweme, D., Hlerema, G., Mutsaka, M.J., Tongogara, F., Makware, G., Chadukura, V., Brouwer, K.C., Mutapi, F., Kumar, N. and Mduluza, T. (2011). Knowledge attitudes and practices of grade three primary schoolchildren in relation to schistosomiasis, soil-transmitted helminthiasis and malaria in Zimbabwe ***BMC Infectious Diseases.*** 11, p. 169.

Ministry of Health & Family Welfare, Bangladesh. (2013). ***A Situation Analysis: Neglected Tropical Diseases in Bangladesh***. GoB. http://pdf.usaid.gov/pdf_docs/pnady849.pdf

Montresor, A. (2002). Helminth control in school-age children: A guide for managers of control program. Geneva, World Health Organization.

Murray, C.J., Frenk, J. (2000). A framework for assessing the performance of health systems. ***Bull World Health Organ.*** 78(6), pp 717–731.

Nasr, N.A., Al-Mekhlafi, H.M., Ahmed, A., Roslan, M.A. & Bulgiba, A. (2013). Towards an

UNIVERSITAS
GADJAH MADA
Barriers and Gaps on Utilization and Coverage of Mass Drug Administration Program against Soil-Transmitted Helminth Infection in Bangladesh; an Implementation Research.
Tilak Chandra Nath, dr. Elsa Herdiana Murhandarwati, M.Kes., Ph.D. and Dr. Dra. Retna Siwi Padmawati, MA.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

effective control program of soil-transmitted helminth infections among Orang Asli in rural Malaysia: Knowledge, attitude, and practices. ***Parasites & Vectors,*** *6*(1), pp 28.

Njomo, D.W. (2012). Factors associated with the motivation of community drug distributors in the Lymphatic Filariasis Elimination Programme in Kenya. ***S Af J Epidemiol Infect.*** 27(2), pp 66–70.

Parikh, D.S., Totañes, F.I.G., Tuliao, A.H., Ciro, R.N.T., Macatangay, B.J.C. and Belizario, V.Y. (2013). Knowledge, attitudes, and practices among parents and teachers about soil-transmitted helminthiasis control programs for school children in Guimaras, Philippines. ***The Southeast Asian Journal of Tropical Medicine and Public Health.*** *44*(5), pp. 744–52.

Parker M, Allen T, Hastings J. (2008). Resisting control of neglected tropical diseases: di lemmas in the mass treatment of schistosomiasis and soil-transmitted helminthes in north-west Uganda. ***Journal of biosocial science***. 40(02) pp 161–181.

Peters, D.H., Adam, T., Alonge, O., Agyepong, I.A. and Tran, N. (2014). Implementation research: what it is and how to do it. ***Br J Sports Med.*** 48, pp. 731-736.

Rahman, M.M. (2016). "Biannually School-Based Deworming by Mebendazole 500mg has Reduced the Worm Load Drastically in Bangladesh". ***EC Bacteriology and Virology Research.*** 2(3), pp 113-114.

Ratard, R.C., Kouemeni, L.E., Bessala, M.M.E., Ndamkou, C.N., Sama, M.T. and Cline, B.L. (1991). Ascariasis and trichuriasis in Cameroon. ***Transactions of the Royal Society of Tropical Medicine and Hygiene.*** 85(1):84-88

Sianto, L., Chame, M., Silva, C.S.P., Gonçalves, M.L.C., Reinhard, K., Fugassa, M.H. and Araújo, A. (2009). "Animal Helminths in Human Archaeological Remains: A Review of Zoonoses in the Past". ***Karl Reinhard Publications*** 18(2), pp. 65-79.

Stephenson, L.S., Latham, M.C. and Ottesen, E.A. (1994). Malnutrition and Parasitic Helminth Infections. ***Parasitology.*** 121(Suppl.), pp. 23-28. [PubMed]

Sturrock, R.F., Klumpp, R.K., Ouma, J,H., Butterworth, A.E., Fulford, A.J., Kariuki, H.C. and Koech, D. (2004). Observations on the effects of different chemotherapy strategies on the transmission of *Schistosoma mansoni* in Machakos District, Kenya, measured by long-term snail sampling and cercariometry. ***Parasitology.*** 109, pp. 443–453.

UNIVERSITAS
GADJAH MADA
Barriers and Gaps on Utilization and Coverage of Mass Drug Administration Program against Soil-Transmitted Helminth Infection in Bangladesh; an Implementation Research.
Tilak Chandra Nath, dr. Elsa Herdiana Murhandarwati, M.Kes., Ph.D. and Dr. Dra. Retna Siwi Padmawati, MA.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Sufiyan, M.B., Sabitu, K. and Mande, A.T. (2011). Evaluation of the effectiveness of deworming and participatory hygiene education strategy in controlling anemia among children aged 6-15 yrs in Gadagau community, Giwa LGA, Kaduna Nigeria. ***Annals of African Medicine***. 10(1), pp. 6-12.

Sunish I. (2003). Long-term population migration: an important aspect to be considered during mass drug administration for elimination of lymphatic filariasis. ***Tropical Med Int Health.*** 8(4), pp. 316–321.

Tripura, A., Reang, T., Tripura, K. and Roy, A. (2013). A study of knowledge and practice on intestinal helminthiasis among rural tribal mothers of under five children in Mohanpur block, west district of Tripura: a north eastern state of India. ***Journal of Evolution of Medical and Dental Sciences*** 47(2), pp. 81-90.

van Eijk, A.M., Lindblade, K.A., Odhiambo, F., Peterson, E., Rosen, D.H., Karanja, D., Ayisi, J.G., Shi, Y.P., Adazu, K. and Slutsker, L. (2003). Geohelminth Infections among Pregnant Women in Rural Western Kenya; a Cross-Sectional Study. ***PloS Negl Trop Dis.*** 3(1), e370.

Vercruysse, J. (2011). Assessment of the anthelmintic efficacy of albendazole in school children in seven countries where soil-transmitted helminths are endemic. ***PLoS Negl. Trop. Dis.*** 5(3), e948.

Weiss, M. G. (2008). Stigma and the social burden of neglected tropical diseases. ***PLoS Neglected Tropical Diseases***, 2(5), e237.

World Bank. (2016). http://www.worldbank.org/en/results/2016/10/07/ensuring-education-for-all-bangladeshis

World Health Organization. (2012). Progress Report. Eliminating soil-transmitted helminthiasis as a public health problem in children. www.who.int/tdr/publications/year/2012

World Health Organization. (2014). Implementation Research Toolkit. Special Programme for Research and Training in Tropical Diseases. www.who.int/tdr/publications/year/2014

World Health Organization. (2014). Progress Report. Eliminating soil-transmitted helminthiasis as a public health problem in children. www.who.int/tdr/publications/year/2014

Zulkifli, A., Khairul, A., Anuar, A.A.S. and Yano, A. (2000). Prevalence of malnutrition and geo-helminth infections among primary schoolchildren in rural Kelantan. ***Southeast Asian J Trop Med Public Health***. 31(2), pp. 339-45.