

## DAFTAR PUSTAKA

- [1] A. Widiyanto and B. D. Mahardika, "Aplikasi Screen Lock pada Smartphone Menggunakan Identifikasi Wajah dengan Menerapkan Pointwise," *Citec J.*, vol. 1, no. 1, pp. 1–14, 2014.
- [2] D. E. Kurniawan, K. Adi, and F. Rohim, "Sistem Identifikasi Biometrika Wajah Menggunakan Metode Gabor KPCA dan Mahalanobis Distance," vol. 1, pp. 6–10, 2012.
- [3] M. J. P. Priyadarsini, K. Murugesan, S. R. Inabathini, G. K. Rajini, A. Dinesh, and R. Ajay Kumar, "Recognizing the 2D face using eigen faces by PCA," *J. Theor. Appl. Inf. Technol.*, vol. 82, no. 1, pp. 143–153, 2015.
- [4] Kholistianingsih, "EKSTRAKSI CIRI GEOMETRIS UNTUK PENGENALAN WAJAH," Gadjah Mada University, 2012.
- [5] X. Fan, H. Wang, Z. Luo, Y. Li, W. Hu, and D. Luo, "Fiducial facial point extraction using a novel projective invariant," *IEEE Trans. Image Process.*, vol. 24, no. 3, pp. 1164–1177, 2015.
- [6] R. Hartley and A. Zisserman, "in computervision Multiple View Geometry in Computer Vision," *Comput. Des.*, vol. 16, no. 2, p. 672, 2003.
- [7] P. Viola and M. J. Jones, "Robust Real-Time Face Detection," *Int. J. Comput. Vis.*, vol. 57, no. 2, pp. 137–154, 2004.
- [8] A. H. Abror and H. Tjandrasa, "Perbaikan Orientasi Citra Berdasarkan Keberadaan Manusia Menggunakan Fitur Gradien Dan Haar-Like," *JUTI J. Ilm. Teknol. Inf.*, vol. 13, no. 2, p. 106, 2015.
- [9] R. C. Gonzalez, R. E. Woods, and S. L. Eddins, "Digital Image Processing Using Matlab - Gonzalez Woods & Eddins.pdf," *Education*, vol. 624, no. 2, p. 609, 2004.
- [10] Zhang, Y. and Gu, H. M., (2009), *Region-of-interest image coding based on Perceptually Optimized bitplane realignment*, Proc. - 2009 Int. Conf. Electron. Comput. Technol. ICECT 2009, pp. 495–498, 2009.
- [11] B. Martinez, M. F. Valstar, X. Binefa, and M. Pantic, "Local evidence aggregation for regression-based facial point detection," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 35, no. 5, pp. 1149–1163, 2013.
- [12] U. Bakshi and R. Singhal, "A SURVEY ON FACE DETECTION METHODS AND FEATURE EXTRACTION TECHNIQUES OF FACE RECOGNITION," vol. 3, no. 3, pp. 233–237, 2014.

- [13] D. Suprianto, "Sistem Pengenalan Wajah Secara Real-Time," *Sist. Pengenalan Wajah Secara Real-Time dengan Adab. Eig. PCA MySQL*, vol. 7, no. 2, pp. 179–184, 2013.
- [14] C. T. Tu and J. J. J. Lien, "Automatic location of facial feature points and synthesis of facial sketches using direct combined model," *IEEE Trans. Syst. Man, Cybern. Part B Cybern.*, vol. 40, no. 4, pp. 1158–1169, 2010.
- [15] J. Nakula, N. Semarang, and T. H. Page, "EKSTRAKSI FITUR UNTUK PENGENALAN WAJAH PADA RAS MONGOLOID MENGGUNAKAN PRINCIPAL COMPONENT ANALYSIS ( PCA )," pp. 1–9.
- [16] S. M. R. Hashemi, "Evaluation of the Algorithms of Face Identifiacion," in *International Conference on Knowledge-Based Engineering and Innovation(KBEI)*, 2015, pp. 6–9.
- [17] M. E. Jabon, G. J. Ahn, and J. N. Bailenson, "Automatically analyzing facial-feature movements to identify human errors," *IEEE Intell. Syst.*, vol. 26, no. 2, pp. 54–63, 2011.
- [18] N. S. Devi, "Retrieval and Recognition of faces using Content- Based Image Retrieval (CBIR) and Feature Combination method," *IEEE Int. Conf. Comput. Intell. Comput. Res.*, 2016.
- [19] "Spearman's Rank Correlation.pdf, <https://www.rgs.org>"
- [20] R. Parhizkar, J. Ranieri, and M. Vetterli, "Euclidean Distance Matrices," *IEEE SIGNAL PROCESSING MAGAZINE*, november, pp. 12–30, 2015.