

DAFTAR PUSTAKA

- Abetew, D.F., Enquobahrie, D.A., Dishy, M., Rudra, C.B., Miller, R.S. and Williams, M.A. 2011, Age at menarche, menstrual characteristics, and risk of preeclampsia, *ISRN obstetrics and gynecology*, <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3255320/>.
- ACOG, 2013, Hypertension in preeclampsia, Washington DC, p.13-46.
- Afolabi, A.F. and Adeyemi, A.S., 2013. Grand-multiparity: Is it still an obstetric risk?. *OJOG*, **3(04)**: 411-415.
- Al-Awadhi, N., Al-Kandari, N., Al-Hasan, T., Al-Murjan, D., Ali, S. and Al-Taiar, A. 2013, Age at menarche and its relationship to body mass index among adolescent girls in Kuwait, *BMC Public Health*, **13(1)**: 1471-2458.
- Bilano, V.L., Ota, E., Ganchimeg, T., Mori, R. and Souza, J.P, 2014. Risk factors of pre-eclampsia/eclampsia and its adverse outcomes in low-and middle-income countries: a WHO secondary analysis, *PLOS one*, **9(3)**: e91198.
- Brinkman, C. 2001, Kelainan kehamilan hipertensif esensial obstetri dan ginekologi, Edisi 2, Jakarta: Hipokrates, p. 179-91.
- Chang, P.J., Chu, L.C., Hsieh, W.S., Chuang, Y.L., Lin, S.J. and Chen, P.C., 2010. Working hours and risk of gestational hypertension and pre-eclampsia. *Occupational medicine*, **60(1)**: 66-71.
- Charalampopoulos, D., McLoughlin, A., Elks, C.E. and Ong, K.K. 2014, Age at menarche and risks of all-cause and cardiovascular death: a systematic review and meta-analysis, *AJE*, **180(1)**: 29-40.
- Cho, G.J., Park, H.T., Shin, J.H., Hur, J.Y., Kim, Y.T., Kim, S.H., Lee, K.W. and Kim, T. 2010. Age at menarche in a Korean population: secular trends and influencing factors. *Eur J Pediatr*, **169(1)**: 89-94.
- Cunningham, F, G., Corton, M, M., Leveno, K., and Bloom, S., 2014, William Obstetrics, 24th ed, McGraw-Hill Education, USA, p. 732-734.
- Dekker, G., Robillard, P Y., 2003, The birth interval hypothesis does it really indicate the end of praternity hypothesis?, *Amj Reprod Immunol*, **59**: 245-251.
- Depkes RI. 2010. Profil Kesehatan Indonesia. Jakarta: Depkes RI.
- Diehl, C.L., Brost, B.C., Hogan, M.C., Elesber, A.A., Offord, K.P., Turner, S.T. and Garovic, V.D., 2008. Preeclampsia as a risk factor for cardiovascular disease later in life: validation of a preeclampsia questionnaire. *Am J obstet and gynecol*, **198(5)**: 11-13.

- Duckitt K., Harington, D, 2005, Risk factors for preeclampsia at antenatal Booking: systematic review of controlled studies, *BMJ*, **330**: 549-50.
- Dreyfus, J., Jacobs, D.R., Mueller, N., Schreiner, P.J., Moran, A., Carnethon, M.R. and Demerath, E.W., 2015. Age at menarche and cardiometabolic risk in adulthood: the coronary artery risk development in young adults study. *The Journal of pediatrics*, **167**(2): 344-352.
- Endeshaw, M., Abebe, F., Worku, S., Menber, L., Assress, M. and Assefa, M., 2016. Obesity in young age is a risk factor for preeclampsia: a facility based case-control study, northwest Ethiopia. *BMC pregnancy and childbirth*, **16**(1): 237-246.
- Ertem, M., Bahceci, M., Tuzcu, A., Saka, G., Ozturk, U. and Gokalp, D., 2008. The association between high parity and obesity in women living in South-eastern Turkey. *Eating Weight Disord*, **13**(1):e4-e7.
- Golub, S., 2008. Menarche: The beginning of menstrual life. *Women & health*, **8**(2-3):17-36.
- Gordis, L, 2008, Epidemiology, 4th ed, Philadelphia: Elsevier Saunders.
- Haelterman, E., Marcoux, S., Croteau, A. and Dramaix, M., 2007. Population-based study on occupational risk factors for preeclampsia and gestational hypertension. *Scand J Work Environ Health*, **33**(4): 304-317.
- Hajiahmadi, M., Shafi, H. and Delavar, M.A., 2015. Impact of parity on obesity: a cross-sectional study in Iranian women. *Med Princ Prac*, **24**(1): 70-74.
- Hernández-Díaz, S., Toh, S. and Cnattingius, S., 2009. Risk of pre-eclampsia in first and subsequent pregnancies: prospective cohort study. *BMJ*, **338**: b2255.
- Jwa, S.C., Fujiwara, T., Hata, A., Arata, N., Sago, H. and Ohya, Y., 2013. BMI mediates the association between low educational level and higher blood pressure during pregnancy in Japan. *BMC public health*, **13**(1): 389-397
- Khusen, D., and Polim, A.A., 2013, Factors influencing maternal mortality from severe preeclampsia and eclampsia, *INAJOG*, **36**(2): 90-94.
- Kumari, N., Dash, K., Singh, R., 2016. Relationship between maternal age and preeclampsia, *IOSR-JDMS*, **15**(12): 55-57.
- Lahiri, A., Bandyopadhyay, S., Adhya, S., Ghosh, S., Ray, S. and Haldar, S. 2014. A study on age at menarche with its relation to pregnancy induced hypertension, *JIAFM*, **36**(4): 359-362.

- Lai, T.C., Leung, G.M. and Schooling, C.M., 2016. Maternal age of menarche and blood pressure in adolescence: Evidence from Hong Kong's "Children of 1997" Birth Cohort. *PLoS One*, **11(7)**: 0159855.
- Laitinen, J., Power, C. and Järvelin, M.R., 2001. Family social class, maternal body mass index, childhood body mass index, and age at menarche as predictors of adult obesity. *Am J Clin Nutr*, **74(3)**: 287-294.
- Lamminpää, R., Vehviläinen-Julkunen, K., Gissler, M. and Heinonen, S., 2012. Preeclampsia complicated by advanced maternal age: a registry-based study on primiparous women in Finland 1997–2008. *BMC pregnancy and childbirth*, <http://www.biomedcentral.com/1471-2393/12/47>.
- Li, W., Wang, Y., Shen, L., Song, L., Li, H., Liu, B., Yuan, J. and Wang, Y., 2016. Association between parity and obesity patterns in a middle-aged and older Chinese population: a cross-sectional analysis in the Tongji-Dongfeng cohort study. *Nutrition & metabolism*, **13(1)**: 72.
- Long, P.A., Abell, D.A., Beischer, N.A., 1979. Parity and preeclampsia. *N.Z.J. Obstet. Gynaec*, **19(203)**: 204-207.
- Luo, Z.C., An, N., Xu, H.R., Larante, A., Audibert, F. and Fraser, W.D., 2007. The effects and mechanisms of primiparity on the risk of pre-eclampsia: a systematic review. *Paediatr Perinat Epidemiol*, **21(s1)**: 36-45.
- Mananhar, B.L., Chongstuvivatwong, V. and Geater, A. 2014, Antenatal care and severe pre-eclampsia in Kathmandu valley, *JCMC*, **3(4)**: 43-47.
- Moghadam, D.A., Khosravi, A. and Sayehmiri, K., 2012. Predictive factors for preeclampsia in pregnant women: a univariate and multivariate logistic regression analysis. *Acta Biochim Pol*, **59(4)**: 673-677.
- Mueller, N.T., Odegaard, A.O., Gross, M.D., Koh, W.P., Yuan, J.M. and Pereira, M.A., 2012. Age at menarche and cardiovascular disease mortality in Singaporean Chinese women: the Singapore Chinese Health Study. *Annals of epidemiology*, **22(10)**: 717-722.
- North, R.A., McCowan, L.M., Dekker, G.A., Poston, L., Chan, E.H., Stewart, A.W., Black, M.A., Taylor, R.S., Walker, J.J., Baker, P.N. and Kenny, L.C., 2011. Clinical risk prediction for pre-eclampsia in nulliparous women: development of model in international prospective cohort. *Bmj*, **342**: 1875.
- Ntui, A.N., Carson, A., Turpin, C.A., Berhanu, T., Agidi, A., Zhang, K. and Jolly, P.E. 2013. Determinants of access to antenatal care and birth outcomes in Kumasi Ghana, *JEGH*, **3(4)**: 279-288.

- Optisari, C. dan Andayasari, L, 2014. Parity, education level and risk for (pre-) eclampsia in selected hospitals in Jakarta, *Health Science Indones*, **5(1)**: 35-39.
- Osungbade, K.O. and Ige, O.K., 2011. Public health perspectives of preeclampsia in developing countries: implication for health system strengthening. *AJOL*, **2011(2011)**: 1-6.
- Ramesh, K., Gandhi, S. and Rao, V. 2014, Socio-demographic and other risk factors of pre-eclampsia at a tertiary care hospital, Karnataka: case control study, *JCDR*, **8(9)**: JC01.
- Roberts, J.M., Bodnar, L.M., Patrick, T.E. and Powers, R.W. 2011. The role of obesity in preeclampsia. *Pregnancy Hypertension: JACC*, **1(1)**: 6-16.
- Rona, R. and Pereira, G. 2016, Factors that influence age of menarche in girls in Santiago, Chile. *Human biology*, **1**: 33-42.
- Ros, H.S., Lichtenstein, P., Ekbom, A. and Cnattingius, S. 2001, Tall or short? Twenty years after preeclampsia exposure in utero: comparisons of final height, body mass index, waist-to-hip ratio, and age at menarche among women, exposed and unexposed to preeclampsia during fetal life, *Pediatric research*, **49(6)**: 763-769.
- Rudra, C.L. and Williams, M.A. 2005, BMI as a modifying factor in the relations between age at menarche, menstrual cycle characteristics, and risk of preeclampsia, *Gynecological endocrinology*, **21(4)**: 200-205.
- SDKI. Survei Demografi dan Kesehatan Indonesia Tahun 2012. 2012.
- Shrestha, A., Nohr, E.A., Bech, B.H., Ramlau-Hansen, C.H. and Olsen, J., 2010. Parental age at childbirth and age of menarche in the offspring. *Human reproduction*, **25(3)**: 799-804.
- Sibai, B M., Dekker, G., Kupferminc, M., 2005, Preeclampsia, *Lancet*, **365**: 785-799
- Silva, L M. 2008, Low socioeconomic status is a risk factor for preeclampsia: the Generation R Study, *J hypertens* **26(6)**: 1200-1208.
- Silver, H M., Messerlian, G M., Reis, F M., Diblasio, AM., Petraglia, F., and Canick, J A. 2002, Mechanism of Increased Maternal Serum Total Aktivin A and Inhibin A in Preeklampsia, *J soc Gynecol Investig*, **9**: 308-12.
- Skjærven, R., Wilcox, A.J. and Lie, R.T., 2002. The interval between pregnancies and the risk of preeclampsia. *New England Journal of Medicine*, **346(1)**: 33-38.

- Solomon, C.G., Hu, F.B., Dunaif, A., Rich-Edwards, J.E., Stampfer, M.J., Willett, W.C., Speizer, F.E. and Manson, J.E. 2002, Menstrual cycle irregularity and risk for future cardiovascular disease, *JCEM*, **87(5)**: 2013-2017.
- Sween, L.K., Althouse, A.D. and Roberts, J.M., 2015. Early-pregnancy percent body fat in relation to preeclampsia risk in obese women. *AJOG*, **212(84)**: 1-7.
- Trogstad, L., Magnus, P., and Stoltenberg, C., 2011, Pre-eclampsia: risk factors and causal models, *BPOBGYN*, **25(3)**: 329-342.
- Uddin, M.N., Beeram, M.R., and Kuchi, T.J., 2013. Diabetes mellitus and preeclampsia. *Med J Obstet Gynecol*, **1(3)**: 1016.
- Vatten, L.J., Romundstad, P.R., Holmen, T.L., Hsieh, C.C., Trichopoulos, D. and Stuver, S.O., 2003, Intrauterine exposure to preeclampsia and adolescent blood pressure, body size, and age at menarche in female offspring, *Obstetrics & Gynecology*, **101(3)**: 529-533.
- Yu, Y., Zhang, S., Wang, G., Hong, X., Mallow, E.B., Walker, S.O., Pearson, C., Heffner, L., Zuckerman, B. and Wang, X., 2013. The combined association of psychosocial stress and chronic hypertension with preeclampsia. *AJOG*, **209(5)**:438-445.
- WHO expert consultation. 2004. Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *The Lancet*, 157-163.