

DAFTAR PUSTAKA

- Alley, W.M., Healy, R.W., LaBaugh, J.W., Reilly, T.E., 2002. Flow and storage in groundwater systems. *Science* 296, 1985–1990. <http://dx.doi.org/10.1126/science.1067123>
- Anonymus, 2009. *Baseflow Definition*. <http://en.wikipedia.org/wiki/baseflow> , 3 Februari 2009
- Anwar, S. 2001. The impact of different logging treatments on streamflow and suspended sediment concentration in central kalimantan, indonesia. *Thesis submitted for the Degree of Doctor of Philosophy*, The University of Edinburgh, Scotland. Unpublished.
- Appleby, V., 1970. Recession flow and the baseflow problem. *Water Resource Research*, 6 (5): 1398-1403.
- Arnold, J.G., Allen, P.M., Muttiah, R., Bernhardt, G., 1995. Automated baseflow separation and recession analysis techniques. *Ground Water* 33 (6), 1010-1018.
- Asdak, C. 2002. *Hidrologi dan pengelolaann Daerah Aliran Sungai*. Gadjah Mada University Press. Yogyakarta.
- Ayers, H.D. and Ding, J.Y.H., 1967. Effects of surficial geology on streamflow distribution in southern Ontario. Canada. *Journal of Earth Science*, 4(2): 187-197.
- Bako, M.D. and Hunt, D.N., 1988. Derivation of baseflow recession constant using computer and numerical analysis. *Hydrology Science Journal*, 33(4): 357-367.
- Beven, K. and Kirkby, M.J. (ed). 1993. *Channel network hydrology*. John Wiley and Sons. England
- Bharati, L.; Lee, K.H.; Isenhardt, T.M.; Schultz, R.C. 2002. Soil-Water infiltration under crops, pasture, and established riparianbuffer in Midwestern USA. Kluwer Academic Publishers. Netherlands. *Agroforestry Systems* 56: 249–257
- Biswal, B., Kumar, D. N., 2013. A general geomorphological recession flow model for river basins. *Water Resource Research*. 49 (8), 4900–4906.
- Biswal, B., Kumar, D.N., 2014. Study of dynamic behavior of recession curves. *Hydrology Process*. 28 (3), 784–792.
- Biswal, B., Marani, M., 2010. Geomorphological origin of recession curves. *Georaphy physics Research Lett*. 37 (24), L24403. <http://dx.doi.org/10.1029/2010g1045415>.
- Boussinesq, J., 1877. Essai sur la theorie des eaux courantes: du mouvement non permanent des eaux souterraines. *Academic Scientic Institute France*. 23, 252–260.
- Boussinesq, J., 1904. Recherches théoriques sur l'écoulement des nappes d'eau infiltrées dans le sol et sur le débit des sources. *Journal of mathematic pures Applied.*, 5–78
- Brodie, RS and Hostetler, S. 2005. *A review of techniques for analysing baseflow from stream hydrographs*. Tidak Dipublikasikan.
- Browne, T.J., 1978. An analysis of low streamflow recession curves in Devon. Rep. Trans. *Devon. Association Advanced. Science*, 110: 81-94.

- Browne, T.J., 1981. Derivation of a geological index for low flow studies. *Catena*, 8: 265-280.
- Brutsaert W, De Bièvre B, Wyseure G, Deckers J., 2004. The use of the linear reservoir concept to quantify the impact of changes in land use on the hydrology of catchments in the Andes. *Hydrology Earth System Science*; 8 (1):108–14
- Brutsaert, W., 2008. Long-term groundwater storage trends estimated from streamflow records: climatic perspective. *Water Resource Research*. 44 (2), W02409.
- Brutsaert, W., Lopez, J.P., 1998. Basin-scale geohydrologic drought flow features of riparian aquifers in the Southern Great Plains. *Water Resource Research*. 34 (2), 233–240. <http://dx.doi.org/10.1029/97wr03068>.
- Brutsaert, W., Nieber, J.L., 1977. Regionalized drought flow hydrographs from a mature glaciated plateau. *Water Resource Research*. 13 (3), 637–643. <http://dx.doi.org/10.1029/WR013i003p00637>.
- Cao, W., Bowden, W.B., Davie, T and Fenemor, A. 2009. modelling impacts of land cover change on critical water resources in the Motueka River Catchment, New Zealand. *Water Resour Managemet*; 23:137–151
- Carrillo, G., Troch, P.A., Sivapalan, M., Wagener, T., Harman, C., Sawicz, K., 2011. Catchment classification: hydrological analysis of catchment behavior through process-based modeling along a climate gradient. *Hydroogy Earth System Scientic Discussion* 8 (3).
- Chapman, T., 1999. A comparison of algorithms for stream flow recession and baseflow separation. *Hydrology Process*. 13 (5), 701-714.
- Chapman, T.G., 1991. Comment on evaluation of automated techniques for baseflow and recession analysis by Nathan, R.J., McMahon, T.A. *Water Resource Research*. 27 (7),1783-1784.
- Chapman, T.G., 1999. Comment on ‘‘Evaluation of automated techniques for baseflow and recession analyses’’ by R.J. Nathan and T.A. McMahon. *Water Resources Research* 27, 1783–1784.
- Chorley,1971. *Introduction to geographical hydrology*. Methuen&Co. Ltd. London.
- Clark, M., McMillan, H., Collins, D., Kavetski, D., Woods, R., 2011. Hydrological field data from a modeller’s perspective: Part 2: process-based evaluation of model hypotheses. *Hydrology Process*, 523–543
- Clark, M.P., 2009. Consistency between hydrological models and field observations: linking processes at the hillslope scale to hydrological responses at the watershed scale. *Hydrology Process*. 23 (2), 311–319. <http://dx.doi.org/10.1002/hyp.7154>.
- Clausen, B., 1992. Modelling streamflow recession in two Danish streams. *Nord. Hydrology*, 23(2): 73-88.
- Cunningham dan Cunningham, 2007. *Principles of environmental science*. Mc Graw Hill. United States.
- Darmawijaya, I., 1997. *Klasifikasi tanah, dasar teori bagi peneliti tanah dan pelaksana pertanian di Indonesia*. Gadjah Mada University Press. Yogyakarta. Indonesia
- Darsomartoyo, S., 1980. *Pola drainase*. Fakultas Geografi UGM. Yogyakarta.

- Dassargues A., 1997. modelling baseflow from aluvial aquifer using hydraulic conductivity data obtained from a derived relation with apparent electrical resistivity. *Hydrogeology Journal*, V. 5, no. 3, 1997.
- De Vries, J.J., 1975. *Groundwater hydraulics*. Communication of earth sciences. Free reformed University. Amsterdam
- Direktorat Jenderal RLPS, Departemen Kehutanan. 2004. Rehabilitasi Hutan dan Lahan (RHL) DAS sebagai upaya pengendalian daya rusak air. *Prosiding Seminar Hari Air Sedunia Tahun 2004*. Direktorat Jenderal Pengairan, Departemen Pekerjaan Umum. Jakarta
- doi 10.1007/s11269-008-9268-2*.
- Dou, L , Huang, M and Hong, Y., 2008. Statistical assessment of the impact of conservation measures on streamflow responses in a watershed of the loess plateau, China. *Water Resour Manage*. *doi 10.1007/s11269-008-9361-6*. Springer.
- Dupuit, J., 1863. *Estudes thèoriques et pratiques sur le mouvement des eaux dans les canaux dècouverts et à travers les terrains permèables*.
- Eckhardt, K., 2005. How to construct recursive digital filters for baseflow separation. *Hydrological Processes* 19, 507–515.
- Eckhardt, K., 2008. A comparison of baseflow indices, which were calculated with seven different baseflow separation methods. *Journal of Hydrology* 352, 168–173.
- Eng, K., Milly, P.C.D., 2007. Relating low-flow characteristics to the base flow recession time constant at partial record stream gauges. *Water Resource Research*. 43,W01201. <http://dx.doi.org/10.1029/2006WR005293>.
- Famiglietti, J.S., Lo, M., Ho, S.L., Bethune, J., Anderson, K.J., Syed, T.H., Swenson, S.C., de Linage, C.R., Rodell, M., 2011. Satellites measure recent rates of groundwater depletion in California’s Central Valley. *Georaphy physics Research Lett*. 38.
- Fetter. J.J., 1980. *Principles of Hydrogeology*. McGraw-Hill Book Co. New York
- Franchini, M. and Pacciani, M., 1991. Comparative analysis of several conceptual rainfall-runoff models. *Journal of Hydrology*., 122: 161-219
- Freeze, R.A., 1979. Role of subsurface flow in generating surface runoff 1. Base flow contributions to channel flow. *Water Resource Research*. 8 (3), 609-623.
- Furey, P.R., Gupta, V.K., 2000. Space–Time Variability of low streamflows in river networks. *Water Resource Research*. 36 (9), 2679–2690. <http://dx.doi.org/10.1029/2000wr900136>.
- Furey, P.R., Gupta, V.K., 2001. A physically based filter for separating baseflow from stream flow time series. *Water Resources Research* 37(11), 2709-2722.
- Gregor, M. and Malík, P., 2012. Construction of master recession curve using genetic algorithms. *Journal of Hydrology Hydromech.*, 60(1), 3-15. [Doi: 10.2478/v10098-012-0001-8](https://doi.org/10.2478/v10098-012-0001-8)
- Gregor, M., 2010. HydrOffice user manual version 2010. <http://hydrooffice.org>
- Gregor,S. and Malik, 2012. HydrOffice user manual version 2012. <http://hydrooffice.org>

- Haan, C.C. Johnson, H.P. and Brakenslek, D.L. 1982. *Hydrology modelling of small watershed. the american society of sanitary engineering*. Michigan. USA
- Hall, A.J., 1971. Baseflow recessions and the baseflow hydrograph separation problem. *Hydrology papers 1971*, The Institution of Engineers,Australia.
- Hall, F.R., 1968. Base Flow Recessions--A Review. *Water Resource Research*, 4(5): 973-983.
- Harman CJ, Sivapalan M, Kumar P., 2009. Power-law catchment-scale recessions arising from heterogeneous linear small-scale dynamics. *Water Resource Research*;45:W09404, doi:10.1029/2008WR007392
- Harto, S., 1993. *Hidrologi terapan*. Biro Penerbit Keluarga Mahasiswa Teknik Sipil, Fakultas Teknik UGM
- Hatmoko,W., 2016. Upaya dan strategi mengatasi kekeringan dan kelangkaan air di indonesia. Orasi Ilmiah Pidato Pengukuhan Gurubesar Bidang Penelitian dan Pengembangan Kementerian Pekerjaan Umum dan Perumahan Rakyat, Jakarta
- Hendrayanto, Kosugi, K and Takahis,. 2002. Field determination of unsaturated hydraulic conductivity of forest soils. *Journal of Forest Research*. 3:11-17.
- Horton, R.E., 1933. The role of infiltration in the hydrologic cycle. *Trans. Am. Geophysic Union*, 14: 446- 460.
- Houghton RA, Goodale CL.,2004. Effects of land-use change on the carbon balance of terrestrial ecosystems. *In: DeFries RS, Asner GP, Houghton RA (eds) Ecosystems and land use change*. American Geophysical Union, Washington D.C..pp 85–98
- Istedt, Ulrik, Malmer, Anders, Verbeeten, Elke, Murdiyarso, Daniel. 2007. The effect of afforestation on water infiltration in the tropics: a systematic review and meta-analysis. *Forest Ecology and Management* 251, 45–51.
- Indarto, Novita E., Wahyuningsih,S., 2016. Preliminary study on baseflow separation at watershed in East Java regions. *International Conference on Food, Agriculture and Natural Resources*, IC-FANRes. 9 (1), 538-550
- Kachroo, R.K., 1992. Storage required to augment low flow: a regional study. *Hydrology Science Journal*, 37(3): 247-261
- Kienzle S. W. 2006. The use of the recession index as an indicator for streamflow recovery after a multi-year drought. *Water Resources Management* 20: 991–1006 doi: 10.1007/s11269-006-9019-1
- Kienzle S. W. 2006. The Use of the Recession Index as an Indicator for Streamflow Recovery After a Multi-Year Drought. *Water Resources Management (2006) 20: 991–1006 DOI: 10.1007/s11269-006-9019-1*.
- Kirchner JW., 2009. Catchments as simple dynamical systems: catchment characterization,rainfall–runoff modeling, and doing hydrology backward. *Water Resource Research*;45:W02429, doi:10.1029/2008WR006912
- Knapp, B., 2002. *Elements of geographical hydrology*. Unwin Hyman. London
- Konikow, L.F., 2011. Contribution of global groundwater depletion since 1900 to sea-level rise. *Georaphy physics Research Lett*. 38 (17).
- Korkmaz, N., 1990. The estimation of groundwater recharge from spring hydrographs. *Hydrology Science Journal*,35(2(4)): 209-217

- Kosugi, K., 1997. A new model to analyze water retention characteristics of forest soils based on soil pore radius distribution. *Journal of Forest Reseacr 2:1-8*
- Krakauer, N.Y.,and Temimi, M., 2011. Stream recession curves and storage variability in small watersheds. *Hydrology Earth System Science Discuss.* 8 (1).
- Kroll, C., Luz, J., Allen, B., Vogel, R.M., 2004. Developing a watershed characteristics database to improve low streamflow prediction. *Journal of Hydrology Engiiner.* 9 (2), 116–125
- Kullman E., 1990. *Krasovo-puklinové vody. Karst-fissure waters.* GÚDŠ, in Slovak with Slovak Extended Sumarry). Bratislava, 184 p.
- Lacey, G.C., Grayson, R.B., 1998. Relating baseflow to catchment properties in South-Eastern Australia. *Journal of hydrology*, 204 (1 - 4), 231 - 250.
- Lambin EF, Geist HJ, Lepers E., 2003. Dynamics of landuse and land-cover change in tropical regions. *Annual Report of Environment Resource* 28:205–241
- Laurenson, B.E., 1961. A study of hydrograph recession curves of an experimental catchment. *J. Inst. Eng. Aust.*, 33: 253-258.
- Li, L., Maier, H.R., Lambert, M.F., Simmons, C.T., Partington, D., 2013. Framework for assessing and improving the performance of recursive digital filters for baseflow estimation with application to the Lyne and Hollick filter. *Environmental Model Software.* 41 (10), 163 -175.
- Linsley, R.K., Kohler, M.A., Paulhus, J.L.H., Wallace, J.S., 1980. *Hydrology for engineers.* McGraw-Hill Book Co., Singapore.
- Liu, J., Dietz, T., Carpenter, S.R., Alberti, M., Folke, C., Moran, E., Pell, A.N., Deadman, P., Kratz, T., Lubchenco, J., Ostrom, E., Ouyang, Z., Provencher, W., Redmen, C.L.,Schneider, S.H., Taylor, W.W., 2007. *Complexity of coupled human and natural systems Nature* 317, 1513–1516.
- Lo, M.H., Famiglietti, J.S., Yeh, P.J.F., Syed, T.H., 2010. Improving parameter estimation and water table depth simulation in a land surface model using GRACE water storage and estimated baseflow data. *Water Resource Research.* 46, W05517. <http://dx.doi.org/10.1029/2009WR007855/>
- Loganathan, G.V., Mattejat, P., Kuo, C.Y. and Diskin, M.H., 1986. Frequency analysis of low flows: *hypothetical distribution methods and a physical based approach.* *Nord. Hydrology*, 17: 129-150.
- Longobardi,A., Villani P., 2008. Baseflow index regionalization analysis in a mediterranean area and data scarcity context : role of the catchment permesibility index. *Journal of Hydrology* 355, 63 - 75
- Lyne, V.D., Hollick, M., 1979. Stochastic time-variable rainfall runoff modelling. *Hydrology and Water Resources Symposium.* Institution of Engineers, Australia, Perth, pp. 89–92
- Maillet, E., 1905. *Essai d'hydraulique souterraine et fluviale.* Libraire Sci., A. Herman, Paris. (Cited by Hall (1968))
- McMillan, H.K., Clark, M.P., Bowden, W.B., Duncan, M., Woods, R.A., 2011. Hydrological field data from a modeller's perspective: Part 1. Diagnostic tests for model structure. *Hydrology Process.* 25 (4), 511–522.

- Mendoza, G.F., Steenhuis, T.S., Walter, M.T., Parlange, J.-Y., 2003. Estimating basinwide hydraulic parameters of a semi-arid mountainous watershed by recession-flow analysis. *Journal of hydrology* 279 (1–4), 57–69. [http://dx.doi.org/10.1016/S0022-1694\(03\)00174-4](http://dx.doi.org/10.1016/S0022-1694(03)00174-4).
- Nathan, R.J. and McMahon, T.A. 1990. Evaluation of automated techniques for base flow and recession analysis. *Water Resources Research*, Vol. 26. No. 7, Pages 1465-1473, July 1990.
- Pereira, L.S. and Keller, H.M., 1982. Recession characteristics of small mountain basins, derivation of master recession curves and optimization of recession parameters. *IAHS Published*, 138: 243-255.
- Perum Perhutani Unit I Jawa Tengah. 2000. *Pengaruh hutan pinus terhadap tata air dan tanah di Kantor Pemangkuan Hutan Surakarta*. Tidak dipublikasikan.
- Perzyna, G., 1990. Parameter estimation from short observation series of low flows. In: G. Perzyna (Editor), *Derived Frequency Distribution for Low Flows*, Dr. Sci. Thesis. Inst. Geophys., University of Oslo, Oslo, 1993, Part 3. University of Oslo, Oslo.
- Purbo, A. 1985. Hubungan antara litologi dengan luah pada mata air di pulau jawa. *Skripsi Sarjana* Fakultas Geografi UGM. Tidak Diterbitkan.
- Purwanto, E. 1999. Erosion, sediment delivery and soil conservation in an upland agricultural catchment in West Java, Indonesia. *PhD Thesis*. Vrije Universiteit te Amsterdam.
- Reddy, G.P.O., Maji, A.K., Gajbhiye, K.S. 2004. Drainage morphometry and its influence on landform characteristics in a basaltic terrain, central india – a remote sensing and GIS approach. *International Journal of Applied Earth Observation and Geoinformation* 6, 1–16.
- Riggs, H.C., 1964. The base-flow recession curve as an indicator of ground water. *Hydrology Science Buleton./Journal*, 63: 352-363.
- Rupp, D.E., Selker, J.S., 2006. On the use of the Boussinesq equation for interpreting recession hydrographs from sloping aquifers. *Water Resource Research*; 42:W12421,doi:10.1029/2006WR005080.
- Rutledge, A.T., 1998. Computer programs for describing the recession of ground-water discharge and for estimating mean ground-water recharge and discharge from streamflow data. *US Geological Survey Water-Resources Investigations Report* 98-4148, 43p
- Sanford, W. 2002. Recharge and groundwater Models: an overview. *Hydrogeology Journal* 10:110–120.
- Saparis, M., 2011. Kovariansi spasial hubungan penutupan vegetasi dengan resesi aliran dasar di Pulau Bali. *Disertasi Program Doktor* Fakultas Geografi Universitas Gadjah Mada, Yogyakarta.
- Seyhan, E., 1977. *Mathematical simulation of watershed hydrologic processes*. Geografisch Institute der Rijkuniversiteit. Utrecht.
- Shaw, S.B., McHardy, T.M., Riha, S.J., 2013. Evaluating the influence of watershed moisture storage on variations in base flow recession rates during prolonged rain-

- free periods in medium-sized catchments in New York and Illinois, USA. *Water Resource Research*. 49 (9), 6022–6028.
- Shaw, S.B., Riha, S.J., 2012. Examining individual recession events instead of a data cloud: Using a modified interpretation of $dQ/dt-Q$ streamflow recession in glaciated watersheds to better inform models of low flow. *Journal of hydrology* 434, 46–54.
- Singh, K.P., 1968. Some factors affecting baseflow. *Water Resource Research*., 4: 985-999.
- Singh, KP, Stall JB., 1971. Derivation of base flow recession curves and parameters. *Water Resource Research*,7(2):292–303.
- Sipyanti, Widiyanto, Suprayogo,D. dan Tjakrawarsa,G. 2014. Analisis sensitivitas perubahan tutupan lahan terhadap karakteristik hidrologi DAS : aplikasi model *Genriver* untuk optimlaisasi tata guna lahan dalam menjamin kesehatan hidrologi SubDAS Keduang Kabupaten Wonogiri. *Prosiding Seminar Nasional Pengelolaan DAS Terpadu untuk Masyarakat Sejahtera*. BPTKPDAS Solo.
- Smakhtin, VU., 2001. Low flow hydrology: a review. *Journal of Hydrology*; 240:147–86, doi: [10.1016/S0022-1694\(00\)00340-1](https://doi.org/10.1016/S0022-1694(00)00340-1).
- Staudinger, M., Stahl, K., Seibert, J., Clark, M.P., Tallaksen, L.M., 2011. Comparison of hydrological model structures based on recession and low flow simulations. *Hydrology Earth System Science Discuss*. 8 (4).
- Stedinger, J.R., Vogel, R.M. and Foufoula-Georgiou, E., 1993. Frequency analysis of extreme events. In: D.R. Maidment (Editor), *Handbook of Hydrology*. McGraw-Hill, New York, p. 18.55.
- Stoelzle, M., Stahl, K., Weiler, M., 2012. Are streamflow recession characteristics really characteristic? *Hydrology Earth System Science*. 17 (2), 817–828.
- Sutikno, 1971. *Kondisi Geomorfologi dan Hubungannya dengan Kondisi Air Tanah DAS Jati dan Mlinjo* Trenggalek, Fakultas Geografi UGM, Yogyakarta.
- Szilagy J, Parlange MB., 1998. Base flow separation based on analytical solutions of the Boussinesq equation. *Journal of hydrology*, 204: 251–60.
- Szilagy J., 1999. On the use of semi-logarithmic plots for base flow separation. *Ground Water*, 37(5):660–2.
- Szilagy J., Gribovszki Z., Kalicz P., 2007. Estimation of catchment-scale evapotranspiration from base flow recession data: numerical model and practical application results. *Journal of hydrology*, 336:206–17, doi:[10.1016/j.jhydrol.2007.01.004](https://doi.org/10.1016/j.jhydrol.2007.01.004)
- Szilagy J., Gribovszki, Z., Kalicz, P., 2007. Estimation of catchment- scale evapotranspiration from baseflow recession data: numerical model and practical application results. *Journal of Hydrology* 336, 206–217
- Szilagy J., Parlange, M.B., 1997. Baseflow separation based on analytical solutions of the Boussinesq equation. *Journal of Hydrology* 336, 206–217
- Tallaksen LM., 1995. A review of base flow recession analysis. *Journal of hydrology*,165:349–70, doi:[10.1016/0022-1694\(94\)02540-R](https://doi.org/10.1016/0022-1694(94)02540-R).
- Tallaksen, L.M., 1989. *Analysis of time variability in recessions*. IAHS Publ., 187: 85-96.

- Tallaksen, L.M., 1991. Recession rate and variability with special emphasis upon the influence of evapotranspiration. *Dr. Scient. Thesis*, University of Oslo, Rapp. Hydrology 25.
- Thomas, B.F., 2012. Multivariate analysis to assess hydromorphic response of groundwater and surface water systems, *Doctoral Dissertation*, Retrieved from ProQuest Dissertation and Theses. (Accession order No. 3541835).
- Thomas, B.F., Vogel, R.M., Kroll, C.N., Famiglietti, J.S., 2013. Estimation of the base flow recession constant under human interference. *Water Resource Research*. 49 (11),7366–7379.
- Thomas, B.F., Richard, M.V., and Famiglietti, J.S., 2015. Objective hydrograph baseflow recession analysis. *Journal of hydrology*. 525, 102-112.
- Toebe, C., Morrissey, W.B., Shorter, R. and Hendy, M., 1969. Base-flow-recession curves. In: *Handbook of Hydrological Procedures. Proc. 8, Ministry of Works, Wellington, New Zealand*.
- Troch, P.A., de Troch, P. and Brutsaert, W., 1993. Effective water table depth to describe initial conditions prior to storm rainfall in humid regions. *Water Resource Research*, 29(2): 427-434.
- Turner II BL, Moran EF, Rindfuss RR., 2003. Integrated land-change science and its relevance to the human sciences. In: *Gutman G et al., (eds) Land change science. Observing, monitoring and understanding trajectories of change on the earth's surface*. Kluwer Academic Publishers, Dordrecht/Boston/London, pp 431–447
- USGS. 2007. http://landsat.usgs.gov/resources/remote_sensing.php, 5 Nov. 2013
- van Roosmalen L, Sonnenborg TO, Jensen KH., 2009. Impact of climate and land use change on the hydrology of a large-scale agricultural catchment. *Water Resource Research*, 45(W00A15), [doi:10.1029/2007WR006760](https://doi.org/10.1029/2007WR006760).
- Vaugh, J.R., 1973. Base-flow recessions as an index of representativeness in the hydrological regions of Northland, New Zealand. In: *Results of Research on Representative and Experimental Basins, Proc. Wellington Syrup., December 1970. Studies and Reports in Hydrology, UNESCO, Paris*, pp. 602-613.
- Verburg PH, Soepboer W, Limpiada R, Espaldon MVO, Sharifa M, Veldkamp A. 2002. Land use change modelling at the regional scale: The CLUE-S model. *Environmental Management* 30, 391–405
- Villarini, G., Serinaldi, F., Smith, J.A., Krajewski, W.F., 2009. On the stationarity of annual flood peaks in the Continental United States during the 20th Century. *Water Resource Research*, 45, W088417, [doi:10.1029/2008WR007645](https://doi.org/10.1029/2008WR007645)
- Vogel RM, and Kroll CN., 1996. Estimation of base flow recession constants. *Water Resource Management*;10, 303–20.
- Vogel RM, Kroll CN., 1992. Regional geohydrologic–geomorphic relationships for the estimation of low-flow statistics. *Water Resource Research*,38(9):2451–8.
- Vogel, R.M, and Kroll, C.N., 1991. Estimation of baseflow recession constants (Abstract). In: D.S. Bowles and P.E. O'Connell (Editors), *Recent Advances in the Modeling of Hydrologic Systems Proess. NATO*

- Vogel, R.M., and Kroll, C.N., 1992. Regional geohydrologic–geomorphic relationships for the estimation of low-flow statistics. *Water Resources Research* 28 (9), 2451–2458.
- Wang D, Cai X. 2010. Comparative study of climate and human impacts on seasonal base flow in urban and agricultural watersheds. *Geophys Res Lett*; 37:L06406 doi:10.1029/2009GL041879.
- Wang D, Cai X., 2009. Detecting human interferences to low flows through base flow recession analysis. *Water Resource Research*;45, W07426, doi:10.1029/2009WR007819
- Wang,D. and Cai,X. 2010. Recession slope curve analysis under human interferences. ELSEVIER, *Advances in Water Resources* 33, 1053-1061.
- Wang,G,Xia J, Chen J. 2009. Quantification of effects of climate variations and human activities on runoff by a monthly water balance model: a case study of the Chaobai River basin in northern China. *Water Resource Research*, 45(W00A11), doi:10.1029/2007WR006768.
- Ward, R.C., 1975. *Principles of Hydrology*. McGraw-Hill Book Company. UK
- Weert, V.D., 1994. *Hydrological Conditions in Indonesia*. Delft Hydraulics. The Netherlands.
- Wittenberg H, Sivapalan M., 1999. Catchment groundwater balance estimation using streamflow recession analysis and base flow separation. *Journal of hydrology*,219, 20–33
- Wittenberg H., 1999. Base flow recession and recharge as nonlinear storage processes. *Hydrology Process*, 13, 715–26.
- Wittenberg H., 2003.. Effects of season and man-made changes on base flow and flow recession: case studies. *Hydrology Process*,17:2113–23, doi:10.1002/hyp. 1324.
- Wood, Hannah, D.M., Sadler, J.P., 2007. *Hydroecology and Ecohydrology: Past, Present and Future*. John Wiley & Sons Ltd, The Atrium, Southern Gate, Chichester, West Sussex PO19 8SQ, England.
- Yue, S. and Hashino, M., 2005. Statistical Interpretation of the Impact of Forest Growth on Streamflow of the Sameura Basin, Japan. *Environmental Monitoring and Assessment (2005)* **104**: 369–384.
- Yu-Pin Lin, Nien-Ming Hong, Pei-Jung Wu, Chen-Fa Wu, Verburg PH., 2007. Impacts of land use change scenarios on hydrology and land use patterns in the Wu-Tu watershed in Northern Taiwan. *ELSEVIER Landscape and Urban Planning* 80, 111-126
- Zecharias, Y.B., Brutsaert, W., 1988. Recession characteristics of groundwater outflow and base flow from mountainous watersheds. *Water Resource Research*. 24 (10), 1651–1658