

## DAFTAR PUSTAKA

- Ahmad, M. dan S. Benjakul. (2011). Characteristics of Gelatin from the Skin of Unicorn Leatherjacket (*Aluterus Monoceros*) as Influenced by Acid Pretreatment and Extraction Time. *Food Hydrocolloids* 25: 381-388.
- Ahmad, T., Ismail, A., Ahmad, S.A., Khalil, K.A., Kumar, Y., Adeyeni, K.D., dan Sazili, A.Q. (2017). Recent advances on the role of process variables affecting gelatin yield and characteristics with special reference to enzymatic extraction: A review. *Food Hydrocolloids* 63 : 85-96.
- Anonim. (1976). The HLB System. A time-saving guide to emulsifier selection. ICI Americas Inc. 3-4.
- Anonim. (2011). HLB & Emulsification. Description of Hydrophile Lipophile Balance and use of HLB in Producing Emulsions. Technical Information Surface Chemistry.. Akzo Nobel Surface Chemistry LLC. Chicago.
- Anonim. (2012). GMIA. Gelatin Handbook. Gelatin Manufacture Institute of America. Amerika.
- Anonim (2015). Waters Acquity UPLC H Class and H Class Bio amino Acid Analysis System Guide.
- Anonim (2016). Perkembangan impor komoditi dari negara tertentu. [www.http://kemenperin.go.id/statistik/query\\_komoditi](http://kemenperin.go.id/statistik/query_komoditi). Kementerian Perindustrian.
- Anonim (2017). Data Statistik Produksi Perikanan Budidaya Indonesia. Kementerian Kelautan dan Perikanan
- Belitz, H.D., Grosch W., dan Scriberle, P. (2009). *Food Chemistry*. Springer-Verlag Berlin Heidelberg.
- Badan Standarisasi Nasional.(BSN). (1995). Syarat Mutu Gelatin (SNI 01-3735-1995). Jakarta.
- Badan Standarisasi Nasional (BSN). (2006). Penentuan kadar abu (SNI 01-2354.1-2006). Jakarta :
- Badan Standarisasi Nasional (BSN). (2006). Penentuan kadar air (SNI 01-2354.2-2006). Jakarta.

- Badan Standarisasi Nasional (BSN). (2006). Penentuan kadar lemak (SNI 01-2354.3-2006). Jakarta.
- Badan Standarisasi Nasional (BSN). (2006). Penentuan kadar protein (SNI 01-2354.4-2006). Jakarta.
- Bouyer, E., Mekhloufi, G., Rosilio, V, Grossiord, J.L., Agnely, F. (2012). Proteins, polysaccharides, and their complexes used as stabilizers for emulsions: Alternatives to synthetic surfactants in the pharmaceutical field. *International Journal of Pharmaceutics* 436 (2012) 359– 378.
- Chen, S., Tang, L., Su, W., Weng, W., Osako, K., & Tanaka, M. (2015). Separation and characterization of alpha-chain subunits from tilapia (*Tilapia zillii*) skin gelatin using ultrafiltration. *Food Chemistry* 188 (2015) 350–356.
- Creighton, T. E. (1992). *Proteins. Structure and Molecular Properties*. Second Edition. W. H. Freeman and Company. New York.
- Deutscher, M. P. (1990). *Guide to Protein Purification*. Academic press. 72-74.
- Dickines, E. (2017). Biopolymer-based particles as stabilizing agents for emulsions and Foams. *Food Hydrocolloids* 68 (2017) 219-231.
- Dickinson, E dan Matsumura, Y. (1991). Time-dependent polymerization of  $\beta$ -lactoglobulin through disulphide bonds at the oil-water interface in emulsions. *Int. J. Biol. Macromol.* Vol. 13. February. 26-30.
- Eastmen, J. dan Hikida R. S. (1991). Skin Structure and Vascularization in the Antartic Notothenioid Fish *Gymnodraco acuticeps*. *Journal of Morphology* 208: 347-365.
- Eysturskarð, J., Haug, I., Elharfaoui, N., Djabourov, M., dan Draget, K. (2009). Structural and mechanical properties of fish gelatin as a function of extraction conditions. *Food Hydrocolloids* 23 : 1702–1711.
- Foegeding, E.A. dan Davis, J. P. (2011). Food protein functionality: A comprehensive approach. *Food Hydrocolloids* 25; 1853-1864
- Gao Z., Zhao J., Huang Y., Yao X., Zhang K., Fang Y., Nishinari K. Phillips G., Jiang F. dan Yang, H. (2011). Edible Pickering emulsion stabilized by protein fibrils. Part 1: Effects of pH and fibrils concentration. *LWT - Food Science and Technology* 76 ; 1-8.
- Gomez-Estaca, J. P., Montero, F., Ferná'ndez-Martín, A., Aleman, M. C., dan Gomez-Guillen. (2009). Physical and chemical properties of tuna-skin

and bovine-hide gelatin films with added aqueous oregano and rosemary extracts. *Food Hydrocolloids* 23 ; 1334–1341.

Gómez G., Giménez B., López-Caballero., Montero, W. P. (2011). Functional and bioactive properties of collagen and gelatin from alternative sources: A review. *Food Hydrocolloids* 25 (2011) 1813-1827.

Griffin, W. C. (1949). Classification of surface-active agents.by HLB, Atlas Powder Company, Washington. Del.

Hariyadi, P. dan Kusnandar, F. (2009). Prinsip Teknik Pangan. Departemen Ilmu dan Teknologi Pangan. Institut Pertanian Bogor. Bogor.

Hashim D.M., Che Man, Y.B, Norakasha R., Shuhaimi M., Salmah, Y. dan Syahariza Z.A. (2010). Potential use of Fourier transform infrared spectroscopy for differentiation of bovine and porcine gelatins. *Food Chemistry* 118 ; 856–860.

Hattrem, M.N., Molnes, S., Haug, I.J. dan Draget, K.J. (2015). Interfacial and rheological properties of gelatin based solid emulsions prepared with acid or alkali pretreated gelatins. *Food Hydrocolloids* 43 : 700-707.

Hang, I. J., Draget, K.I., dan Smidsrød, O. (2004). Physical and rheological properties of fish gelatin compared to mammalian gelatin. *Food Hydrocolloids* 18 ; 203–213.

Ikada, Y. (2002). Biological Materials, In Integrated Biomaterials Science, Barbucci, R. Dalam Pignatello, R. (2011) Biomaterials Applications for Nanomedicine. 23-24.

Jackson, M., Choo, L. P., Watson, P. H. dan Mantsch, H. H. (1995). Beware of connective tissue proteins: assignment and implications of collagen absorptions in infrared spectra of human tissues. *Biochimica et Biophysics Acta* 1270 ; 1-6.

Jamilah, B. dan Harvinder, K. G. (2002). Properties of gelatins from skins of fish-black tilapia (*Oreochromis mossambicus*) and red tilapia (*Oreochromis nilotica*). *Food Chemistry*, 77, 81-84.

Jamilah, B., Tan, KW, Umi, H. W.R. dan Azizah, A. (2011). Gelatins from three cultured freshwater fish skins obtained by liming process. *Food Hydrocolloids* 25 (2011) 1256-1260.

Kaewruang, P., Benjakul, S., & Prodpran, T. (2013). Molecular and functional properties of gelatin from the skin of unicorn leatherjacket as

affected by extracting temperatures. Food Chemistry 138 (2013) 1431–1437.

Karim, A.A. dan Baht, R. (2009). Fish gelatin: properties, challenges, and prospects as an alternative to mammalian gelatins. Review. Food Hydrocolloids 23 ; 563–576.

Kementerian Kelautan dan Perikanan (2017). Statistik Kelautan & Perikanan 2011. Data Statistik Series Produksi Perikanan Budidaya Indonesia. [http://www.djpb.kkp.go.id/index.php/arsip/c/208/Data Statistik Series Produksi Perikanan Budidaya Indonesia./](http://www.djpb.kkp.go.id/index.php/arsip/c/208/Data%20Statistik%20Series%20Produksi%20Perikanan%20Budidaya%20Indonesia/) (1 April 2017).

Kementerian perdagangan (2016). Realisasi komoditi impor Indonesia. Pusat data dan Sistem informasi. Kementerian Perdagangan.

Khiari, Z, Rico. D., Martin-Diana, A.B. dan Barry-Ryan, C. (2011). The Extraction of Gelatin from Mackerel (*Scomber scombus*) head with the use of different aorganic acid. Jornal of Fisheries Science 5 (1):52-63.

Ktari, N., Mourad, I., Rim, N., Imen, L., Hanen, B.A., Barkia, A. & Moncef, N. (2014). Characteristics and functional properties of gelatin from zebra blenny (*Salaria basilisca*) skin. LWT - Food Science and Technology 58 : 602-608.

Lam, R. S. H., Michael, T. dan Nickerson. (2013). Food proteins: A review on their emulsifying properties using a structure–function approach. Food Chemistry 141 ; 975–984

Lehninger, A. (2008). Principles of Biochemistry, Fourth Edition. CRC Press. Washington DC

Lerner, A. dan Matthias T. (2015). Changes in intestinal tight junction permeability associated with 3 industrial food additives explain the rising incidence of 4 autoimmune disease. AUTREV-01673; No of Pages 11.

Liu, H, Wang, B., Barrow, C.J. dan Adhikari, B. (2014). Relating the variation of secondary structure of gelatin at fish oil–water interface to adsorption kinetics, dynamic interfacial tension and emulsion stability. Food Chemistry 143 (2014) 484–491.

Mc.Clement, D.J. (2005). Food Emulsions. Principles, Practices, and Techniques. Second Edition. CRC Press. Washington DC.

Mc.Clement, D.J. dan Gumus, C. E. (2016). Natural emulsifiers- Biosurfactants, phospholipids, biopolymers, andcolloidal particles: Molecular and

physicochemical basis of functional performance. *Advances in Colloid and Interface Science* 234 (2) : 3–26

Mulder, M. (1996). *Basic Principle of Membran Technology*. Kluwer Academy Publisher. Netherlands.

Muyonga, J. H., Cole, C.G.B. dan Duodu, K. G. (2004). Extraction and physico-chemical characterisation of Nile perch (*Lates niloticus*) skin and bone gelatin. *Food Hydrocolloids* 18 (2004) 581–592.

Niu, L., Zhou, X., Yuan, C., Bai, Y., Lai, K., Yang, F. dan Huang, Y. (2013). Characterization of tilapia (*Oreochromis niloticus*) skin gelatin extracted with alkaline and different acid pretreatments. *Food Hydrocolloids* 33 ; 336-341.

Nollet, Leo, M. L., (1996). *Handbook of Food Analysis, Amino Acid*. USA.

Noreen, R., Moenner, M., Hwu, Y., dan Petibois, C. (2012). Research review : paperFTIR spectro-imaging of collagens for characterization and grading of gliomas. *Biotechnology Advances* 30 : 1432–1446.

Pearce,. K.N dan Kinsella,. J.E. (1978). Emulsifying Properties of Proteins: Evaluation of a Turbidimetric Technique. *Journal of Agric. Food Chem.* Vol. 26. No. 3.

Peranginangin, R., Taswir, Suryanti dan Lestari D. A. (2006). Optimalisasi pemanfaatan limbah tulang dan kulit ikan. *Laporan Teknis*. Balai riset pengolahan produk dan bioteknologi kelautan dan perikanan. Jakarta.

Pesica, M., Baraca, M., Virvic, M., Ristic, N., Macej, O., Stanojevic, S. (2011). Analytical Methods. Qualitative and quantitative analysis of bovine milk adulteration in caprine and ovine milks using native-PAGE. *Food Chemistry* 125: 1443–1449.

Phillip G.O. dan Williams P.A. (2009). *Handbook of Hydrocolloids*. Second edition. CRC Press. Washington, DC. 146-147

Piorkowski dan Mc Clement. (2013). Beverage emulsions: Recent developments in formulation, production, and applications. A review. *Food Hydrocolloids* (2013) 1-37.

Pranoto, Y., Marseno, D.W. dan Rahmawati, H. (2011). Characteristics of gelatins extracted from fresh and sun-dried seawater fish skins in Indonesia. *Int. Food Res. J.*, 18 : 1335 - 1341.

- Rosen, M. J. (2004). *Surfactants and Interfacial Phenomena*. Thrid Edition. Willey InterScience. 321-323.
- Schrieber dan Garies. (2007). *Gelatine Handbook*. WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim. 49.
- Selve, C,m Gerardin, C. dan Rodehueser L. (2001). *Essentially Fluorinated Synthetic Surfactants Based on Amino Acids or Oligopeptides*. Dalam : Nnanna, I. A and Xia, J. (ed). *Protein Based Surfactant*. Hal 169. Marcel Dekker, Inc.169.
- Setiyowati, E. (2013). *Karakterisasi gelatin kulit ikan nila (*Oreochromis niloticus*) dan aplikasinya dalam permen jelly*. Tesis. Fakultas Teknologi Pertanian. Universitas Gajah Mada. Yogyakarta.
- Shakila, R. J., Jeevithan, E., Varatharajakumar, A., Jeyasekaran, G. dan Sukumar, D. (2012). *Comparison of the properties of multi-composite fish gelatin films with that of mammalian gelatin films*. *Food Chemistry* 135 ; 2260–2267.
- Shoulders, M.D. dan Raines, T. R. (2009).. *Collagen Structure and Stability*. *Annu. Rev. Biochem.* 2009.78:929-958.
- Sinthusamran, Benjakul S.S. dan Kishimura, H. (2014). *Characteristics and Gel Properties of Gelatin from Skin of Seabass (*Lateolabrax niloticus*) as Influenced by Extraction Conditions*. *Food Chem.*, 152: 276-284.
- Siramard, S., Dubas, L., dan Dubas, S.T. (2009). *Method for the Preparation of Secondary Emulsions of Fish Oil in Water*. *Journal of Metals, Materials and Minerals*, Vol.19 No.1 pp.25-28
- Stuart, B. (2004). *Infrared Spectroscopy: Fundamentals and Applications*. Wiley. Chichester, UK
- Surh, J., Decker, E. A. and Mc.Clement, D..J. (2006). *Properties and stability of oil-in-water emulsions stabilized by fish gelatin*. *Food Hydrocolloids* 20 (2006) 596–606.
- Suryanti, Peranginangin, R. dan Hadi S. (2006). *Ekstraksi Geatin dari Tulang Ikan Kakap merah (*Lutjanus sp*)*. *Jurnal Pascapanen dan Biotekngi Keautan dan Perikanan Voume 4 (1)*. Balai Besar Riset Pengahan Produk dan Biteknogi Kelautan dan Perikanan. Jakarta.
- Suryanti, Indrati, R., Irianto, H.E., & Marseno, D.W. (2016). *Comparison Study on the Extraction of Gelatin from Nila Fish (*Oreochromis nilotichus*) Skin*

Using Acetic Acid and Citric Acid. *Pakistan Journal of Nutrition* 15 (8): 777-783.

Tavernier, I., Wijaya, W., der Meeren, P.V., dan Dewettinck, K. (2016) Food-grade particles for emulsion stabilization. Review. *Trends in Food Science&Technology* 50 : 159-174.

Tazwir, Kusumawati, R., Ayudiarti, L.D. dan Peranginangin, R. (2012). Karakteristik Geatin dari Kulit ikan tuna skala Pilot Plant Jurnal Pascapanen dan Biotekngi Keautan dan Perikanan. Voume 4 (1). Balai Besar Riset Pengahan Produk dan Biteknogi Kelautan dan Perikanan. Jakarta.

Vancik, H. (2014). *Basic Organic Chemistry of the Life Science*. Springer International Publishing Switzerland. 95-97

Walker, J.M. (2002). *The Protein Protocols Handbook*. Second Edition. Humana Press Inc. United States of America. 57-67

Wang, Y. dan Shi, B. (2011). Concentration of gelatin solution with polyethersulfone ultrafiltration membranes. *Food and bioproducts processing* 89 : 63–169.

Ward dan Coutrs. (1977). *Technology of Gelatin*. CRC press. New York.

Xiao-Mei, S., Zong-Cai, Tu, W.L., Hui, W., Yan, S., Tao, H. dan Ze- Zhou Man. (2014). Effect of ammonium sulfate fractional precipitation on gel strength and characteristics of gelatin from bighead carp (*Hypophthalmichthys nobilis*) scale. *Food Hydrocolloids* 36 (2014) 173 -180.

Zarai, Z., Balti, R., Mejdouba, H., Gargouri, Y., & Sayari, A. (2012). Process for extracting gelatin from marine snail (*Hexaplex trunculus*) : Chemical composition and functional properties. *Process Biochemistry* 47 (2012) 1779–1784.