

DAFTAR PUSTAKA

- American Diabetes Association. 2014. ADA's Clinical Practice Recommendations. *Diabetes Care*. 37(suppl):S1-S159.
- American Diabetes Association (ADA) diagnosis dan klasifikasi diabetes mellitus (Diabetes Care 2015 Jan; 38 Suppl 1: S8)
- Amini, M., Janghorbani, M., 2007. Diabetes and Impaired Glucose Regulation in First-Degree Relatives of Patients with Type 2 Diabetes in Isfahan, Iran: Prevalence and Risk Factors. *Rev Diabet Stud*. 4:169-176.
- Balitbang Kemenkes RI. 2007. Riset Kesehatan Dasar; RISKESDAS. Jakarta: Balitbang Kemenkes RI
- Balitbang Kemenkes RI. 2013. Riset Kesehatan Dasar; RISKESDAS. Jakarta: Balitbang Kemenkes RI
- Bilous, R., Donnelly, R. 2015. Buku Pegangan Diabetes, Penerbit : Bumi Medika, Jakarta
- Bock G, Dalla Man C, Campioni M, et al. Pathogenesis of pre-diabetes: mechanisms of fasting and postprandial hyperglycemia in people with impaired fasting glucose and/or impaired glucose tolerance. *Diabetes Care* 2012;55:3536–3549
- Budiarto, E. 2004. Metodologi Penelitian Kedokteran Sebuah Pengantar. Jakarta : EGC.
- Buraerah, Hakim. 2010. *Analisis Faktor Risiko Diabetes Melitus Tipe 2 di Puskesmas Tanrutedong, Sidenreng Rappang, 2010*. Jurnal Ilmiah Nasional.
- Chatterjee, R., Narayan, KM., Lipscomb, J, Jackson, SL, Long, Q, Zhu, M., Phillips, LS., 'Screening for Diabetes and Prediabetes Should Be Cost-Saving in Patients at High Risk'. *Diabetes Care*. 2013 July Volume 36,
- Dahlan, M.S. 2009. *Besar Sampel dan Cara Pengambilan Sampel dan Penelitian Kedokteran dan Kesehatan Edisi 2*. Jakarta : Salemba Medika.
- ESC and EASC Guidelines. Guidelines on diabetes, prediabetes, and cardiovascular diseases. *Eur Heart J*. 2007; 9 (Supplement C), C3–C74.
- Etukumana, E.A., Puepet, F.H., Obadofin, M.O. 2014. Relationship of Blood Glucose Levels with Waist Circumference, Hip Circumference, and Waist Hip Ratio Among Rural Adults in Nigeria. *Asian J Pharm Clin Res* 1(7): 204-6.
- Epstein, M., Sowers, J.R. 2002. Diabetes and Hypertension. *Hypertension*. 19: 403-418.
- Garber AJ, Handelsman Y, Einhorn D, Bergman DA, Bloomgarden Z, Fonseca V, et al. Diagnosis and Management of Prediabetes in the Continuum of Hyperglycemia—When Do the Risks of Diabetes Begin? A Consensus Statement from the American College of Endocrinology and the American Association of Clinical Endocrinologists. *Endocr Pract*. 2008;14(7):933-46
- Grossman E, Messerli FH, et al., 2008: Hypertension and Diabetes. *Adv Cardiol Pubmed*, doi: 10.1159/0000115189.
- Gibney, M.J., Margetts, B.M., Kearney, J.M., Arab, L. 2008. Gizi Kesehatan Masyarakat (Public Health Nutrition). Diterjemahkan oleh Hartono. Jakarta: Penerbit Buku Kedokteran EGC
- Handayani., 2012. Modifikasi Gaya Hidup dan Intervensi Farmakologis Dini untuk Pencegahan Penyakit Diabetes Mellitus Tipe 2. Dinas Kesehatan Provinsi Nusa Tenggara Barat.
- Hansen, L. 2003. Candidate genes and late-onset type 2 diabetes mellitus. Susceptibility genes or common polymorphisms? *Dan Med Bull*. 50: 320-346.
- Heikes KE, Eddy DM, Arondekar B, Schlessinger L., 2008: Diabetes Risk Calculator a simple tool for detecting undiagnosed diabetes and pre-diabetes., *Diabetes Care PMID 19070993*

- Heymsfield SB, Segal KR, Hauptman J, et al. Effects of weight loss with orlistat on glucose tolerance and progression to type 2 diabetes in obese adults. *Arch Intern Med.* 2000;160:1321-1326
- Hu, G., Linstorm, J., Valle, T.T., Errikson, J.G., Jousilahti, P., Silventoinen, K., Qiao, Q., Toumlehto, J. 2004. Physical Activity, Body Mass Index, and Risk of Type 2 Diabetes in Patient With Normal or Impaired Glucose Regulation. *Arch Intern Med.* 164: 892-896.
- Hung HC, Yang YC, Ou HY.,2013. The relationship between impaired fasting glucose and self-reported sleep quality in a Chinese population. *Clin Endocrinol (Oxf)* 2013;78:518–24.
- Hutabarat, Yoan Hotnida Naomi; Asdie, Ahmad Husein. 2012. Obesitas Sentral Sebagai Faktor Risiko Terjadinya Prediabetes Di Kota Cimahi. Tesis : FK UGM Yogyakarta
- Lipscombe LL, Hux JE. 2007 Trends in diabetes prevalence, incidence, and mortality in Ontario, Canada 1995-2005: a population-based study. *Lancet* 2007;369:750-6.
- McFarlane, S.I., Banerji, M.A., James. 2001. Insulin Resistance and Cardiovascular Disease. *J Clin Endocrinol Metab*, 86 (2) : 710-718
- Megia A., Gallart, L., Manuel, J., Real, F., Vedrel, J., Simon, I., Gutierrez, C., Richardt, C. 2010. Mannose Binding Lectin Gene Polymorphisms Are Associated With Gestational Diabetes Mellitus *JCEM Endocrinology society* Vol 89 5881-5887
- Nasrul E, Sofitri., 2012. *Hiperurisemia pada Pra Diabete*. Andalas Journal of Health
- Peian Lou, Peipei Chen, Lei Zhang, Pan Zhang, Guiqiu Chang, Ning Zhang, Ting Li, Cheng Qiao. 2014. Interaction of sleep quality and sleep duration on impaired fasting glucose: a population-based cross-sectional survey in China. *BMJ Open* 2014;4: e004436. doi:10.1136/bmjopen-2013-004436
- Pusparini. (2010). Obesitas Sentral, Sindroma Metabolik dan Diabetes Mellitus Tipe Dua. *Universa Medicina*. Vol 26: No 24.
- Rafelson L, Donahue RP, Stranges S, et al. Short sleep duration is associated with the development of impaired fasting glucose: the Western New York Health Study. *Ann Epidemiol* 2010;20:883–9.
- Rahajeng, Ekowati. Risiko kebiasaan minum kopi pada kasus toleransi glukosa terganggu terhadap terjadinya DM tipe 2 [disertasi]. Depok: Program Pasca Sarjana Fakultas Kesehatan Masyarakat UI; 2014.
- Rudijanto, Achmad., Agus, Yuwono., Alwi, Shahab., Asman, Manaf., Bowo, Pramono., Dharma, Lindarto., Dyah, Purnamasari., Harsinen, Sanusi., Pradana Soewondo., Soebagijo Adi Soelistijo. 2015. Konsensus Pengelolaan Dan Pencegahan Diabetes Mellitus Tipe 2 Di Indonesia 2015. Pengurus Besar Perkumpulan Endokrinologi Indonesia (PB PERKENI). Hal 11-14
- Sakai Y, Yamaji T, Tabata S, Ogawa S, Yamaguchi K, Mineshita M, et al. Relation of alcohol use and smoking to glucose tolerance status in Japanese men. *Diabetes Research and Clinical Practice*. 2006 Jul; 73(1): 83-85
- Saldah, Ifan Pratama, Wahiduddin, Saldah, Dian .2014. *Faktor Risiko Kejadian Prediabetes/ Diabetes Mellitus Gestasional Di Rsia Sitti Khadijah I Kota Makassar*. Skripsi :Fakultas Kesehatan Masyarakat, Universitas Hasanuddin, Makassar
- Sastroasmoro, S., 2014 Dasar –Dasar Metodologi Penelitian Klinis edisi 3. Jakarta : Sagung Seto.
- Selvin E, Lazo M, Chen Y, et al. Diabetes mellitus, prediabetes, and incidence of subclinical myocardial damage. *Circulation* 2014;130:1374-82..doi:10.1161/CIRCULATIONAHA.114.010815. pmid:25149362
- Serrano, Rosario, F Javier García-Soidán, Alicia Díaz-Redondo, Sara Artola, Josep Franch, Javier Díez, Lourdes Carrillo, Patxi Ezkurra, J Manuel Millaruelo, Mateu Segui

- , F Javier Sangrós , Juan Martínez-Candela , Pedro Muñoz , Albert Goday and Enrique Regidor 2013. Cohort Study In Primary Health Care On The Evolution Of Patients With Prediabetes (Predaps). *Rev Esp Salud Pública* 2013;87: 121-133.
- Soewondo, P., & Pramono, L. (2011). Prevalence *MJI*, 25(4), 238–243.
- Stentz, Frankie B, Brewer, Amy, Wan, Jim, Garber, Channing, Daniels, Blake, Sands, Chris, E Kitabchi Abbas., ‘Remission of pre-diabetes to normal glucose tolerance in obese adults with high protein versus high carbohydrate diet: randomized control trial’. *BMJ Open Diabetes Research and Care* 2016;4:e000258. doi:10.1136/bmjdr-2016-000258
- Tabák, A. G., Herder, C., Rathmann, W., Brunner, E. J., & Kivimäki, M. (2012). Prediabetes: a high-risk state for diabetes development. *The Lancet*,379(9833), 2279–2290.
- Triwibowo, Rochmah, W., Pramantara, I.D.P., Bayupurnama, P., Dinarti, L.K., Probosuseno, Widita, H. 2007. *Bersahabat dengan Diabetes di Usia Lanjut*. SMFGeriatri RSUP Dr. Sardjito, Yogyakarta
- Tamayo T, Sabine S, Meisinger C, Schunk M *et al.*2014: Regional Differencer of Undiagnosed Type 2 Diabetes and Prediabetes Prevalence are Not Explained by Known Risk Factor. <https://doi.org/10.1371/journal.pone.0113154>
- Twigg S.,Maarten C Kamp., Timothy M Davis, Elizabeth K Neylon., Jeffrey R,2007 Prediabetes: a position atatement from the Australian Diabetes Society and Australian Diabetes Educators Association. *MJA Volume 186 Number 9: Australia*
- Wannamethee, S. Goya, A. Gerald Shaper, Ivan J. Perry. Smoking as a modifiable risk factor for type 2 diabetes in middle aged men. *Diabetes Care*. 2010; Vol. 24 No.9: 1590-1595
- Wajchenberg,B.L.,2000. Subcutaneous and Visceral Adipose Tissue Their Relation to Metabolic Syndrome Endocrine 22: 677-681
- Wardani , K. (2006) Pola makan dan obesitas sebagai faktor risiko diabetes melitus tipe 2 di rumah sakit sanglah Denpasar. Fakultas kedokteran UGM, Yogyakarta
- Warren, T.Y., Wilcox, S., Dowda, M., Baruth, M.2012. Independent Association of Waist Circumference With Hypertension and Preiabetes in African American Women, South Carolina, 2007–2009 *CDC - Preventing Chronic Disease: Volume 9, 2012: 11_0170*
- Wang, Y.E.B. ,Rimm, M.J., Stampfer, W. Willett., Frank, B. hu. 2005 Comparison of Abdominal Adiposity and Overall Obesity in Predicting Risk ff Tipe 2 Diabetes Among Men. *AMJ of clinical nutrition.*;81:555-563
- Whiting DR, Guariguata L, Weil C, and Shaw J. 2011 '*IDF Diabetes Atlas: Global Estimates of the Prevalence of Diabetes for 2011 and 2030*', Diabetes Research and Clinical Practice, 94, pp. 4 – 14.
- Willi C, Bodenmann P, Ghali WA, Faris PD, Cornuz J. Active Smoking and the Risk of Type 2 Diabetes. *JAMA*. 2007; 298(22): 2654-64
- Wong, L & Tan, A (2001) The glucose challege test for screening gestasional in pregnant women with no risk factors . *SMJI*, Vol.42 No. 11 pp 517-52
- Yunir, Em., Waspadji, Sarwono., Rahajeng, Ekowati. 2009. The Pre-diabetic Epidemiological Study in Depok,West Java. *Acta Med Indones-Indones J Intern Med* Vol 41 Number 4 October 2009