

## DAFTAR PUSTAKA

- Ambwani, S. & Mathur, A.K., 2006. Rational drug use (Chapter-2). *Health Administrator*. 19(1): 5-7.
- Amarenco, P., Bogousslavsky, J., Callahan, A., Goldstein, L.B., Hennerici, M., Rudolph, A.E., *et al.*, 2006. High-dose atorvastatin after stroke or transient ischemic attack. *N. Engl. J. Med.* 355:549-59.
- Ananta, S.C., Ayu, W.D., Rusli, R., 2015. *Kajian pemberian leaflet dan reminder pada pasien hipertensi di instalasi rawat jalan RSUD A. W Sjahranie Samarinda periode Desember 2014–Februari 2015* [tesis]. Samarinda: Univ. Mulawarman.
- Arfah, T., 2011. *Evaluasi pemanfaatan formularium dan penggunaan obat pada poli anak di instalasi rawat jalan RSUP pemerintah DR. Wahidin sudirohusodo Makassar sulsel* [tesis]. Yogyakarta: Univ. Gadjah Mada.
- Berent, R. & Sinzinger, H., 2011. Aspirin resistance a few critical consideration on definition, terminology, diagnosis, clinical value, natural course of atherosclerotic disease and therapeutic consequences. *Vasa*. 40:429-438.
- Blann, A.D., Landray, M.J., Lip, G.Y.H., 2003. An overview of antithrombotic therapy. In : ABC of Antithrombotic Therapy. *BMJ Publishing Groups*. 10-13.
- Buranarach, M., Chalortham, N., Chatvorawit, P., Thein, Y., Supnithi, T., 2009. An ontology-based framework for development of *Clinical Reminder System* to support chronic disease healthcare. *Ministry of Public Health*. 10:2-5.
- Coylewright, M., Reckelhoff, J.F., Ouyang, P., 2008. Menopause and hypertension. *Hypertension*. 51(4):952-959.
- Davalos, A., Alvarez-sabin, J., Castillo, J., Diez-tejedor, E., Fero, J., Martinez-villa, E., *et al.*, 2012. Citalopram in treatment of acute ischaemic stroke: an international, randomized, multicentre, placebo-controlled study. *Lancet*. 380(3839) :349-357.
- Dahlan, M.S., 2012. *Statistik untuk kedokteran dan kesehatan deskriptif bivariat, dan multivariat dilengkapi dengan menggunakan spss*. Jakarta: Salemba medika.

- Diamond, H., Johnson, M.P., Padman, R., Zheng, K., Payne, V. L., 2004. *Clinical Reminder System: A Relational Database Application for Evidence-Based Medicine Practice, Based on a Presentation at Informs Spring National Conference*. 1-35.
- Feigin, V.L., Lawes, C.M.M., Bennet D.A., Barker-collo, S.L., Parag, V., 2009. Worldwide stroke incidence and early case fatality in 56 population based study: a systematic review. *Lancet neurol.* 8(4):355-369.
- Fenerty, S.D., West, C., Davis, S.A., Kaplan, S.G., Feldman, S.R., 2012. The effect of reminder systems on patients' adherence to treatment. *Patient Prefer Adherence.* 6:127-135.
- Filippi, A., Sabatini, A., Badioli, L., Samani, F., Mazzaglia, G., Catapano, A., *et al.*, 2003. Effects of an automated electronic reminder in changing the antiplatelet drug-prescribing behavior among italian general practitioners in diabetic patients. *Diabetes care.* 26(5):1497-1500.
- Foster, J.I.M., Usherwood, T., Smith, L., Sawyer, S., Xuan, W., Rand, C.S., *et al.*, 2014. Inhaler reminders improve adherence with controller treatment in primary care patients with asthma. *J. Allergy Immunol.* 134(6):1260-1268.
- Gilutz, H., Novack, L., Shvartzman, P., Zelingher, J., Bonne, D.Y., Henkin. Y., *et al.*, 2009. Computerized community cholesterol control: meeting the challenge of secondary prevention. *Isr. Med. Assoc. J.* 11(1):23-9.
- Go, A.S., Mozaffarian, D., Roger, V.L., Benjamin, E.J., Berry, J.D., Blaha, M.J., *et al.*, 2014. Heart disease and stroke statistics--2014 update: a report from the american heart association. *Circulation.* 129(3):e28-292.
- Goldstein, L.B., Bushnell, C.D., Adams, R.J., Appel, L.J., Braun, L.T., Chaturvedi, S., *et al.*, 2011. Guidelines for the Primary Prevention of Stroke: A Guideline for Healthcare Professionals from the American Heart Association/American Stroke Association. *Stroke.* 42(2):517-84.
- Gorgui, J., Gorshkov, M., Khan, N., Daskalopoulou, S.S., 2014. Hypertension as a risk factor for ischemic stroke in women. *Can. J. Cardiol.* 30(7):774-782.
- Gupta, R., Joshi, P., Mohan, V., Reddy, S., Yusuf, S., 2008. Epidemiology and causation of coronary heart disease and stroke in india. *Heart.* 94:16-26.
- Hsieh, C.L., Lin, S.S., Tsai, C.L., Tu, C.Y., 2015. Reducing drug-herb interaction risk with a computerized reminder system. *Ther Clin Risk Manag.* 247-253.
- Inzitari, D. & Poggesi, A., 2005. Calcium channel blockers and stroke. *Aging Clin. Exp.Res.* 17(4):16-30.

- Jauch, E.C., Saver, J.L., Adams, H.P., Bruno, A., Connors, J.J., Demaerschalk, B.M., 2013. Guidelines For The Early Management Of Patients With Acute Ischemic Stroke: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*. 44(3):870-947.
- Kamps, G.B., Stewart, R.E., Van-Der-Werf, G.T., Schuling, J., Meyboom., de-jong, B., 2000. Adherence to the guidelines for a regional formulary. *J Fam Pract*. 17(3):254-260.
- Katzung, B.G., Masters, S.B., Trevor, A.J., 2012. *Basic & Clinical pharmacology*. McGraw-Hill Lange.
- Katzung, B.G., Masters, S.B., Trevor, A.J., 2003. *Basic & Clinical pharmacology*. McGraw-Hill Lange.
- Kementerian Kesehatan RI., 2014. *Pedoman Penerapan Formularium Nasional*. Jakarta: Kementerian Kesehatan RI.
- Kernan, W.N., Ovbiagele, B., Black, H.R., Bravata, D.M., Chimowitz, M.I., Ezekowitz, M.D., *et al.*, 2014. Guidelines for the prevention of stroke in patients with stroke and transient ischemic attack. *Stroke*. 45(7):2160-2236.
- Kooy, M.J., Wijk, B.L.G., Heerdink, E.R., De-Boer, A., Bouvy, M.L., 2013. Does the use of an electronic reminder device with or without counseling improve adherence to lipid-lowering treatment? The results of a randomized controlled trial. *Front Pharmacol*. 4:1-11.
- Kowalski, B.E. 2007. *Blood pressure cure: 8 weeks to lower blood pressure without prescription drugs*. John Willey & Sons, New Jersey.
- Lansberg, M.G., O'Donnell, M.J., Khatri, P., Lang, E.S., Nguyen-Huynh, M.N., Schwartz, N.E., 2012. Antithrombotic and thrombolytic therapy for ischemic stroke: antithrombotic therapy and prevention of thrombosis, 9th ed: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines. *Chest*. 141(2):e601S-365S.
- Lloyd-jones, D., Adams, R.J., Brown, T.M., Carnethon, M., Ai, S., Imone, G.D., 2010. Heart disease and stroke statistics-2010 update, A report from the American heart association. *Circulation*. 121:e46-e251.
- Matheny, M.E., Sequist, D.T., Seger, A.C., Fiskio, J.M., Sperling, M., Bugbee, D *et al.*, 2008. A randomized trial of electronic clinical reminders to improve medication laboratory monitoring. *J Am Med Inform Assoc*. 15(4):424-429.

- Mayo-Smith, M.F. & Agrawal, A., 2007. Factors associated with improved completion of computerized clinical reminders across a large health care system. *Int. J. Med. Inf.* 76:710–716.
- Meschia, J.F., Bushnell, C., Albaba, B.B., Braun, L.T., Bravata, D.M., Eckel, R.H *et al.*, 2014. Guideline for the primary prevention of stroke: A statement for health care professionals from the American Heart Association/American Stroke Association. *Stroke*. 45:3754-3832.
- Mendis, S., Puska, P., Norrving, B., World Health Organization, World Heart Federation, & World Stroke Organization (Eds.). 2011. Global atlas on cardiovascular disease prevention and control, Geneva.
- Ministry Of Health Care And Consumer Affairs. 2009. Clinical practice guideline for primary and secondary prevention of stroke. Madrid: Ministry Of Health Care And Consumer Affairs.
- Moriau, M., Rasborn, L., Avenne-pardonge, E., 1993. Platelet antiagregant and rheological properties of piracetam: a pharmacodynamic study in normal subjects. *Drug Res (Stuttg)*. 43:110-118.
- National Stroke Foundation. 2010. *Clinical guideline for stroke management, National Health And Medical Research Council*. Australian government.
- Nguyen, T.A., Diodati, J.G., Pharand, C., 2005. Resistance to Clopidogrel : A Review of The Evidence. *J Am Coll Cardiol*. 45:1157-64.
- Pinzon, R.T., Adnyana, K.S.G., Sanyasi, R.D.L.R., 2016. *Profil epidemiologi stroke: Gambaran tentang pola demografi, faktor risiko, gejala klinik, dan luaran klinis pasien stroke*. Betha Grafika, Yogyakarta.
- Perhimpunan Dokter Spesialis Kardiovaskular Indonesia, 2013. *Pedoman Tatalaksana Dislipidemia*. Centra Communications, Jakarta.
- Ravenni, R., Joe, J., Edoardo, C., Alberto, M., 2011. Primary stroke prevention and hypertension treatment. *Neurology International*. 3(2);45-49.
- Riset Kesehatan Dasar. 2008a. *Laporan hasil riset kesehatan dasar (Riskesdas) national*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan.
- Riset Kesehatan Dasar. 2013b. *Laporan hasil riset kesehatan dasar (Riskesdas) national 2013*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan.
- Sacco, R.L. & James, K.L., 2005. Drug insight: statins and stroke. *Nat Clin Pract Cardiovasc Med*. 12(11):576-584.

- Sacco, R. L., Adams, R., Albers, G., Alberts, M. J., Benavente, O., Furie, K., *et al.*, 2006. Guidelines for Prevention of Stroke in Patients With Ischemic Stroke or Transient Ischemic Attack: The American Academy Of Neurology Affirms The Value Of This Guideline. *Stroke*. 37(2):577–617.
- Sanders, K.M. & Satyvavolu, A., 2002. Improving blood pressure control in diabetes: Limitations of a clinical reminder in influencing physician behavior. *J. Contin. Educ. Health Prof.* 22:23-32.
- Schaffer, K. & Klausnitzer, W., 1998. Randomized placebo-controlled double-blind cross-over study on antihyoxidotic effects of piracetam using psychophysiological measures in healthy volunteers. *Arzneimittel-forschung*, 38:228-291.
- Schieder, R.E. & Ruilope, L.M., 2008. Blood pressure control in patients with comorbidities. *Clin Hypertens*. 10(8).624-631.
- Sequist, T.D., Gandhi, T.K., Karson, A.S., Fiskio, J.M., Bugbee, D., Sperling, M., *et al.*, 2005. A randomized trial of electronic clinical reminders to improve quality of care for diabetes and coronary artery disease. *J Am Med Inform Assoc*. 12(4):431-437.
- Shuter, J., Gary, E.K., Miriam, W.P., Eran, Y.B., Barry, S.Z., 2003. A computerized reminder system improves compliance with Papanicolaou smear recommendations in an HIV care clinic. *Int J STD AIDS*. 14(10):675-680.
- Soenarta, A.A., Erwinanto., Mumpuni, A.S., Barack, R., Lukito, A.A., Hersunarti, N., *et al.*, 2015. Pedoman tatalaksana hipertensi pada penyakit kardiovaskular edisi I. *Indonesian Heart Association*, Jakarta.
- Sorganvi, V., Kulkarni, M.S., Kadeli, D., Athargas, S., 2014. Risk Factors For Stroke : A Case Control Study. *Int J Curr Res Acad Rev*. 3:46-52.
- Suggs, L., Raina, P., Gafni, a., Grant, S., Skilton, K., Fan, A., Szala-meneok, K., 2009. Family physician attitude about prescribing using a drug formulary. *BMC Fam Pract*. 10:69. doi:10.1186/1471-2296-10-69.
- Sun, W., Hsu, P., Yu, H., Lin, K., Tsay, F., Wang, H., *et al.*, 2015. The compliance of doctors with viral hepatitis b screening and antiviral prophylaxis in cancer patients receiving cytotoxic chemotherapy using a hospital-based screening reminder system. *Plos One*. 10(2):e0116978.

- Wan, L.H., You, L.M., Chen, S.X., Zhang, X.P., Mo, M.M., Zhang, Y.M., *et al.*, 2016. The effectiveness of a comprehensive reminder system in the secondary prevention of hypertensive ischemic stroke: Randomized controlled trial protocol. *J Adv Nurs*. 72(12):3195-3206.
- Williams, L. S., Ofner, S., Yu, Z., Beyth, R. J., Plue, L., Damush, T., 2011. Pre-post evaluation of automated reminders may improve detection and management of post-stroke depression. *J Gen Intern Med*. 26(8):852–857.
- Williams, E. C., Lapham, G., Achtmeyer, C. E., Volpp, B., Kivlahan, D. R., Bradley, K. A., 2009. Use of an electronic clinical reminder for brief alcohol counseling is associated with resolution of unhealthy alcohol use at follow-up screening. *J Gen Intern Med*. 25(1):7-11.
- World Health Organization, 1993. *How To Investigate Drug Use In Health Facilities*. Geneva: World Health Organization.
- Zhao, L., Heptinstall, S., Bath, P.M.W., 2005. Antiplatelet therapy for stroke prevention. *Br J Cardiol*. 12(1):57-60.
- Zaitun., 2016. *Penerapan formularium nasional dalam peresepan pasien JKN di Bangka Tengah* [tesis]. Yogyakarta: Univ. Gadjah Mada.