

DAFTAR PUSTAKA

- Abdel, A.E.S.M., Young, J.C., Rabalski, I. 2006. Anthocyanin Composition in Black, Blue, Pink, Purple and Red Cereal Grains. *Journal Agric Food Chem.* 54(13): 4696-4704.
- Agrawal, A.A. 2011. Current Trends in The Evolutionary Ecology of Plant Defence. *Funct Ecol.* 25: 420-432.
- Alamgir, K.M.D., Hojo, Y., Christeller, J.T., Fukumoto, K., Isshiki, R., Shinya, T., Baldwin I.T. and Galis, I. 2016. Systematic Analysis of Rice (*Oryza sativa*) Metabolic Responses to Herbivory. *Plant, Cell and Environment.* 39: 453-466.
- Ali, L., Maltese, F., Fortes, A.M., Pais, M.S., Choi, Y.H. and Verpoorte, R. 2011. Monitoring Biochemical Changes During Grape Berry Development in Portuguese Cultivars by NMR Spectroscopy. *Food Chem.* 124: 1760-1769.
- Andoko, A. 2012. *Budi Daya Padi Secara Organik*. Jakarta: Penebar Swadaya.
- Arimura, G.I., Matsui, K., Takabayashi, J. 2009. Chemical and Molecular Ecology of Herbivore-Induced Plant Volatiles: Proximate Factors and Their Ultimate Functions. *Plant Cell Physiol.* 50: 911-923.
- Ashford, D. & Neuberger, A. 1980. 4-Hydroxy-L-proline in plant glycoproteins. *Trends in Biochemical Sciences.* 9: 245-248.
- Ashour, M., Wink, M. and Gershenzon, J. 2010. Biochemistry of Terpenoids: Monoterpenes, Sesquiterpenes and Diterpenes. *Annual Plant Reviews.* 40: 258-303.
- Barakat, A., Bagniewska-Zadworna, A., Frost, C.J., Carlson, J.E. 2010. Phylogeni and Expression Profiling of CAD and CAD-Like Genes in Hybrid Populus (*P. Deltoides* x *P. Nigra*): Evidence from Herbivore Damage for Subfunctionalization and Functional Divergence. *BMC Plant Biol.* 10: 100.
- Barbehenn, R.V. and Peter, C.C. 2011. Tannins in Plant-Herbivore Interactions. *Phytochemistry.* 72: 1551-1565.
- Beekwilder, J., van Leewen, W., van Dam, N.M. 2008. The Impact of The Absence of Aliphatic Glucosinolates on Insect Herbivory in Arabidopsis. *PLoS One.* 3:e2068.

- Binder, S. K., Knill, T., & Schuster, J. 2007. Branched-chain amino acid metabolism in higher plants. *Physiologia Plantarum*. 129: 68-78.
- Bing, L., Hongxia, D., Maixin, Z., Di, X., Jingshu, W. 2007. Potential Resistance of Tricin in Rice Against Brown Planthopper *Nilaparvata lugens* (Stal). *Acta Ecologica Sinica*. 27 (4): 1300-1307.
- Bolouri-Moghaddam, M. R., Le Roy, K., Xiang, L., Rolland, F., Van den Ende, W. 2010. Sugar signaling and antioxidant network connections in plant cells. *FEBS Journal*. 277: 202-2037.
- Budiman, B., Arisoeloningsih, E., Wibowo, E.B.R. 2012. Growth Adaptation of Two Indonesian Black Rice Origin NTT Cultivating in Organic Paddy Field. Malang. *Journal of Tropical Life Science*. 2(3).
- Caro, G.P., Shin, W., Alan, C., Tatsuhito, F., Takao, Y., Hiroshi, A. 2013. Phytochemical Profile of A Japanese Black Purple Rice. *Food Chem*. 141 (3): 2821-2827.
- Carreno-Quintero, N., Bouwmeester, H.J. and Keurenties, J.J. 2013. Genetic Analysis of Metabolome-Phenotype Interactions: from Model to Crop Species. *Trends Genet*. 29: 41-50.
- Catindig, Jo. 2016. *Rice Bug: The Most Common Species of Rice Bug are Leptocorisa oratorius F. and Leptocorisa acuta Thunberg*. <http://knowledgebank.irri.org/training/factsheets/pestmanagement/insects/item/rice-bug>. Diakses pada tanggal 1 Oktober 2016.
- Chan, E.K., Rowe, H.C., Hansen, B.G. and Klibenstein, D.J. 2010. The Complex Genetic Architecture of The Metabolome. *PLoS Genet*. 6, e1001198.
- Chang, T.T. 1988. The Ethnobotany of Rice in Island Southeast Asia. *Asian Perspectives*. 26 (1): 69-76.
- Choi, Y.H., Kim, H.K., Hazekamp, A., Erkelens, C., Lefeber, A.W.M. and Verpoorte, R. 2004. Metabolic Differentiation of *Cannabis sativa* Cultivars Using ¹H NMR Spektroskopi and Principal Component Analysis. *J. Nat. Prod*. 67: 953-957.
- Choi, Y.H., Kim, H.K., Linthorst, H.J.M., Hollander, J.G., Lefeber, A.W.M., Erkelens, C., Nuzillard, J.M. and Verpoorte, R. 2006. NMR Metabolomics to Revisit The Tobacco Mosaic Virus Infection in *Nicotiana tabacum* leaves. *J. Nat. Prod*. 69: 742-748.

- Dai, H., Xiao, C., Liu, H., Tang, H. 2009. Combined NMR and LC-MS Analysis Reveals the Metabonomic Changes in *Salvia miltiorrhiza* Bunge Induced by Water Depletion. *Journal of Proteome Research*. 2010. 9, 1460-1475.
- De Datta, K.S. 1981. *Principle and Practice of Rice Production*. John Wiley and Sons Inc, New York.
- Dettmer, K. P.A. Aronov, and B.D. Hammock. 2007. Mass Spectrometry-Based Metabolomics. *Mass Spectrom Rev*: 26 (1): 51-78.
- Dixon, R.A., Gang, D.R., Charlton, A.J., Fiehn, O., Kuiper, H.A., Reynolds, T.L., Tjeerdema, R.S., Jeffery, E.H., German, J.B., Ridley, W.P., Seiber, J.N. 2006. Applications of Metabolomics in Agriculture. *J Agric Food Chem*. 54: 8984-8994.
- Fan, Teresa. 1996. Metabolite Profiling by One- and Two-Dimensional NMR Analysis of Complex Mixtures. *Progress in Nuclear Magnetic Resonance Spectroscopy*. 28 (1996) 161-219.
- Gill, S.S., Tuteja, N. 2010. Polyamines and abiotic stress tolerance in plants. *Plant Signal. Behav*. 5: 26-33.
- Griggs, J.P. and Jacob, J.P. 2005. Alternatives to Antibiotics for Organic Poultry Production. *J. Appl. Poult. Res*. 14: 750-756.
- Grivet, J-P. and Delort, A-M. 2009. NMR for Microbiology. *In vivo* and *In situ* Applications. *Prog. Nucl. Magn. Reson. Spectrosc*. 54: 1-53.
- Guo, H., Ling, W., Wang, Q., Liu, C., Hu, Y., Xia, M. 2008. Cyanidin 3-glucoside protects 3T3-L1 Adipocytes Against H₂O₂- or TNF- α -induced Insulin Resistance by Inhibiting c-Jun NH₂-terminal kinase Activation. *Biochem Pharmacol*. 75: 1393-1401.
- Halla, R., M. Beale, O. Fiehn, N. Hardy, L. Sumner and R. Bino. 2002. The Missing Link in Functional Genomics Strategies. *The Plant Cell*. Vol. 14 no. 7 1437-1440.
- Hanley, M.E., Lamont, B.B., Fairbanks, M.M., Rafferty, C.M. 2007. Plant Structural Traits and Their Role in Antiherbivore Defense. *Perspec. Plant Ecol Evol Syst*. 8: 157-178.

- Heldt, Hans-Water. 2004. *Plant Biochemistry*. Elsevier Academic Press. California. USA.
- Herbers, K., Meuwly, P., Metraux, J.P., Sonnewald, U. 1996. Salicylic acid independent induction of pathogenesis-related protein transcript by sugar is dependent on leaf development stage. *FEBS Letter*. 397: 239-244.
- Hiemori, M., Koh, E., Mitchell, A.E. 2009. Influence of Cooking on Anthocyanins in Black Rice (*Oryza sativa* L. *japonica* var. SBR). *Journal Agric Food Chem*. 57(5): 1908-1924.
- Hofmann, J., El Ashry, A., Anwar, S., Erban, A., Kopka, J., Grundler, F. 2010. Metabolic profiling reveals local and systemic responses of host plants to nematode parasitism. *The Plant Journal*. 62: 1058-1071.
- Horgan, R.P. and L.C. Kenny. 2011. 'Omic' technologies: genomics, transcriptomics, proteomics and metabolomics. *SAC review*. 13:189-195.
- Hosamani, Venkatesh, Pradeep, S., Sridhara, S. and Kalleshwaraswamy, C.M. 2009. Biological Studies on Paddy Bug, *Leptocorisa oratorius* Fabricius (Hemiptera : Alydidae). *Academic Journal of Entomology*. 2 (2): 52-55.
- Hoshikawa, K. 1975. *Growth of The Rice Plant*. Nosan-gyoson-Bunka-Kyokai. Tokyo. 317 p.
- Huang, T., Jander, G., de Vos, M. 2011. Non-protein amino acids in plant defense against insect herbivores: Representative cases and opportunities for further functional analysis. *Phytochemistry*. 72: 1531-1537.
- IRRI. 2002. *Standard Evaluation System for Rice*. IRRI. Manila. Philippines.
- Israel, P. and Rao, S.Y. 1954. Rice Bugs. *Rice Newsletter*. 2(1): 139-143.
- Jahn, G.C., Domingo, I., Liberty, M., Almazan, P., Pacia, P. 2004. Effect of Rice Bug *Leptocorisa oratorius* (Hemiptera: Alydidae) on Rice Yield, Grain Quality and Seed Viability. *J. Econ. Entomol*. 97: 1923-1927.
- Jena, K.K. and Khush, G.S. 1990. Introgression of Genes from *Oryza officinalis* Will ex Wall to Cultivated Rice, *O. Sativa* L. *Theor. Appl. Genet*. 80: 737-745.
- Johnson, M.T.J, Smith, S.D., Rausher, M.D. 2009. Plant Sex and The Evolution of Plant Defences Against Herbivores. *Proc natl Acad USA*. 106: 18079-84.

- Jones, O.A.H., Maguire, M.L., Griffin, J.L., Jung, Y.H., Shibato, J., Rakwal, R., Agrawal, G.K., Jwa, N.S. 2011. Using Metabolic Profiling to Assess Plant-Pathogen Interactions: An Example Using Rice (*Oryza sativa*) and The Blast Pathogen *Magnaporthe grisea*. *Eur J Plant Pathol.* 129: 539-554.
- Juliano, B.O. 1972. *The Rice Caryopsis*. Pages 16-74 in D.F. Houston. Ed. Rice Chemistry and Technology. American Association of Cereal Chemist, Inc., St. Paul. Minnesota.
- Kalshoven, L.G.E. 1981. *Pests of Crops in Indonesia*. PT. Ichtiar Baru - Van Hoeve. Jakarta.
- Kim, M. S., Cho, S.M., Kang, E. Y., Im, Y.J., Hwangbo, H., Kim, Y. C., Ryu, C. M., Yang, K. Y., Chung, G. C., Cho, B.H. 2008. Galactinol is a signaling component of the induced systemic resistance caused by *Pseudomonas chlororaphis* O6 root colonization. *Molecular Plant-Microbe Interactions*. 21: 1643-1653.
- Kim, H.K., Choi, Y.H. and Verpoorte, R. 2010. NMR-Based Metabolomics Analysis of Plants. *Nat. Protoc.* 5: 536-549.
- Kim, S.G., S.T. Kim, Y. Wang, S. Yu, I.S. Choi, Y.C. Kim, W.T. Kim, G.K. Agrawal, R. Rakwal, and K. Y. Kang. 2011. The RNase Activity of Rice Probenazole-Induced Protein1 (PBZI) Plays a Key Role in Cell Death in Plants. *Mol.Cells* 31: 25-31.
- Kliebenstein, D.J., Gershenzon, J. And Mitchell-Olds, T. 2001. Comparative Quantitative Trait Loci Mapping of Aliphatic, Indolic and Benzylic Glucosinolate Production in *Arabidopsis thaliana* Leaves and Seeds. *Genetics*. 159: 359-370.
- Konczak, I. and Zhang, W. 2004. Anthocyanins – More Than Nature’s Colours. *Journal of Biomedicine and Biotechnology*. 2004: 5 (2004) 239-240.
- Kong, J. M., L. S. Chia, N. K. Goh, T. F. Chia and R.. Brouillard. 2003. Analysis and biological activities of anthocyanins. *Phytochemistry*, 64(5), 923–933.
- Kovacs, H., Moskau, D. And Spraul, M. 2005. Cryogenically Cooled Probes- A Leap in NMR Technology. *Prog. Nucl. Magn. Reson. Spectrosc.* 46: 131-155.
- Kovchenko, A., Araujo, W., Maloney, G.S., Tieman, D. M., Do, P. T., Taylor, M.G, 2012. Catabolism of Branched Chain Amino Acids Supports Respiration but Not Volatile Synthesis in Tomato Fruits. *Molecular Plant*. 5(2): 366-375.

- Kristamtini dan H. Purwaningsih. 2009. Potensi Pengembangan Beras Merah sebagai Plasma Nutfah Yogyakarta. *Jurnal Litbang Pertanian*. 28(3), Pp: 88-95.
- Kristamtini, Taryono, P. Basunanda, R. H. Murti, Supriyanta, S. Widyayanti and Sutarno. 2012. Morphological of Genetic Relationships among Black Rice Landraces From Yogyakarta and Surrounding Areas. *Aprn*. Vol.7, No.12. Pp: 982-989.
- Kusano, M., Yang, Z., Okazaki, Y., Nakabayashi, R., Fukushima, A. and Saito, K. 2015. Using Metabolomic Approaches to Explore Chemical Diversity in Rice. *Molecular Plant*. Vol 8. Pp 58-67.
- Le Gall, G., Metzdorff, S.B., Pedersen, J., Bennet, R.N. and Colquhoun, I.J. 2005. Metabolite Profiling of *Arabidopsis thaliana* (L.) Plants Transformed with An Antisense Chalcone Synthase Gene. *Metabolomics*. 1: 181-198.
- Leal, W.S., Ueda, Y. And Ono, M. 1996. Attractant Pheromone For Male Rice Bug, *Leptocorisa chinensis* : Semiochemicals Produced By Both Male and Female. *Journal of Chemical Ecology*. 22: 1429.
- Leiss, K.A., Choi, Y.H., Abdel-farid, I.B., Verpoorte, R. And Klinkhamer, P.G.L. 2009. NMR Metabolomics of Thrips (*Frankinella occidentalis*) Resistance in Senecio hybrids. *J. Chem. Ecol.* 35: 219-229.
- Lev-Yadun, S and K.S. Gould. 2009. Role of Anthocyanins in Plant Defence in K. Gould *et al.* 2009. Anthocyanins. *Springer Science*. Pp: 21-47.
- Liu, C., Du, B., Hao, F., Lei, H., Wan, Q., He, G., Wang, Y., Tang, H. 2017. Dynamic Metabolic Response of Brown Planthoppers Towards Susceptible and Resistant Rice Plants. *Plant Biotechnology Journal*. 2017. DOI: 10.1111/pbi.12721.
- Lommen, A., Weseman, J.M., Smith, G.O., Noteborn, H.P.J.M. 1998. On The Detection of Environmental Effects on Complex Matrices Combining Off-Line Liquid Chromatography and ¹H-NMR. *Biodegradation*. 9: 513-525.
- Matsuda, F., Nakabayashi, R., Yang, Z., Okazaki, Y., Yonemaru, J.I., Ebana, K., Yano, M. and Saito, K. 2015. Metabolome-Genome-Wide Association Study Dissects Genetic Architecture for Generating Natural Variation in Rice Secondary Metabolism. *The Plant Journal*. 81: 13-23.
- Mckay, R.T. 2009. Recent Advances in Solvent Suppression for Solution NMR: A Practical Reference. *Annu. Rep. NMR Spectrosc.* 66: 33-76.

- Min, B., McClung, A. M., & Chen, M. H. 2011. Phytochemicals and Antioxidant Capacities in Rice Brans of Different Color. *Journal of Food Science*. 76. Pp: 117–126.
- Morkunas, I., Marczak, Q., Stachowiak, J., Stoblecki, M. 2005. Sucrose-stimulated accumulation of isoflavonoids as a defence response of lupine to *Fusarium oxysporum*. *Plant Physiology and Biochemistry*. 43: 363-73.
- Morkunas, I. and Ratajczak, L. 2014. The Role of Sugar Signaling in Plant Defense Responses Against Fungal Pathogens. *Acta Physiologiae Plantarum*. 36: 1907-1619.
- Nam, S.H., Choi, S.P., Kang, M.Y., Koh, H.J., Kozukue, N., Friedman, M. 2005. Bran Extracts from Pigmented Rice Seeds Inhibit Tumor Promotion in Lymphoblastoid B Cells by Phorbol Ester. *Food and Chemical Toxicology*. 43: 741-745.
- Nam, M. H. Bang, E., Kwon, T. Y., Kim, Y., Kim, E. H., Cho, K., Park, W. J., Kim, B. G., Yoon, I. S. 2015. Metabolite Profiling of Diverse Rice Germplasm and Identification of Conserved Metabolic Markers f Rice Roots in Response to Long-Term Mild Salinity Stress. *International Journal of Molecular Sciences*. 2015. 16: 21959-21974.
- Nayar, K.K., Ananthkrishnan, T.N., David, B.V. 1981. *General and Applied Entomology*. Tata McGraw-Hill Publishing Company Limited. New Delhi.
- Nuringtyas, T. R., Choi, Y. H., Verpoorte, R., Klinkhamer, P.G.L., Leiss, A.K. 2012. Differential Tissue Distribution of Metabolites in *Jacobaea vulgaris*, *Jacobaea aquatic* and their crosses. *Phytochemistry*.2012. 78: 89-97.
- Oka, H. I. 1988. *Origin of Cultivated Rice*. Elsevier, Tokyo. Japan.
- Pathak, M.D. and Khan, Z.R. 1994. *Insect Pest of Rice*. IRRI. Manila. Philippines.
- Pengkumsuri, N., Chaiyasut, C., Saenjum, C., Sirilun, S., Peerajan, S., Suwannalert, P., Sirisatha,S., Sivamuruthi, B.S. 2015. Physicochemical and Antioxidative Properties of Black, Brown and Red Rice Varieties of Northern Thailand. *Food Sci Technol Campinas*. 35 (2): 331-338.
- Pieterse, C.M.J, A. Leon-Reyes, S. Van der Ent and S.C.M. Van Wees. 2009. Networking by Small-Molecule Hormones in Plant Immunity. *Nature Chemical Biology*. Vol 5. No.5.Pp: 308-316.

- Pratiwi R., Purwestri, Y.A., Tunjung, W.A., 2014. Efek Diet Pelet Nasi dari Padi (*Oryza sativa* L.) “Cempo Ireng”, “Cempo Abang”, dan “IR-64” terhadap Profil Lipid Serum Darah Tikus Putih (*Rattus norvegicus* Berkenhout, 1769) Hiperlipidemia. 2014. *Buku Program Seminar dan Workshop Annual scientific Meeting Pokja Nutrigenomik*, Fakultas Kedokteran UGM, Yogyakarta. hal 29 (prosiding in press).
- Pramai, P., Hamid, N. A. A. H., Mediani, A., Maulidani, M., Abas, F., Jiamyangyuen, S. 2017. Metabolite Profiling, Antioxidant, and α – Glucosidase Inhibitory Activities of Germinated Rice: Nuclear-Magnetic-Resonance-Based Metabolomics Study. *Journal of Food and Drug Analysis*. 2017. I-II.
- Qian, Y., Tan, D. X., Reiter R. J. and Shi, H. 2015. Comparative Metabolomic Analysis Highlights the Involvement of Sugars and Glycerol in Melatonin Mediated Innate Immunity Against Bacterial Pathogen in Arabidopsis. *Scientific Reports*. 5. 1-11.
- Ratcliff, J. 2000. *Antibiotics Bans- A European Perspective*. Pages 135-152 in Proc. 47th Maryland Nutr. Conf. for Feed Manufactures. Baltimore, MD. J. A. Doerr, ed. Univ. Maryland, College Park.
- Roessner, U. and Pettolino, F. 2007. *The Importance of Anatomy and Physiology in Plant Metabolomics*. In *Metabolomics*. Nielsen, J. and Jewett, M.C. Topics in Current Genetics. Vol 18. Springer-Verlag Berlin Heidelberg.
- Rolland, F., Baena-Gonzalez, E., Sheen, J. 2006. Sugar sensing and signaling in plants: conserved and novel mechanism. *Annual Review of Plant Biology*. 57: 675-709.
- Roohinejad, S., Omidzadeh, A., Mirhosseini, H., Rasti, B., Saari, N., Mustafa, S., Yusof, R.M., Hussin, A.S.M., Hamid, A., Manap, M.Y.A. 2009. Effect of Hypocholesterolemic Properties of Brown Rice Varieties Containing Different Gammaaminobutyric Acid (GABA) Levels on Sprague-Dawley Male Rats. *Journal Food Agri Environ*. Vol 7. Pp 197-203.
- Saito, K. 2013. Phytochemicals Genomics – A New Trend . *Curr. Opin. Plant. Biol.* 16: 373-380.
- Schuler, M.A. 2011. P450s in Plant-Insect Interactions. *Biochimica et Biophysica Acta*. 1814: 36-45.
- Schwab, W. 2003. Metabolome Diversity: Too Few Genes, Too Many Metabololites?. *Phytochemistry*. 62: 837-849.

- Sembel, D.T. 1989. *Dasar-Dasar Biologi dan Ekologi Dalam Pengendalian Serangga*. Fakultas Pertanian UNSTRAT Manado.
- Sharma, H.C., Agrawal, R.A. Role of Some Chemical Components and Leaf Hairs in Varietal Resistance in Cotton to Jassid, *Amrasca biguttula biguttula* Ishida. *J Entomol Res.* 7: 145-149.
- Sharma, H.C., Sujana, G., Rao, D.M. 2009. Morphological and Chemical Components of Resistance to Pod Borer, *Helicoverpa armigera*, *Arthropod-Plant Interact.* 3: 151-161.
- Simmonds, M.S. 2001. Importance of Flavonoids in Insect-Plant Interaction: Feeding and Oviposition. *Phytochemistry.* 56: 245-252.
- Simmonds, M.S.J. 2003. Flavonoid-Insect Interactions Recent Advances in Our Knowledge. *Phytochemistry.* 64: 21-30.
- Sitairesmi, T., Wening, R.H., Rakhmi, A.T., Yunani, N. and Susanto, U. 2013. Pemanfaatan Plasma Nutfah Padi Varietas Lokal dalam Perakitan Varietas Unggul. *IPTEK Tanaman Pangan.* Vol. 8. No. 1. 2013. Pp 22-30.
- Slamet-Loedin, I.H., W. Rahayu, S. Hutajulu, dan J. Wibowo. 1997. Penggunaan dua strain *Agrobacterium tumefaciens* supervirulen untuk ko-kultivasi tanaman padi kultivar Cisadane dan Rojolele. *Prosiding Seminar Perhimpunan Bioteknologi Indonesia.* Surabaya, 12-14.
- Sompong, R., Siebenhandl, E.S., Linsberger, M.G., Berghofer, E. 2011. Physicochemical and Antioxidative Properties of Red and Black Rice Varieties from Thailand, China and Sri Lanka. *Food Chemistry.* 124 (1): 132-140.
- Sriseadka, T., Sugunya, W., Mongkon, R. 2012. Quantification on Flavonoids in Black Rice by Liquid Chromatography-Negative Electrospray Ionization Tandem Mass Spectrometry. *Journal Agric Food Chem.* 60 (47).
- Steinbrenner, A. D., Gomez, S., Osorio, S., Fernie, A. R., orians, C. M. 2011. Herbivore-induced changes in tomato (*Solanum lycopersicum*) primary metabolism: A whole plant perspective. *J. Chem. Ecol.* 37: 1294-1303.
- Stutman, J., Hubberten, H. M., Rietz, S., Kaur, J., Muskett, P., Guerois, R., Bednarek, p., Hoefgen, R., Parker, J. E. Perturbation of Arabidopsis amino acids metabolism causes incompatibility with the adapted biotrophic pathogen *Hyaloperospora arabidopsidis*. *Plant Cell.* 23: 2788-2803.

- Suharto, H and Damardjati, D.S. 1988. Pengaruh Waktu Serangan Walangsangit Terhadap Hasil dan Mutu Hasil Padi IR 36. *Reflektor* 1 (2): p 25-28.
- Tan, J.W, Bednarek P, H.K. Liu, B. Schneider, A. Svatos, and K. Hahlbrock. 2004. Universally Occurring Phenylpropanoid and Species-Specific Indolic Metabolites in Infected and Uninfected *Arabidopsis thaliana* Roots and Leaves. *Phytochemistry* Vol.65. Pp: 691–699.
- Treutter, D. 2006. Significance of Flavonoids in Plant Resistance: A Review . *Environ Chem Lett.* 4: 147-57.
- Tsutsui, T., Nakano, A. and Ueda, T. 2015. The Plant-Specific RAB5 GTPase ARA6 is Required for Starch and Sugar Homeostasis in *Arabidopsis thaliana*. *Plant and Cell Physiology.* 56: 1073-1083.
- Tulung, M. 2004. *Sistem Peramalan Hama*. Fakultas Pertanian UNSTRAT Manado.
- Uichanco, L. 1921. The Rice Bug, *Leptocorisa acuta* Thunberg, in The Philippines. *Philipp. Agric. Rev.* 14(1): 87-112.
- Usha, R.P. and Jyothsna, Y. 2010. Biochemical and Enzymatic Change in rice as A Mechanism of Defense. *Acta Physiol Plant.* 32: 695-701.
- Uawisetwathana, U., Graham, S. F., Kamolsukyonyong, W., Sukhaket, W., Klanchui, A., Toojinda, T., Vanavichit, A., Karoonuthaisiri, N., Elliott, C.T. 2015. Quantitative ¹H NMR Metabolome Profiling of Thai Jasmine Rice (*Oryza sativa*) Reveals Primary Metabolic Response During Brown Planthopper Infestation. *Metabolomics.* 2015. DOI 10.1007/s11306-015-0817-4.
- Valencia, S. and Heinrichs, E.A. 1982. Mass Rearing of Rice Stink Bugs. *Int. Rice Res. Newsl.* 7 (2): 12-13.
- Van der Goot, P. 1949. De Walangsangit (*Leptocorisa acuta* Thumb) Als Viand van Het Rystgewas in Indonesia. Mededelingen van Het Algemeen Proefstation voor Den Landbouw [The “Walangsangit”(Rice Bug, *Leptocorisa acuta* Thumb.), A Pest of The Rice Crop in Indonesia. *Communications of The General Agricultural Research Station, Buitenzorg, Java.* 66p.
- Van der Kooy, F., Maltese, F., Choi, Y.H., Kim, H.K. and Verpoorte, R. 2009. Quality Control of Herbal Material and Phytopharmaceuticals with MS and NMR Metabolic Fingerprinting. *Planta Med.* 75: 763-775.

- Van der Kooy, F., Verpoorte, R. And Meyer, M.J.J. 2008. Metabolomic Quality Control of Claimed Anti-Malarial *Artemisia afra* Herbal Remedy and *A. Afra* and *A. Annu*a Plants Extracts. *J. Bot.* 74: 186-189.
- Van der Sar, S., Kim, H.K., Meissner, A., Verpoorte, R. and Choi, Y.H. 2013. *Nuclear Magnetic Resonance Spectroscopy for Plant Metabolite Profiling*. In The Handbook of Plant Metabolomics. First Edition. Edited by Wolfram Weckwerth and Gunter Kahl. Wiley-VCH Verlag GmbH & Co. KGaA.
- Vaughan, D.A. and Stich, L.A. 1991. Gene Flow from The Jungle to Farmers. *Bio Science*. 41 (1): 2-28.
- Viant, M.R. 2003. Improved Methods for The Acquisition and Intrepretation of NMR Metabolomic Data. *Biochem. Biophys. Res. Commun.* 310: 943-948.
- Villa-Boas, S.G., Roessner, U., Hansen, M., Smedsgaard, J., Nielsen, J. 2006. Metabolome Analysis. Publ. Wiley & Sons , New Jersey, NJ, USA (in press).
- Von Braun, Joachim. 2007. *Toward A Healthy and Sustainable World Food Situation in 2020 and 2050*. (http://www.cces.ethz.ch/latsis2007/Presentations/Latsis_Presentation_von_BraBr.pdf). Diakses pada tanggal 25 Juni 2016.
- Vlot, A, D.A. Dempsey, and D.F. Klessig. 2009. Salicylic Acid a Multifaceted Hormone to Combat Disease. *Annu Rev Phytopathol* 47:177–206.
- War, A.R., Paulraj, M.G., War, M.Y., Ignacimuthu, S. 2011a. Jasmonic Acid-Mediated Induced Resistance in Groundnut (*Arachis hypogea* L.) Against *Helicoverpa armigena* (Hubner) (Lepidoptera: Noctuidae). *J Plant Growth Regul.* 30: 512-523.
- Wasterhuis, J. A., van Helzen, E. J. J., Hoefsloot, H. C. J., Smilde, A. K. 2010. Multivariate paired data analysis: multilevel PLS-DA versus OPLSDA. *Metabolomics*. 6: 119-128.
- War, A.R., Paulraj, M.G., War, M.Y., Ignacimuthu, S. 2011b. Herbivore- and Elicitor-Induced Resistance in Groundnut to Asian atmyworm, *Spodoptera litura* (Fab.) (Lepidoptera: Noctuidae). *Plant Signal Behav.* 6: 1769-1777.
- Weigel, D. 2012. Natural Variation in Arabidopsis: from Molecular Genetics to Ecological Genomics. *Plant Physiol.* 158: 2-22.

- Wijaya, D.N., Susanto, F.A., Purwestri, Y.A., Ismoyowati, D., Nuringtyas, T. R. 2017. NMR Metabolite Comparison of Local Pigmented Rice in Yogyakarta. *Presentation. ICST 2017.*
- Wrolstad, R.E. 2004. Symposium 12: Interaction of natural colors with other ingredients. Anthocyanin pigments - Bioactivity and coloring properties. *J. Food Sci.* Vol 69. Pp: 419-421.
- Zhang, M., Guo, B., Zhang, R., Chi, J., Wei, Z., Xu, Z., Zhang, Y, Tang, X. 2006. Seperation, Purification and Identification of Antioxidant Composition in Black Rice. *Agric Sci China.* 5(6): 431-4