

DAFTAR PUSTAKA

- Aelenei, N., Popa, M.I., Novac, O., Lisa, G., and Balaita, L., 2009, Tannic acid incorporation in chitosan-based microparticles and in vitro controlled release, *J. Mater. Sci. Mater. Med.*, 20, 1095–1102.
- Albu, M.G., Ghica, M.V., Giurginca, M., and Trandafir, V., 2009, Spectral Characteristics and Antioxidant Properties of Tannic Acid Immobilized on Collagen Drug-Delivery Systems, *Rev. Chim.*, 620, 666–672.
- Araujo, J. V, Davidenko, N., Danner, M., Cameron, R.E., and Best, S.M., 2014, Novel porous scaffolds of pH responsive chitosan/carrageenan-based polyelectrolyte complexes for tissue engineering, *J. Biomed. Mater. Res. Part A*, 102, 4415–4426.
- Arham, R., Mulyati, M.T., Metusalach, M., and Salengke, S., 2016, Physical and mechanical properties of agar based edible film with glycerol plasticizer, *Int. Food Res. J.*, 23, 1669–1675.
- Arrua, D., Strumia, M.C., and Nazareno, M.A., 2010, Immobilization of caffeic acid on a polypropylene film: Synthesis and antioxidant properties, *J. Agric. Food Chem.*, 58, 9228–9234.
- Aryaei, A., Jayatissa, A.H., and Jayasuriya, A.C., 2012, Nano and micro mechanical properties of uncross-linked and cross-linked chitosan films, *J. Mech. Behav. Biomed. Mater.*, 5, 82–89.
- Balcerzak, J. and Mucha, M., 2010, Analysis of model drug release kinetics from complex matrices of polylactide-chitosan, *Prog. Chem. Appl. Chitin its Deriv.*, 15, 117–125.
- Campelo, C.S., Lima, L.D., Rebêlo, L.M., Mantovani, D., Beppu, M.M., and Vieira, R.S., 2016, In vitro evaluation of anti-calcification and anti-coagulation on sulfonated chitosan and carrageenan surfaces, *Mater. Sci. Eng. C.*, 59, 241–248.
- Campo, V.L., Kawano, D.F., Silva, D.B. da, and Carvalho, I., 2009, Carrageenans: Biological properties, chemical modifications and structural analysis-A review, *Carbohydr. Polym.*, 77, 167–180.
- Cerqueira, M.A., Souza, B.W.S., Teixeira, J.A., and Vicente, A.A., 2012, Effects of Interactions between the Constituents of Chitosan-Edible Films on Their Physical Properties. *Food Bioprocess Technol.*, 5, 3181–3192.
- Chen, P., Kuo, T., Kuo, J., Tseng, Y., Wang, D., Lai, J., and Hsieh, H., 2010, Novel chitosan-pectin composite membranes with enhanced strength, hydrophilicity and controllable disintegration, *Carbohydr. Polym.*, 82, 1236–1242.
- Chen, X., Lee, D.S., Zhu, X., and Yam, K.L., 2012, Release kinetics of tocopherol and

quercetin from binary antioxidant controlled-release packaging films, *J. Agric. Food Chem.*, 60, 3492–3497.

Dafader, N.C., Rahman, Q.B., Rahman, A., Rashid, M.A., and Sattar, M.A., 2010, Water Absorption Capacity of Acrylamide/Kappa-Carrageenan Blend Hydrogel Prepared by Gamma Radiation in Urea and Copper Sulfate Solution, *J. Appl. Sci. Technol.*, 7, 41–43.

Dash, S., Murthy, P.N., Nath, L., and Chowdhury, P., 2010, Kinetic modeling on drug release from controlled drug delivery systems, *Acta Pol. Pharm.*, 67, 217–23.

Dicastillo, C., Catalá, R., Gavara, R., and Hernández-Muñoz, P., 2011, Food applications of active packaging EVOH films containing cyclodextrins for the preferential scavenging of undesirable compounds, *J. Food Eng.*, 104, 380–386.

Dicastillo, C., Castro-López, M. del M., López-Vilariño, J.M., and González-Rodríguez, M.V., 2013, Immobilization of green tea extract on polypropylene films to control the antioxidant activity in food packaging, *Food Res. Int.*, 53, 522–528.

Dicastillo, C.L., Rodríguez, F., Guarda, A., and Galotto, M.J., 2016, Antioxidant films based on cross-linked methyl cellulose and native Chilean berry for food packaging applications, *Carbohydr. Polym.*, 136, 1052–1060.

Distantina, S., Rochmadi, Fahrurrozi, M., and Wiratni, 2013, Synthesis of hydrogel film based on carrageenan extracted from *Kappaphycus alvarezii*. *Mod. Appl. Sci.*, 7, 22–30.

Elnashar, M.M.M. and Yassin, M.A., 2009, Covalent immobilization of β -galactosidase on carrageenan coated with chitosan, *J. Appl. Polym. Sci.*, 114, 17–24.

Gómez-Estaca, J., López-de-Dicastillo, C., Hernández-Muñoz, P., Catalá, R., and Gavara, R., 2014, Advances in antioxidant active food packaging, *Trends Food Sci. Technol.*, 35, 42–51.

Gargiulo, N., Attianese, I., Buonocore, G.G., Caputo, D., Lavorgna, M., Mensitieri, G., and Lavorgna, M., 2013, α -Tocopherol release from active polymer films loaded with functionalized SBA-15 mesoporous silica, *Microporous Mesoporous Mater.*, 167, 10–15.

Gemili, S., Yemenicioğlu, A., and Altinkaya, S.A., 2010, Development of antioxidant food packaging materials with controlled release properties, *J. Food Eng.*, 96, 325–332.

Goñi, M.L., Gañán, N.A., Strumia, M.C., and Martini, R.E., 2016, Eugenol-loaded LLDPE films with antioxidant activity by supercritical carbon dioxide impregnation, *J. Supercrit. Fluids*, 111, 28–35.

- Gülçin, İ., Huyut, Z., Elmastaş, M., and Aboul-Enein, H.Y., 2010, Radical scavenging and antioxidant activity of tannic acid, *Arab. J. Chem.*, 3, 43–53.
- Higuchi, T., 1963, Mechanism of sustained-action medication. Theoretical analysis of rate of release of solid drugs dispersed in solid matrices, *J. Pharm. Sci.*, 52, 1145–1149.
- Joseph, C.S., Prashanth, K.V.H., Rastogi, N.K., Indiramma, A.R., Reddy, S.Y., and Raghavarao, K., 2011, Optimum Blend of Chitosan and Poly-(ε-caprolactone) for Fabrication of Films for Food Packaging Applications, *Food Bioprocess Technol.*, 4, 1179–1185.
- Kammoun, M., Haddar, M., Kallel, T.K., Dammak, M., and Sayari, A., 2013, Biological properties and biodegradation studies of chitosan biofilms plasticized with PEG and glycerol, *Int. J. Biol. Macromol.*, 62, 433–438.
- Kanmani, P. and Rhim, J.W., 2014, Development and characterization of carrageenan/grapefruit seed extract composite films for active packaging, *Int. J. Biol. Macromol.*, 68, 258–266.
- Korsmeyer, R.W., Gurny, R., Doelker, E., Buri, P., and Peppas, N.A., 1983, Mechanisms of solute release from porous hydrophilic polymers, *Int. J. Pharm.*, 15, 25–35.
- Leceta, I., Guerrero, P., and Caba, K. De, 2013, Functional properties of chitosan-based films, *Carbohydr. Polym.*, 93, 339–346.
- Li, C., Hein, S., and Wang, K., 2012, Chitosan-carrageenan polyelectrolyte complex for the delivery of protein drugs. *ISRN Biomater.*, 2013, 1–6.
- Li, Q., Zhou, J., and Zhang, L., 2009, Structure and properties of the nanocomposite films of chitosan reinforced with cellulose whiskers. *J. Polym. Sci. Part B Polym. Phys.*, 47, 1069–1077.
- Liu, F., Antoniou, J., Li, Y., Yi, J., Yokoyama, W., Ma, J., and Zhong, F., 2015, Preparation of gelatin films incorporated with tea polyphenol nanoparticles for enhancing controlled-release antioxidant properties. *J. Agric. Food Chem.*, 63, 3987–3995.
- Majid, I., Ahmad Nayik, G., Mohammad Dar, S., and Nanda, V., 2016, Novel food packaging technologies: Innovations and future prospective, *J. Saudi Soc. Agric. Sci.*, 30, 1-9
- Maqsood, S. and Benjakul, S., 2010, Preventive effect of tannic acid in combination with modified atmospheric packaging on the quality losses of the refrigerated ground beef, *Food Control*, 21, 1282–1290.
- Mishra, K., Ojha, H., and Chaudhury, N.K., 2012, Estimation of antiradical properties of antioxidants using DPPH assay: A critical review and results. *Food Chem.*, 130, 1036–1043.

- Murillo-Martínez, M.M., Pedroza-Islas, R., Lobato-Calleros, C., Martínez-Ferez, A., and Vernon-Carter, E.J., 2011, Designing W 1/O/W 2 double emulsions stabilized by protein--polysaccharide complexes for producing edible films: Rheological, mechanical and water vapour properties, *Food Hydrocoll.*, 25, 577–585.
- Niki, E., 2010, Assessment of antioxidant capacity in vitro and in vivo, *Free Radic. Biol. Med.*, 49, 503–515
- Park, S.Y., Lee, B.I., Jung, S.T., and Park, H.J., 2001, Biopolymer composite films based on k-carrageenan and chitosan, *Mater. Res. Bull.*, 36, 511–519.
- Pyla, R., Kim, T.J., Silva, J.L., and Jung, Y.S., 2010, Enhanced antimicrobial activity of starch-based film impregnated with thermally processed tannic acid, a strong antioxidant, *Int. J. Food Microbiol.*, 137, 154–160.
- Pyrzyska, K. and Pe, A., 2013, Analytical Methods Application of free radical diphenylpicrylhydrazyl (DPPH) to estimate the antioxidant capacity of food samples, *Anal. Methods*, 5, 4288–4295.
- Ramos, M., Beltrán, A., Peltzer, M., Valente, A.J.M., and Garrigós, M. del C., 2014, Release and antioxidant activity of carvacrol and thymol from polypropylene active packaging films, *LWT - Food Sci. Technol.*, 58, 470–477.
- Rodrigues, S., Costa, A.M.R. Da, and Grenha, A., 2012, Chitosan/carrageenan nanoparticles: Effect of cross-linking with tripolyphosphate and charge ratios, *Carbohydr. Polym.*, 89, 282–289.
- Rubentheren, V., Ward, T.A., Chee, C.Y., and Tang, C.K., 2015, Processing and analysis of chitosan nanocomposites reinforced with chitin whiskers and tannic acid as a crosslinker. *Carbohydr. Polym.*, 115, 379–387.
- Sahiner, N., Sagbas, S., and Aktas, N., 2015, Single step natural poly(tannic acid) particle preparation as multitasking biomaterial, *Mater. Sci. Eng. C*, 49, 824–834.
- Sahiner, N., Sagbas, S., Aktas, N., and Silan, C., 2016, Inherently antioxidant and antimicrobial tannic acid release from poly(tannic acid) nanoparticles with controllable degradability, *Colloids Surfaces B Biointerfaces*, 142, 334–343.
- Salgueiro, A.M., Daniel-da-Silva, A.L., Girão, A. V., Pinheiro, P.C., and Trindade, T., 2013, Unusual dye adsorption behavior of κ-carrageenan coated superparamagnetic nanoparticles, *Chem. Eng. J.*, 229, 276–284.
- Schreiber, S.B., Bozell, J.J., Hayes, D.G., and Zivanovic, S., 2013, Introduction of primary antioxidant activity to chitosan for application as a multifunctional food packaging material, *Food Hydrocoll.*, 33, 207–214.
- Shahbazi, M., Rajabzadeh, G., Ettelaie, R., and Rafe, A., 2016, Kinetic study of κ-carrageenan degradation and its impact on mechanical and structural

properties of chitosan/ κ -carrageenan film, *Carbohydr. Polym.*, 142, 167–176.

Siripatrawan, U., and Harte, B.R., 2010, Physical properties and antioxidant activity of an active film from chitosan incorporated with green tea extract, *Food Hydrocoll.*, 24, 770–775.

Siripatrawan, U., and Vitchayakitti, W., 2016, Improving functional properties of chitosan films to be used as active food packaging by incorporation with propolis, *Food Hydrocoll.*, 61, 695–702.

Torres-Arreola, W., Soto-Valdez, H., Peralta, E., Cárdenas-López, J.L., and Ezquerro-Brauer, J.M., 2007, Effect of a low-density polyethylene film containing butylated hydroxytoluene on lipid oxidation and protein quality of Sierra fish (*Scomberomorus sierra*) muscle during frozen storage. *J. Agric. Food Chem.*, 55, 6140–6146.

Tripathi, S., Mehrotra, G.K., and Dutta, P.K., 2010, Preparation and physicochemical evaluation of chitosan/poly(vinyl alcohol)/pectin ternary film for food-packaging applications, *Carbohydr. Polym.*, 79, 711–716.

Wu, C., Tian, J., Li, S., Wu, T., Hu, Y., Chen, S., Sugawara, T., and Ye, X., 2016, Structural properties of films and rheology of film-forming solutions of chitosan gallate for food packaging, *Carbohydr. Polym.*, 146, 10–19.

Zhou, B., Hu, X., Zhu, J., Wang, Z., Wang, X., and Wang, M., 2016, Release properties of tannic acid from hydrogen bond driven antioxidative cellulose nanofibrous films, *Int. J. Biol. Macromol.*, 91, 68–74.