

DAFTAR PUSTAKA

- Abd Karim A, Sulebele GA, Azhar ME, Ping CY. (1999). Effect of carrageenan on yield and properties of tofu. *Food Chem.* 66 (2):159–165
- Adams, K. F., Lampe, P. D., Newton, K. M., Ylvisaker, J. T., Feld, A., Myerson, D. (2005). Soy protein containing isoflavones does not decrease colorectal epithelial cell proliferation in a randomized controlled trial. *The American Journal of Clinical Nutrition*, 82, 620-626.
- Ananchaipattana, C. (2012). Bacterial contamination of soybean curd (tofu) sold in Thailand. *Food Science and Technology Research*, 18, 843-848.
- Anbarasu, K., and Vijayalakshmi, G. (2007). Improved Shelf Life of Protein-Rich Tofu Using *Ocimum sanctum* (tulasi) Extracts to Benefit Indian Rural Population. *Journal of Food Science: (72)*, Nr. 8.
- Andre, S., Zuber, F., Remize, F. (2013). Thermophilic spore-forming bacteria isolated from spoiled canned food and their heat resistance. Results of a French ten-year survey. *Int. Journal Food Microbiol.* 165, 134e143.
- Angeles, A. G., & Marth, E. H. (1971). Growth and activity of lactic-acid bacteria in soymilk: I. Growth and acid production. *Journal of Milk and Food Technology*, 34, 30-36.
- Arnesen, L.P.S., Fagerlund, A., Granum, P.E. (2008). From soil to gut: *Bacillus cereus* and its food poisoning toxins. *FEMS Microbiol. Rev.* 32, 579–606.
- Ashenafi, M. (1994). Microbiological evaluation of tofu and tempeh during processing and storage. *Plant Foods for Human Nutrition*, 45,183-189.
- Ball CO. 1928. *Mathematical solution of problems on thermal processing of canned food*. Berkley, Calif.: Univ. Cal. Pub. In Pub. Health 1, N 2, 15-24
- Cai TD, Chang K. C. (1997). Dry tofu characteristics affected by soymilk solid content and coagulation time. *J Food Qual* 20:391–402
- Carlin, F., Brillard, J., Broussolle, V., Clavel, T., Duport, C., Jobin, M., Guinebrière, M.H., Auger, S., Sorokine, A., dan Nguyen-Thé, C. (2010). Adaptation of *Bacillus cereus*, an ubiquitous worldwide-distributed foodborne pathogen, to a changing environment. *Food Research International* 43: 1885–1894

- Carrasco, E., Andres, M. R., dan Rosa, M. G. (2012). Cross-contamination and recontamination by Salmonella in foods: A review. *Food Research International* 45 (2012) 545–556.
- Cazemier, A.E., Wagenaars, S.F.M., ter Steeg, P.F. (2001). Effect of sporulation and recovery medium on the heat resistance and amount of injury of spores from spoilage bacilli. *Journal Application Microbiology*. 90, 761–770.
- Choma, C., Clavel, T., Dominguez, H., Razafindramboa, N., Soumille, H., Nguyenthe, C. (2000). Effect of temperature on growth characteristics of *Bacillus cereus* TZ415. *International Journal of Food Microbiology*, 55, 73–77.
- Choma, C., Guinebretière, M.-H., Carlin, F., Schmitt, P., Velge, P., Granum, P.E., Nguyen-The, C. (2000). Prevalence, characterization and growth of *Bacillus cereus* in commercial cooked chilled foods containing vegetables. *J. Appl. Microbiol.* 88, 617–625.
- Collado, J., Fernandez, A., Rodrigo, M., Martinez, A. (2006). Modelling the effect of a heat shock and germinant concentration on spore germination of a wild strain of *Bacillus cereus*. *International Journal of Food Microbiology* 106 (2006) 85 – 89.
- Conesa, R., Andreu, S., Fernandez, P. S., Esnoz, A., dan Palop, A. (2009). Nonisothermal heat resistance determinations with the thermoresistometer Mastia. *The Society for Applied Microbiology, Journal of Applied Microbiology* 107 (2009) 506–513.
- Corradini, M. G., Normand, M. D., dan Peleg, M. (2006). Expressing the equivalence of non-isothermal and isothermal heat sterilization processes. *Journal of the Science of Food and Agriculture*. 86:785–792
- Dotsom, C. R., Frank, H. A., & Cavaletto, C. G. (1977). Indirect methods as criteria of 329 spoilage in tofu (soybean curd). *Journal of Food Science*, 42,273-274.
- Duport, C., Thomassin, S., Bourel, G., & Schmitt, P. (2004). Anaerobiosis and low specific growth rates enhance hemolysin BL production by *Bacillus cereus* F4430/73. *Archives of Microbiology*, 182, 90–95.
- Esteban, M. D., Conesa, R., Huertas, J. P., Palop, A. (2015). Effect of thymol in heating and recovery media on the isothermal and non-isothermal heat resistance of *Bacillus* spores. *Food Microbiology* 48 (2015) 35-40
- Fouad, K. E., & Hegeman, G. D. (1993). Microbial spoilage of tofu (soybean curd). *Journal of Food Protection*, 56,157-164.

- Fukutake, M., Takahashi, M., Ishida, K., Kawamura, H., Sugimura, T., & Wakabayashi, K. (1996). Quantification of genistein and genistin in soybeans and soybean products. *Food and Chemical Toxicology*, 34,457-461.
- Gaillard, S. Leguerinel, I. Savy, N. Mafart, P. (2005). Quantifying the combined effects of the heating time, the temperature and the recovery medium pH on the regrowth lag time of *Bacillus cereus* spores after a heat treatment. *International Journal of Food Microbiology* 105: 53– 58.
- Ginting, C., Ginting, S., dan Suhaedi I. (2014). Pengaruh Jumlah Bubuk Kunyit Terhadap Mutu Tahu Segar Selama Penyimpanan Pada Suhu Ruang. Ilmu dan Teknologi Panga. *Jurnal Rekayasa Pangan dan Pertanian.*, Vol.2 No.4Th. 2014.
- Gould, G.W. (1999). Sous vide foods: conclusion of an ECFE Botulinum Working Party. *Food Control* 10, 47–51.
- Guinebretiere, M. H., & Nguyen-The, C. (2003). Sources of *Bacillus cereus* contamination in a pasteurized zucchini puree processing line, differentiated by two PCR-based methods. *FEMS Microbiology Ecology*, 43, 207–215.
- Holdsworth, D. dan Simpson, R. (2007). *Thermal Processing of Packaged Foods*. Second Edition. Springer Science & Business Media, LLC
- Hou HJ, Chang KC, Shih MC (1977) Yield and textural properties of soft tofu as affected by coagulation method. *Journal Food Science* 62 (4):824–827
- Hui, L. K., Easa, A. M., Ismail, N. (2000). Effects of thermal treatments on texture of soy protein isolate tofu. *Journal of Food Processing and Preservation*. <https://www.researchgate.net/publication/227783201>
- Jensen, G. B., Hansen, B. M., Eilenberg, J., & Mahillon, J. (2003). The hidden lifestyles of *Bacillus cereus* and relatives. *Environmental Microbiology*, 5, 631–640.
- Jiang, S., Cai, W., Xu, B. (2013). Food Quality Improvement of Soy Milk Made from Short-Time Germinated Soybeans. *Foods* 2013, 2, 198-212
- Kang, S. H., Lee, Y. W., & Oh, W. T. (1998). A study on characteristics of spoilage bacteria isolated from packed tofu. *Journal of Food Hygiene and Safety*, 13, 383-387.
- Kirby, R. M., Bartram, J. dan Carr, R. (2003). Water in food production and processing: quantity and quality concerns. *Food Control* 14: 283–299.

- Kramer, J.M., Gilbert, R.J., (1989). *Bacillus cereus and other Bacillus species*. In: Doyle, M.P. (Ed.), *Foodborne Bacterial Pathogens*. Marcel Dekker, New York, pp. 21–70.
- Kohyama, K., Yoshida, M. and Nishinari, K. (1993), ‘‘Rheological Study on the gelation processing of soybean 115 protein by glucono-o-lactone’’, *Journal of Agricultural and Food Chemistry*, Vol. 40, pp. 740–4.
- Kovats, S. K., Doyle, M. P., & Tanaka, N. (1984). Evaluation of the microbiological safety of tofu. *Journal of Food Protection*, 47,618-622.
- Lee, D. A. (2017). Microbial contamination of tofu in Korea and growth characteristics of *Bacillus cereus* isolates in Tofu. *Food Science and Technology* 78 (2017) 63-69
- Lewis, M. dan Heppell, N. (2000). *Continuous Thermal Processing of Foods Pasteurization and UHT Sterilization*. Aspen Publishers, Inc. Gaithersburg, Maryland
- Li, J., & Hsieh, Y. P. (2004). Traditional Chinese food technology and cuisine. *Asia Pacific Journal of Clinical Nutrition*, 13,147-155.
- Liu, K. (1997). *Effects of coagulants on storage of packed tofu*. Maryland: Springer.
- Lim, B.T., de Man, J.M., de Man, L. and Buzzell, R.I. (1990). Yield and quality of tofu as affected by soybean and soymilk characteristics. Calcium sulphate coagulant. *Journal of Food Science*, Vol. 55, pp. 1088–92.
- Loey, A.V., Hendrickx, M., Ludikhuyze, L., Weemaes, C., Haentjens, T., Cordt, S.D., dan Tobback, P. (1995). Potential *Bacillus subtilis* α -Amylase-Based Time-Temperature Integrators To Evaluate Pasteurization Processes. *Journal of Food Protection*, Vol. 59, No.3, Pages 261-267
- Matsuzawa, K., Yamanaka, S., Yamashita, H., Yamaguchi, T., Ueda, O., & Terashita, T. (1998). Isolation and identification of a microorganism from Juten-Tofu with yellow spot (*Leuconostoc mesenteroides* subsp. *mesenteroides*). *Nippon Shokuhin Kagaku Kogaku Kaishi*, 45,66-68.
- Michelet, N., Granum, P.E., Mahillon, J. (2006). *Bacillus cereus enterotoxins, bi- and tri-component cytolytins and other haemolysins*, In: Alouf, J., Popoff, M.R. (Eds.). *The Comprehensive Sourcebook of Bacterial Toxins*, third ed. Academic Press, London, pp. 779–790.
- Midayanto, D. N., dan Yuwono, S. S. (2014). Penentuan Atribut Mutu Tekstur Tahu untuk Direkomendasikan Sebagai Syarat Tambahan dalam Standar

Nasional Indonesia. *Jurnal Pangan dan Agroindustri* Vol. 2 No 4 p.259-267.

- Nicholson, W. L., Munakata, N., Horneck, G., Melosh, H. J., & Setlow, P. (2000). Resistance of *Bacillus* endospores to extreme terrestrial and extraterrestrial environments. *Microbiology and Molecular Biology Reviews*, 64, 548–572.
- No, H. K., Park, N. Y., Hwang, H. J., & Meyers, S. P. (2002). Antibacterial activities of chitosans and chitosan oligomers with different molecular weights on spoilage bacteria isolated from tofu. *Journal of Food Science*, 67,1511-1514.
- Ojha, P., Karki, T. B., Maharjan, S. (2014). Effect of Sprouting in Physico-chemical Properties of Tofu. *Journal of Nutritional Health & Food Engineering*. Vol: 1 Issue 2-2014.
- Omueti, O. dan Jaiyeola, O. (2006). Effects of Chemical and Plant Based Coagulants on Yield and Some Quality Attributes of Tofu. *Nutrition & Food Science*. Vol. 36 No. 3, 2006: pp. 169-176
- Park, S. H., Lamsal, B. P., Balasubramaniam, V.M. (2014). *Principles of Food Processing*. Ed: Edited by Stephanie Clark, Stephanie Jung, and Buddhi Lamsal. John Wiley & Sons, Ltd.
- Peleg, M., Normand, M.D., dan Corradini, M.G. (2005). Generating microbial survival curves during thermal processing in real time. *Journal of Applied Microbiology* 2005, 98, 406–417
- Periago, P., van Schaik, W., Abee, T., & Wouters, J. A. (2002). Identification of proteins involved in the heat stress response of *Bacillus cereus* ATCC 14579. *Applied and Environmental Microbiology*, 68, 3486–3495.
- Piggot, P. J., & Hilbert, D. W. (2004). Sporulation of *Bacillus subtilis*. *Current Opinion in Microbiology*, 7, 579–586.
- Prestamo, G., & Fontecha, J. (2007). High pressure treatment on the tofu fatty acids and acylglycerols content. *Innovative Food Science and Emerging Technologies*, 8, 188-191.
- Rahayu, E.S. Rahayu, S. Sidar, A., Purwadi, Tri dan Rochdyanto, S. (2012). *Teknologi Proses Produksi Tahu*. Penerbit Kanisius.
- Ranieri, M.L., J.R. Huck, M. Sonnen, D.M. Barbano and K.J. Boor. (2009). High temperature, short time pasteurization temperatures inversely affect bacterial numbers during refrigerated storage of pasteurized fluid milk. *Journal Dairy Science*. 92: 4823-4832.

- Ramaswamy, H. S., Marcotte, M. (2006). *Food Processing: Principles and Applications*. Taylor & Francis Group, LLC.
- Rehberger, T. G., Wilson, L. A., & Glatz, B. A. (1984). Microbiological quality of commercial tofu. *Journal of Food Protection*, 47,177-181.
- Rekha, C. R., & G. (2013). Vijayalakshmi Influence of processing parameters on the quality of soycurd (tofu). *Journal Food Science Technology* (January–February 2013) 50(1):176–180
- Rossi, F. (2016). Microbiological characteristics of fresh tofu produced in small industrial scale and identification of specific spoiling microorganisms (SSO). *Food Science and Technology* 70: 280-285
- Samapundo, S., Heyndrickx, M., Xhaferi, R., Baenst, I., Devlieghere, F. (2014). The combined effect of pasteurization intensity, water activity, pH and incubation temperature on the survival and outgrowth of spores of *Bacillus cereus* and *Bacillus pumilus* in artificial media and food products. *International Journal of Food Microbiology* 181: 10–18
- Samapundo, S., Heyndrickx, M., Xhaferi, R., Devlieghere, F. (2011). Incidence, diversity and toxin gene characteristics of *Bacillus cereus* group strains isolated from food products marketed in Belgium. *International Journal Food Microbiology*. 150, 34–41.
- Serrazanetti, D. I., Ndagijimana, M., Miserocchi, C., Guerzoni, M. E., Perillo, L. (2013). Fermented tofu: Enhancement of keeping quality and sensorial properties. *Food Control* 34: 336-346a
- Shih, M.C., Hou, H.J. and Chang, K.C. (1997), Process optimization for soft tofu, *Journal of Food science*, Vol. 62, pp. 833–7.
- Shin, I. S. (2006). Development of shelf life prediction model of tofu using mathematical quantitative assessment model. *Food Industry and Nutrition*, 10,11-16.
- Shinagawa, K. (1990). Analytical methods for *Bacillus cereus* and other *Bacillus* species. *International Journal of Food Microbiology* 10, 125–141.
- Sobhi, B., Noranizan, M., Karim, Ad. S., Rahman, A., Bakar, R. J., Ghazali, Z. (2012). Microbial and quality attributes of thermally processed chili shrimp paste. *International Food Research Journal* 19(4): 1705-1712 (2012)
- Smith, J. M., H. C. Van Ness, and M. M. Abbott. (2005). *Introduction to Chemical Engineering Thermodynamics*, 7th edition, McGraw-Hill.

- Stoops, J., Maes, P., Claes, J., & Van Campenhout, L. (2012). Growth of *Pseudomonas fluorescens* in modified atmosphere packaged tofu. *Letters in Applied Microbiology*, 54,195-202.
- Sun, N. and Breene, W.M. (1991). Calcium sulphate concentration influence on yield and quality of tofu from five soybean varieties. *Journal of Food Science*, Vol. 56, pp. 1604–1607.
- Svensson, B., Ekelund, K., Ogura, H., & Christiansson, A. (2004). Characterisation of *Bacillus cereus* isolated from milk silo tanks at eight different dairy plants. *International Dairy Journal*, 14, 17–27.
- Thi, H. L., Khadka, D. B., Michiels, C. W. (2014). Thermal inactivation parameters of spores from different phylogenetic groups of *Bacillus cereus*. *International Journal of Food Microbiology* 189: 183–188
- Tri Radiyati et.al. (1992). *Pengolahan Kedelai*. Subang: BPTTG Puslitbang Fisika Terapan – LIPI, 1992. Hal. 9 – 14.
- Tsai, S.J., Lan, C.Y., Kao, C.S. and Chen, S.C. (1981). Studies on the yield and quality characteristics of tofu. *Journal of Food Science*, Vol. 46, pp. 1734–40.
- Tuitemwong, K., and Fung, D. Y. C. (1991). Microbiological Study of Tofu. *Journal Food Protection*, Vol. 54. No. 3 212-216.
- Utsumi, S. and Kinsella, J.E. (1985). Forces involved in soy protein gelation: effects of various reagent on the formation, hardness and solubility of heat-induced gels made from 75, 115, and soy isolate. *Journal of Food science*, Vol. 50, pp. 1278–82.
- Van Asselt, E.D., Zwietering, M.H., (2006). A systematic approach to determine global thermal inactivation parameters for various food pathogens. *International Journal Food Microbiology*. 107, 73–82.
- Van Kooij, J. A., & de Boer, E. (1985). A survey of the microbiological quality of commercial tofu in the Netherlands. *International Journal of Food Microbiology*, 2, 349-354.
- Vilain, S., Luo, Y., Hildreth, M. B., & Brozel, V. S. (2006). Analysis of the life cycle of the soil saprophyte *Bacillus cereus* in liquid soil extract and in soil. *Applied and Environmental Microbiology*, 72, 4970–4977.
- Wang, R.C. and Chang, K.S. (1995). Physicochemical properties and tofu quality of soybean cultivar Proto. *Journal of Agricultural and Food Chemistry*, Vol. 43, pp. 3029–34.

Wang HL, Hesseltine CW (1982). Coagulation conditions in tofu processing. *Process Biochem* 1:1808–1812.

Zhang, P., Setlow, P., Li, Y., (2009). Characterization of single heat-activated Bacillus spores using laser tweezers Raman spectroscopy. *Opt. Express* 19, 16480–16491.