

## DAFTAR PUSTAKA

- Abuqamar, M., Coomans, D., & Louckx, F. (2011). The impact of parental education on infant mortality in Gaza strip, Palestine. *Journal of Public Health and Epidemiology*, 3(1), 28-33.P
- Adyas, atikah & burlin mughunie.(2014). Determinan Faktor pemanfaatan pelayanan ortotik prostetik. Kementerian Kesehatan Republik Indonesia. Politeknik kesehatan jakarta.
- Afifah, T., Djaja, S., & Irianto, J. (2008). Tren dan Disparitas Angka Kematian Bayi (AKB), Angka Kematian Anak Balita (AKA), Angka Kematian Balita (AKBA) Menurut Sosial Ekonomi Di Indonesia, Susenas 1998, 2001 dan 2003. *Jurnal Ekologi Kesehatan*, 7(3 Des).
- Alwi, H. (2003). *Kamus Besar Bahasa Indonesia Edisi Ketiga*. Balai Pustaka. Jakarta
- Aras, R. Y. (2013). Is maternal age risk factor for low birth weight?. *Archives of Medicine and Health Sciences*, 1(1), 33.
- Astri, I., & ikhsan, m. (2014). Analisis faktor risiko kematian Neonatal dini di rumah sakit khusus daerah ibu dan anak pertiwi kota makassar tahun 2011-2012.
- Badan Perencanaan Pembangunan Nasional Republik Indonesia (BPPNRI). *Kajian Evaluasi Pembangunan Sektoral*. (2009). Faktor-faktor yang mempengaruhi kelangsungan hidup anak.
- Badan Pusat Statistik (BPS) Kabupaten Magelang. (2016). Penduduka kabupaten Magelang 2016 [https://magelangkab.bps.go.id/website/pdf\\_publicasi/Penduduk-Kabupaten-Magelang-2016.pdf](https://magelangkab.bps.go.id/website/pdf_publicasi/Penduduk-Kabupaten-Magelang-2016.pdf). diakses tanggal 3 Maret 2017
- Badan Pusat Statistik (BPS) Kabupaten Magelang. (2017). Kabupaten Magelang Dalam Angka 2017. [https://magelangkab.bps.go.id/website/pdf\\_publicasi/Kabupaten-Magelang-Dalam-Angka-2017-.pdf](https://magelangkab.bps.go.id/website/pdf_publicasi/Kabupaten-Magelang-Dalam-Angka-2017-.pdf). Diakses tanggal 8 Juli 2017
- Balayla, J., Azoulay, L., & Abenhaim, H. A. (2011). Maternal marital status and

the risk of stillbirth and infant death: a population-based cohort study on 40 million births in the United States. *Women's Health Issues*, 21(5), 361-365.

Ballot, D.E, Tobias F Chirwa, and Peter,A, Copper. (2010). Determinants of Survival In Very Low Birth Weight Neonates In A Public Sector Hospitas In Johannesburg. "*BMC Pediatrics 30; 1471-2431*

Banza, B. A. Y. A. (1999). Instruction des parents et survie de l'enfant au Burkina Faso: cas de Bobo-Dioulasso. *Les dossiers du CEPED*, (48).

Behrman, richard E.(1988).Ilmu Kesehatan anak: Nelson. Jakarta: EGC.

Class, Q. A., Rickert, M. E., Lichtenstein, P., & D'Onofrio, B. M. (2014). Birth weight, physical morbidity, and mortality: a population-based sibling-comparison study. *American journal of epidemiology*, 179(5), 550-558.

Carlo.A.Waldemar & Sperling. A.M, (2016). Overview of mortality and morbidity.

Berhman.R.E (Eds). Nelson Textbook of pediatrics. Edition 20. Elsavier, pp.789;821-823

Carlson, E., & Hoem, J. M. (1999). Low-weight neonatal survival paradox in the Czech Republic. *American journal of epidemiology*, 149(5), 447-453.

Chevalier, A., & O'Sullivan, V. (2007). Mother's education and birth weight.

Coulibaly, A., Baguiya, A., Millogo, T., Meda, I. B., & Kouanda, S.(2016). Predictors of mortality of low birth weight newborns during the neonatal period: A cohort study in two health districts of Burkina Faso. *International Journal of Gynecology & Obstetrics*, 135, S89-S92.

Conde-Agudelo, A. (2002). Association Between Interpregnancy Intervals and Maternal/Paternal Outcomes in Latin America. OBSI Regional Workshop, Washington D.C.;

CDC. (1990). Infant Mortality by Marital Status of Mother -- United States, (1983).

Available at [www.cdc.gov/mmwr/preview/mmwrhtml/00001702.htm](http://www.cdc.gov/mmwr/preview/mmwrhtml/00001702.htm). Diakses tanggal 12 November 2016.

Dahlan, M.Sopiyudin., (2014). Analisis Survival; Dasar-dasar teori dan aplikasi program Stata. Jakarta

- Dinas Kesehatan Kabupaten Magelang . (2015). Profil Kesehatan Kabupaten Magelang Tahun 2014.
- Dinas Kesehatan Kabupaten Magelang .(2015). Standar Pelayanan Minimal Bidang Kesehatan Kabupaten Magelang Tahun 2014.
- Departemen Kesehatan Republik Indonesia. (1995).pedoman pelayanan ANC tingkat dasar. Direktorat Bina Kesejahteraan Keluarga. Direktorat Bina Kesehatan Masyarakat. Jakarta: Depkes RI, 1995.
- Dinas Kesehatan Kabupaten Magelang .(2016). Profil Kesehatan Kabupaten Magelang Tahun 2015.
- Dinas Kesehatan Provinsi Jawa Tengah.(2015). Profil Kesehatan Provinsi Jawa Tengah Tahun 2014.
- Djaja, S., Hapsari, D., Sulistyawati, N., & Lolong, B.(2009). Peran Faktor Sosio Ekonomi Biologi dan Pelayanan Kesehatan terhadap Kesakitan dan Kematian Neonatal. *Majalah Kedokteran Indonesia*, 59(8).
- Encyclopedia of Children's Health. Available at: <http://www.healthofchildren.com/U-Z/Working-Mothers.html>. Diakses tanggal 15 November 2016
- Farlex.(2012). Birth weight. Farlex Patner Medical Dictionary. Available at <http://medical-dictionary.thefreedictionary.com/birthweight> Diakses tanggal 11 Januari 2017.
- Fortney, J. A., & Higgins, J. E.(1983). The effect of birth interval on perinatal survival and birth weight. In *Childbirth in Developing Countries* (pp. 112-126). Springer Netherlands.
- Fraser, A. M., Brockert, J. E., & Ward, R. H. (1995). Association of young maternal age with adverse reproductive outcomes. *New England journal of medicine*, 332(17), 1113-1118.
- Girma, B., & Berhane, Y. (2011). Children who were vaccinated, breast fed and from low parity mothers live longer: a community based case-control study in Jimma, Ethiopia. *BMC public health*, 11(1), 1.
- Hayu, E. Riska. (2014). Hubungan kadar tyroid stimulating hormorne (TSH) rendah pada ibu hamil dengan kejadian BBLR di kabupaten magelang tahun 2012-2013.Available at [http:// etd.repository.ugm.ac.id/index.php?mod=](http://etd.repository.ugm.ac.id/index.php?mod=)

*penelitian\_detail&sub...ac*. Diakses tanggal 28 juni 2017

- Hulliana, M. (2001). *Panduan menjalani Kehamilan sehat*. Niaga Swadaya.
- Hanum, S., Hasanah, O., & Elita, V. (2014). Gambaran morbiditas bayi dengan berat badan lahir rendah (BBLR) di ruang perinatologi RSUD Arifin Achmad Pekanbaru. *JOM PSIK*, 1(2), 3-5.
- Imaniya, S. A., Zain, I. M., & Kes, M. (2015). Pengaruh kondisi sosial, Ekonomi, demografi dan geografi terhadap kelangsungan hidup bayi di kabupaten bangkalan. *Jurnal Mahasiswa Teknologi Pendidikan*, 1(1).
- Judith, B, Holloway Beth.(2016). Low birth weight. Health Encyclopedia. University of Rochester Medical Center Rochester, NY.
- Kader, M., & Perera, N. K. P. (2014). Socio-economic and nutritional determinants of low birth weight in India. *North American journal of medical sciences*, 6(7), 302.
- Kardjati, Anna Alisjahbana, J.A. K usin.(1985). Aspek Kesehatan Dan Gizi Anak Balita. Yayasan Obor Indonesia
- Kemenkes RI. (2010). Survei Demografi dan Kesehatan Indonesia 2007. Jakarta.
- Kementerian Kesehatan RI. (2013). Situasi Keluarga Berencana di Indonesia. Buletin Jendela data dan informasi Kesehatan.
- Kementerian Kesehatan RI. (2013). Pelayanan Kesehatan Ibu di Fasilitas Kesehatan Dasar dan Rujukan. Jakarta
- Kementerian Kesehatan RI. (2015). Profil Kesehatan Indonesia 2014. Jakarta
- Klaus, Marshall H, dan Avroy A, Fanaroff (1988) care of the High-Risk Neonate. Ed.ke-4. Terj. Achmad Surjono. Jakarta : EGC
- Kleinbaum, D. G., & Klein, M. (2006). *Survival analysis: a self-learning text*. Springer Science & Business Media.
- Kozuki, N., Guenther, T., Vaz, L., Moran, A., Soofi, S. B., Kayemba, C. N., ... & Doherty, T. (2015). A systematic review of community-to-facility neonatal referral completion rates in Africa and Asia. *BMC public health*, 15(1), 1.
- Krisnadi,sofie.R., Jusuf, S.E.,dan Adhi.P. (2009). Prematuritas. Bandung; Refika Aditama

- Lawn JE, Cousens SN, Zupan J, Lancet Neonatal Survival Steering Team:  
Neonatal Survival 1: 4 million neonatal deaths: When? Where? *Lancet series* Published online. March 3, 2005. Available at:  
[http://www.who.int/maternal\\_child\\_adolescent/documents/pdfs/lancet\\_neonatal\\_survival\\_paper1.pdf](http://www.who.int/maternal_child_adolescent/documents/pdfs/lancet_neonatal_survival_paper1.pdf) [PubMed]. Diakses tanggal 11 november 2016.
- Legato, Marianne, J. (2009). Principles of gender specific medicine.
- Lerner. 2001. Encyclopedia of children's health. Available at  
[www.healthofchildren.com](http://www.healthofchildren.com). Diakses tanggal 17 November 2016.
- Lim, D. O., & Park, S. H. (2014). Risk factors for preterm birth and low birth weight in extramarital birth: 2008-2012 birth certificated data. *The Korean Journal of Health Service Management*, 8(3), 137-145.
- Lunze, K., Bloom, D. E., Jamison, D. T., & Hamer, D. H. (2013). The global burden of neonatal hypothermia: systematic review of a major challenge for newborn survival. *BMC medicine*, 11(1), 24.
- Mahmudah, U., Cahyati, W. H., & Wahyuningsih, A. S. (2011). Faktor ibu dan Bayi yang berhubungan dengan Kejadian Kematian Perinatal. *Jurnal Kesehatan Masyarakat*, 7(1), 41-50.
- Maimunah, Siti. (2005). *Kamus Istilah Kebidanan*. EGC. Jakarta
- Malqvist, M. (2011). Neonatal mortality: an invisible and marginalised trauma. *Global health action*, 4.
- Manshande JP, Eeckels R, Manshande-Desmet V, Vlietinck R. (1987). Rest versus heavy work during the last weeksof pregnancy: influence on fetal growth. *British Journal of Obstetrics and Gynecology* 94:1059–1067
- March of Dimes. (2012). What we know about prematurity. Diakses tanggal 1 Desember 2016. Available at <http://www.marchofdimes.com/mission/prematurityindept.html>.
- Menard, M. K., Liu, Q., Holgren, E. A., & Sappenfield, W. M. (1998). Neonatal mortality for very low birth weight deliveries in South Carolina by level of hospital perinatal service. *American journal of obstetrics and gynecology*, 179(2), 374-381.
- MacDonald G. Mhairi, Mary M. Ksishia, Martha D. Mullet. (2005). Avery's

Neonatology: pathophysiology & management of the Newborn.

- Mochtar, R. (1998). *Sinopsis Obstetric Jilid 2*. EGC. Jakarta.
- Mosley, W. H., & Chen, L. C. (1984). An analytical framework for the study of child survival in developing countries. *Population and development review*, 10, 25-45.
- Moghaddam, P. S., & Aghaali, M. (2015). Survival of 798 Low Birth Weight Infants According to Birth Weight and Gestational Age. *Shiraz E-Medical Journal*, 16(11, 12).
- Muslihatun, (2011). *Asuhan Neonatus Bayi Dan Balita*. Yogyakarta : Citra Maya
- Onwuanaku, at.,al. (2011). The effect of birth weight and Gender on neonatal mortality in north central Nigeria. License Biomed central ltd. *BMC Research notes*.
- Prabamurti, P. N., Purnami, C. T., Widagdo, L., & Setyono, S. (2008). Analisis Faktor Risiko Status Kematian Neonatal Studi Kasus Kontrol di Kecamatan Losari Kabupaten Brebes Tahun 2006. *Jurnal Promosi Kesehatan Indonesia*, 3(1), 1-9.
- Proverawati, Atikah & Cahyo Ismawati .(2010). *Berat Badan Lahir Rendah (BBLR)*. Yogyakarta. Nuha Medika.
- Rahmawati, L. (2013). Hubungan Pengambil Keputusan Keluarga Dan Pengetahuan Ibu Tentang Tandabahaya Kehamilan Denga keterlambatan Rujukan. *EKSAKTA*, 2.
- Raharni, R., Isakh, B. M., & Diana, I. (2011). Profil Kematian Neonatal Berdasarkan Sosio Demografi dan Kondisi Ibu Saat Hamil di Indonesia. *Buletin Penelitian Sistem Kesehatan*, 14(4 Okt).
- Ribeiro, A. M., Guimarães, M. J., Lima, M. D. C., Sarinho, S. W., & Coutinho, S. B. (2009). Risk factors for neonatal mortality among children with low birth weight. *Revista de saude publica*, 43(2), 246-255.
- Rutstein, S. (2003). Effect of Birth Intervals on Mortality and Health: Multivariate Cross Country Analyses Presentation to the USAID-sponsored Conference on Optimal Birth Spacing for Central America, held in Antigua, Guatemala.
- Rutstein, S.O (2005). effect of preceding birth interval on neonatal, infant and

under-five years mortality and nutritional status in developing countries: evidence from the demographic and health surveys. *International journal of gynecology and Obstetrics*, 89:S7-S24.

Sarwono. (2006). Ilmu Kebidanan. Jakarta. Yayasan Bina Pustaka

Sharma, V., Katz, J., Mullany, L. C., Khatry, S. K., LeClerq, S. C., Shrestha, S. R., ... & Tielsch, J. M. (2008). Young maternal age and the risk of neonatal mortality in rural Nepal. *Archives of pediatrics & adolescent medicine*, 162(9), 828-835.

Sheibani I, Wing DA. (2017). Abnormal labor and induction of labor. In: Gabbe SG, Niebyl JR, Simpson JL, et al, eds. *Obstetrics: Normal and Problem Pregnancies*. 7th ed. Philadelphia, PA: Elsevier Saunders;chap 13.

Sholekah, I. R. T. W. A. (2014). Faktor-Faktor Yang Mempengaruhi Kegagalan Bidan Desa Dalam Merujuk Kegawatdaruratan Maternal Dan Neonatal Di Wilayah Kerja Puskesmas Mayong I. *Jurnal Kesehatan dan Budaya*, 7(02).

Simbolon, D. (2012). Berat Lahir dan Kelangsungan Hidup Neonatal di Indonesia. *Kesmas: Jurnal Kesehatan Masyarakat Nasional*, 7(1), 8-15.

Sossa, F., Johri, M., & LeGrand, T. (2017). Does Father's Education Make a Difference on Child Mortality? Result from Benin DHS Data Using Conditional Logit Discrete-Time Model. In *Applied Demography and Public Health in the 21st Century* (pp. 403-415). Springer International Publishing.

Strobino, D. M., Ensminger, M. E., Kim, Y. J., & Nanda, J. (1995). Mechanisms for maternal age differences in birth weight. *American Journal of Epidemiology*, 142(5), 504-514.

Sukamti, S., & Riono, P. (2015). Pelayanan Kesehatan Neonatal Berpengaruh Terhadap Kematian Neonatal di Indonesia. *Jurnal Ilmu dan Teknologi Kesehatan (JITek)*, 2(2).

Suraya, Izza. (2012). Efek Waktu Disusui Pertama Terhadap Ketahanan Hidup Bayi Berat Lahir Rendah Neonatal di indonesia tahun 1998-2007.

Sutan, R., & Berkat, S. (2014). Does cultural practice affects neonatal survival-a case control study among low birth weight babies in Aceh Province, Indonesia. *BMC pregnancy and childbirth*, 14(1), 1.

- Tjipta, Guslihan. (2004). Sistem rujukan neonatus. Bagian Ilmu kesehatan anak. Fakultas kedokteran USU.
- Utomo, Budi. (1988). Keluarga Berencana dan Kelangsungan Hidup Anak. *Majalah Dokter keluarga*, volume 8 nomor 1. Desember 1988, 49-54.
- Van der Mei, J. (1993). Survival chances of low birth weight infants in a rural hospital in Ghana. *Tropical and geographical medicine*, 46(5), 313-317.
- Velaphi, S. C., Mokhachane, M., Mphahlele, R. M., Beckh-Arnold, E., Kuwanda, M. L., & Cooper, P. A. (2005). Survival of very-low-birth-weight infants according to birth weight and gestational age in a public hospital. *South African medical journal*, 95(7), 504-509.
- Vazirinejad, R., Masoodpour, N., & Puyanfar, A. (2012). Survival rate of low and very low birth weight neonates in an Iranian community. *Iranian journal of public health*, 41(2), 87-93.
- WHO., 2016. *Neonatal Mortality*. Available at [www.who.int/gho/child health/mortality/neonatal?](http://www.who.int/gho/child_health/mortality/neonatal?). Diakses tanggal 21 September 2016
- WHO., (2016). *Newborns: reducing mortality*. Available at <http://www.who.int/mediacentre/factsheets/fs333/en/>. Diakses tanggal 6 Januari 2017
- Wuryandari, Ajeng Galuh. (2012). Jarak Kelahiran dan Kelangsungan SDKI 2007. *hidup post-neonatum sebelum anak terakhir: kajian analisa data*
- Undang-Undang Republik Indonesia Nomor 20 tahun 2003 tentang Sistem Pendidikan Nasional
- Undang- Undang Republik Indonesia Nomor 1 tahun 1974 tentang Perkawinan.