

DAFTAR PUSTAKA

- Agbozo, F., Abubakari, A., Der, J., & Jahn, A. (2016). Prevalence of low birth weight, macrosomia and stillbirth and their relationship to associated maternal risk factors in Hohoe Municipality, Ghana. *Midwifery*, *40*, 200–206. <https://doi.org/10.1016/j.midw.2016.06.016>
- Ahankari, A., & Leonardi-Bee, J. (2015). Maternal hemoglobin and birth weight: systematic review and meta-analysis. *International Journal of Medical Science and Public Health*, *4*(4), 435–445. <https://doi.org/10.5455/ijmsph.2015.2212201489>
- Akwuruoha, E., Kamanu, C., Onwere, S., Chigbu, B., Aluka, C. & Umezuruike. (2011). Grandmultiparity and pregnancy outcome in Aba, Nigeria: a case-control study. *Arch Gynecol Obstet*, *283*, 167-172
- Amiruddin, R. & Wahyuddin (2004). Studi kasus kontrol faktor biomedis terhadap kejadian anemia ibu hamil di Puskesmas Bantimurung. *Jurnal Medika Unhas*, *25*, 71-75.
- Anonim. (2016). Gejala Hemoglobin Rendah dan Penyebab Hb Rendah. Retrieved from <https://www.wedaran.com/15199/gejala-hemoglobin-rendah-dan-penyebabnya/>
- Arlia, Oroh et al. (2015). Kaitan Makrosomia dengan Diabetes Mellitus Gestasional di Bagian Obgin BLU RSUP Prof. dr. R.D Kandou Manado Periode September 2012- September 2013.
- Aryani, R., (2016). *Faktor - Faktor yang Mempengaruhi Kejadian Anemia Pada Ibu HAMil Trimester III di Wilayah Kerja Puskesmas Mojolaban Kabupaten Sukoharjo*. Universitas Muhammadiyah Surakarta.
- Atuahene, M., Mensah, D., & Adjuik, M. (2015). A cross-sectional study of determinants of birth weight of neonates in the Greater Accra region of Ghana. *Maternal Health, Neonatology and Perinatology*, *1*, 23. <https://doi.org/10.1186/s40748-015-0023-4>
- Azra, P.A. & Rosha, B.C., (2015). Faktor-Faktor Yang Berhubungan Dengan Status Anemia Ibu Hamil di Wilayah Kerja Puskesmas Air Dingin Kecamatan Koto Tengah Kota PADang. , (April), pp.89–96.
- Badan Penelitian dan Pengembangan Kesehatan. (2013). Riset Kesehatan Dasar (RISKESDAS) 2013. *Laporan Nasional 2013*, 1–384. <https://doi.org/10.1186/s40748-015-0023-4> Desember 2013
- Belfort, M. B., & Ehrenkranz, R. a. (2016). Neurodevelopmental outcomes and nutritional strategies in very low birth weight infants. *Seminars in Fetal & Neonatal Medicine*, 1–7. <https://doi.org/10.1016/j.siny.2016.09.001>
- Belgnaoui, S. & Balahsen, R. (2006). Nutrien Intake and Food Consumption Among Pregnant Woman From an Agricultur Region of Marocco. *International journal of Food Science and Nutrition*, *57*, 1927.
- Broek, N. V. D. (2003). Anemia and mironutrient deficiencies. *British Medical Bulletin*, Vol. 67, 149-160.
- Broek, V. D., Rogerson, S., Mhango, C., Kambala, B., White, S. & Molyneux, M. (2000). Anaemia in pregnancy in southern Malawi: prevalence and risk factors. *Journal Obstetric Gynaecology* *107*, 445-451.

- Budiono, I. 2009. Prevalensi dan Determinasi Kejadian Anemia Pada Ibu Hamil di Perkampungan Nelayan. *Jurnal Kesehatan Masyarakat*. 4(2).
- Chan, M. (2011). Haemoglobin concentrations for the diagnosis of anaemia and assessment of severity. *Geneva, Switzerland: World Health Organization*, 1–6. <https://doi.org/2011>
- Christian, P. (2010). Micronutrients, birth weight and survival. *The Annual Review of Nutrition*, 30, 83-104.
- Coulibaly, A., Baguoya, A., Millogo, T., Bertrand, I., Koueta, F., & Kouanda, S. (2016). Predictors of mortality of low birth weight newborns during the neonatal period: A cohort study in two health districts of Burkina Faso. *International Journal of Gynecology and Obstetrics*, 135, S89–S92. <https://doi.org/10.1016/j.ijgo.2016.08.006>
- Cunningham, F. G., J.Leveno, K., L.Bloom, S., C.Hauth, J., Rouse, D. J. & Spong, C. Y. (2010). *Williams Obstetrics 23rd Edition*, Dallas Texas.
- Departemen Kesehatan RI. 1999. *Ibu Sehat Bayi Sehat*. Jakarta
- Departemen Kesehatan RI. 2009. *Kebijakan Depkes Dalam Penurunan AKI &AKB*. Jakarta
- Dickute, J., Padaiga, Z., Grabauskas, V., Nadisauskiene, R. J., Basys, V. & Gaizauskiene, A. (2004). Maternal socio-economic factors and the risk of low birth weight in Lithuania. *Medicina (Kaunas)*, 40(5).
- Dinas Kesehatan Kota Salatiga. (2015). *Profil Kesehatan Dinas Kesehatan Kota Salatiga Tahun 2014*. Kota Salatiga Provinsi Jawa Tengah.
- Dinas Kesehatan Kota Salatiga. (2016). *Data Seksi Kesehatan Keluarga Januari - September 2016 Dinas Kesehatan Kota Salatiga*. Kota Salatiga Provinsi Jawa Tengah.
- Dinas Kesehatan Kota Salatiga. (2017). *Draft Profil Kesehatan Dinas Kesehatan Kota Salatiga Tahun 2016*. Kota Salatiga Provinsi Jawa Tengah.
- Dinas Kesehatan Provinsi Jawa Tengah. (2014). Profil Kesehatan Provinsi Jawa Tengah Tahun 2014, 3511351(24), 23–24.
- Francis, S., & Nayak, S. (2013). Maternal Haemoglobin Level And Its Association With Pregnancy Outcome Among Mothers. *Nitte University Journal Of Health Science*, 3(3), 96–100.
- Fuentes-Afflick, E. & Hessol, N. A. (2000). Interpregnancy Interval and The Risk of Premature Infants. *American Jurnal Obstetric & Gynecologi*, 95, 383-390.
- Goldenberg, R. L., Culhane, J. F., Iams, J. D., & Romero, R. (2008). Epidemiology and causes of preterm birth. *The Lancet*, 371(9606), 75–84. [https://doi.org/10.1016/S0140-6736\(08\)60074-4](https://doi.org/10.1016/S0140-6736(08)60074-4)
- Grandi, C., Tapia, J. L., & Cardoso, V. C. (2015). Impact of maternal diabetes mellitus on mortality and morbidity of very low birth weight infants: a multicenter Latin America study. *Journal de Pediatria*, 91(3), 234–241. <https://doi.org/10.1016/j.jpmed.2014.08.007>
- Hanifah, Winkjosastro. 2002. Ilmu Kebidanan. Jakarta : PT EGC

- Hjortebjerg, D., Marie, A., Andersen, N., Ketznel, M., Pedersen, M., Raaschou-nielsen, O., & Sørensen, M. (2016). Associations between maternal exposure to air pollution and traffic noise and newborn's size at birth : A cohort study. *Environment International*, 95, 1–7. <https://doi.org/10.1016/j.envint.2016.07.003>
- Islam, M.M. & ElSayed, M.K., 2015. Pattern and determinants of birth weight in Oman. *Public Health*, 129(12), pp.1618–1626. Available at: <http://dx.doi.org/10.1016/j.puhe.2015.07.011>.
- Kementerian Kesehatan RI. (2013). *Survei Kesehatan Rumah Tangga (SKRT) 2012*. Jakarta.
- Kementerian Kesehatan RI. (2015). *Profil Kesehatan Indonesia 2014. Kementerian Kesehatan Republik Indonesia (Vol. 51)*. Jakarta. <https://doi.org/10.1037/0022-3514.51.6.1173>
- Khatijah, S. A. R., Rosnah, S. & Rahmah, M. A. (2010). Prevalen anemia semasa mengandung dan faktor-faktor mempengaruhinya. *malaysia Journal of Public Health Medicine*, 10 (1), 70-83.
- Kristiyanasari, W. (2010). *Gizi Ibu Hamil*. Jakarta: Nuha Medika.
- Kumar, N. P., & Pabbati, J. (2016). Effects of maternal hemoglobin on fetal birth weight, 3(10), 748–752. <https://doi.org/ISSN 2349-5499>.
- Kurth, F., Belard, S., Mombo-Ngoma, G., Scuster, K., Adeknika, A. A., Bouyou-Akotet, M. K., Kremsner, P. G. & Ramharter, M. (2010). Adolescence as risk factor for adverse pregnancy outcome in Central Africa-A cross- sectional study. *Plos One*, 5.
- Lemeshow, S., D.W., H. J., J., K. & S.K., L. (1997). *Besar Sampel Dalam Penelitian Kesehatan*, Yogyakarta: Gadjah Mada University Press.
- Mansjoer, A, Dan Kuspuji T, Rahmi S, Wahyu I. W, Wiwiek S. 2001. *Kapita Selekt Kedokteran*. Media Aesculapius. Jakarta.
- Manuaba, I. B. . (1998). *Ilmu Kebidanan, Penyakit Kandungan dan Keluarga Berencana untuk Pendidikan Bidan*. (Setiawan, Ed.) (First). Jakarta, Indonesia: Penerbit Buku Kedokteran EGC.
- Manuaba, I. B. . (2001). *Kapita Selekt Penatalaksanaan Rutin Obstetri Ginekologi dan KB*. (L. A. Sari, Ed.) (First). Jakarta, Indonesia: Penerbit Buku Kedokteran EGC.
- Mariscal, M., Palma, S., Llorca, J., Pérez-Iglesias, R., Pardo-Crespo, R., & Delgado-Rodríguez, M. (2006). Pattern of Alcohol Consumption During Pregnancy and Risk for Low Birth Weight. *Annals of Epidemiology*, 16(6), 432–438. <https://doi.org/10.1016/j.annepidem.2005.07.058>
- Mbbs, A. I., Bhutta, Z. A., Frcp, M., & Fcps, F. (2013). Nutritional Management of the Low Birth Weight/Preterm Infant in Community Settings: A Perspective from the Developing World. *The Journal of Pediatrics*, 162(3), S107–S114. <https://doi.org/10.1016/j.jpeds.2012.11.060>
- Misra, L. A., Capt, S., Ray, S., & Patrikar, S. (2015). A longitudinal study to determine association of various maternal factors with neonatal birth weight at a tertiary care hospital. *Medical Journal Armed Forces India*, 71, 270–273. <https://doi.org/10.1016/j.mjafi.2015.03.001>

- Muazizah, Nugroho, H. A., & Rahmawati, A. (2011). Hubungan Kadar Hemoglobin Ibu Hamil Dengan Berat Bayi Lahir Rendah di RS Permata Bunda Kb. Grobogan Tahun 2011. *Universitas Muhammadiyah Semarang*. Retrieved from [Http://jurnal.unimus.ac.id](http://jurnal.unimus.ac.id)
- Negi, K. S., Kandpal, S. D. & Winkvist, A. (2006). Epidemiological Factor Affecting Low Birth Weight. *JK Science*, 8, 31-34.
- Nishioka, E., Hirayama, S., Ueno, T., Matsukawa, T., Vigeh, M., Yokoyama, K., ... Miida, T. (2015). Relationship between maternal thyroid-stimulating hormone (TSH) elevation during pregnancy and low birth weight: A longitudinal study of apparently healthy urban Japanese women at very low risk. *Early Human Development*, 91(3), 181-185. <https://doi.org/10.1016/j.earlhumdev.2014.12.014>
- Nurhidayati, R.D., Sulastri, B. & Irdawati, 2013. *Analisis Faktor Penyebab Terjadinya Anemia Pada Ibu Hamil Di Wilayah Kerja Puskesmas Tawanghari Kabupaten Sukoharjo*. Universitas Muhammadiyah Surakarta.
- Proverawati, A. (2010). *BBLR (Berat Badan Lahir Rendah)*. Yogyakarta: Nuha Medika.
- Proverawati, A. & Asfuah, S. (2009). *Buku ajar gizi untuk kebidanan*, Yogyakarta: Nuha Medika.
- Rao, B., Aggarwal, A. K. & Kumar, R. (2007). Dietary Intake in Third Trimester of Pregnancy and Prevalence of LBW : a Community-Based Study in a Rural Area of Haryana. *Indian Journal of Community Medicine*, 32, 272 - 276.
- Rees, G., Brooke, Z. & Costeloe, K. (2005). The nutritional status of women in the first trimester of pregnancy attending an inner-city antenatal departemen in the UK. *J R Soc Promot Health*, 125 (5), 232-8.
- Reime, B., Jacob, C. & Wenzlaff, P. (2009). Is parental unemployment related to an increased risk for stillbirths. *J Public Health*, 17, 363-369.
- Ren, A. J., Wang, R. W., Ye, S., Li, J. M. & Liu, Z. L. (2007). Low first-trimester hemoglobin and low birth weight, preterm birt and small for gestational age newborns. *International Journal of Gynecology and Obstetrics*, 98, 124-128.
- Rizki, F., Widodo, D.A., & Wulandari, S., 2015. Faktor Risiko Penyakit Anemia Gizi Besi pada Ibu Hamil di Jawa Timur Menggunakan Analisis Regresi Logistik. *Jurnal Sains dan Seni ITS*, 4(2), pp.0-5.
- Rosita, Yunisa K. (2015). Hubungan Kadar Gula DAras Pasien Diabetes Mellitus Gestasional dengan Kelahiran Bayi Makrosomia di RS. Hermina Ciputat Tahun 2014. Universitas Islam Negeri Syarif Hidayatullah. Jakarta
- Schoenwolf, G. C., Brauer, P. R., Bleyl, S. B., & Francis-West, P. H. (2009). *Larsen's Human Embryology*. (M. Hyde & R. Gruliow, Eds.) (Fourth). China: Churchill Livingstone, Elsevier Inc.
- Setiawan, A., Lipoeto, N. I., & Izzah, A. Z. (2013). Hubungan kadar hemoglobin ibu hamil trimester III dengan berat bayi lahir di Kota Pariaman. *Jurnal Kesehatan Andalas*, 2(1), 34-37.
- Setianingrum, S.I.W. 2005. Hubungan Antara kenaikan Berat Badan, Lingkar Lengan Atas, dan Kadar Hemoglobin Ibu Hamil Trimester III dengan Berat Bayi Lahir di Puskesmas Ampel I Boyolali tahun 2005. *Jurnal Universitas Negeri Semarang*. Semarang.

- Setyawan, H., Nurhayati, P. & Endang, A. (1997). Pengaruh anemia ibuhamil trimester III terhadap kejadian bayi berat lahir rendah (BBLR), prematuritas dan intra uterine growth retardation (IUGR). *Jurnal Epidemiologi Indonesia*, Vol. 1 ed.3.
- Shah, P. & Ohlsson, A. (2002). *Literatur review of low birth weight, including small for gestational age and preterm birth*: Toronto Public Health.
- Siswosudarmo, R. & Emilia, O. (2010). *Obstetri Fisiologi*, Yogyakarta: Pustaka Cendekia.
- Slemming, W., Bello, B., Saloojee, H., & Richter, L. (2016). Maternal risk exposure during pregnancy and infant birth weight. *Early Human Development*, 99, 31–36. <https://doi.org/10.1016/j.earlhumdev.2016.03.012>
- Sreekanthan, A., A. Belecita, K. Rajendran, A. Vijayakumar. (2014). Prevalence og Destational Diabetes Mellitus in a Medical Colledge in South India: A pilot Study. *Indian Journal of Clinical Practice*. 25 (4), September 2014.
- Stephenson, T., & Symonds, M. E. (2002). Maternal nutrition as a determinant of birth weight, 86(1), F2.
- Sugiarsih, Ugi dan Wariyah. 2013. Hubungan TIngkat Sosial Ekonomi dengan Kadar Hemoglobin. *Jurnal Kespro*. 4(2); 87-95
- Taywade, M. L., & Pisudde, P. M. (2016). ScienceDirect Study of sociodemographic determinants of low birth weight in Wardha district , India. *Clinical Epidemiology and Global Health, CEGH-148(XXX)*, 1–7. <https://doi.org/10.1016/j.cegh.2016.07.001>
- Ticconi, C., Arpino, C., Longo, B., & Mapfumo, M. (2005). Prevalence and risk factors for low birth weight in Northern Zimbabwe. *International Journal of Gynecology and Obstetrics*, 88(2), 146–147. <https://doi.org/10.1016/j.ijgo.2004.11.018>
- Trevors, Tanya. (2001). Neonatal Morbidity Among Macrosomic Infants in the James Bay Cree Population of Northern Quebec. Montreal.
- United Nations Children’s Fund and World Health Organization. (2004). *Low Birthweight: Country, regional and global estimates*. Unicef. Retrieved from whqlibdoc.who.int/publications/.../9280638327.p..
- Valero De Bernabé, J., Soriano, T., Albaladejo, R., Juarranz, M., Calle, M. E., Martínez, D., & Domínguez-Rojas, V. (2004). Risk factors for low birth weight: A review. *European Journal of Obstetrics Gynecology and Reproductive Biology*, 116(1), 3–15. <https://doi.org/10.1016/j.ejogrb.2004.03.007>
- Verma, S., & Shrivastava, R. (2016). Effect of Maternal Nutritional Status on Birth Weight of Baby. *International Journal of Contemporary Medical Research*, 3(4), 943–945. Retrieved from www.ijcmr.com
- Waryana. (2010). *Gizi Reproduksi* (First). Yogyakarta: Pustaka Rihama.
- Wei, J. N., Sung, F. C., Li, C. Y., Chang, C. H., Lin, R. S., Lin, C. C., ... Chuang, L. M. (2003). Low birth weight and high birth weight infants are both at an increased risk to have type 2 diabetes among schoolchildren in taiwan. *Diabetes Care*, 26(2), 343–348. <https://doi.org/http://dx.doi.org/10.2337/diacare.26.2.343>

- Williams, E. R., & Caliendo, M. A. (1984). *Nutrition: Principles, Issue and Applications*. (R. Robin, J. S. Amar, & D. Dunham, Eds.). United States Of America: McGraw-Hill, Inc.
- World Health Organization, & United Nations Childrens Fund. (2009). WHO child growth standards and the identification of severe acute malnutrition in infants and children. *World Health Organization*, 11. <https://doi.org/http://www.who.int/nutrition/publications/severemalnutrition/9789241598163/en/>
- Xia, W., Hu, J., Zhang, B., Li, Y., Wise, J. P., Bassig, B. a., ... Xu, S. (2016). A case-control study of maternal exposure to chromium and infant low birth weight in China. *Chemosphere*, 144, 1484–1489. <https://doi.org/10.1016/j.chemosphere.2015.10.006>
- Yan, J. (2015). Maternal pre-pregnancy BMI, gestational weight gain, and infant birth weight: A within-family analysis in the United States. *Economics and Human Biology*, 18, 1–12. <https://doi.org/10.1016/j.ehb.2015.03.002>
- Yildiz, Y., Özgü, E., Unlu, S. B., Salman, B., & Eyi, E. G. Y. (2014). The relationship between third trimester maternal hemoglobin and birth weight/length; results from the tertiary center in Turkey. *The Journal of Maternal-Fetal & Neonatal Medicine*, 27(7), 729–732. Retrieved from <http://www.tandfonline.com/doi/citedby/10.3109/14767058.2013.837445?scroll=top&needAccess=true>
- Yitshak-Sade, M., Novack, L., Landau, D., Kloog, I., Sarov, B., Hershkovitz, R., & Karakis, I. (2016). Relationship of ambient air pollutants and hazardous household factors with birth weight among Bedouin-Arabs. *Chemosphere*, 160, 314–322. <https://doi.org/10.1016/j.chemosphere.2016.06.104>
- Yoon, H., Keyes, K. M., Lee, K., Ae, I., Joo, S., Won, K., ... Shin, Y. (2014). Prenatal maternal depression is associated with low birth weight through shorter gestational age in term infants in Korea. *Early Human Development*, 90(1), 15–20. <https://doi.org/10.1016/j.earlhumdev.2013.11.006>