

IX. DAFTAR PUSTAKA

- Abdon-liwinag B & Tansengco, ML. 2015. Feseability of Brown sugar and yeast solution as a potential organic mosquito trap (OMT). *J Biol.Chem.Research*. 2(12) : 35-361.
- Astuti, EP dan Roy NRES. 2011. Efektivitas alat perangkap (Trapping) nyamuk vektor demam berdarah dengue dengan fermentasi gula. *Aspirator*. 3(1) : 41-48.
- Bhattacharya, S. & Basu, P. 2016. The Southern House Mosquito, *Culex quinquefasciatus*: profile of a smart vector. *J. Entomol. Zool. Stud*. 73(42) : 73–81.
- Boewono DT. 2006. *Penelitian : Koleksi Referensi Nyamuk di Indonesia*. Gramedia pustaka utama. Jakarta.
- Bouattour. 2008. Medical entomology laboratory. *Archives de l'Institut Pasteur de Tunis*. 74(1–2): 93–96.
- CDC. 2012. *West Nile Virus, Statistics, Sureillance, and Control Archive*. Fort Collins, Colorado, USA : Division of Vector-Borne Disease, Centers for Disease Control and Prevention. <http://www.cdc.gov/ncidod/dvbid/westnile/surv&control.htm>
- Ciota AT, Ehrbar DJ, Van Slyke GA, Payne AF, Willsey GG, *et al*. 2012. Quantification of intrahost bottlenecks of *West Nile virus* in *Culex pipiens* mosquitoes using an artificial mutant swarm. *Infection, Genetics and Evolution* 12: 557–564. doi: 10.1016/j.meegid.2012.01.022.
- Clement A.N. 2012. *The Biology of Mosquitoes: sensory reception and behaviour*. Vol2. Chapman & Hall. Cambridge
- Daravath, S.S., Siddaiah, M. and Reddyanaik, B. 2015. Molecular Characterization and Phylogenetic Analysis of *Culex quinquefasciatus* by DNA Barcoding. *Adv Entomol*. 3 : 118–124.
- David, M.R., Ribeiro, G.S. and Freitas, R.M. De. 2012. Bionomics of *Culex quinquefasciatus* within urban areas of Rio de Janeiro, Southeastern Brazil. *Rev Saúde Pública*. 46(5) : 858–865.
- de Souza DK, Koudou B, Kelly-Hope LA, Wilson MD, Bockarie MJ, Boakye DA. 2012. Diversity and transmission competence in lymphatic filariasis vectors in West Africa, and the implications for accelerated elimination of Anopheles-transmitted filariasis. *Parasit Vectors*. 5: 259-267
- Dekker T, Takken W and Marieta A.H.Braks. 2001. Innate preference for host-odor blends modulates degree of anthropophagy of *Anopheles gambiae* sensu lato (Diptera:Culicidae). *J Med Entomol*. 38 (6):868-871.
- Dewi Tristantini, Slamet & Stephanie AJ. 2014. Study of mosquito attractants for photo catalytic mosquito trap. *International Journal of Engineering & Technology*. 3 (1) :14-19.

- Eigege A., Kal A., Miri E., Sallau A., Umaru J., Mafuyai, H., Chuwang YS., Danjuma G., Danboyi J., Adelamo SE., Mancha BS., Okoeguale B., Patterson AE., Rakers L., Richards FO. 2013. Long-lasting insecticidal nets are synergistic with mass drug administration for interruption of lymphatic filariasis transmission in Nigeria. *Plos NTD*. 7(10) : e2508.
- Fauziah, dkk. 2011. Analisis Nyamuk Vektor Filariasis di Tiga Kecamatan Kabupaten Pidie Nanggroe Aceh Darussalam. *Jurnal Biologi Edukasi*. 3 (3) :1-5
- Fikrig K, Johnson BJ, Fish D, Ritchie SA. 2017. Assessment of synthetic floral-based attractant and sugar baits to capture male and female *Aedes aegypti* (Diptera : Culicidae). *Parasit Vectors*. 10 :32. DOI : 10.1186/s13071-061-1946-y
- Florida Medical Entomology Laboratory, 2016. *Culex quinquefasciatus*. University of Florida, Florida. <http://fmel.ifas.ufl.edu/fmel---mosquito-key/genera-and-species/genus-culex/culex-quinquefasciatus/#pupa>. Diakses 04 Agustus 2017.
- Gani A. 2000. Laporan Penelitian Analisis Ekonomi Filariasis. Ditjen PPM & PLP, Direktorat PP-BB. Kementerian Kesehatan Republik Indonesia. Jakarta.
- Goff G le, Bousses P, Julienne S, Brengues C, Rahola N, Rocamora G, Robert V. 2012. The mosquitoes (Diptera : Culicidae) of Seychelles : taxonomy, ecology, vectorial importance, and identification keys. *Parasit Vectors*. 5 : 207.
- Govella NJ, Ferguson H. 2012. Why use of interventions targeting outdoor biting mosquitoes will be necessary to achieve malaria elimination. *Front Physio*. 3 (1) : 199-205.
- Guha L, Seenivasagan T, Bandyopadhyay P, ThanvirIqbal S, Sathe M, Sharma P, Parashar BD, Kaushik MP. 2012. Oviposition and Flight Orientation Response of *Aedes aegypti* to Certain Aromatic Aryl hydrazonoesters. *Parasitol Res*. 111(3) : 975-982.
- Guidobaldi F & Guerenstein PG. 2013. Evaluation of a CO₂-free Commercial Mosquito Attractant to Capture Triatomines in The Laboratory. *J Vector Ecol*. 38 (2) : 245-250.
- Gunay F, Alten B, Ozsoy ED. 2010. Estimating reaction norms for predictive population parameters, age specific mortality, and mean longevity in temperature-dependent cohorts of *Culex quinquefasciatus* Say (Diptera: Culicidae). *Journal of Vector Ecology*. 35 (2) : 354-362.
- <https://www.pekalongankota.go.id/>. 2017. *Geografi*. Diakses 28 Mei 2017.
- Ira dan Ruben. 2014. Situasi Pasca Pengobatan Massal Filariasis Di Desa Buru Kaghu, Kecamatan Wewewa Selatan, Sumba Barat Daya. Loka P2B2 Waikabubak. *Jurnal Ekologi Kesehatan*. 13 (2).
- Jakob WL, Bevier GA. 1969. Application of ovitraps in the US *Aedes aegypti* eradication program. *Mosq News*. 29: 55-62.
- Jawara M, Taiwo S, Amargaret P, David J, Renata CS, Willem T, David JC. 2012. Field testing of different chemical combination as odour baits for trapping wild mosquitoes in the Gambia. *Plos ONE*. 6:e1967.

- Joesoef A. 1981. *Petunjuk Pelaksanaan Pemberantasan Parasit Filaria di Indonesia*. Direktorat Filariasis dan Schistosomiasis. Jakarta.
- Kawada H, Honda S and Takagi M. 2007. Comparative laboratory study on reaction of *Aedes aegypti* and *Aedes albopictus* to different attractive cues in a mosquito trap. *J Med Entomol*. 44 (3) : 423-32.
- Kemenkes RI. 2005. *Epidemiologi Filariasis*. Direktorat Jenderal PP & PL Kementerian Kesehatan Republik Indonesia. Jakarta.
- Kemenkes RI. 2014. *Peraturan Menteri Kesehatan Republik Indonesia Nomor 94 Tahun 2014 tentang Penanggulangan Filariasis*. Kementerian Kesehatan RI. Jakarta.
- Kern WH. 2007. Some small native freshwater fish recommended for mosquito and midge control in ornamental ponds. EDIS. Diakses 14 Juni 2017.
- Kline DL. 2006. Trap and trapping techniques for adult mosquito control. *J Am Mosq Control Assoc*. 22 (3) : 490-496.
- Kline DL, Bernier UR, and Hogsette JA. 2012. Efficacy of three attractant blends tested in combination with carbon dioxide against natural population of mosquitoes and biting flies at the lower suwannee wildlife refuge. *J Am Mosq Control Assoc*. 28 (2) : 123-127.
- Kudom AA, Mensah BA, Agyemang TK. 2012. Characterization of mosquito larva habitats and assessment of insecticide-resistance status of *Anopheles gambiae* sensu lato in urban areas in southwestern Ghana. *J Vector Ecol*. 37(1):7-82.
- LaPointe DA, Atkinson CT, Samuel MD. 2012. Ecology and conservation biology of avian malaria. *Annals of the New York Academy of Sciences*. 1249 : 211-226.
- Leemingsawat, S., T.Deesin, S.Vutikes. 1987. *Determination of Filariae in Mosquitoes, in Practical Entomology Malaria and Filariasis* (Eds. Sucharit, S., S. Supavej). The Museum and Reference Centre, Faculty of Tropical Medicine, Mahidol University.
- Macdonald M. 2015. *Landscape of new vector control products*. John Hopkins Center for Communication Programs U.S.
- Madiyono B, S Moeslichan Mz, Sastroasmoro S, I Budiman, S Harry Purwnto. 2014. *Perkiraan besar sampel. Dasar-dasar Metodologi Penelitian Klinis*. ed 5. Sagung Seto. Jakarta.
- Manimegalai K. & Sukanya S. 2014. Biology of the filarial vector, *Culex quinquefasciatus* (Diptera : Culicidae). *Int J Curr Microbiol Appl Sci*. 3(4) : 718-724.
- Mathew N, Ayyanar E, Shanmugavelu S, Muthuswamy K. 2013. Mosquito attractant blends to trap host seeking *Aedes aegypti*. *Parasitol Res*. 112 (3) : 1305-1312.
- Matsumura, F. 1985. *Toxicology of Insecticides*. Plenum Press. New York. Pp: 17-22
- Medlock, JM & Leach SA. 2015. *Review Effect of Climate Change on Vector-borne Disease Risk in The UK*, 3099 (15).

- Menda G, Joshua H, Uhr JH, Wyttenbach RA, Francoise M, Vermeyleen, Smith DM, Harrington LC and Hoy RR. 2013. Associative learning in the dengue vector mosquito, *Aedes aegypti* : avoidance of a previously attractive odor or surface color that is paired with an aversive stimulus. *J. Exp. Biol.* 216 (2) : 218-223.
- Meyer Steiger D.B., Ritchie SA., Laurance SGW. 2014. Overcoming the challenges of mosquito sampling in remote localities : a comparison of CO₂ attractant on mosquito communities in three tropical forest habitats. *J Med Entomol.* 51 (1) : 39-45.
- Milles N., Robert C., Mettelman, Bakar SC, Harbison JE. 2015. Operational note : Use of centers for disease control and prevention gravid trap in catch basins, proof of concept trials. *J Am Mosq Control Assoc.* 32 (2) : 196-199.
- Mweresa CK, Otieno B, Omusula P, Weldegergis BT, Velhulst No, Dicke M. 2015. Understanding the long-lasting attraction of malaria mosquitoes to odor baits. *PLoS One* .10(3):e0121533.
- Nisha M, Elango A, Sabesan S, Kalyanasundaram M. 2013. Mosquito attractant blendsto trap host seeking *Aedes aegypti*. *Parasitol Res.* 112 :1305-1312.
- O'Meara GF. 2014. *Mosquitoes associated with stormwater detention/retention areas*. EDIS. <http://edis.ifas.ufl.edu/mg338>. Diakses 14 Juni 2017.
- Obenauer PJ, Abdel-Dayem MS, Stoops CA, Villinski JT, Tageldin R, Fahmy NT, Diclaro JW, Bolay F. 2013. Field responses of *Anopheles gambiae* complex in Liberia using yeast-generated carbon dioxide and syntetic lure – baited light traps. *J Med Entomol.* 50 (4) : 863-870.
- Okiwelu SN & M.A.E.Noutcha. 2012. Breeding sites of *Culex quinquefasciatus* (say) during the rainy season in rural lowland rainforest rierstate, Nigeria. *J Public Health Res* 2(4):64-68.
- Okumu FO., Killen GF., Ogoma S., Biswaro L, Smallegange RC, Mbeyela E, Titus E, Munk C, Ngonyani H, Takken W, Mshinda H, Mukabana WR, Moore SJ. 2010. Development and field evaluation of a synthetic mosquito lure that is more attractive than humans. *Plos ONE* 5(1) : e8951.
- Pennington MJ, Prager SM, Walton WE, and Trumble JT. 2016. *Culex quinquefasciatus* larval microbiomes vary with instar and exposure to common wastewater contaminants. *Scientific Reports*, 6(21969) : 1–9.
- Ramadhani T, Wahyudi BF. 2015. Keanekaragaman dan dominasi nyamuk di daerah endemis filariasis limfatik Kota Pekalongan. *Jurnal Vektor Penyakit.* 9(1) :1303-1310
- Reiter P, M. A. Amador, R. A. Anderson, and G. G. Clark. 1995. Short report: dispersal of *Aedes aegypti* in an urban area after blood feeding as demonstrated by rubidium-marked eggs. *Am J Trop Med Hyg*: 177-179
- Richards SL, Anderson SL, Yost SA. 2012. Effect of blood meal source on the reproduction of *Culex pipiens quinquefasciatus* (Diptera:Culicidae). *J Vector Ecol.* 37 (1) : 1-7.

- Rohani A, Azahary ARA, Zurainee MN, Wan Mohd Ali Wan Najdah, Zamree I, Hanif MO, Ariffin MM, Zuhaizam H, Suzilah I, Han Lim Lee. 2016. Comparative Human Landing Catch and CDC Light Trap in Mosquito Sampling in Knowlesi Malaria Endemic Areas in Peninsula Malaysia. *Adv Entomol.* 4 : 1–10.
- Robello MP., Sambou SM., Thomas B., Biritwum NK., Jaye MC., Kelly-Hope L., Escalda AG., Molyneux DH. and Bockarie MJ. 2015. Elimination of Lymphatic Filariasis in The Gambia. *PLoS NTD.* 9(3) : 1-6.
- Rosanti TI., Mardihusodo SJ., Artama WT. 2016. Directly observed treatment increases drug compliance in lymphatic filariasis mass drug administration. *Universa Medicina.* 35 : 119-127.
- Rosanti TI., Mardihusodo SJ., Artama WT. 2017a. Effectiveness of environmentally friendly mosquito trap contained sugar yeast solution. *Kemas.* 12(2) : 270-275.
- Rosanti TI., Mardihusodo SJ., Artama WT. 2017b. Bancrofti filariasis transmission parameters after the 5th year of filariasis mass treatment in Pabean village Pekalongan city central java province. *National Public Health Journal.* 12(1) : 115-123.
- Rozendaal, JA. 1997. *Vector control : methods for use by individuals and communities.* World Health Organization. Geneva. 29-33.
- Smallegange R., Roey KV., Schimied W, Takken W. 2010. Sugar-fermenting yeast as an organic source of carbon dioxide to attract the malaria, mosquito *Anopheles gambiae* . *Malaria Journal.* 9 : 292-299.
- Scott-Fiorenzano JM, Fulcher AP, Seeger KE, Allan SA, Kline DL, Koehler PG, Muller GC, De Xue R. 2017. Evaluation of dual attractant toxic sugar baits for surveillance and control of *Aedes aegypti* and *Aedes albopictus* in Florida. *Parasit Vectors.* 10 (1).
- Simon-Oke I.A. and Olofintoye L.K. 2015. The Effect of Climatic Factors on the Distribution and Abundance of Mosquito Vectors in Ekiti State. *J Biol Agri & Health Sci.* 5 (9) : 142-146.
- Stephanie Hill & Roxanne Conelly. 2016. *Entomology & Nematology.* University of Florida. http://entnemdept.ufl.edu/creatures/aquatic/southern_house_mosquito.htm. Diakses 27 Mei 2017.
- Supranto, J. 2000. *Teknik Sampling untuk Survei dan Eksperimen.* Penerbit PT Rineka Cipta. Jakarta
- Sunish IP, Rajendran R, Mani TR, Munirathinam A, Dash AP and Tyagi BK. 2007. Vector control complements mass drug administration against bancroftian filariasis in Tirukoilur, India. *Bulletin of The World Health Organization.* 85 (2) : 138-145. doi : 10.2471/BLT.06.029389.
- Taken W & Verhulst NO. 2013. Host preferences of blood-feeding mosquitoes. *Annual Review of Entomology.* 58: 433-453.
- Tauxe GM, MacWilliam D, Boyle SM, Guda T, Ray A. 2013. Targetting a dual detector of skin and CO₂ to modify mosquito host seeking. *Cell.* 155 : 1365-1379.

- Turner SL, Nan Li, Guda T, Githure J, Carde RT, Ray A. 2011. Ultra-prolonged activation of CO₂-sensing neurons disorients mosquitoes. *Nature*. 474:87-91 doi:10.1038/nature10081.
- Verhulst NO, Mukabana WR, Takken W, Smallegange RC. 2011. Human Skin Microbiota and Their Volatiles as Odour Baits for The Malaria Mosquito *Anopheles gambiae s.s.* *Entomol Exp Appl*. 139 : 170-179.
- Vrzal EM, Allan SA, Hahn DA. 2010. Amino acids in nectar enhance longevity of female *Culex quinquefasciatus* mosquitoes. *Journal of Insect Physiology*. 56 (11) : 1659-1664.
- Waltz, E. 2016. GM mosquitoes fire first salvo against Zika virus. *Nat. Biotechnol*. 34 (3) : 221-222. Doi : 10.1038/nbt0316-221.
- Weraman, Pius. 2010. *Dasar Surveilans Kesehatan Masyarakat*. Jakarta : Gramata Publisng.
- WHO. 2004. *WHO comprehensive assessment of the National Disease surveilans in Indonesia*. Washington DC.
- WHO. 2012. *Lymphatic filariasis*. Geneva, Switzerland : World Health Organization. <http://www.who.int/mediacentre/factsheets/fs102/en/>
- Wilke ABB, Madeiros-Sousa AR, Multini LC, Carreti-Junior W and Marelli T. 2017. Mosquito population diversity and abundance patterns in two parks in Sao Paulo, Brazil. *J Am Mosq Control Assoc*. 33(1) : 67-70.