



## DAFTAR PUSTAKA

- Alba, JEM., Carvajal, VA., Canizales, CEJ. (2015) Trends in the consumption of anxiolytic and hypnotic drugs in a Colombian population, *Revista Colombiana de Psiquiatria*, Volume 4, Issue 2 : 93-99.
- Ambarsari, DW. (2017) Faktor yang mempengaruhi pasien dalam mengambil benzodiazepin yang diresepkan, *Tesis*, Program Pascasarjana Fakultas Kedokteran Universitas Gadjah Mada, Yogyakarta. Tersedia di libmed.ugm.ac.id
- Anderson, K., Stowasser, D., Freeman, C., Scott, I. (2014) Prescriber barriers and enablers to minimising potentially inappropriate medications in adults : a systemic review and thematic synthesis, *BMJ Open*, 4:e006544.doi: 10.1136/1-17
- Badan Narkotika Nasional. (2015) Survei Prevalensi Penyalahguna Narkoba pada Kelompok Rumah Tangga, Jakarta.
- Bareskrim Polri. (2015) *Data penyalahgunaan psikotropika tahun 2011-2014* Direktorat Narkoba Bareskrim Polri. Komunikasi pribadi pada tanggal 31 Juli 2015.
- Barbui, C. (2015) Access and use of psychotropic medicines in Low-resource settings, *Epidemiology and Psychiatric Sciences*, 24; 206-209.
- Bourgeois, J., Elseviers, MM., Azermi, M., Bortel, VL., Petrovic, M., Vander Stichele, VRR. (2014) Barriers to discontinuation of chronic benzodiazepine use in nursing home residents: Perceptions of general practitioners and nurses, *Journal European Geriatric Medicine*, 5:181-187.
- Cadogan, CA and Ryder, SA. (2015) Community pharmacists' role in benzodiazepine supply in Ireland : a questionnaire of pharmacists' views and experiences, *International Journal of Pharmacy Practice*, 23:415-422.
- Casati, A., Sedafov, R., Pfeiffer, T., Gerschel. (2012) Misuse of medicine in The European Union. A Systematic Review of the literature, *Euro Addict Res*, 18:228-245.
- Chan, KW., Berger, CC., Forde, DP., D'Adamo, C., Wientraub, E., Gandhi, D. (2011) Benzodiazepine Use and Misuse Among Patients in a Methadone Program, *BMC Psychiatry*, 11:90.
- Cook, JM., Marshall R., Masci, C., Coyne, J. (2007) Physicians perspectives on prescribing benzodiazepines for older adults : A Qualitative study, *General Internal Medicine*, 22(3):303-307.



- Cunningham, CM., Hanley, GE., Morgan, S. (2010) Patterns in the use of benzodiazepines in British Columbia: Examining the impact of increasing research ad guideline cautions against long-term use. *Health Policy* 97:122-129.
- Dahlgren, L., Emmelin, M., Winkvist, A. (2004) *Qualitative methodology for International Public Health*, Print och Media, Umea University, Swedia.
- Darker, CD., Sweeney, BP., Barry, JM., Farrell, MF., Donnelly-Swift, E. (2015) Psychosocial interventions for benzodiazepine harmful use, abuse or dependence, *Cochrane Database of Systematic Review*, Issue 5, Art No: CD009652.DOI:10.1002/14651858.CD009652.pub2
- Denscombe, M. (2004) *The Good Research Guide For small-scale social research projects*, Edisi 5, Open University Press, London.
- Dharmawardane, V., Menkes, DB. (2014) Psychotropic drugs in Low-income countries, *The Lancet Psychiatry*, Vol 1(7).
- Diaye, AM., Sy, AN., Sy, GY., Diello, AA., Diarra, M., Ndiaya, M., Faye, B. (2007) Prescription of benzodiazepines by practitioners in the private sector of Dakkar : survey on knowledge and attitudes, *Therapie*, 62(2):163-168.
- Fauzi, F.(2016) Pengaruh faktor pasien dan dokter terhadap ketersediaan obat pada era JKN di Rumah Sakit Provinsi DIY. Tesis, Fakultas Farmasi UGM.
- Finkel, R., Clark, MA., Cubeddu, LX., Harvey, RA., Champe, PC. (2009) *Pharmacology* 4th edition,Walters Kluwer, Philadelphia :105-107.
- Gallagher, HC. (2013) Review. Addressing the Issue of Chronic, Inappropriate Benzodiazepine Use : How Can Pharmacist Play a Role?, *Pharmacy* (I) : 65-93.
- Harian Kompas tanggal 9 Agustus 2016. Produk Farmasi.Ancaman kesehatan sedekat ujung jari, halaman 1dan 15.
- Hollingworth, SA. (2010) Pattern of antipsychotic medication use in Australia 2002-2007, *Aust NZ J Psychiatry*, 44(4): 372-377.
- Holm, E., Fosbol, E., Pedersen, H., et al. (2012) Benzodiazepine use in Denmark 1997-2008, *European Geriatric Medicine*, 3 : 299-303.
- Indrawati, A., Dwiprahasto, I. (2009) Pemberian obat psikotropika oleh perawat ditinjau dari Undang-Undang Nomor 5 tahun 1997 di Puskesmas se-kota Padang, Tesis UGM, Yogyakarta.
- International Narcotics Control Board. (2016) *INCB Report 2015*, Vienna, Austria, halaman 101.



International Narcotics Control Board. (2015) *Availability of Internationally Controlled Drugs : Ensuring Adequate Access for Medical and Scientific Purposes*, Vienna, Austria.

International Narcotics Control Board and United Nations. (2014) *Psychotropic Substances 2013, Statistic for 2013 Assessments of Annual and Scientific Requirements*, United Nations, New York.

International Narcotics Control Board and United Nations. (2013) *Psychotropic Substances 2012, Statistic for 2012 Assessments of Annual and Scientific Requirements*, United Nations, New York.

International Narcotics Control Board and United Nations. (2012a) *Psychotropic Substances 2011, Statistic for 2011 Assessments of Annual and Scientific Requirements*, United Nations, New York.

International Narcotics Control Board and United Nations. (2012b) *Guide on Estimating Requirements for Substances under International Control*, United Nations, New York.

International Narcotics Control Board and United Nations. (2011) *Psychotropic Substances 2010, Statistic for 2010 Assessments of Annual and Scientific Requirements*, United Nations, New York.

International Narcotics Control Board and United Nations. (2010) *Psychotropic Substances 2009, Statistic for 2009 Assessments of Annual and Scientific Requirements*, United Nations, New York.

International Narcotics Control Board and United Nations. (2009) *Psychotropic Substances 2008. Statistic for 2008 Assessments of Annual and Scientific Requirements*, United Nations, New York.

International Narcotics Control Board and United Nations. (2008) *Psychotropic Substances 2007,. Statistic for 2007 Assessments of Annual and Scientific Requirements*, United Nations, New York.

International Narcotics Control Board and United Nations. (2007) *Psychotropic Substances 2006, Statistic for 2006 Assessments of Annual and Scientific Requirements*, United Nations, New York.

International Narcotics Control Board and United Nations. (2006) *Psychotropic Substances 2005, Statistic for 2005 Assessments of Annual and Scientific Requirements*, United Nations, New York.

International Narcotics Control Board and United Nations. (2005) *Psychotropic Substances 2004. Statistic for 2004 Assessments of Annual and Scientific Requirements*, United Nations, New York.



- International Narcotics Control Board and United Nations. (2004) *Psychotropic Substances 2003, Statistic for 2003 Assessments of Annual and Scientific Requirements*, United Nations, New York.
- Jann, M., Kennedy, WK., Lopez, G. (2014) Benzodiazepines : a major component in unintentional prescription drugs overdose with analgesics, *Journal Pharmacy Practice*, 27(1): 5-16.
- Islam, MM., Conigrave, KM., Day, CA., Nguyen, Y., Haber, PS. (2014) Twenty-year trends in benzodiazepin dispensing in the Australian population, *Intern. Med. J.*, 44 (1): 57-64.
- Johansson BA, Berglund M, Hanson M, Pohlen C, Persson I. (2003) Dependence on legal psychotropic drugs among alcoholics, *Alcohol*, 38:613-618.
- Katzung, BG., Masters, SB., Trevor, AJ. (2012) *Basic & Clinical Pharmacology*, edisi 12, Mc Grow-Hill Medical, New York : 373-387.
- Kellici, S., Hoti, E., Burazevi, G. (2013) Level and factors of benzodiazepines misuse in Albania, *Int. J. Clin. Pharm*, 35 (3): 323-330.
- Kementerian Kesehatan RI. (2015a) Keputusan Menteri Kesehatan Republik Indonesia Nomor HK 02.02/Menkes/320/2015 tentang *Daftar Obat Esensial Nasional 2015*. Kementerian Kesehatan, Jakarta.
- Kementerian Kesehatan RI. (2015b) *Peraturan Menteri Kesehatan Nomor 3 tahun 2015 tentang Peredaran, Penyimpanan, pemusnahan, dan pelaporan narkotika, psikotropika, dan prekursor Farmasi*, Kementerian Kesehatan, Jakarta.
- Kementerian Kesehatan RI. (2015c) *Peraturan Menteri Kesehatan Nomor 9 tahun 2015 tentang Perubahan Penggolongan Psikotropika*, Kementerian Kesehatan, Jakarta.
- Kementerian Kesehatan RI. (2014) Keputusan Menteri Kesehatan Republik Indonesia Nomor 159 Tahun 2014 tentang *Formularium Nasional*, Kementerian Kesehatan, Jakarta.
- Kementerian Kesehatan RI. (2013a) Peraturan Menteri Kesehatan Republik Indonesia Nomor 71 Tahun 2013 tentang *Pelayanan Kesehatan pada Jaminan Kesehatan Nasional*, Kementerian Kesehatan RI, Jakarta.
- Kementerian Kesehatan RI. (2013b) Peraturan Menteri Kesehatan Republik Indonesia Nomor 10 Tahun 2013 tentang *Impor dan ekspor narkotika, psikotropika dan prekursor farmasi*, Kementerian Kesehatan RI, Jakarta.



Kementerian Kesehatan RI. (2013c) *Riset Kesehatan Dasar Tahun 2013.*

Kementerian Kesehatan RI, Jakarta. Diakses di [www.depkes.go.id](http://www.depkes.go.id) pada tanggal 20 Desember 2015.

Kementerian Kesehatan RI. (2013d) *Laporan Akuntabilitas Kinerja Direktorat Bina Obat Publik dan Perbekalan Kesehatan Tahun 2013.* Kementerian Kesehatan RI, Jakarta. Diakses di [www.depkes.go.id](http://www.depkes.go.id) pada tanggal 28 Desember 2015.

Kementerian Kesehatan RI. (2011) Peraturan Menteri Kesehatan Republik Indonesia Nomor 11480/Menkes/Per/VI/2011 tentang *Pedagang Besar Farmasi*, Kementerian Kesehatan RI, Jakarta.

Kementerian Kesehatan RI. (2008) *Pedoman teknis pengadaan obat publik dan perbekalan kesehatan untuk pelayanan kesehatan dasar*, Kementerian Kesehatan, Jakarta.

Kementerian Kesehatan RI. (2007) *Pedoman pengobatan dasar di puskesmas*, Kementerian Kesehatan, Jakarta.

Kementerian Kesehatan RI. (2006) *Kebijakan Obat Nasional*, Kementerian Kesehatan, Jakarta.

Knox, K., Hattingh, L., Amanda, J., Wheeler. (2016) Community phramacy staff motivations and barriers to working with mental health consumers, *Journal of Pharmacy Practice and Research*, 46 (3):245-252.

Kompas. (2016) Produk Farmasi. Ancaman Kesehatan Sedekat Ujung Jari, 9 Agustus 2016, halaman 1.

Kurko, TAT., Saastamoinen, LK., Tahkapaa, S., et al. (2015) Long-termuse of benzodiazepines : Definitions, prevalence and usage pattern – a systemic review of register-based studies, *European Psychiatry* 30 : 1037-1047.

Lee, K., Kinson, R., Ang, L., Wong. (2015) Outpatien prescribing trends of benzodiazepins and z-drugs in general hospital in Singapore, E poster Walk session *Psychopharmacology and Pharmacoeconomics*. Diakses tanggal 19 September 2015.

MSH. (2012) *MDS-3 Managing access to medicine and health technologies*, Management Sciences for Health, Arlington.

Markovic, Pekvic, Satara, S. (2010) Outpatient utilization of drugs acting on nervous system, a study from the Republik of Srpska, Bosnia&Herzegovina, *Eur J Clin Pramacol*, 66(2); 177-186.



- Mc Bain, RM., Norton, DJ., Morris, J., Yasamy, MT., Betancourt, TS. (2012) The Role of Health System Factors in Facilitating Access to Psychotropic Medicines : A Cross-Sectional Analysis of the WHO-AIMS in 63 Low-and Middle-Income Countries, *PloS Med*, January 31.
- Micallef, RJ., Mestre, ML. (2009) How to evaluate and prevent the abuse and dependence on hypnotic/anxiolytic drugs?, *Therapie*, 64: 355-364.
- Micallef, J., Fauger, E., Mestre, ML. (2016) Misuse of Benzodiazepine in France, *Neuropathology of Drug Addictions and Substance Misuse*, Volume 2, Chapter 102, Academic Press.
- Mohamed, SSE., Mahmoud, AA., Ali, AA. (2014) Barriers for implementation of pharmaceutical care practice in community pharmacies in Sudan, *Khartoum Medical Journal*, Volume 1, No 01: 921-931.
- Muttaqin, Z. (2012) Epilepsy Surgery in Indonesia. Achieving a Better Result with Limited Resources, *Bali Medical Journal (BMJ)*, Volume 1: Number 2; 57-63. Diakses tanggal 30 Agustus 2017.
- Parr, JM., Kavanagh, DJ., Young, RM., Cafferty, KM. (2006) Views of general practitioners and benzodiazepine users on benzodiazepines : A qualitative analysis, *Social Science & Medicine*, 62: 1237-1249.
- Pauly, V., Pradel, V., Pourcel, I., Nordmann, S., Frauger, E., Lapeyre-Mestre, M., Micallef, J., Thirion, X. (2012) Estimates magnitude of diversion and abuse of opioids relative to benzodiazepine in France, *Drug Alcohol Depend* 126;13-20.
- Pauly, V., Frauger, F., Pradel, V., Rouby, F., Berbis, J., Natali, F., Reggio, P., Coudret, H., Micallef, J., Thirion, X. (2011) Which can public health authorities use to monitor prescription drug abuse and evaluate the impact of regulatory measures? Controlling High dose buprenorphine abuse, *Drug and Alcohol Dependence*, 113: 29-36.
- Padmanathan, P., Singh, M., Mannorath, SC., Omen, M., Raja, S. (2014) A rapid appraisal of access to and utilisation of psychotropic medicines in Bihar, India, *International Journal of Mental Health System*, 8 (29):9-11.
- Padmanathan P and Rai D. (2016) Access and rational use of psychotropic medications in low- and middle-income countries. Epidemiology and Psychiatric Sciences, 25: 4-8
- Pradel, V., Delga, C., Rouby, F., Macallef, J., Lapeyre-Mestre, M. (2010) Assessment of abuse potential of benzodiazepines from a prescription database using doctor shopping as an indicator, *CNS Drugs* 24, 611-620.



Pemerintah Republik Indonesia. (2015) *Peraturan Presiden Nomor 4 Tahun 2015 tentang perubahan ke 4 Peraturan Presiden Nomor 54 Tahun 2010 tentang Pengadaan barang dan jasa pemerintah*, Pemerintah Republik Indonesia, Jakarta.

Pemerintah Republik Indonesia. (2012) *Peraturan Presiden Nomor 72 Tahun 2012 tentang Sistem Kesehatan Nasional*, Pemerintah Republik Indonesia, Jakarta.

Pemerintah Republik Indonesia. (2009) *Undang-Undang Nomor 35 Tahun 2009 tentang Narkotika*, Pemerintah Republik Indonesia, Jakarta.

Pemerintah Republik Indonesia. (1996) *Undang-Undang Nomor 8 Tahun 1996 tentang Konvensi Psikotropika*, Pemerintah Republik Indonesia, Jakarta.

Pemerintah Republik Indonesia. (1997) *Undang-Undang Nomor 5 Tahun 1997 tentang Psikotropika*, Pemerintah Republik Indonesia, Jakarta.

Petrushevska,T., Stefanovska,VV.(2015) Use of medicines from the group of benzodiazepines in the period of 2003-2013 year in The Republic of Macedonia, *Maced J Med Sci*, 3 (1):151-157.

Pollmann, AS., Murphy, AL., Bergman, JC., Gardner, DM. (2015) Deprescribing benzodiazepines and Z-drugs in community-dwelling adults: a scoping review, *BMC Pharmacol. Toxicol* 16:19 DOI 10.1186/s40360-015-009-8, open access. Diakses tanggal 27 Juli 2016.

Pradel, V., Delga, C., Rouby, F., Micallaf, J., Peyre-Mestre, ML. (2010) Assessment of abuse potential of benzodiazepine from a prescription data base using “doctor shopping” as indicator, *CNS Drugs*, 24 (7): 611-620.

Ryan, R., Santosso, N., Lowe, D. (2014) Intervention to improve safe and effective medicines use by consumers : an overview systematic reviews, The Cochrane Library. Available at <http://www.thecochranelibrary.com/view/01/index.html>. diakses pada tanggal 15 Juni 2015.

Sabu, L, Yacob, M., Mamatha, K., Singh, H. (2017) Drug utilization pattern of psychotropic drugs in psychiatric outpatient department in a tertiary care teaching hospital. *Asian J Pharm Clin Res* , Vol 10, Issue 1: 259-61.

Seblova, J., Polanecký, V., Sejda, J., Studnicková, B. (2005) Trends in substance abuse by teenagers in the Czech republic, *J Emerg Med*, 28:95-100

Salahi, A., Sepheri, G., Mohsenbeigi, M., Sepheri, E. (2014) Patterns of psychotropic medication prescription by psychiatrists for private clinic outpatients in Kerman Province, Iran, *Sultan Qaboos Univ Med Journal*, 14 (3) : e 382-e 387.



- Sirdifield, C., Anthierens, S., Creupelandt, H., Chipchase, SY., Christiaens, T and Siriwardena, AN. (2013) General practitioners' experiences and perceptions of benzodiazepine prescribing : systematic review and meta-synthesis, *BMC Family Practice*, 14:191
- Sheridan, J., Butler R. (2011) Prescription drug misuse in New Zealand : Challenges for primary health care professionals. *Research in Social and Administrative Pharmacy*, 7:281-293.
- Sonnenberg,CN., Biennali EJM., Deeg.DJH., Comijs,HC., Tilburg, V., Beeckman, ATF. (2012) Ten year trends in benzodiazepin use in The Dutch population, *Social Psychiatry and Psychiatric Epidemiology*, 47(2): 293-301.
- Straand, J., Rokstad, K. (1997) General practitioners prescribing pattern of benzodiazepine hypnotics : are elderly patients at particular risk for overprescribing ?, *Scandinavia Journal Primary Health Care*, 15 (1).
- Suryawati,S. (2011) Improving access to narcotic analgesics, the international control system and options for quantification method. *JMPK*, 4 (1): 3-10.
- Syaripuddin, M., Susanty, AL., Sari, ID. (2014) Potensi penghematan biaya obat di lima rumah sakit umum daerah DKI Jakarta, *Buletin Penelitian Sistem Kesehatan*, Volume 17(1), 1 Januari 2014: 27-33.
- Wagenaar, BH., Stergachis, A., Rao, D., Hoek, R.,cumbe, V., Napua, M., Sherr, K. (2015) The availability of essential medicines for mental healthcare in Sofala, Mozambique, *Global Health Action*, 8:27942.
- Wiedyaningsih, C.,Oetari. (2004) Tinjauan terhadap bentuk sediaan obat: Kajian resep-resep di Apotek Kotamadya Yogyakarta, *Majalah Farmasi Indonesia*, 14(4) : 201-207.
- Word Health Organization, (2015). *Improving access and use of psychotropic medicines*, Geneva.
- Word Health Organization. (2012) *Ensuring balance in national policies on controlled substances*. Word Health Organization 20 Avenue Appia.Geneva. Available at [www.who.int/medicines/areas/quality\\_safety/guide\\_noCP\\_sanend/en/](http://www.who.int/medicines/areas/quality_safety/guide_noCP_sanend/en/)
- Word Health Organization. (2002) *Promoting rational use of medicine : core components*. Word Health Organization. Geneva. Available at <http://apps.who.int/medicinedocs/pdf/h3011e.pdf>. Diakses tanggal 20 Juni 2015.



Word Health Organization. (2015) 19<sup>th</sup> *Model List of Essential Medicine*. Word Health Organization, Geneva Available at <http://www.who.int/medicines/publications/essentialmedicines/en/>. Diakses tanggal 30 November 2015.

World Health Organization. (2014) *WHO Collaborating Centre for Drug Statistics Methodology, ATC/DDD Index 2014*, Norwegian Institute of Public Health, [http://www.whocc.no/atc\\_ddd\\_index/](http://www.whocc.no/atc_ddd_index/), diakses tanggal 22 Juli 2016.

United Nations Office on Drugs and Crime. (2013) *The International Control Conventions*, United Nations, New York.

Vettikkadan, A., Jith, A., Krishnaveni, K., Kumar, S. (2014) Study utilization pattern and drug interactions of anti epileptic drugs in aprivate hospital. *Asian J Phram Clin Res*, Vol 7, Issue 5: 164-66

Vrublevska, K., Rukmane, J., Burmistr, R., Sipols, J., Muceniece, R. (2008) Dispensing of psychotropic drugs to adults in community pharmacies in Latvia, *Pharm. World Sci* , 30: 934-939.

Yin, RK. (1999) Enhancing the Quality of Case Studies in Health Services Research, *HSR:Health Services Research* 34-5, Part II.

Yin, RK. (2003) *Studi kasus* (desain dan metode), Raja Grafindo Persada, Jakarta.