

## DAFTAR PUSTAKA

- Abdalla, A., Klein, S., dan Mäder, K., 2008. A new self-emulsifying drug delivery system (sedds) for poorly soluble drugs: characterization, dissolution, in vitro digestion and incorporation into solid pellets. *European Journal of Pharmaceutical Sciences*, **35**: 457–464.
- Akhtar, N., Rehman, M., Khan, H., Rasool, F., Saeed, T., dan Murtaz, G., 2011. Penetration Enhancing Effect of Polysorbate 20 and 80 on the &lt;i>In Vitro&lt;/i> Percutaneous Absorption of LAscorbic Acid. *Tropical Journal of Pharmaceutical Research*, **10**: 221-227.
- Ako, H., Kong, N., dan Brown, A., 2005. Fatty acid profiles of kukui nut oils over time and from different sources. *Industrial Crops and Products*, **22**: 169–174.
- Angelo, T., 2016. Development and validation of a selective HPLC-UV method for thymol determination in skin permeation experiments. *Journal of Chromatography B*, **1022**: 81–86.
- Aprian, R. F., 2015. 'Formulasi SNEDDS Ekstrak Etanolik Akar Purwoceng Gunung dengan VCO sebagai Fase Minyak, Tween 80 sebagai Surfaktan dan PEG 400 sebagai Ko-surfaktan', , *Skripsi*, . Universitas Gadjah Mada, Yogyakarta.
- Asija, R., 2014. Self emulsifying drug delivery system: a promising approach for bioavailability enhancement. *International Journal of Research and Development in Pharmacy and Life Sciences*, **3**: 872–876.
- Azizah, F. N., 2015. 'FormulasiI SNEDDS ( Self - Nano Emulsifying Drug Delivery System ) Ekstrak Purwoceng Gunung Menggunakan Minyak Kemiri, Tween 80, Dan Poli Etilen Glikol 400', , *Skripsi*, . Universitas Gadjah Mada, Yogyakarta.
- Bahloul, B., Lassoued, M.A., dan Sfar, S., 2014. A novel approach for the development and optimization of self emulsifying drug delivery system using HLB and response surface methodology: Application to fenofibrate encapsulation. *International Journal of Pharmaceutics*, **466**: 341–348.
- Balakrishnan, P., Lee, B.-J., Oh, D.H., Kim, J.O., Hong, M.J., Jee, J.-P., dkk., 2009. Enhanced oral bioavailability of dexibuprofen by a novel solid Self-emulsifying drug delivery system (SEDDS). *European Journal of Pharmaceutics and Biopharmaceutics*, **72**: 539–545.
- Balakumar, K., Raghavan, C.V., selvan, N.T., prasad, R.H., dan Abdu, S., 2013. Self nanoemulsifying drug delivery system (SNEDDS) of Rosuvastatin calcium: Design, formulation, bioavailability and pharmacokinetic evaluation. *Colloids and Surfaces B: Biointerfaces*, **112**: 337–343.
- Balasubramani, P., Palaniswamy, P.T., Viswanathan, R., Thirupathi, V., Subbarayan, A., dan Prakash Maran, J., 2015. Microencapsulation of garlic oleoresin using maltodextrin as wall material by spray drying technology. *International Journal of Biological Macromolecules*, **72**: 210–217.
- Balasubramani, P., Viswanathan, R., dan Vairamani, M., 2013. Response surface optimisation of process variables for microencapsulation of garlic (*Allium sativum* L.) oleoresin by spray drying. *Biosystems Engineering*, **114**: 205–213.

- Basalious, E.B., Shawky, N., dan Badr-Eldin, S.M., 2010. SNEDDS containing bioenhancers for improvement of dissolution and oral absorption of lacidipine. I: Development and optimization. *International Journal of Pharmaceutics*, **391**: 203–211.
- Biradar, S.V., Dhumal, R.S., dan Paradkar, A.R., 2009. Rheological investigation of self-emulsification process: effect of co-surfactant. *Journal of Pharmacy & Pharmaceutical Sciences*, **12**: 164–174.
- BPOM RI, 2014. Peraturan Kepala Badan Pengawas Obat dan Makanan Republik Indonesia Nomor 12 Tahun 2014 tentang Persyaratan Mutu Obat Tradisional.
- Brown, W. dan Marques, M., 2014. USP and Dissolution? 20 Years of Progress. *Dissolution Technologies*, **21**: 24–27.
- Caliskan, G. dan Dirim, N., 2013. The effects of the different drying conditions and the amounts of maltodextrin addition during spray drying of sumac extract. *Food and Bioproducts Processing*, **91**: 539–548.
- Darwati, I. dan Roostika, I., 2006. Status Penelitian Purwoceng (*Pimpinella alpina* Molk.) di Indonesia. *Balittro, Bogor*, .
- Dash, R.N., Mohammed, H., Humaira, T., dan Ramesh, D., 2015. Design, optimization and evaluation of glipizide solid self-nanoemulsifying drug delivery for enhanced solubility and dissolution. *Saudi Pharmaceutical Journal*, **23**: 528–540.
- Depkes RI, 1995. *Materia Medika Indonesia Jilid V*. Departemen Kesehatan Republik Indonesia, Jakarta.
- Eid, A.M.M dan Baie, SH., 2012. The effect of surfactant blends on the production of a novel swietenia macrophylla oil self-nanoemulsifying system. *international Journal of Pharmacy and Pharmaceutical Sciences*, **4**: .
- Fathirnadiva, J., 2015. 'Formulasi Ekstrak Akar Purwoceng (*Pimpinella pruatjan*, Molk.) dan asam Oleat dengan Metode SNEDDS (Self-Nanoemulsifying Drug Delivery System)', . *Skripsi*, Universitas Gadjah Mada, Yogyakarta.
- Fazaeli, M., Emam-Djomeh, Z., Kalbasi Ashtari, A., dan Omid, M., 2012. Effect of spray drying conditions and feed composition on the physical properties of black mulberry juice powder. *Food and Bioproducts Processing*, **90**: 667–675.
- Fernandez, P., André, V., Rieger, J., dan Kühnle, A., 2004. Nano-emulsion formation by emulsion phase inversion. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, **251**: 53–58.
- Fudholi, A., 2013. *Disolusi Dan Pelepasan Obat in Vitro*, 1. Pustaka Pelajar, Yogyakarta.
- Gupta, S., Chavhan, S., dan Sawant, K.K., 2011. Self-nanoemulsifying drug delivery system for adefovir dipivoxil: Design, characterization, in vitro and ex vivo evaluation. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, **392**: 145–155.
- Gursoy, N. . dan Benita, S., 2004. Self-emulsifying drug delivery systems (SEDDS) for improved oral delivery of lipophilic drugs. *Biomedicine & Pharmacotherapy*, **58**: 173–182.

- Hadisoewignyo dan Fudholi, 2013. *Sediaan Solida*, cetakan pertama. Pustaka Pelajar, Yogyakarta.
- Inugala, S., Eedara, B.B., Sunkavalli, S., Dhurke, R., Kandadi, P., Jukanti, R., dkk., 2015. Solid self-nanoemulsifying drug delivery system (S-SNEDDS) of darunavir for improved dissolution and oral bioavailability: In vitro and in vivo evaluation. *European Journal of Pharmaceutical Sciences*, **74**: 1–10.
- Kuentz, M, 2011. Oral self-emulsifying drug delivery systems, from biopharmaceutical to technical formulation aspects, *J. Drug Del. SCI. Tech.*, **21**: 17-26.
- Lalwani, J.T., Thakkar, V.T., dan Patel, H.V., 2013. Enhancement of Solubility and Oral Bioavailability of Ezetimibe by a Novel Solid Self-Nano Emulsifying Drug Delivery System (SNEDDS). *International Journal of Pharmacy and Pharmaceutical Science*, **5**: 513–522.
- Larsen, A.T., Ohlsson, A.G., Polentarutti, B., Barker, R.A., Phillips, A.R., Abu-Rmaileh, R., dkk., 2013. Oral bioavailability of cinnarizine in dogs: Relation to SNEDDS droplet size, drug solubility and in vitro precipitation. *European Journal of Pharmaceutical Sciences*, **48**: 339–350.
- Mishra, P., Mishra, S., dan Mahanta, C.L., 2014. Effect of maltodextrin concentration and inlet temperature during spray drying on physicochemical and antioxidant properties of amla (*Emblica officinalis*) juice powder. *Food and Bioprocess Processing*, **92**: 252–258.
- Makadia, Ms. Ami Y. Bhatt, Mr. Ramesh B. Parmar, Ms. Jalpa S. Paun, dan Dr. H. M. Tank, 2013. Self-nano emulsifying drug delivery system (SNEDDS) : Future Aspects. *Asian Journal Pharmaceutical Research*, **3**: 21–27.
- Nakayama, F.S. dan Osbrink, W.L., 2010. Evaluation of kukui oil (*Aleurites moluccana*) for controlling termites. *Industrial Crops and Products*, **31**: 312–315.
- Oberoi, D.P.S. dan Sogi, D.S., 2015. Effect of drying methods and maltodextrin concentration on pigment content of watermelon juice powder. *Journal of Food Engineering*, **165**: 172–178.
- Osman, H. dan Chin, Y.K., 2006. Comparative Sensitivities of Cholesterol Analysis Using GC, HPLC, and Spectrophotometric Methods. *The Malaysian Journal of Analytical Sciences*, **10**: 205–210.
- Patel, J., Kevin, G., Patel, A., Raval, M., dan Sheth, N., 2011. Design and development of a self-nanoemulsifying drug delivery system for telmisartan for oral drug delivery. *International Journal of Pharmaceutical Investigation*, **1**: 112.
- Patel, M.J., Patel, N.M., Patel, R.B., dan Patel, R.P., 2010. Formulation and evaluation of self-microemulsifying drug delivery system of lovastatin. *Asian Journal of Pharmaceutical Sciences*, **5**: 266–275.
- Paudel, A., Worku, Z.A., Meeus, J., Guns, S., dan Van den Mooter, G., 2013. Manufacturing of solid dispersions of poorly water soluble drugs by spray drying: Formulation and process considerations. *International Journal of Pharmaceutics*, **453**: 253–284.

- Reddy, M.S. dan Sowjanya, N., 2015. Formulation and in-vitro characterization of solid self nanoemulsifying drug delivery system (s-snedds) of simvastatin. *Journal Pharmaceutical Science and Research*, **7**: 40-48.
- Rohimatun dan Darwati, I, 2011. 'Pertumbuhan Akar Rambut Purwoceng Pada Beberapa Komposisi Media dan Sumber Karbon', , Vol 22. Balai Penelitian Tanaman Obat dan Aromatik, Bogor.
- Rowe, R. C., Sheskey, P. J., dan Quinn, M. E., 2006. *Handbook of Pharmaceutical Excipient*, 6th ed, fifth. Pharmaceutical Press, London.
- Sansone, F., Mencherini, T., dan et. al, 2011. Maltodextrin/pectin microparticles by spray drying as carrier for nutraceutical extracts. *Journal of Food and Engineering*, **105**: 468–476.
- Sapra, K., Sapra, A., Singh, S.K., dan Kakkar, S., 2012. Self emulsifying drug delivery system: A tool in solubility enhancement of poorly soluble drugs. *Indo global journal of pharmaceutical sciences*, **2**: 313–332.
- Saryanti, D., 2016. 'Optimasi Self-Nanoemulsifying Drug Delivery System Ekstrak Akar Purwoceng Gunung (*Artemisia lactiflora* wall ex DC) dan Uji Absorpsi secara In Vitro', *Tesis*. Universitas Gadjah Mada, Yogyakarta.
- Schmidt, C., 2017. Development, optimization and validation of an HPLC-ELSD method for the analysis of enzymatically generated lactulose and saccharide by-products. *Food Chemistry*, **215**: 347–353.
- Shanmugam, S., Baskaran, R., Balakrishnan, P., Thapa, P., Yong, C.S., dan Yoo, B.K., 2011. Solid self-nanoemulsifying drug delivery system (S-SNEDDS) containing phosphatidylcholine for enhanced bioavailability of highly lipophilic bioactive carotenoid lutein. *European Journal of Pharmaceutics and Biopharmaceutics*, **79**: 250–257.
- Strickley, R.G., 2004. Solubilizing excipients in oral and injectable formulations. *Pharmaceutical research*, **21**: 201–230.
- Sulaiman, T.N.S, 2007. *Teknologi dan Formulasi Sediaan Tablet*, 1st ed, 1. Pustaka Laboratorium Teknologi Farmasi Fakultas Farmasi UGM, Yogyakarta.
- Suzery, Meiny, Cahyono, Bambang, dan Taufiqqurahman, 2005. 'Produksi Senyawa Afrodisiak dari Purwoceng (*Pimpinella alpina* Molk): Pengembangan Potensi “Natural Resources” Khas Jawa Tengah', , *Laporan Kegiatan*, , Hibah Bersaing. Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Diponegoro, Jawa Tengah.
- Syamsul, E.S, 2011. *Tumbuhan Obat Berkhasiat Afrodisiaka Penambah Vitalitas Pria*. Jogja Media Utama, Yogyakarta.
- Taufiqqurahman dan Wibowo, 2005. 'Purwoceng (*Pimpinella alpina*) extract experimental study in male rats Sprague dawley', , dalam: *National Seminar of Medical Plants XXVIII*. Dipresentasikan pada ISMECRI POKJANAS TOI, Bogor.
- Vilas, P.C, 2014. Preparation and in vitro evaluation of self-nanoemulsifying drug delivery system (snedds) containing clopidogrel. *International Journal of Pharmaceutical Sciences Review and Research*, , 02 **25(1)**: 10–15.
- Villar, A.M.S., Naveros, B.C., Campmany, A.C.C., Trenchs, M.A., Rocabert, C.B., dan Bellowa, L.H., 2012. Design and optimization of self-nanoemulsifying

- drug delivery systems (SNEDDS) for enhanced dissolution of gemfibrozil. *International Journal of Pharmaceutics*, **431**: 161–175.
- Wielders, J., 2017. IFCC approved HPLC reference measurement procedure for the alcohol consumption biomarker carbohydrate-deficient transferrin (CDT): Its validation and use☆. *Clinica Chimica Acta*, **465**: 91–100.
- Yoo, B.K. dkk, 2011. Solid self-nanoemulsifying drug delivery system (S-SNEDDS) containing phosphatidylcholine for enhanced bioavailability of highly lipophilic bioactive carotenoid lutein. *European Journal of Pharmaceutics and Biopharmaceutics*, **79**: 250–257.
- Zein, K.A.Y., 2014. 'Pembuatan S-SNEDDS (Solid-Self Nanoemulsifying Drug Delivery System) Ketoprofen Menggunakan Minyak Nabati', . Universitas Gadjah Mada.
- Zhang, Y., Huo, M., Zhou, J., Zou, A., Li, W., Yao, C., dkk., 2010. DDSolver: An Add-In Program for Modeling and Comparison of Drug Dissolution Profiles. *The AAPS Journal*, **12**: 263–271.
- Zhao, Y., Wang, C., Chow, A.H.L., Ren, K., Gong, T., Zhang, Z., dkk., 2010. Self-nanoemulsifying drug delivery system (SNEDDS) for oral delivery of Zedoary essential oil: Formulation and bioavailability studies. *International Journal of Pharmaceutics*, **383**: 170–177.