

## DAFTAR PUSTAKA

- Alatas, H. 2011. Gagal ginjal akut. *In* : Noer, M. S., Soemyarso, N.A., Subandiyah, K., Prasetyo, R.V., Alatas, H., Tambunan, T., *et al.*, eds. *Kompendium nefrologi anak*. Jakarta: Badan Penerbit Ikatan Dokter Anak Indonesia: 207–214.
- Allen, S. & Pena, L.E.D. 2009. Hematology: blood coagulation test. *In*: Lee, M., ed. *Basic skills in interpreting laboratory data, fourth edition*. Maryland: American Society of Health-System Pharmacist, Inc.
- Bast, J., Scheer, C., Rehberg, S., Fuchs, C., Vollmer, M., Balau, V., *et al.* 2014. Mortality of blood-culture-positive vs. blood-culture-negative patients with severe sepsis and septic shock. Didownload dari: <http://www.sepsisdialog.de>.
- Becchi, C., Al Malyan, L., Fabbri, L.P., Marsili, M., Boddi, V., Boncinelli, S. 2006. Mean platelet volume in sepsis: is it a useful parameter? *Minerva Anestesiol*, 72: 749–756.
- Catal, F., Tayman, C., Tonbul, A., Akça, H., Kara, S., Tatli, M.M., *et al.* 2014. Mean platelet volume (MPV) may simply predict the severity of sepsis in preterm infants. *Clinical Laboratory*, 60(7): 1193–1200.
- Cohen, J. 2002. The immunopathogenesis of sepsis. *Nature*, 420: 885–891.
- Correia, M. & Waitzberg, D. 2003. The impact of malnutrition on morbidity, mortality, length of hospital stay and cost evaluated through a multivariate model analysis. *Clin Nutr*, 22: 253–259.
- Dastjerdi, M.S., Emami, T., Najafian, A., Amini, M. 2006. Mean platelet volume measurement, EDTA or citrate? *Hematology*, 11(5/6): 317-319
- Dellinger, R.P., Levy, M.M., Rhodes, A., Annane, D., Gerlach, H., Opal, S.M. 2012. Surviving sepsis campaign: international guidelines for management of severe sepsis and septic shock, 2012. *Intensive care medicine*, 39(2): 165–228.
- Dewi, R. 2011. Sepsis in children: microbial pattern and susceptibility test. *Maj Kedokt Indon*, (3): 101–106.
- Dinarello, C.A. 1997. Proinflammatory and anti-inflammatory cytokines as mediators in the pathogenesis of septic shock. *Chest*, 112: 321–329.
- Eberhardt, A., Lessig, F., Schreiter, K., Kellner, N., Fuchs, M., Sablotzki, A. 2013. Mean platelet volume (MPV) is an outcome marker in sepsis patients. *Intern J Infect Dis*, 41: 12.
- Erdoğan, S., Oto, A., Boşnak, M. 2015. The relation between mean platelet volume and mortality in critical pediatric patients. *The Turkish Journal of Pediatrics*, 57: 605–610.
- Fernández, K.S., de Alarcon, P.A. 2013. Development of the hematopoietic system and disorders of hematopoiesis that present during infancy and early childhood. *Pediatric Clinics of NA*, 60(6): 1273–1289.
- Fitzgerald, J.C., Basu, R.K., Akcan-arikan, A., Izquierdo, L.M., Olave, B.E.P., Hassinger, A.B., *et al.* 2016. Acute kidney injury in pediatric severe sepsis: an independent risk factor for death and new disability. *Critical Care Medicine*,

- 44(12): 2241-2250.
- Fritsma, G.A. 2015. Platelet structure and function. *Clin Lab Sci*, 28(2): 125.
- Graham, S.S., Traub, B., Mink, I.B. 1987. Automated platelet-sizing parameters on a normal population. *J Clin Pathol*, 87: 365-369.
- Han, J.S., Park, K.S., Lee, M.J., Kim, C.H., Koo, H.M., Doh, F.M., *et al.* 2014. Mean platelet volume is a prognostic factor in patients with acute kidney injury requiring continous renal replacement therapy. *J Crit Care*, 29(6): 1016-21.
- Hausfater, P., Garric, S., Ayed, S. B., Rosenheim, M., Bernard, M., Riou, B. 2002. Usefulness of procalcitonin as a jarker of systemic infection in emergency department patients : a prospective study. *Clinical Infectious Diseases*, 34: 895–901.
- Karadag-Oncel, E., Ozsurekci, Y., Kara, A., Karahan, S., Cengiz, A.B., Ceyhan, M. 2013. The value of mean platelet volume in the determination of community acquired pneumonia in children. *Italian journal of pediatrics*, 39(1): 16.
- Khemani, R.G., Bart, R.D., Alonzo, T.A., Newth, C.J.L. 2009. Disseminated intravascular coagulation score is associated with mortality for children with shock. *Intensive Care Med*, 35: 327–333.
- Kim, C.H., Kim, S.J., Lee, M.J., Kwon, Y.E., Kim, Y.L., Park, K.S., *et al.* 2015. An increase in mean platelet volume from baseline is associated with mortality in patients with severe sepsis or septic shock. *PLoS ONE*, 10(3): 1–13.
- Latief, A., Chairulfatah, A., Alam, A., Pudjiadi, A.H., Malisie, R.F., Hadinegoro, S.R.S. eds. 2016. *Pedoman Nasional Pelayanan Kedokteran Ikatan Dokter Anak Indonesia : Diagnosis dan Tata Laksana Sepsis pada Anak*. Jakarta: Badan Penerbit Ikatan Dokter Anak Indonesia.
- Lemeshow, S., Hosmer Jr, D.W., Klar, J., Lwanga, S.K. 1990. *Adequacy of Sample Size in Health Studies*. Chichester: John Wiley.
- Leteurtre, S., Duhamel, A., Grandbastien, B., Lacroix, J., Leclerc, F. 2013. PELOD-2: an update of the pediatric logistic organ dysfunction score. *Crit Care Med*, 41(7): 1761–1773.
- Malmir, J., Bolvardi, E., Aghaee, M.A. 2014. Serum lactate is a useful predictor of death in severe sepsis and septic shock. *Reviews in Clinical Medicine*, 1(3): 97–104.
- Oematan, Y., Manoppo, J.I.C., Runtunuwu, A.L. 2009. Peran inflamasi dalam patofisiologi sepsis dan syok septik pada anak. *Jurnal Biomedik*, 1(3): 166–173.
- de Oliveira, A.J.A., Cardoso, C.P., Santos, F.R., Campos, A.P., Leite, E., Stanislau, J., *et al.* 2013. Predictors of mortality in patients with severe sepsis or septic shock in the ICU of a public teaching hospital. *Critical Care*, 17(Suppl 4): P31.
- Phua, J., Ngerng, W.J., See, K.C., Tay, C.K., Kiong, T., Lim, H.F., *et al.* 2013. Characteristics and outcomes of culture-negative versus culture-positive severe sepsis. *Critical Care*, 17: R202.
- Pieralli, F., Vannucchi, V., Mancini, A., Antonielli, E., Luise, F. 2015. Procalcitonin kinetics in the first 72 hours predicts 30-day mortality in severely ill septic patients admitted to an intermediate care unit. *J Clin Med Res*, 7(9): 706–713.
- Pietropaoli, A.P., Glance, L.G., Oakes, D., Fisher, S.G. 2010. Gender differences in

- mortality in patients with severe sepsis or septic shock. *Gender Medicine*, 7(5): 422–437.
- Pigozzi, L., Aron, J.P., Ball, J., Cecconi, M. 2015. Understanding platelet dysfunction in sepsis. *Intensive care medicine*, 42(4): 1–4.
- Prihardi, M.T., Hanafie, A., Harto, S. 2016. Hubungan nilai mean platelet volume (MPV) dengan skor APACHE II sebagai prediktor mortalitas pada pasien sepsis berat di Rumah Sakit Umum Pusat Haji Adam Malik Medan. *Jurnal Anestesi Perioperatif*, 4(3): 177–82.
- Prost, N. D, Razazi, K., Brun-buisson, C. 2013. Unrevealing culture-negative severe sepsis. *Critical Care*, 17: 1001.
- Remick, D.G. 2007. Pathophysiology of sepsis. *The American Journal of Pathology*, 170(5): 1435–1444.
- Rusmawatiningsih, D., Nurnaningsih, N. 2016.. Mortality rates in pediatrics septic shock. *Pediatr Indonesiana*, 56(5): 304–310.
- Russell, J.A. 2016. Management of sepsis. *N Engl J Med*, 355: 1699–1713.
- Sadaka, F., Donnelly, P.L., Griffin, M.T., O’Brien, J., Lakshmanan, L. 2014. Mean platelet volume is not a useful predictor of mortality in septic shock. *J Blood Disorders Transf*, 5: 1–3.
- Saraswati, D.D., Pudjiadi, A.H., Djer, M.M., Supriyatno, B., Syarif, D.R., Kurniati, N. 2014. Faktor risiko yang berperan pada mortalitas sepsis. *Sari Pediatri*, 15(5): 281–288.
- Shen, J., Ran, Z.H., Zhang, Y., Cai, Q., Yin, H.M. 2009. Biomarkers of altered coagulation and fibrinolysis as measures of disease activity in active inflammatory bowel disease : A gender-stratified , cohort analysis. *Thrombosis Research*, 123(4): 604–611.
- Shime, N., Kawasaki, T., Saito, O., Akamine, Y., Toda, Y., Takeuchi, M., *et al.* 2012. Incidence and risk factors for mortality in paediatric severe sepsis : results from the national paediatric intensive care registry in Japan. *Intensive Care Med*: 1191–1197.
- Shrestha, S., Dongol Singh, S., Shrestha, N., Shrestha, R., Madhup, S. 2013. Comparision of clinical and laboratory parameters in culture proven and unproven early onset sepsis in NICU. *Kathmandu University Medical Journal*, 44(4): 310–314.
- Singer, M., Deutschman, C.S., Seymour, C.W., Shankar-Hari, M., Annane, D., Bauer, M., *et al.* 2016. The third international consensus definitions for sepsis and septic shock (Sepsis-3). *Jama*, 315(8): 801–10.
- Sumantri, S. 2012. Tinjauan Imunopatogenesis dan Tatalaksana Sepsis (Referat). Jakarta : FK UI.
- Tajarernmuang, P., Phrommintikul, A., Limsukon, A., Pothirat, C., Chittawatanarat, K. 2016. The role of mean platelet volume as a predictor of mortality in critically ill patients: a systematic review and meta-analysis. *Critical Care Research and Practice*, 2016:1-8.
- Vanderschueren, S., Weerd, A. D, Malbrain, M., Vankersschaever, D., Frans, E.,

- Wilmer, A., *et al.* 2000. Thrombocytopenia and prognosis in intensive care. *Crit Care Med*, 28(6): 1871–1876.
- Watson, R.S., Carcillo, J.A., Linde-zwirble, W.T., Clermont, G., Lidicker, J., Angus, D.C. 2003. The epidemiology of severe sepsis in children in the United States. *American Journal of Respiratory and Critical Care Medicine*, 167: 695–701.
- Wilar, R., Antolis, Y., Tatura, S.N., Gunawan, S. 2010. Jumlah trombosit dan mean platelet volume sebagai faktor prognosis pada sepsis neonatorum. *Sari Pediatri*, 12(1): 53–57.
- Wynn, J., Cornell, T.T., Wong, H.R., Shanley, T.P., Wheeler, D.S. 2011. The host response to sepsis and developmental impact. *Pediatrics*, 125(5): 1031–1041.
- Yang, S.C., Liao, K.M., Chen, C.W., Lin, W.C. 2013. Positive blood culture is not associated with increased mortality in patients with sepsis-induced acute respiratory distress syndrome. *Respirology*: 1210–1216.
- Yazici, S., Yazici, M., Erer, B., Erer, B., Calik, Y., Ozhan, H., Ataoglu, S. 2010. The platelet indices in patients with rheumatoid arthritis : mean platelet volume reflects disease activity. *Platelets*, 21(2): 122–125.
- Yun, S., Sim, E., Goh, R., Park, J., Han, J. 2016. Platelet activation : the mechanisms and potential biomarkers. *BioMed Research International*, 2016: 10–15.
- Zhao, H., Heard, S.O., Mullen, M.T., Crawford, S., Goldberg, R.J., Frendl, G. & Lilly, C.M. 2012. An evaluation of the diagnostic accuracy of the 1991 American College of Chest Physicians/Society of Critical Care Medicine and the 2001 Society of Critical Care Medicine/European Society of Intensive Care Medicine/American College of Chest Physicians/American Thoracic Society/Surgical Infection Society sepsis definition. *Crit Care Med*, 40(6): 1700–1706.