



DAFTAR PUSTAKA

- Ahmad, J., Sulaiman, T., Abdullah, S.K., & Shamsuddin, J.(2009). Building a customized module for the treatment of drug addiction under the remedial programs to be implemented on inmates at the drug rehabilitation centers in Malaysia.US-China *Education Review*,6(11), 57-64.
- American Psychiatric Association (APA). (2013). *Diagnostic and statistic manual of mental disorder*(5th.Ed.). Washington DC: American Psychiatric Publishing.
- Ardiningrum, W. (2015).*Korelasi antara domain kognitif dengan kemampuan fungsi sosial pasien skizofrenia di RSJ Grhasia.*[Tesis tidak terpublikasi].Universitas Gadjah Mada, Yogyakarta.
- Awh, E., Vogel, E.K., & Oh, S.H. (2006). Interaction between attention and working memory. *Neuroscience*,139(1), 201–208.
- Azwar, S. (2014).*Reliabilitas dan validitas*(4th ed.).Yogyakarta: PustakaPelajar.
- Baddeley, A. (2007). *Working memory, thought, and action*. NewYork: Oxford University Press.
- Barder, H.E., Sundet, K., Rund, B.R., Evensen, J., Haahr, U., Hegelstad, W.V., ... Friis, S. (2013). Neuro cognitive development in first episode psychosis 5 years follow-up: Associations between illness severity and cognitive course. *Schizophrenia Research*,149(1-3), 63-9. doi: 10.1016/j.schres.2013.06.016.
- Barlati, S., Deste, G., DePeri, L., Ariu, C., & Vita, A.(2013). Cognitive remediation in schizophrenia: Current status and future perspectives in *Schizophrenia Research and Treatment*. Italy: Hindawi Publishing Corporation. <http://dx.doi.org/10.1155/2013/156084>.
- Brisch, R., Saniotis, A., Wolf, R., Bielau, H., Bernstein, H.G., Steiner,... & Gos, T. (2014). Review article: The role of dopamine in schizophrenia from a neurobiological and evolutionary perspective: old fashioned, but still in vogue. *Frontiers in Psychiatry*, 19(5), 47. doi: 10.3389/fpsyg.2014.00047
- Bora, E., Yucel, M., & Pantelis, C. (2009). Cognitive functioning in schizophrenia, schizoaffective disorder and affective psychoses: Meta-analytic study. *The British Journal of Psychiatry*,195(6), 475-482. doi: 10.1192/bjp.bp.108.055731.
- Bosia,M., Zanoletti, A., Spangaro, M., Buonocore, M., Bechi, M., Cocchi, F., Pirovano, A., & Lorenzi, C. (2014). Factors affecting cognitive remediation response in schizophrenia:The role of COMT gene and antipsychotic treatment. *Psychiatry Research*, 217, 9-14.
- Bowie, C.R.,& Harvey, P.D. (2006). Cognitive deficits and functional outcome in schizophrenia. *Neuropsychiatric Disease and Treatment*, 2(4): 531-536



Brown, A.S., & Derkits, E.J. (2010). Prenatal infection and schizophrenia: A review of epidemiologic and translational studies. *American Journal Psychiatry*, 167(3), 261–280. doi: 10.1176/appi.ajp.2009.09030361.

Brune, M. (2006). Theory of mind and social competence in schizophrenia. *Clinical Neurophyciatry*, 3(2), 132–138.

Carlson, N. R.(2014). *Learning and memory in foundations of behavioral of neuroscience* (9th.Ed.). Edinburg: Pearson New International.

Chan, W.Y., Chia, M.Y., Yang, G.L., Woon, P.S., Sitoh, Y.Y., Collinson, S.L., ...& Sim, K.(2009). Duration of illness, regional brain morphology and neurocognitive correlates in schizophrenia. *Annual Academy Medicine Singapore*, 38(5), 388-8.

Chong, H.Y., Teoh, S.L., Wu, D.B., Kotirum, S., Chiou, C.F., & Chaiyakunapruk, N.(2016). Global economic burden of schizophrenia: a systematic review. *Neuropsychiatry Disease Treatment*, 16(12), 357–373. doi: [10.2147/NDT.S96649](https://doi.org/10.2147/NDT.S96649).

Corigliano, V., De Carolis, A., Trovini, G., Dehning, J., Di Pietro, S., Curto, M., ... Comparelli, A. (2014). Neuro cognition in schizophrenia: from prodrome to multi-episode illness. *Psychiatry Research*, 220(1-2), 129-134. doi: [10.1016/j.psychres.2014.07.067](https://doi.org/10.1016/j.psychres.2014.07.067).

Couture, S., Penn, D., & Roberts, D. (2006). The functional significance of social cognition in schizophrenia: a review. *Schizophrenia Bulletin*, 32(Suppl 1), S44–S63. doi: [10.1093/schbul/sbl029](https://doi.org/10.1093/schbul/sbl029)

Das, S., Ray, D., & Banerjee, M. (2011). Does hallucination affect vigilance performance in schizophrenia?, An exploratory study. *Asian Journal of Psychiatry*, 4(3), 196–202. doi: [10.1016/j.ajp.2011.05.015](https://doi.org/10.1016/j.ajp.2011.05.015)

Deste, G., Barlati, S., Cacciani, P., DePeri, L., Poli, R., Sacchetti, E., & Vita, A. (2015). Persistence of effectiveness of cognitive remediation interventions in schizophrenia: A 1-year follow-up study. *Schizophrenia Research*, 161 (2-3), 403-406. doi: [10.1016/j.schres.2014.12.004](https://doi.org/10.1016/j.schres.2014.12.004).

Delahunty, A., & Morice, R. (1996). Rehabilitation of frontal/executive impairments in schizophrenia. *Australian and New Zeland Journal of Psychiatry*, 30(6), 760-767.

Dickson, H., Cullen, A.E., Reichenberg, A., Hodgins, S., Campbell, D.D., Morris, R.G., & Laurens, K.R. (2014). Cognitive impairment among children at-risk for Schizophrenia. *Journal of Psychiatric Research*, 50, 92-99. doi: [10.1016/j.jpsychires.2013.12.003](https://doi.org/10.1016/j.jpsychires.2013.12.003).

Diwadkar, V.A., Goradia, D., Hosanagar, A., Mermon, D., Montrose, D.M., Birmaher, B., ... Keshavan, M.S. (2011). Working memory and attention deficits in adolescent off spring of schizophrenia or bipolar patients:



Comparing vulnerability markers. *Neuro-Psycho Pharmacology & Biological Psychiatry*, 35(5), 1349-1354. doi: [10.1016/j.pnpbp.2011.04.009](https://doi.org/10.1016/j.pnpbp.2011.04.009)

Docherty, N.M., & Gordinier, S.W. (1999). Immediate memory, attention and communication disturbances in schizophrenia patients and their relatives. *Psychology Medicine*, 29(1), 189–197.

Durand, V.M., & Barlow, D.H. (2007a). *Intisari psikologi abnormal*. Jilid 2 (terjemahan). Edisi Keenam. Yogyakarta: Pustaka Pelajar.

Durand, V.M., & Barlow, D.H. (2007b). *Intisari psikologi abnormal*. Jilid 1 (terjemahan). Edisi Keenam. Yogyakarta: Pustaka Pelajar.

Eack, S.M. (2012). Cognitive Remediation: A New Generation of Psychosocial Interventions for People with Schizophrenia. *Social Work*, 57(3): 235–246.

Falkenberg, L.E., Westerhausen, Craven, A., Johnsen, E., Kroken, R., Løberg, E.M., ... & Hugdahl, K. (2014). Impact of glutamate levels on neuronal response and cognitive abilities in schizophrenia. *NeuroImage Clinical*, 4, 576-584. doi: [10.1016/j.nicl.2014.03.014](https://doi.org/10.1016/j.nicl.2014.03.014)

Field, A. (2009). *Discovering statistics using SPSS*. 3rd Ed. London: Sage Publications Ltd.

Franck, N., Duboc, C., Sundby, C., Amado, I., Wykes, T., Demilly, C., ..., Roy, P. (2013). Specific vs general cognitive remediation for executive functioning in schizophrenia: A multicenter randomized trial. *Schizophrenia Research*, 147(1), 68–74. doi: [10.1016/j.schres.2013.03.009](https://doi.org/10.1016/j.schres.2013.03.009)

Frost, D.O., Tamminga, C.A., Medoff, D.R., Caviness, V., Innocenti, G., & Carpenter, W.T. (2004). Neuroscience perspectives on neuroplasticity and schizophrenia. *Biological Psychiatry*, 56(8), 540–543.

Galletly, C., & Rigby, A. (2013). Review article, an overview of cognitive remediation therapy for people with severe mental illness in *Schizophrenia Research and Treatment*. Italy : Hindawi Publishing Corporation.

Gharaeipour, M., & Scott, B.J. (2012). Effects of cognitive remediation on neurocognitive functions and psychiatric symptoms in schizophrenia inpatients. *Schizophrenia Research*, 142, 165-170

Glausier, J.R., & Lewis, D.A. (2013). Review Dendritic Spine Pathology In Schizophrenia. *Neuroscience*, 251, 90–107. doi: [10.1016/j.neuroscience.2012.04.044](https://doi.org/10.1016/j.neuroscience.2012.04.044).

Goff, D.C., Hill, M., & Barch, D. (2011). The treatment of cognitive impairment in schizophrenia. *Pharmacology Biochemical Behaviour*, 99(2), 245–253. doi: [10.1016/j.pbb.2010.11.009](https://doi.org/10.1016/j.pbb.2010.11.009).



Gouveia, P.A.R., Brucki, S.M.D., Malheiros, S.M.F., & Bueno, O.F.A. (2007). Disorders in planning and strategy application in frontal lobe lesion patients. *Brain Cognition*, 63(3), 240–246.

Green, M.F., & Harvey, P.D. (2014). Cognition in schizophrenia, past, present and future. *Schizophrenia Research Cognition*, 1(1), 1e1-e9. doi: [10.1016/j.sco.2014.02.001](https://doi.org/10.1016/j.sco.2014.02.001)

Green, M.F., Kern, R., Braff, D., & Mintz, J. (2000). Neurocognitive deficits and functional outcome in schizophrenia: are we measuring the “right stuff”? *Schizophrenia Bulletin*, 26(1), 19-136.

Green, M.F., Nuechterlein, K.H., Gold, J.M., Barch, D.M., Cohen, J., Essock, S., ... Marder, S.R. (2004). Approaching a consensus cognitive battery for clinical trials in schizophrenia: The NIMH-MATRICS conference to select cognitive domains and test criteria. *Biological Psychiatry*, 56, 301–307

Green, M.F., Penn, D.L., Bentall, R., Carpenter, W.T., Gaebel, W., Gur, R.C., ... Heinssen, R. (2008). Social cognition in schizophrenia: An NIMH workshop on definitions, assessment, and research opportunities. *Schizophrenia Bulletin*, 34(6), 1211–1220. doi: [10.1093/schbul/sbm145](https://doi.org/10.1093/schbul/sbm145).

Grossman, L.S., Harrow, M., Rosen, C., Faull, F., & Strauss, G.P. (2008). Sex differences in schizophrenia and other psychotic disorders: a 20-year longitudinal study of psychosis and recovery. *Comprehensive Psychiatry*, 49(6), 523–529. doi: [10.1016/j.comppsych.2008.03.004](https://doi.org/10.1016/j.comppsych.2008.03.004)

Han, M., Huang, X.F., Chen, D.C., Xiu, M.H., Hui, L., Liu, H., ... & Zhang, X.Y. (2012). Gender differences in cognitive function of patients with chronic schizophrenia. *Neuro-Psychopharmacology & Biological Psychiatry*, 39(3), 358–363. doi: [10.1016/j.pnpbp.2012.07.010](https://doi.org/10.1016/j.pnpbp.2012.07.010)

Harvey, P.D., & Strassnig, M. (2012). Predicting the severity of everyday functional disability in people with schizophrenia: cognitive deficits, functional capacity, symptoms, and health status. *World Psychiatry*, 11(2), 73-79.

Heinrichs, R.W., Miles, A.A., Smith, D., Zargarian, T., Vaz, S.M., Goldberg, J.O., & Ammari, N. (2008). Cognitive, clinical, and functional characteristics of verbally superior schizophrenia patients. *Neuropsychology*, 22(3), 321-328. doi: [10.1037/0894-4105.22.3.321](https://doi.org/10.1037/0894-4105.22.3.321).

Herdaetha, A. (2009). Keefektifan terapi remediasi kognitif dengan bantuan komputer terhadap disfungsi kognitif pasien skizofrenia kronis di Panti Rehabilitasi Budi Makarti Boyolali.[Tesis tidak terpublikasi]. Universitas Negeri Sebelas Maret, Solo.

Hodge, M.A.R., Siciliano, D., Withey, P., Moss, B., Moore, G., Judd, G., Shores, E.A., & Harris, A. (2010). A Randomized Controlled Trial of Cognitive Remediation in Schizophrenia. *Schizophrenia Bulletin*, 36(2), 419–427. doi: [10.1093/schbul/sbn102](https://doi.org/10.1093/schbul/sbn102)



- Hogarty, G.E., Flesher, S., Ulrich, R., Carter, M., Greenwald, D., Pogue-Geile, M., ... Zoretich, R. (2004). Cognitive enhancement therapy for schizophrenia: effects of a 2-year randomized trial on cognition and behavior. *Archives Of General Psychiatry*, 61(9), 866-876. doi:[10.1001/archpsyc.61.9.866](https://doi.org/10.1001/archpsyc.61.9.866)
- Hubacher, M., Weiland, M., Calabrese, P., Stoppe, G., Stocklin, M., Barnicol, D.F., Opwis, K & Penner, I.K. (2013). Research Article, Working Memory Training in Patients with Chronic Schizophrenia: A Pilot Study. *Psychiatry Journal*, 8, 1-9. <http://dx.doi.org/10.1155/2013/154867>
- Jaramillo, P., Fuentes, I., & Ruiz, J.C. (2008). Cognition, social cognition and social functioning in schizophrenia. *Psychology, Society, & Education*, 1(1), 13-24.
- Jones, S.R., & Fernyhough, C. (2007). A new look at the neural diathesis-stress model of Schizophrenia: the primacy of social-evaluative and uncontrollable situations. *Schizophrenia Bulletin*, 33 (5), 1171–1177. doi: [10.1093/schbul/sbl058](https://doi.org/10.1093/schbul/sbl058)
- Jungerman, B.E., Davis, S., & Laroche, S. (2007). Brain plasticity mechanisms and memory: a party of four. *Neuroscientist*, 13(5), 492–505
- Kaneko, Y., & Keshavan, M. (2012). Cognitive remediation in schizophrenia. *Clinical Psychopharmacology Neuroscience*, 10(3), 125–135.
- Kao, Y.C., & Liu, Y.P. (2010). Effects of age of onset on clinical characteristics in schizophrenia spectrum disorders. *BMC Psychiatry*, 10, 63. doi: [10.1186/1471-244X-10-63](https://doi.org/10.1186/1471-244X-10-63)
- Kaplan, H.I., Sadock, B.J., & Grebb, J.A. (2010). *Kaplan-sadock sinopsis psikiatri, ilmu pengetahuan perilaku psikiatri klinis (terjemahan)*. Jilid Satu. Jakarta: Binarupa Aksara.
- Keefe, R.S., & Fenton, W.S. (2007). How should DSM-V criteria for schizophrenia include cognitive impairment?. *Schizophrenia Bulletin*, 33(4), 12–920. doi:[10.1093/schbul/sbm046](https://doi.org/10.1093/schbul/sbm046)
- Keefe, R.S.E., & Harvey, P.D. (2012). Cognitive impairment in schizophrenia. In: Geyer, M.A., & Gross, G. (eds). *Novel Antischizophrenia treatment, handbook of experimental pharmacology*. Berlin Heidelberg: Springer-Verlag, pp. 11-37.
- Kementrian Kesehatan RI (Kemenkes RI). (2013). Riset Kesehatan Dasar. Retrieved from www.depkes.go.id/resources/download/general/Hasil%20Risksesdas%202021_3.pdf
- Kerns, J.G., & Berenbaum, H. (2002). Cognitive impairments associated with formal thought disorder in people with schizophrenia. *Journal Abnormal Psychology*, 111(2), 211–224.



- Kiang,M., Light,G.A., Prugh,J., Coulson,S., Braff,D.L., & Kutas, M. (2007). Cognitive, neurophysiological, and functional correlates of proverb interpretation abnormalities in schizophrenia. *Journal of the international Neuropsychological society, 13*, 653–663.
doi: <https://doi.org/10.1017/S1355617707070816>
- King, S., Hilaire, A.,& Heidkamp, D. (2010). Prenatal factors in schizophrenia. *Current Directions in Psychological Science, 19*(4), 209-213.
- Kleim, J.A., Barbay, S.,& Nudo, R.J. (1998). Functional reorganization of the rat motor cortex following motor skilllearning. *Journal of Neurophysiology, 80*(6),3321–3325
- Kuperberg,G.R.(2010). Language in schizophrenia Part 1: an Introduction. *Language and Linguistic Compass, 4*(8), 576–589.
- Kuperberg, G.R., & Kaplan, D. (2003). Language Dysfunction in schizophrenia. [2nd.Ed.] Philadelphia : Lippincott William & Wilkins. pp 444-466
- Kurtz, M.M., Seltzer, J.C., Shagan, D.S., Thime, W.R., & Wexler, B.E. (2007). Computer-Assisted Cognitive Remediation in Schizophrenia:What is the Active Ingredient?. *Schizophrenia Research. 89*(1-3): 251–260.
doi: [10.1016/j.schres.2006.09.001](https://doi.org/10.1016/j.schres.2006.09.001)
- Laursen,T.M. (2011). Life expectancy among persons with schizophrenia or bipolar affective disorder. *Schizophrenia Research,131*(1-3), 101–104. doi: 10.1016/j.schres.2011.06.008.
- Lesh, T.A.,Niendam, T.A., Minzenberg, M.J., & Carter, C.S. (2011). Cognitive controldeficits in schizophrenia: Mechanisms and Meaning.*Neuropsychopharmacology reviews, 36*(1), 316–338. doi: 10.1038/npp.2010.156.
- Lieberman R.P., Kopelowics, A., & Silverstein, S.M. (2005). *Psychiatric rehabilitation in Kaplan & Sadock, comprehensive textbook of psychiatry*.8th.ed. New York : Lippincott William & Wilkins.
- Linden, D.E. (2007). The working memory networks of the human brain. *The Neuroscientist,3*(13), 257-267.
- Lindenmayer, J.P., McGurk, S.R., Khan, A., Kaushik, S., Thanju, A., Hoffman, L., ... & Herrmann, E. Improving social cognition in schizophrenia: a pilot intervention combining computerized social cognition training with cognitive remediation. *Schizophrenia Bulletin, 39*(3), 507-17. doi: [10.1093/schbul/sbs120](https://doi.org/10.1093/schbul/sbs120).
- Marumo, K., Takizawa, R., Kinou, M., Kawasaki, S., Kawakubo, Y., Fukuda, M., & Kasai, K. (2014). Functional abnormalities in the left ventrolateral prefrontal cortex during a semantic fluency task, and their association with thought disorder in patients with schizophrenia. *Neuroimage,85*(1), 518-526. <https://doi.org/10.1016/j.neuroimage.2013.04.050>



Maslim,R. (2001). *Buku saku diagnosis gangguan jiwa, rujukan ringkas dari PPDGJ III.* Edisi 1. Jakarta: Bag. Ilmu Kedokteran Jiwa FK-Unika Atmajaya.

McGrath, J.(1991). Ordering thoughts on thought disorder. *British Journal Psychiatry*, 158(3), 307-316. doi: [10.1192/bjp.158.3.307](https://doi.org/10.1192/bjp.158.3.307)

McGrath, J., Saha, S., Chant, D., & Welham, J. (2008). Schizophrenia: a concise overview of incidence, prevalence, and mortality. *Epidemiologic review*, 30, 67 – 76.doi: [10.1093/epirev/mxn001](https://doi.org/10.1093/epirev/mxn001)

McGurk, S.R., Mueser, K.T., Pascaris, A., Feldman, K., & Wolfe, R. (2007). Cognitive training for supported employment: 2-3 year outcomes of a randomized controlled trial. *American Journal of Psychiatry*, 164(3), 437-441.

McGurk, S.R., Twamley, E.W., Sitzer, D.I., McHugo, G.J., & Mueser, K.T. (2007). A meta-analysis of cognitive remediation in schizophrenia. *American Journal of Psychiatry*, 164(12), 1791-1802.

Medalia, A., Aluma, M., Tryon, W., & Merriam, A.E. (1998).Effectiveness of attention training in schizophrenia. *Schizophrenia Bulletin*,24(1),147-152.

Medalia, A., & Choi, J. (2005). Factors associated with a positive response to cognitive remediation in a community psychiatric sample. *Psychiatry Service*, 56(5), 602–604.

Medalia, A., & Choi, J. (2009). Cognitive Remediation in Schizophrenia. *Neuropsychology Review*, 19, 353 – 364.

Medalia, A., & Richardson. (2005). What predict a good response to cognitive remediation intervention?. *Schizophrenia Bulletin*,31(4), 942 -953.

Minzenberg, M.J., Laird, A.R., Thelen, S., Carter,C.S., &Glahn,D.C. (2009). Meta-analysis of 41 functional neuro imaging studies of executive function in schizophrenia. *Archives of General Psychiatry*, 66(8),811–822. doi: [10.1001/archgenpsychiatry.2009.91](https://doi.org/10.1001/archgenpsychiatry.2009.91).

Modinos, G., Costafreda, S.G., vanTol, M.J., McGuire, P.K., Aleman, A., & Allen, P. (2013) Research report Neuroanatomy of auditory verbal hallucinations in schizophrenia: A quantitative meta-analysis of voxel-based morphometry studies.*Journal cortex*, 49, 1046-055

Narayanan,S.S., Bhatia, T., Velligan, D.I., Nimgaonkar, V.L., & Deshpande, S.N. (2015). A case control study of association between cognition and functional capacity in schizophrenia. *Schizophrenia Research*,169(1-3), 165–168. doi: [10.1016/j.schres.2015.10.025](https://doi.org/10.1016/j.schres.2015.10.025)

Ochoa, S., Usall, J., Cobo, J., Labad, X., & Kulkarni, J. (2012). Review article, gender differences in schizophrenia and first-episode psychosis:A comprehensive literature review in *Schizophrenia Research and Treatment*. Spain: Hindawi Publishing Corporation,



Park, S., & Gooding, D.C. (2014). Working memory impairment as an endophenotypic marker of a schizophrenia diathesis. *Schizophrenia Research Cognition*, 1(3), 127–136. doi: [10.1016/j.sccog.2014.09.005](https://doi.org/10.1016/j.sccog.2014.09.005)

Passer, M.W., & Smith, R.F. (2008). *Psychology, the science of mind and behavior*. 4th.ed. New York: McGrawHill.

Patterson, T.L., & Mausbach,B.T.(2010). Measurement of functional capacity: a new approach to understanding functional differences and real-world behavioral adaptation in those with mental illness. *Annual Review Clinical Psychology*, 6, 139–154.

Penades, R., Catalán, R., Puig, O., Masana, G., Pujol, N., Navarro, V., ...& Gastó, C. (2010). Executive function needs to be targeted to improve social functioning with cognitive remediation therapy (CRT) in schizophrenia. *Psychiatry Research*, 177(1-2), 41–45. doi: [10.1016/j.psychres.2009.01.032](https://doi.org/10.1016/j.psychres.2009.01.032).

Penades, R., Pujol, N., Catalan, R., Massana, G., Rametti, G., Garcia-Rizo, C., ... Junque, C.. (2013). Brain effects of cognitive remediation therapy in schizophrenia: a structural and functional neuro imaging study, archival report. *Biological Psychiatry*, 73(10), 1015–1023. doi: [10.1016/j.biopsych.2013.01.017](https://doi.org/10.1016/j.biopsych.2013.01.017).

Pontes, L.M., Martins, C.B., Napolitano, I.C., Fonseca, J.R., Oliveira, G.M., Iso, S.M.K., ... Elkis, H. (2013). Clinical study, cognitive training for schizophrenia in developing countries: a pilot trial in Brazil in *Schizophrenia Research and Treatment*. Brazil : Hindawi Publishing Corporation.

Posner & Peterson. (1990). The attention system of the human brain. *Annual Review Neuroscience*, 13, 25-42.

Potkin,S.G., Turner, J.A., Brown, G.G., Carthy, G., Greve, D.N., Glover, G.H., ... FBIRN. (2009). Working memory and DLPFC inefficiency in schizophrenia: The FBIRN study. *Schizophrenia Bulletin*, 35(1), 19–31. doi: [10.1093/schbul/sbn162](https://doi.org/10.1093/schbul/sbn162)

Reinchenberg, A. (2010). The assessment of neuropsychological functioning in schizophrenia. *Dialogue Clinical Neuroscience*, 12, 383-392.

Remberk, B., Namyslowska, I., & Rybakowski, P. (2012). Original article, clinical and cognitive correlates of formal thought disorder in early onset schizophrenia. *Activitas Nervosa Superior Rediviva*, 54(2), 68-132.

Revheim, N., Butlera, P.D., Schechtera, I., Jalbrzikowska, M., Silipoa, G.,&Javitta, D.C. (2006). Reading impairment and visual processing deficits in schizophrenia. *Schizophrenia Research*,87(1-3), 238–245. doi: [10.1016/j.schres.2006.06.022](https://doi.org/10.1016/j.schres.2006.06.022)

Reynolds, G.P. (2005). The neurochemistry of Schizophrenia. *Psychiatry*,4(10),21-25.



Robertson, I.H., Murre, J.M.J. (1999). Rehabilitation of brain damage: brain plasticity and principles of guided recovery. *Psychological Bulletin*, 125(5), 544–575

Sadish, W. R., Cook, T.D., & Campbell, D.T. (2002). Experimental and quasi-experimental designs for generalized causal inference. (2nd.Ed). Michigan: Houghton Mifflin.

Salam, R., Budiman, R., Bastaman, TK., Yuniar, S., Damping, C., Kusumawardhani, A., ...& Widyanto, S. (1994). *Pedoman definisi PANSS (Positive and Negative Symptoms Scale)*. Jakarta : Bagian Psikiatri, FK Universitas Indonesia.

Santosh, S., Roy, D.D., & Kundu, PS. (2013). Psychopathology, cognitive function, and social functioning of patients with schizophrenia. *East Asian Arch Psychiatry*, 23(2), 65-70.

Sartory, G., Zorn, C., Groetzinger, G., & Windgassen, K. (2005). Computerized cognitive rehabilitation improves verbal learning and processing speed in schizophrenia. *Schizophrenia Research*, 75(2-3), 219–223.

Scala, S., Pousada, A., Stone, W.S., Thermenos, H.W., Manschreck, T.C., Tsuang, M. T., ...& Seidman, L.J. (2013). Verbal and visual-spatial memory impairment in youth at familial risk for schizophrenia or affective psychosis: A pilot study. *Schizophrenia Research*, 144(1-3), 122–128. doi: [10.1016/j.schres.2012.11.027](https://doi.org/10.1016/j.schres.2012.11.027).

Silver, H., Feldman, P., Bilker, W., & Gur, C.R. (2003). Working memory deficit as a core neuro-psychological dysfunction in schizophrenia. *American Journal of Psychiatry*, 160(10), 1809-1816.

Spaulding, W.D., Reed, D., Sullivan, M., Richardson, C., Weiler, M. (1999). Effects of cognitive treatment in psychiatric rehabilitation. *Schizophrenia Bulletin*, 25(4), 657–676.

Srinivasan, L., Thara, R., & Tirupati, S.N. (2005). Cognitive dysfunction and associated factors in patients with chronic schizophrenia. *Indian Journal of Psychiatry*, 47(3), 139–143. doi: [10.4103/0019-5545.55936](https://doi.org/10.4103/0019-5545.55936)

Suazo, V., Díez, A., Tamayo, P., Montes, M., & Molina, V. (2013). Limbic hyperactivity associated to verbal memory deficit in schizophrenia. *Journal of Psychiatric Research*, 47(6), 843-850. doi: [10.1016/j.jpsychires.2013.02.007](https://doi.org/10.1016/j.jpsychires.2013.02.007)

Subotnik, K.L., Nuechterlein, K.H., Green, M.F., Horan, W.P., Nienow, T.M., & Ventura, J. (2006). Neuro cognitive and social cognitive correlates of formal thought disorder in schizophrenia patients. *Schizophrenia Research*, 85(1-3), 84–95. doi: [10.1016/j.schres.2006.03.007](https://doi.org/10.1016/j.schres.2006.03.007)

Subramaniam, K., Luks, T.L., Garrett, C., Chung, C., Fisher, M., Nagarajan, S., & Vinogradov, S. (2014). Intensive cognitive training in schizophrenia



enhances working memory and associated prefrontal cortical efficiency in a manner that drives long-term functional gains. *NeuroImage*, 99, 281–292. doi: [10.1016/j.neuroimage.2014.05.057](https://doi.org/10.1016/j.neuroimage.2014.05.057)

Tan, E.J., & Rossell, S.L. (2014). Building a neurocognitive profile of thought disorder in schizophrenia using a standardized test battery. *Schizophrenia Research*, 152(1), 242–245. doi: [10.1016/j.schres.2013.11.001](https://doi.org/10.1016/j.schres.2013.11.001).

Thornicroft, G. (2013). Premature death among people with mental illness. *British Medical Journal*, 4(1), 43-52.

Touloulopoulos, T., & Murray, R.M. (2004). Verbal memory deficit in patients with schizophrenia: an important future target for treatment. *Expert Review Neurotherapeutics*. 4(1):43-52. doi: [10.1192/bjp.185.3.215](https://doi.org/10.1192/bjp.185.3.215)

Tuulio, A., Partonen, T., Suvisaari, T., Haukka, J., & Lonnqvist, J. (2004). Age at onset and cognitive functioning in schizophrenia. *British Journal of Psychiatry*, 185, 215 – 219.

Ventura, J., Bilder, R., Reise, S., & Keefe, R. (2008). Cognitive Assessment Interview (CAI) Version 2, Interviewer's Manual: Definitions and Rating Guidelines. Los Angeles: UCLA Neuropsychiatric Institute/Vinogradov, S., Fisher, M., & Sidani, E.V. (2012). Cognitive training for impaired neural systems in neuropsychiatric illness. *Neuropsychopharmacology Review*, 37(1), 43–76. doi: [10.1038/npp.2011.251](https://doi.org/10.1038/npp.2011.251).

Vos, T., & Global Burden of Disease [GBD] study collaborators. (2015). Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: a systematic analysis for the global burden of disease study. *Lancet*. 386(9995), 743–800.

Wohl, M., & Gorwood, P. (2007). Paternal ages below or above 35 years old are associated with a different risk of schizophrenia in the offspring. *European Psychiatry*, 22(1), 22-26.

World Health Organization [WHO]. (2001). *Burden of Mental and Behavioural Disorders*. Retrieved from www.who.int/whr/2001/chapter2/en/index4.html

World Health Organization [WHO]. (2008). The Global Burden of Disease 2004 Update. Retrieved from www.who.int/healthinfo/global_burden_disease/GBD_report_2004update_full.pdf

Wykes, T., Huddy, V., Cellard, C., McGurk, S.R., & Czobor, P. (2011). A meta-analysis of cognitive remediation for schizophrenia: methodology and effect sizes. *American Journal Psychiatry*, 168, 472–485.

Wykes, T., & Reeder, C. (2005). Cognitive Remediation Therapy for Schizophrenia: Theory and Practice. London: Routledge.



Wykes,T., & Spaulding,W.D. (2011). Thinking about the future cognitive remediation therapy—what works and could we do better?. *Schizophrenia Bulletin*, 37(S2), S80–S90. doi: [10.1093/schbul/sbr064](https://doi.org/10.1093/schbul/sbr064).

Xu,J.Q., Hui, X.L., Longenecker, J., Chang, E.H.L., Chan, S.K., & Chen, E.Y. (2014). Executive function as predictors of persistent thought disorder in first-episode schizophrenia: A one-year follow-up study. *Schizophrenia Research*, 159(2-3), 465–470. doi: [10.1016/j.schres.2014.08.022](https://doi.org/10.1016/j.schres.2014.08.022).

Zanto, T.P., Rubens, M.T., Thangavel, A., & Gazzaley, A. (2011). Causal role of the prefrontalcortex in top-down modulation of visual processing and working memory. *Natural Neuroscience*, 14(5), 656–661. doi: [10.1038/nn.2773](https://doi.org/10.1038/nn.2773).