

## DAFTAR PUSTAKA

Abraham, C dan Michie, S. 2008. A Taxonomy Of Behavior Change Techniques Used In Interventions. *Journal Health Psychol* 3(27): 379-387. <https://www.psycholjournal.com>. diakses 5 September 2016.

Ahmad, Kholid. 2014. Promosi Kesehatan. Raja Grafindo. Jakarta.

Aini, Fatmaningrum, dan Yusuf. 2011. Upaya Peningkatan Perilaku Pasien Dalam Tatalaksana Diabetes Mellitus Dengan Pendekatan Teori Model Behavioral System Dorothy E Johnson. *Jurnal Ners* 6. <https://www.scholar.google.co.id>. diakses pada 30 Juli 2016.

Alligood, M.R dan Tomey.A.N. 2006. *Nursing Theory Standart Their Work*. 6<sup>th</sup> ed. ST Louis Mosby Elsevier Inc. USA.

American Diabetes Association.2015. Diagnosis and Classification of Diabetes Mellitus. *Journal Diabetes Care*. <https://www.care.diabetesjournals.org>. diakses 12 September 2016.

Andrews, R. 2011. Diet or Diet Plus Physical Activity Versus Usual Care In Patients With Newly Diagnosed Type 2 Diabetes: The Early ACTID

Randomised Controlled Trial. *Lancet* 378 (9786): 129-139. <https://www.thelancet.com>. diakses 5 November 2016.

Anonim. 2015. Kamus Besar Bahasa Indonesia Online (KBBI Online). <https://www.kamuskbbi.web.id>. diakses 12 Maret 2016.

Bate, K.L., Jerums, G. 2003. Preventing Complications of Diabetes. *The Medical Journal of Australia* 179: 498 – 503. <https://www.mja.com.au>. diakses 22 Juni 2017.

Bennett. 2010. *Epidemiology of Type2 Diabetes Millitus In Leroithetal Diabetes Millitus A Fundamental And Clinical Text*. Lipincott William & Wilkins. Philadelphia.

Cade,T. 2008. *Diabetes-Related Microvascular and Macrovascular Diseases in the Physical Therapy Setting*. <https://www.ncbi.nlm.nih.gov>. diakses 22 Juni 2017.

Center for Disease Control and Prevention (CDC). 2011. *Healthy Weight - It's Not A Diet It's A Lifestyle!* <https://www.cdc.gov>. diakses 20 Oktober 2016.

Cole-Lewis H, Kershaw T. 2010. Text Messaging As A Tool For Behavior Change In Disease Prevention And Management. *Epidemiol Rev* 32: 56–69. [https:// www.ncbi.nlm.nih.gov](https://www.ncbi.nlm.nih.gov). diakses 30 Desember 2016.

Copaza. 2015. Going Mobile With Diabetes Support: A Randomized Study of a Text Message–Based Personalized Behavioral Intervention for Type 2 Diabetes Self-Care. *Journal Spring* 28 (2). [https://www springjournals.net](https://www.springjournals.net). diakses 30 Desember 2016. doi: 10.2337/diaspect.28.2.83.

Dahlan. S. 2011. *Statistik Untuk Kedokteran Dan Kesehatan*. edisi 5. Salemba Medika. Jakarta.

Depdiknas. 2008. Kamus Besar Bahasa Indonesia. Pusat Bahasa. Jakarta.

Depkes R.I. 2008. Profil Kesehatan Indonesia. Jakarta.

Emilia. 2008. *Promosi Kesehatan Dalam Lingkup Kesehatan Reproduksi*. Pustaka Cendekia Press. Yogyakarta.

Fjeldsoe, B.S. Marshal. Al Miller YD. 2009. Behavior Change Intervention Delivered By Mobile Telephone Short Message Service. *American Journal of Preventive Medicine* 36: 165-171. <https://ajpmonline.org>. diakses 17 September 2016.

Free, C. 2013. Effectiveness of Mobile Health Technology Based Health Behaviour Change Or Disease Management Interventions For Health Care Consumers: A Systematic Review. *Journal PLoS Med.* <https://www.plos.org>. diakses 20 November 2016.

Frost, J. 2014. A Qualitative Synthesis Of Diabetes Self-Management Strategies For Long Term Medical Outcomes And Quality Of Life In The UK. *BMC Health Serv Res* 14: 348. <https://www.bmchealthservres.biomedcentral.com>.

Fontane, K.L. 2009. *Mental Health Nursing*.6th ed. Pearson Prentice Hall. New Jersey.

Gibney, M.J. 2009. *Gizi Kesehatan Masyarakat*. EGC. Jakarta.

Green, W Lawrence. 2005. *Health Education Planing A Diagnostic Approach*.The Johns Hapkins University. Mayfield Publishing Company. Australia.

Ghozali. 2008. *Desain Penelitian Eksperimental*. Badan Penerbit Universitas Diponegoro. Semarang.

Goodarzi. 2012. Impact Of Distance Education Via Mobile Phone Text Messaging On Knowledge, Attitude, Practice And Self Efficacy Of Patients With Type 2 Diabetes Mellitus In Iran. *Journal of Diabetes & Metabolic Disorders* 11:10. <https://www.jdmdonline.com>. diakses 20 Sept 2016.

Gold, J.J.J, Jansen, R. Brant. 2010. What ' S In A Message? Delivering Sexual Health Promotion To Young People In Australia Via Text Messaging. *BMC Public Health Journal* 10 (1): 792.<https://www.biomedcentral.com>. diakses 30 Des 2016.

Global Burden of Disease Study. 2013. Collaborators "Global Regional And National Incidence Prevalence And Years Lived With Disability For 301 Acute And Chronic Diseases And Injuries In 188 Countries. 1990–2013: A Systematic Analysis For The Global Burden Of Disease Study2013. *Lancet*743–800. <https://www.global.com>. diakses 22 Agustus 2016.

Handajani. 2009. Faktor-Faktor Yang Berhubungan Dengan Pola Kematian Pada Penyakit Degeneratif Di Indonesia. *Buletin Penelitian Sistem Kesehatan – Vol. 13 No. 1 Januari 2010*: 42–53.

Handayani. 2012. Modifikasi Gaya Hidup dan Intervensi Farmakologis Dini untuk Pencegahan Penyakit Diabetes Melitus Tipe 2. *Media Gizi Masyarakat Indonesia*1(2). 65-70. <https://id.portalgaruda.org>. diakses pada 15 Feb 2016.

Heatley, William Hague and Caroline Crowther. 2013. *The DIAMIND Study: Postpartum SMS Reminders To Women Who Have Had Gestational Diabetes Mellitus To Test For Type 2 Diabetes:A Randomised Controlled Trial – Studyprotocol*. The Cochrane Library. <https://thecochranelibrary.com>. diakses 45 Agustus 2016.

Hidayati. 2013. Pengaruh Penggunaan Short Message Service (SMS) Terhadap Kepatuhan Minum Obat Dan Kestabilan Glukosa Darah Sewaktu Pada Pasien Diabetes Melitus. *Skripsi*. UMY. Yogyakarta.

Higano, T. Shibayama, M. Ichikawa, M. Motomura, H. Shimano, Y Kawakami, K. Furuya dan T.Kawaguchi. 2015.The Effects of Telenursing with Goal Attainment Scaling in Diabetic Patients: A Case Report. *Journal ofNursing and Clinical Practices*.<https://www.ncbi.nlm.nih.gov>. diakses 12 November 2016. [doi.org/10.15344/2394-4978/2015/117](https://doi.org/10.15344/2394-4978/2015/117).

Higgins, J.PT, Green, S. 2008.*Assessing Risk of Bias In Included Studies*. In: *Cochrane Handbook For Systematic Reviews of Interventions*. John Wiley & Sons Ltd.Chichester. United Kingdom.

Holt, P. 2009.*Diabetes In Hospital: A Practice ApproachFor Healthcare Professionals*. John Wiley & Sons.Ltd.United Kingdom.

Huang, H.-L. 2013. Effects Of And Satisfaction With Short Message Service Reminders For Patient Medication Adherence: A Randomized Controlled Study. *Journal BMC*13: 127. <https://www.biomedcentral.com>. diakses 2 Mei 2017.

Hui. 2002. The Health-Promoting Lifestyles of Undergraduate Nurses in Hong Kong. *Journal of Professional Nursing* 18 (2): 101-111. <https://www.professionalnursing.org>. diakses pada 2 Desember 2016.

Infodatin. 2014. *Waspada Diabetes!* Kementrian Kesehatan. Jakarta.

International Diabetes Federation (IDF). 2013. *Diabetes Atlas*. 6th ed. <https://www.idf.org>. diakses 12 September 2016.

Kawaguchi. 2004. Development of A Telenursing System For Patients With Chronic Condition. *Journal of Telemedicine and Telecare* 10: 239-244. <https://www.ebsco.com>. diakses 12 Nopember 2016.

Khattab, Maysa, Riley, WT. 2010. Factors Associated With Poor Glycemic Control Among Patients With Type 2 Diabetes. *Journal of Diabetes and Its Complications* 24: 84–89. <https://www.journals.elsevier.com>. diakses 20 Februari 2017.

Kementrian Kesehatan RI.2015. Rencana Strategis Kementrian Kesehatan Tahun 2015-2019. Jakarta.

Kemppainen, V, Tossavainen, K & Turunen, H 2012, 'Nurses' roles in health promotion practice: an integrative review', *Health Promotion International* 27:1-12. <https://academic.oup.com>.

Kim HS. 2007. A nurse short message service by cellular phone in type-2 diabetic patients for six months. *J Clin Nurs* 16:1082. <https://www.journals.sagepub.com>.

Kotler, M. 2002. Pola Hidup Sehat Usia Senja. <https://www.polahidupsehat.com>. diakses 20 Oktober 2016.

Krishna S, 2009. Healthcare via cell phones: A systematic review. *Telemed J E Health*;15:231–240. <https://www.ncbi.nlm.nih.gov>. diakses 15 Oktober 2016.

Lemeshow, S dan Hosmer, DW. 1997. *Besar Sampel Dalam Penelitian Kesehatan*. Universitas Gadjah Mada. Yogyakarta.

Liang. 2012. Trends in Prevalence, Awareness, Treatment, and Control of DM in Mainland China from 1979 to 2012. *International Journal of Endocrinology*.

*Volume 2013.* <https://ijpeonline.biomedcentral.com>. diakses 20 juli 2017.

Lubis. 2015. Perancangan Reminder System Untuk Meningkatkan Kepatuhan Pengobatan Pasien Diabetes Mellitus. *Tesis*. UGM. Yogyakarta.

Michie, S.Prestwich, A. 2010. Are Interventions Theory-Based? Development Of A Theory Coding Scheme. *Journal Health Psychol* 29(1): 1-8. <https://www.journals.sagepub.com>. diakses 12 Oktober 2016. doi: 10.1037/a0016939.

Middleton. 2014. Effect Of Home Telemonitoring On Glycemic And Blood Pressure Control InPrimary Care Clinic Patients With Diabetes. *Telemed J E Health* 20: 199-205. <https://www.telecare.com>. diakses 23 November 2016.

Monnier, L. 2003. Contributions of fasting and postprandial plasma glucose incrementa to the overall diurnal hyperglycemia of type 2 diabetic patients: variations with increasing levels of HbA(1c). *Journal Diabetes Care*. <https://www.care.diabetesjournals.org>. diakses 22 Juni 2017.

Mulvaney, SA. Ritterband, LM dan Bosslet, L. 2011. Mobile Intervention Design In Diabetes: Review And Recommendations. *Journal Curr Diab Rel*(6): 486-493.<https://www.ncbi.nlm.nih.gov>. diakses 12 Oktober 2016. doi: 10.1007/s11892-011-0230-y.

Murti, Bhisma. 2010. *Desain dan Ukuran Sampel untuk Penelitian Kuantitatif dan Kualitatif di Bidang Kesehatan*. UGM press.Yogyakarta.

National Institute for Health and Care Excellence.2015.Type 1 Diabetes In Adults: Diagnosis And Management. <https://www.nice.org.uk>. diakses 09 Desember 2015.

Nielsen, Anni, BS, dan Nocon, RS.2006. Structured Personal Diabetes Care in Primary Health Care Affects Only Women's HbA1c. *Journal Diabetes Care*29: 963–969. <https://www.care.diabetesjournals.org>. Diakses 20 Feb 2016.

Nevin, N. 2002. Psikologi Kesehatan. EGC. Jakarta

Notoatmodjo, S. 2010. *Ilmu Perilaku Kesehatan*. Rineka Cipta. Jakarta.

Norris, S.Bullen, C. Borland, R. dan Rodgers. 2002. Self Management Education For Adults With Type 2 Diabetes: A Meta-Analysis Of The Effect On Glycemic Control. *Jounal Diabetes Care* 25: 1159–1171.<https://www.care.diabetesjournals.org>. diakses 12 November 2016.

Nundy. 2013. Developing a behavioral model for mobile phone-based diabetes interventions. *Patient Educ. Couns* 90(1): 125-132. <https://www.ncbi.nlm.nih.gov>. diakses 12 Juni 2017.

Orr, JA dan King, RJ. 2015. Mobile Phone SMS Messages Can Enhance Healthy Behaviour: A Meta-Analysis of Randomised Controlled trials. *Journal Health Psychol* 9(4):397-416. <https://www.journals.sagepub.com>. diakses 12 November 2016. doi:10.1080/17437199.2015.1022847.

Pender. Nola J. 2011. Health Promotion Model Manual University of Michigan. <https://deepblue.lib.umich.edu>. diakses 20 September 2016.

Pender, N,J, Carolyn dan Marry Aan. 2010. *Health Promotion in Nursing Practiced 4*. Prentice Hall. Michigan.

Perkumpulan Endokrinologi Indonesia (PERKENI). 2015. *Konsensus Pengendalian dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia*. PB.PERKENI. Jakarta.

Peimani. 2015. Effectiveness of short message service-based intervention (SMS) on self-care in type 2 diabetes: A feasibility study. *Journal Primary Care Diabetes*. <http://www.elsevier.com>. diakses 15 Juni 2017.

Potter dan Perry. 2010. *Fundamental Keperawatan Buku 3*. edisi 7. Salemba Medika. Jakarta.

Powers, A.C. 2008. *Diabetes Mellitus Harrison's Principles of Internal Medicine*. Edisi 17: 2275-2304. McGraw-Hill Education. New York. NY.

Pratiknya, A.W. 2011. *Dasar-Dasar Penelitian Kedokteran dan Kesehatan*. PT Raja Grafindo. Jakarta

Putri, H.K. 2013. Hubungan empat pilar pengendalian DM Tipe 2 Dengan Rerata Kadar Gula Darah. *Jurnal Unair*. <http://www.journal.unair.ac.id>.

Rahmani. 2014. Monitoring Gula Darah dan Kepatuhan Minum Obat Dapat Menstabilkan Kadar Gula Darah Pada Penderita Diabetes Melitus Tipe II Di Wilayah Ambarketawang Gamping Sleman Yogyakarta. *Naskah Publikasi*. Stikes Aisyiyah Yogyakarta. <https://opac.unisayogya.ac.id>. diakses 10 Januari 2017.

Riset Kesehatan Dasar (Riskesdas). 2013. *Badan Penelitian dan Pengembangan Kesehatan Kementerian RI tahun 2013*. <https://www.depkes.go.id>. diakses 13 Mei 2016.

Safitri. 2014. Pengaruh Penggunaan Short Message Service (SMS) terhadap Tingkat Kepatuhan Minum Obat dan Kestabilan Tekanan Darah pada Pasien Hipertensi. *Skripsi*. UMY. Yogyakarta.

Sastroasmoro. 2011. *Dasar-Dasar Metodologi Penelitian Klinis*. Sagung Seto. Jakarta.

Scotia. 2008. Telenursing Practice Guideline college Of Registered Nurses Of Novascotia. <https://www.proquest.com>. diakses 12 Nopember 2016.

Shichiri M. 2000. Long term results of the kumamoto study on optimal diabetes control in type 2 diabetic patients. *Journal Diabetes Care*. suppl 2 <https://www.care.diabetesjournals.org>. diakses 20 Juni 2017

Smeltzer & Bare. 2008. *Textbook of Medical Surgical Nursing vol.2*. Lippincott William & Wilkins. Philadelphia.

Soegondo. 2011. *Penatalaksanaan Diabetes Mellitus Terpadu*. Balai Penerbit FKUI. Jakarta.

Soehoet, Hoeta. 2003. *Media Komunikasi*. Yayasan Kampus Tercinta II SIP. Jakarta

Soewondo. 2010. The DiabCare Asia 2008 Study – Outcomes On Control And Complications Of Type 2 Diabetic Patients In Indonesia. *Medical Journal Indonesia* 19(4). <https://www.mji.ui.ac.id>. diakses 5 November 2016.

Soeryodibroto. 1998. *Beberapa Metode Diet Untuk Diabetes Mellitus. Makalah Seminar Sehari Edukator Diabetes Mellitus*. Jakarta.

Sugiyono. 2012. *Statistik Untuk Penelitian*. Alfabeta. Bandung.

Stuart dan Sundeen.200. *Buku Saku Keperawatan Jiwa*. edisi 5. EGC. Jakarta.

Sudarma, Momon. 2008. *Sosiologi Untuk Kesehatan*. Salemba Medika, Jakarta.

Suyono, S. 2007. *Buku Ajar Ilmu Penyakit Dalam*. Penerbitan Departemen Penyakit Dalam Fakultas Kedokteran Universitas Indonesia. Jakarta Pusat.

Syahbudin, Syafril. 2007. *Pedoman Diet Diabetes Mellitus*. Balai Penerbit FKUI Jakarta.

Thabrany, H. 2014. *Jaminan Kesehatan Nasional*. PT. Raja Grafindo Persada. Jakarta

Tamban, C.Isip-Tan I dan Jimeno, C. Use Of Short Message Services (SMS) For The Management Of Type 2 Diabetes Mellitus: A Randomized Controlled Trial. *Journal of the ASEAN Federation of Endocrine Societies*. <https://www.asean-endocrinejournal.org>. diakses 12 Sept 2015.

Toharin. 2015.Hubungan Modifikasi Gaya Hidup dan Kepatuhan Konsumsi Obat Antidiabetik Dengan Kadar Gula Darah Pada Penderita Diabetes Mellitus Tipe 2 di RS QIM. *Unnes Journal of Public Health*4 (2): 153-161<https://journal.unnes.ac.id/sju/index.php/ujph>.diakses 20 September 2016.

UNDP. 2016.*UNDP Policy and Program Brief UNDP Suport To the Implementation of the 2030 Agenda for Sustainable Development*.United Nations Development Programme. <https://www.emarketer.com>. diakses 16 September 2016.

U.S. Census Bureau International Data Base.2014. Pengguna Ponsel di Indonesia Melebihi Jumlah PendudukIndonesia. <https://foto.metrotvnews.com>. diakses 4 Oktober 2016.

Van Dieren. 2010. The Global Burden Of Diabetes And Its Complications : En Emerging Pandemic. *Eur Journal Cardiovascular Prev Rehabilitation*. Suppl 1: S3-S8. <https://www.jmir.com>. diakses 10 Mei 2017.

Walker. S.N dan Hill-Polerecky. D.M. 1996. *Psychometric evaluation of the Health-PromotingLifestyle Profile II*. Unpublished manuscript. University of Nebraska Medical Center.

Wilkstom. K,Lindstrom, dan J. Tuomilehto. 2015. National Diabetes Prevention Program (Dehko) Awareness And Self Reportes Lifestyle Changes In Finnish Middle-Aged Population. *Journal Public Health* 129(3): 210-217. <https://www.journals.elsevier.com>. diakses 5 Oktober 2016.

World Heath Organization. 2010. *Global Report on Diabetes*. <https://www.aps.who.int>. diakses 5 Mei 2016

World Health Organization.m-Health. 2011. New Horizons For Health Through Mobile Technologies Global Observatory For E-Health. <https://www.who.int>. diakses 10 Januari 2016.

Wu., et.al. 2006. Self Efficacy, Outcome Expectation And Self Care Behaviourin People With Type 2 Diabetes In Taiwan. <http://www.ebscohost.com>. diakses tanggal 24 Juni 2017.

Xu, Jiaqiong. 2007. Macronutrient Intake And Glycemic Control In A Population based Sample Of American Indians With Diabetes: The Strong Heart Study. *The American Journal of Clinical Nutrition* 86: 480-487.

<https://www.ajcn.org>. diakses 30April 2017.

Xu, Pan dan Liu. 2010. Self-Management Practices Of Chinese Americans With  
Type 2 Diabetes. *Journal Nursing and Health Sciences*.12: 228–234

<http://www.onlinelibrary.wiley.com>