

DAFTAR PUSTAKA

- Andriamihaja, M., A. Guillot., A. Svendsen., J. Hagedorn., S. Rakotondratohanina., D. Tome., and F. Blachier. 2013. Comparative efficiency of microbial enzyme preparations versus pancreatin for in vitro alimentary protein digestion. *Amino acid*. Springer. 44: 536-572.
- Ahhmed, A.M., and M. Muguruma, 2010. A review of meat protein hydrolysates and hypertension. *Meat Sci*. 86: 110-118.
- Almatsier, S. 2003. *Prinsip Dasar Ilmu Gizi*. PT. Gramedia Pustaka Utama. Jakarta.
- Anggraini, A. 2015. Pengaruh suhu dan lama hidrolisis enzim papain terhadap sifat kimia, fisik dan organoleptik sari *edamame*. *Jurnal Pangan dan Agroindustri*. 3: 1015-1025.
- Ashar, M. N. and R. Chand. 2004. Fermented milk containing ACE inhibitory peptides reduces blood pressure in middle aged hypertensive subjects. *Milchwissenschaft* 59: 363–366.
- Arihara, K., Y. Nakashima., T. Mukai., S. Ishikawa, and M. Itoh. 2001. Peptide inhibitors for angiotensin I-converting enzyme from enzymatic hydrolysates of porcine skeletal muscle proteins. *Meat Sci*. 57: 319-324.
- Arihara, K., and M. Ohata. 2006. Functional properties of bioactive peptides derived from meat proteins. In *Advanced Technologies for Meat Processing*; Toldra, F.; Springer: New York, NY, USA; 254-274.
- Ariyoshi, Y. 1993. Angiotensin-converting enzyme inhibitors derived from food proteins. *Trends of Food Science Technology*, 4: 139–144.
- August, E. G. 2000. Kajian lipase amobil dari *Aspergillus niger* pada pembuatan MAG yang bersifat antibakteri dari minyak kelapa. Tesis. Program Pasca Sarjana. Institut Pertanian Bogor. Bogor
- Beck, I.T. 1973. The role of pancreatic enzyme in digestion. *Am. J. Clin. Nutr*. 26: 311-325.
- Bergmeyer, H.U. 1983. *Methods of enzymatic analysis*, 3rd edn, vol. 2, Verlag Chemie, Weinheim, pp. 139–141.
- Biesalski, H.K. 2005. Meat as a component of a healthy diet-are there any risks or benefits if meat is avoided in the diet. *Meat Sci.*, 70: 509–524.
- Bovera, F., C. Di Meo, G. Piccolo, P. Colatruglio, and A. Nizza. 2005. Il coniglio di fosso dell'isola d'Ischia: indagine preliminare sulle caratteristiche delle carcasse e delle carni. *Rivista di Coniglicoltura*, 42(3): 42–45.

- Buckle, K.A. 1985. Ilmu Pangan, UI.Press. Jakarta.
- Brahmantiyo, B., Setiawan, M.A., dan M. Yamin. Physical and chemical properties of rex and local rabbit's (*Oryctolagus cuniculus*) meat. Indonesian. J. Anim. Sci. 16: 1-7.
- Cahyarini, R. D. 2014. Identification of genetic diversity of some local varieties of soybeans in Java based on lysozyme analysis. M.Sc. thesis, Sebelas Maret Univ., Solo, Indonesia.
- Cheung, H.S., F.L Wang, M.A. Ondetti, E.F. Sabo, and D.W. Cushman. 1980. Binding of peptide substrates and inhibitors of angiotensin-converting enzyme. J. Biol. Chem. 255: 401-408.
- Clare, D. A. and H. E. Swaisgood. 2000. Bioactive milk peptides: A prospectus. J. of Dairy Sci. 83: 1187–1195.
- Cushman, D. W, H.S. Cheung, E.F. Sabo, and M.A. Ondetti, 1981. Angiotensin Converting Enzyme Inhibitors: Evolution of a New Class of Antihypertensive Drug. In: Angiotensin Converting Enzyme Inhibitors. Mechanisms of Action and Clinical Implications. Z.P. Horovitz (Ed.), The Squibb Institute for Medical Research, Princeton, NJ.
- Craik, C.S., C. Largman., T. Fletcher., S. Rocznik., P. J. Barr., R. Fletterick., and W. J. Rutter. 1985. Redesigning trypsin: alteration of substrate specificity. Science 228: 291–297.
- Dal-Bosco, A., C. Castellini, and M. Bernardini. 2001. Nutritional quality of rabbitmeat as affected by cooking procedure and dietary vitamin E. J. Food. Sci. 66: 1047–1051.
- Dalle-Zotte, A., S. Balzan, E. Novelli, P. Bohatir, Z. Matics, and Z. Szendrő. 2010. Effect of the feeding supplementation with chestnut hydrolysable tannin on the colour and oxidative stability of rabbit meat. Proc. 56th ICoMST, August 15–20, Jeju, Republic of Korea (pp. 129). (abstract). ISBN: 978-89-480-0730-5 93520.
- Damron, WS., 2003. Introduction to Animal Science: Biological, Industry Perspective. Prentice Hall, New Jersey.
- Dokoupilová, A., M. Marounek, V. Skřivanová, and P. Březina. 2007. Selenium content in tissues and meat quality in rabbits fed selenium yeast. Czech J. Anim. Sci. 52: 165–169.
- Descalzo, A. M, and A. M. Sancho. 2008. A review of natural antioxidant and their effects on oxidative status, odor and quality of fresh beef produced in Argentina. Meat. Sci. 79: 423-436.
- Escudero E., M. C. Aristoy., H. Nishimura., K. Arihara., and F. Toldra. 2012. Antihypertensive effect and antioxidant activity of peptide fractions extracted from Spanish dry-cured ham. Meat Sci. 91:306-311.

- Fiat, A. M., D. Migliore-Samour., P. Jolles., L. Drouet., C. B. D. Sollier., and J. Cean. 1993. Biologically active peptides from milk proteins with emphasis on two examples concerning antithrombotic and immunomodulating activities. *J. of Dairy Sci.* 76: 301–310.
- FitzGerald, R., and H. Meisel. 2010. Milk protein derived peptide inhibitors of angiotensin-I converting enzyme. *Brit. J. Nurtr.* 84: S33-S37.
- Fox, P. F., P. A. Morrissy, and D. M. Mulvihill. 1991. Chemical and Enzymatic Modification of Food Protein. London: Development in Food Protein. APPL.Sci.Pbl.
- Fujita, H., K. Yokoyama, and M. Yoshikawa. 2000. Classification and antihypertensive activity of angiotensin I-converting enzyme inhibitory peptides derived from food protein. *J. Food Sci.* 65: 564-569.
- Ganiswara, G., S. 1995. Farmakologi dan Terapi. Gaya Baru. Jakarta
- Gesualdo, A. M. L., and E. C. Y. Li-Chan. 1999. Functional properties of fish protein hydrolysate from herring (*Clupea harengus*). *J. Food Sci.* 64(6): 1000-1004.
- Ghozali, I. 2001. Aplikasi Analisis Multivariate dengan Program SPSS, BP UNDIP, Semarang.
- Guyton, A.C., dan J. E. Hall. 2001. Buku Ajar Fisiologi Kedokteran, Alih bahasa: Setiawan, I. dan Santoso, A., Penerbit Buku Kedokteran EGC Jakarta.
- Haslaniza, H. 2010. The effects of enzyme concentration, temperature and incubation time on nitrogen content and degree of hydrolysis of protein precipitate from cockle (*Anadara granosa*) meat wash water. *International Food Research Journal* 17: 147-152.
- Hermida, M., M. Gonzalez., M. Miranda., and J. L. Rodríguez-Otero, 2006. Mineral analysis in rabbit meat from Galicia (NW Spain). *Meat Sci.* 73: 635–639.
- Hernández-Ledesma, B. Amigo., L. M. Ramos., and I. Recio . 2004. Angiotensin converting enzyme inhibitory activity in commercial fermented products. Formation of peptides under simulated gastrointestinal digestion. *J. Agric. Food. Chemi.* 52: 1504–1510.
- Hernández, P. 2007. Carne de conejo, ideal para dietas bajas en ácido úrico. *Revista Científica de Nutrición.* N° 8 Septiembre. *Boletín de Cunicultura*, 154: 33–36.
- Hernández, P., and A. Dalle Zotte. 2010. Influence of diet on rabbit meat quality. pp 163–178. In: *Nutrition of the rabbit*. Edited by C. de Blas, Univesidad Poletenica, Madrid, J. Wiseman, University of Nottingham, UK, 2nd ed., ISBN-13:978 1 84593 669 3.

- Hou, Y., Z. Wu., Z. Dai., G. Wang., and G. Wu. 2017. Protein hydrolysates in animal nutrition: industrial production, bioactive peptides, and functional significance. *J. of Anim. Sci. And Biotech.* 8: 24.
- Ismahun, P., 2001. Peranan angiotensin ii receptor antagonist pada penyakit jantung hipertensi. *Cermin Dunia Kedokteran*, 132: 20-23.
- Jamhari., L. M. Yusiati., E. Suryanto., M. N. Cahyanto., Y. Erwanto., and M. Muguruma. 2013a. Comparative study on angiotensin converting enzyme inhibitory activity of hydrolysate of meat protein of Indonesian local livestock. *J. Indonesian Trop. Anim. Agric.* 38: 27-33.
- Jamhari., L. M. Yusiati., E. Suryanto., M. N. Cahyanto., Y. Erwanto., and M. Muguruma. 2013b. Purification of angiotensin converting enzyme inhibitory peptide derived from kacang goat meat protein hydrolysate. *J. Indonesian Trop. Anim. Agric.* 38: 239-246.
- Jang A., and M. Lee. 2005. Purification and identification of angiotensin converting enzyme inhibitory peptides from beef hydrolysate. *Meat Sci.* 69: 653-661.
- Jang, A., C. Jo., K.S. Kang., and M. Lee. 2008. Antimicrobial and human cancer cell cytotoxic effect of synthetic angiotensin-converting enzyme (ACE) inhibitory peptides. *J. Food. Chem.* 107: 327-336.
- Jimenez-Colmenero, F., J. Carballo., and S. Cofrades. 2001. Healthier meat and meat products: their role as functional foods. *Meat Sci.* 59: 5-13.
- Kanetro B, Noor Z, Sutardi, Indrati R. 2011. Karakteristik tripsin inhibitor dan penjajagan sebagai komponen makanan fungsional penderita diabetes (IIDM). *Agritech.* 25: 186-194
- Katayama, K., H. Fuchu, M. Sugiyama, S. Kawahara, K. Yamauchi, Y. Kawamura, and M. Muguruma. 2003. Peptic hydrolysate of porcine crude myosin has many active fractions inhibiting angiotensin I-converting enzyme. *Asian-Aust. J. Anim. Sci.* 16: 1384-1389.
- Katayama, K., M. Tomatsu., S. Kawahara., K. Yamauchi., H. Fuchu., M. Sugiyama., Y. Kawamura., and M. Muguruma. 2004. Inhibitory profile of nonapeptide derived from porcine troponin C against angiotensin I-converting enzyme. *J. Agric. Food. Chem.* 52: 771-5.
- Korhonen, H., and A. Pihlanto. 2006. Bioactive peptides: Production and functionality. *Int. Dairy J.* 16: 945-960.
- Korhonen, H. 2009. Milk-derived bioactive peptides: From science to application. *J. Funct. Food.* 1: 177-187.
- Kitts, D. D., and K. Weiler. 2003. Bioactive proteins and peptides from food sources. Applications of bioprocesses used in isolation and recovery. *Current Pharmaceutical Design* 9: 1309-1323.

- Kim, S. K., H. C. Lee., H. G. Byun., and Y. J. Jeon. 1996. Isolation and characterization of antioxidative peptides from enzymatic hydrolysates of yellowfin sole skin gelation. *J. of Korean Fishery Society*. 29: 2, 246–255.
- Lachance, P. A., and M.C. Fisher. 2005. Reinvention of the food guide pyramid to promote health. *Adv. Food Nutr. Res.*, 49: 1–39.
- Lee, S. H., Z. K. Qian., and S. K. Kim. 2010. A novel angiotensin I converting enzyme inhibitory peptide from tuna frame protein hydrolysate and its antihypertensive effect in spontaneously hypertensive rats. *J. Food. Chem.* 118: 96-102.
- Liepke, cornelia., H. D. Zucht., W. G. Forssmann., and L. Standker. 2001. Purification of novel peptide antibiotics from human milk. *Journal of Chromatography B*, 752: 369–377.
- Li, G. H., G. W. Le., Y. H. Shi., and S. Shrestha. 2004. Angiotensin I– converting enzyme inhibitory peptides derived from food proteins and their physiological and pharmacological effects. *Nutr Res.* 24: 469–486
- Lombardi-Boccia, G., S. Lanzi., and A. Aguzzi. 2005. Aspects of meat quality: Trace elements and B vitamins in raw and cooked meats. *J. of Food. Composition and Analysis*, 18: 39–46.
- Maeno, M., N. Yamamoto., and T. Takano. 1996. Isolation of an antihypertensive peptide from casein hydrolysate produced by a proteinase from *Lactobacillus helveticus* CP790. *J. Dairy Sci.* 79: 1316–1321.
- Miguel M., and A. Aleixandre. 2006. Antihypertensive peptides derived from egg proteins. *J. Nutr.* 136: 1457–1460.
- Mirdhayati, I., J. Hermanianto., C. H. Wijaya., D. Sajuthi., and K. Arihara. 2016. Angiotensin converting enzyme (ACE) inhibitory and antihypertensive activities of protein hydrolysate from meat of *Kacang goat* (*Capra aegagrus hircus*). *J. Sci. Food. Agric.* 96: 3536-3542.
- Möller, N. P., K. E. Scholz-Arens., N. Roos., and J. Schrezenmeir. 2008. Bioactive peptides and proteins from foods: indicationfor health effects. *Euro. J. Nutr.* 47: 171–182.
- Muguruma, M., A. M. Ahhmed., K. Katayama., S. Kawahara., M. Maruyama., and T. Nakamura. 2009. Identification of pro-drug type ACE inhibitory peptide sourced from porcine myosin B: Evaluation of its antihypertensive effects in vivo. *J. Food Chem.* 114: 516–522.
- Nakamura, Y., M. Yamamoto., K. Sakai., A. Okubo., S. Yamazaki., and T. Takano. 1995. Purification and characterization of angiotensin I converting enzyme inhibitors from sour milk. *J. Dairy Sci.* 78: 777–783.

- Oates, J.A., and N. J. Brown. 2001. Antihypertensive Agents and Drugs Therapy of Hypertension In: *The Pharmacological Basis of Theurapeutics* 10th ed, McGraw-Hil, New York.
- Ondetti, M.A., B. Rubini, and D.W. Cushman. 1977. Design of specific inhibitors of angiotensin-converting enzyme: new class of orally active antihypertensive agents. *Science*. 196: 441-444.
- Owusu-Apenten, R.K. 2002. *Food Protein Analysis. Quantitative Effect on Processing*. Marcel Dekker Inc. New York.
- Panyam, D., and A. Kilara. 1996. Enhancing the functionality of food proteins by enzymatic modification. *Trends Food Sci. Technol.* 7: 120–125.
- Parigi-Bini, R., G. Xiccato., M. Cinetto., and A. D. Zotte. 1992. Effetto dell'età, del peso di macellazione e del sesso sulla qualità della carcassa e della carne cunicola. *Zootecnica e Nutrizione Animale*, 18: 173–190.
- Peters, L. 1974. Method For Roasting Meat. United States Patent Office. Series. No. 215,620.
- Pihlanto-Leppälä, A. 2001. Bioactive peptides derived from bovine whey proteins: opioid and ace inhibitory peptides. *Trends Food Sci. Technol.* 11: 347-356.
- Ryan, J.T., R. P. Ross., D. Bolton., G. F. Fitzgerald. and C. Stanton. 2011. Bioactive peptides from muscle sources. *Meat and Fish. Nutrient*, 3(9): 765-791.
- Rehm, H.J. and G. Reed. 1995. *Biotechnology: Enzymes, Biomass, Food and Feed*. New York.
- Ryle, A., 1970. The porcine pepsin and pepsinogens. *Methods Enzymol.* 19: 316-336.
- Saiga, A., K. Iwai., T. Hayakawa., Y. Takahata., S. Kitamura., T. Nishimura., and F. Motomatsu. 2008. Angiotensin I-converting enzyme-inhibitory peptides obtained from chicken collagen hydrolysate. *J. of Agric. And Food. Chem.* 56: 9586-9591.
- Shalaby, S.M., Zakora, and J. Otte. 2006. Performance of two commonly used angiotensin-converting enzyme inhibition assays using FA-PGG and HHL as substrates. *J. Dairy Res.* 73: 178-186.
- Sigma. 2003. Product information: Typsin Solution from Porcine Pancreas. Saint Louis, USA.
- Skeeg, L.T., J.R. Khan, and N.P. Shumway. 1996. Preparation and function of the hypertensin converting enzyme. *J. Exp. Med.* 103: 295-299.

- Smith, J. L., G.E. Billings, and R.Y. Yada. 1991. Chemical modification of amino groups in mucor miehei aspartyl proteinase, porcine pepsin, and chymosin. I. Structure and function. *Agric. Biol. Chem.* 55: 2009-2016.
- Soeparno. 2005. Ilmu dan Teknologi Daging. Cetakan ke-4. Gadjah Mada University Press, Yogyakarta.
- Tambajong, J. 1995. Sinopsis Histologi. 1st ed. Jakarta
- Tres, A., R. Bou., R. Codony and F. Guardiola. 2008. Influence of dietary doses of n-3- or n-6 rich vegetable fats and α -tocopheryl acetate supplementation on raw and cooked rabbit meat composition and oxidative stability. *J. Agric. Food. Chem.* 56: 7243–7253.
- Udenigwe, C. C., and H. Ashton. 2013. Meat proteome as source of functional biopeptides. *Food Res Inter.* 54: 1021-1032.
- Vermeirssen, V., J. van Camp, and W. Verstraete. 2007. Bioavailability of angiotensin I converting enzyme inhibitory peptides. *Br. J. Nutr.* 92: 357-366.
- Vanhoutte, P.M. 1989. Endothelium and control of vascular function. State of the art lecture. *Hypertension.* 13: 658-667.
- Wijesekara, I., and S.K. Kim, 2010. Angiotensin-I-converting enzyme (ACE) inhibitors from marine resources: prospects in the pharmaceutical industry. *Mar. Drugs.* 8: 1080-1093.
- Wu, H. C., H. L. He., X. L. Chen., C. Y. Sun., Y. Z. Zhang., and B. C. Zhou. 2008. Purification and identification of novel angiotensin-I-converting enzyme inhibitory peptides from shark meat hydrolysate. *Process Biochemistry*, 43, 4, 457-461.
- Yokoyama, K., H. Chiba, and M. Yoshikawa. 1992. Peptide inhibitors for angiotensin I-converting enzyme from thermolysin digest of dried bonito. *Biosci. Biotech. Biochem.* 56: 1541-1545.