

DAFTAR PUSTAKA

- Al-Attar A., Mess S., Thomassen J.M., Kauffman C.L., Davison S.P., 2006. Keloid pathogenesis and treatment. *Plast Reconstr Surg.* 117: 287-300.
- Ashcroft K. J., Syed F., Bayat A., 2013. Site specific keloid fibroblas alter the behaviour of normal skin and normal scar fibroblast through paracine signaling. *Plos One.* 8(12): e75600.
- Atiyeh, B.S., Costogliola, M., Hayek, S.N., 2005. Keloids or Hypertropic Scars. *Ann Plast Surg.* 54: 678-80.
- Ayello, E., Baranoski, S., 2011. Wound Care Essentials. Lippincott Williams and Wilkins US.
- Bainbridge, P., 2013., Wound healing and the role of fibroblasts. *J. Wound Care* 22. 407–412.
- Bailey J.N.R., Waite A.E., Clayton W.J., Rustin M.H., 2007. Application of topical mitomycin C to the base of shave-removed keloid scars to prevent their recurrence. *Br J Dermatol* 156: 628-686.
- Baranoski, A., Ayello, E.A., 2004. *Skin : An essential organ.* In (Baranoski S, Ayello EA, eds). Wound Care Essentials Practise Principles. Philadelphia: Lippincott Williams & Wilkins, pp.47-60.
- Baumann, L., Saghari, S., 2009. Basic science of the epidermis. In (Baumann, L., Saghari, S., Weisberg, E, eds). *Cosmetic Dermatology Principle and Practice* Second Edition. USA. The Mc Grano-Hill, pp.3-7.
- Bayat, A., McGrouther, D.A., Ferguson, M.W., 2003. Skin Scarring. *BMJ*; 326: 88-92.
- Berman, B., Amini, S., Viera, M.H., 2009. Keloid and Hypertropic Scar. <http://emedicine.medscape.com/article/1057599>.
- Bradner W.T., 2001. Mitomycin C : a clinical update. *Cancer Treatments Reviews.* 27: 35-50.
- Butler PD, Longaker MT, Yang GP., 2008. Current progress in Keloid Research and Treatment. *J. Am Coll of Surg*; 206(4), 731 – 40.
- Chen, Y., Abraham, D.J., Shi-Wen, X., Pearson, J.D., Black, C.M., Lyons, K.M., et al., 2004. CCN2 (connective tissue growth factor) promotes fibroblast adhesion to fibronectin. *Mol. Biol. Cell* 15, 5635–5646.

- Chen, T.C., Lai, C.H., Chang, J.L., Chang, S.W., 2012. Mitomycin C retardation of corneal fibroblast migration via sustained dephosphorylation of paxillin at tyrosine 118. *Invest Ophthalmol Vis Sci.* 53: 1539-1547.
- Crowther, J.R., 1995. ELISA: Theory and practice. Humana Press. *New Jersey.* IV(41-42): 207
- Dachlan, I., 2015. Pengaruh 5 α -Oleandrin Isolasi dari Daun Kembang Mentega (*Nerium indicum* Mill) Sebagai Obat Antikeloid Kajian *in vitro* pada Sel Fibroblas Keloid. Disertasi. Universitas Gadjah Mada. Yogyakarta.
- Desmouliere, A., Darby, I.A., Laverdet, B., Bonté, F., 2014. Fibroblasts and myofibroblasts in wound healing. *Clin. Cosmet. Investig. Dermatol.*12: 301-311
- English, R.S., Shenefelt, P.D., 1999. Keloids and hypertrophic scars. *Dermatol Surg.* 25: 631-638.
- Elsami, A., Gallant-Behm, C.L., Hart, D.A., Wlebe, C., Honardoust., Gardner, H., 2009. Expression of integrin $\alpha\beta$ G and TGF- β . In (scarless and scarporming nound healing). *J Histochemcyctochem.*
- Fawcet, D.W., 2002. A textbook of histology 12th edition. Dept B.C one penn plaza. New York.
- Freshney, R.I., 2010. *Culture of animal cells: a manual of basic technique and specialized applications*, 6th ed. ed. Wiley-Blackwell, Hoboken, N.J.
- Freshney, R.I., 2000. *Culture of animal cells: A manual of basic technique 4th edition*. Willey-Liss. New York.
- Fujiwara M, Muragaki Y and Ooshima., 2005. Keloid-derived fibroblasts show increased secretion of factors involved in collagen turnover and depend on matrix metalloproteinase for migration. *Br J Dermatol* 153: 295-200.
- Gauglitz, G.G., Korting, H.C., Pavicic, T., Jeschke, M.G., 2011. Hypertrophic scarring and keloids: pathomechenisms and current and emerging treatment strategies. *Mol Med.* 17: 113-125.
- Gentur, S., 2011. Petunjuk praktis ilmu bedah plastik rekonstruksi. Edisi 3. Yayasan khazanah kedokteran.
- Gerd, G.G., Hans, C.K., Tatiana, P., Thomas, R., Marc, G.J., 2011. Hypertrophic scarring and keloids: Pathomechanisms and Current and Emerging Treatment Strategies. *Mol Med.* 17: 113–125.

- Goffin, E., Ziemons, E., De Mol, P., de Madureira Mdo, C., Martins, A.P., Da Cunha, A.P., Philippe, G., Tits, M., Angenot, L., and Frederich, M., 2002. *In vitro* antiplasmodial activity of *Tithonia diversifolia* and identification of its main active constituent: Tagitinin C. *Planta Medica*. 68: 543-545.
- Gu, J.Q., Gills, J.J., Park, E.J., Mata-Greenwood, E., Hawthorne, M.E., Axelrod, F., Charez, P.I., Fong, H.H., Metha, R.G., Pezzuto, J.M., Kinghor, J., 2002. Sesquiterpenoids from *Tithonia diversifolia* with potential cancer chemopreventive activity. *J Nat Prod*. 65: 532-536.
- Gurtner GC, Werner S, Barrandon Y, Longaker MT., 2008, Wound repair and regeneration. *Nature* ; 453: 314–21.
- Hargreaves, K.M., Goodis, H.E., 2002. Seltzer and bender is dental pulp, carlos stream: Quintessence Publishing co., Inc.
- He S, Liu X, Yang Y, Huang W, Xu S, Yang S, Zhang X, and Roberts M., 2010. Mechanisms of transforming growth factor β 1/Smad signalling mediated by mitogenactivated protein kinase pathways in keloid fibroblasts. *Brit J Dermatol*. 162: 538-546.
- Hinz, B., Phan, S.H., Thannickal, V.J., Prunotto, M., Desmouliere, A., Varga, J., De Wever, O., Mareel, M., and Gabbiani, G., 2006. Recent developments in myofibroblast biology: paradigms for connective tissue remodeling. *Am J Pathol*. 180: 1340.
- Hutapea, J.R., 1994. Inventaris Tanaman Obat Indonesia. Jakarta: Badan Penelitian dan Pengembangan Kesehatan. Hal. 297.
- Junqueira L.C, Carneiro J., 2005. *Basic Histology 11th ed*. USA: The McGraw-Hill Companies Inc.
- Kempf, W., 2007. Dermatopathology. *Springer*: 238.
- Lawrence W.T., 2002. Treatment of earlobe keloids with surgery plus adjuvant intralesional verapamil and pressure earrings. *Ann Plast Surg* 37(2): 167-169.
- Lasek W, Jakóbsiak M, Gołab J., 2003. Natural mechanisms protecting against cancer. *Immunol Lett*. 90(2-3):103-22.
- Liang Y., Niederstrasser H., Edwards M., Jackson C.E., Cooper J.A. 2009. Distinct roles for CARMIL isoforms in cell migration. *Mol Biol Cell*. 20(24): 5290-5305.

- Louw., 2007. The keloid phenomenon : progres toward a solution. *Clin Anat.* 20: 3-14.
- Maneros, A.G., Krieg T., 2004. Keloid-clinical, pathogenesis, and treatment option. *J Deutsch Dermatol Gesell.* 2: 905-913.
- Mendes, J.J., Neves, J., 2012. Diabetic foot infections: current diagnosis and treatment. *J. Diabetic Foot Complication.* 4(1): 26-45.
- Miura, T., Furuta, K., Yasuda, A., Iwamoto, N., Kato, M., Ishihara, E., Ishida, T., and Tanigawa, K., 2002. Antidiabetic effect of nitobegiku in KK-AY diabetic mice Am. *J Chin Med.* 30: 81-86.
- Mustoe TA, Cooter RD, Gold MH, Hobbs R, Ramelet AA, Shakespeare PG *et al.*, 2002, : International clinical recommendations on scar management. *Plast Reconstr Surg* 110: 560-571.
- Mutalik, S., 2005. Treatmen of keloids and hypertrophic scars. *J Dermatol Venereol Leprol.* 71: 3-8.
- Motoyama N, and Naka K., 2004. DNA damage tumor suppressor genes and genomic instability. *Curr opin genet dev* 14(1): 11-6.
- Nabin, C., Baruah., Ram, P.S., Madhusudanan, K.P., Gopalakrishna, T., 1979. Sesquiterpene lactone of *Tithonia diversifolia*: Stereochemistry of the Tagitinins and related compounds. *J.Org.Chem.* 44: 18-31.
- Nemeth., and Albert, J., 1993. Keloidsand hypertropic scars. *J of Dermatol Surgery and Oncology.* 19: 738-746.
- Niessen F.B., Spauwen P.H., Schalkwijk J., Kon M., 1999. On the nature of hypertrophic scars and keloids: a review. *Plast Reconstr Surg.* 104(5): 1435-1458.
- Park, S.Y., Park, J-Y., Kim, C-H., Kang, S.V., Kim, J-H., Bark, K-M., Kim. T.H., Shin. S.C., Kang, H.Y., 2013. Effects of *Xanthium strumarium* and *Psoralea corylifolia* extracts combined with UVA1 irradiation on the cell proliferation and TGF- β 1 expression of keloid fibroblasts. *Ann Dermatol.* 25 (3): 304-309.
- Perdanakusuma D.S dan Noer M.S., 2006. Penanganan parut hipertropik dan keloid. *Airlangga University Press.*
- Pratiwi, K.D., Perdanakusum, D., 2009. Hubungan antara golongan darah dengan timbunan keloid pasca luka. Tesis. Universitas Airlangga. Surabaya.

- Pusponegoro, A.D., 2005. *Buku ajar ilmu bedah ed.2*. EGC. Jakarta.
- Ranti, I. 2014. Efek Antifibrotik Isolat Tagitinin C dari Daun Kembang Bulan [*Tithonia diversifolia* (Hemsley) A. Gray]. Tesis. Universitas Gadjah Mada. Yogyakarta.
- Razak, F.A., Rahman, M.R., Bakri, M.M. 2014. Evaluation of wound closure activity of *Nigella sativa*, *Melastoma malabathricum*, *Pluchea indica*, and *Piper samentosum* extracts on scratched monolayer of human gingival fibroblasts. *Hindawi: Evidence-Based Complementary and Alternative Medicine*. 9: 1-10.
- Regezi, B.Z., Li, X., Y, Yong., Y, Hu., D, Dang, J., Schmidt, A., Atakilit, B., Chen, D., Ellis, and D, M.Ramos., 2003. Alpha5beta6-Fyn signaling promotes oral cancer progression. *J. Biol Chem*. 278: 41646-41653.
- Rifa'i, M., 2009. *Signal transduksi dan sistem pertahanan tubuh ed.1*. Galaxy Science. Malang.
- Sandulache V.C., Parekh A., Li-Korotky H., Dohar J.E., Hebda P.A., 2007. Prostaglandin E2 inhibition of keloid fibroblast migration, contraction, and transforming growth factor (TGF)-beta-induced collagen synthesis. *Wound Repair Regen*. 15: 122-133.
- Satish, L., Babu, M., Tran, K.T., Hebda, P.A., Wells, A., 2003. Keloid fibroblast responsiveness to epidermal growth factor and activation of downstream intracellular signaling pathways. *WoundRepairRegen*. 12: 183-192.
- Scott I.U., Greenfield D.S., Schiffman J., Nicoleta M.T., Rueda J.C., Tsai J.C., Palmberg P.F., 1998. Outcome of primary trabeculectomy with the us of adjunctive mitomycin. *Arch Ophthalmol* 116: 286-291.
- Seifert, O., and Mrowietz, U., 2009. Keloid scarring: bench and beside. *Archives of Dermatol research*. 301: 259-272.
- Seo, B.F., Lee, J.Y., Jung, S.N., 2013. Models of abnormal scarring. <http://BioMed.Researchinternational.com/article/423147>.
- Simman, R., Hashim, A., Frances, W., 2003. Effect of mitomycin C on keloid fibroblast : an in vitro study. *Ann. Plast. Surg* 50(1) : 71-76.
- Slemp, A.E., and Kirsner, R.E., 2006. Keloid and scars : a review of keloid and scars, their pathogenesis, risk factors, and management. *Curr Opin Pediatr*. 18: 396-402.

- Stewart, C.E.IV, and Kim, J.Y., 2006. Application of mitomycin C for head and neck keloids. *Otolaryngol. Head Neck Surg* 135(6) : 946-950.
- Straatman, K. 2008. Wound healing assay. *J Mol Biol Cells*. (10): 1-4.
- Stuart Enoch, D.J.L., 2006. Basic science of wound healing. *Surg. Oxf*. 23: 31-37.
- Syed, F., Sherris, D., Paus, R., Varmeh, S., Pandolfi, P.P., and Bayat, A., 2012. Keloid disease can be inhibited by antagonizing excessive mTOR signaling with a novel dual TORC1/1 inhibitor. *Elsevier Inc*. 181(5): 1642-1656.
- Talmi Y.P., Orenstein A., Wolf M., Kronenberg J., 2005. Use of mitomycin C for treatment of keloid: a preliminary report. *Otolaryngol Head Neck Surg*. 132(4): 598-601.
- Tona, L., Kambu, K., Mesia, K., Cimanga, K., Apers, S., De Bruyne, T., Pieters, L., Totte, J., Vlietinck, AJ., 1999. Biological screening of traditional preparations from some medicinal plants used as antidiarrhoeal in Kinshasa Kongo. *Phytomedicine*. 6: 59-66.
- Urioste, S.S., Arndt, K.A., Dover, J.S., 1999. Keloids and hypertrophic scars: review and treatment strategies. *Semin Cutan Med Surg*. 211: 159-171.
- Van, W.D., Thomas, R., and Hinrich, S., 2006. *Otolaryngology basic science and clinical review* New York: Thieme Medical Publisher's Inc. p20.
- Velnar, T., Bailey, T., Smrkolj, V., 2009. The wound healing process: an overview of the cellular and molecular mechanisms. *J. Int. Med. Res*. 37: 1528-1542.
- Wang, Z., Gao, Z., Sun, Y., Lin, Z. 2007. Inhibition of Smad3 expression decreases collagen synthesis in keloid disease fibroblasts. *J Plast Reconstr Aesthet Surg*. 60(11): 1193-1199.
- Wahyuningsih, M.S.H., Dan Wijayanti, M.A., 2009. Isolasi, identifikasi senyawa antikanker dari fraksi aktif *Tithonia diversifolia* (Hemsley) A. gray, selektivitas dan mekanisme apoptosis secara *in vitro*. Laporan Akhir Penelitian Riset Pembinaan Iptek Kedokteran. Yogyakarta: Fakultas Kedokteran Universitas Gadjah Mada.
- Wahyuningsih, M.S.H., Wijayanti MA., Budiyanto A., Muhammad Hanafi., 2015, Isolation and Identification of Potential Cytotoxic Compound from Kembang bulan [*Tithonia diversifolia* (Hemsley) A. Gray] Leaves, *Int J Pharm Pharm Sci*. 7 (6), 298-301.

- Wahyuningsih, M.S.H., Wirohadidjojo, YW., Hidayat, R., Sadid, A., 2015, Antifibrotic Effect of Standardized Ethanol Extract of *Tithonia diversifolia* (Hemsley) A. Gray on Keloid Fibroblasts, *Int J Pharmacognosy and Phytochemical Research*, 7(4); 642-647.
- Wakaki S, Marumo H, Tomioka K, *et al.*, 1958, Isolation of new fractions of antitumormitomycons. *Antibiot. and Chemother* : 8, 228.
- Widodo Y., 2011. *Protokol Kultur Sel*. Departement Kulit dan Kelamin. UGM. Yogyakarta.
- Wolfram, D., and Alexandar, T., 2009. Hypertrophic scars and keloids: of their pathophysiology, risk factors, and therapeutic management. *Dermatol Surg*. 35: 171-181.
- Wolff, K., Richard, J.A., and Dick, S., 2007. Fitzpatrick's: Color atlas and synopsis of clinical dermatology 5th edition. Massachusetts. The McGraw-Hill Companies.
- Wood, F., Rea, S., Tuckerman, J., Fowler, B., Peng, L., 2009. *Intervention For Treating Keloid Disease (Protocol)* The Cochrane Collaboration 1-9.
- Xuan, Y.H., Huang, B.B., Tian, H.S., Chi, L.S., Duan, Y.M., Wang, X., *et al.*, 2014. High-Glucose Inhibits Human Fibroblast Cell Migration in Wound Healing via Repression of bFGF-Regulating JNK Phosphorylation. *PLoS ONE* 9, 1-14.
- Yang, L., Pang, Y., Moses, H.L., 2010. TGF- β and immune cells: an important regulatory axis in the tumor microenvironment and progression. *Trends Immunol*. 31: 220-227.
- Ziémons, E., Goffin, E., Lejeune, R., Angenot, L., Thunus, L., 2004. Supercritical carbon dioxide extraction of tagitinin C from *Tithonia diversifolia*. *J of Supercritical Fluids*. 33: 53-59.