

DAFTAR PUSTAKA

- Abdollahzadeh, J. And S. Zolfaghari.2014. Efficiency of rep_PCR fingerprinting as auseful technique for molecular typing of plant pathogenic fungal spesies : Botyosphaeriaceae spesies as a case study. *FEMS Microbiol Lett* 361: 144-157.
- Alkan, N. And A. M. Fortes.2015. Insight into molecular and metabolic events associated with fruit response to post-harvest fungal pathogen.*Front. Plant.Sci* (6).889.
- Anonim.2009.*Standart Operating Procedure (SOP) Budidaya Cabai Merah Gunung Kidul*.Yogyakarta.Dinas Pertanian Provinsi Daerah Istimewa Yogyakarta.
- Anonim.2016. *Outlook Cabai*. Sekertariat Jendral Kementrian Pertanian. Jakarta.
- Apriliyanto, V. dan L. Sembiring. 2016. *Filogenetika Molekuler*.Innosain.Yogyakarta.
- Apriliyanto, V. dan L. Sembiring.2013. Petunjuk Praktikum Sistematika Mikrobia untuk S2.Program Studi Biologi Pascasarjana Biologi Universitas Gadjah Mada. Yogyakarta.
- Babadoost, M.1990.*Report on Plant Disease : Bacterial Soft Rof of Vegetable, Fruits and Ornamentals*.Illinois. Departement of Crop Sciences University of Illinois.

Black, L.L., S. K. Green, G.L.Hartman, and J.M. Poulos. 1991. *Peper Diseases : A Field Guide*. Taipei. Asian Vegetable Research amd Development Center.

Cheewawiriyakul, S., K.Conn, B. Gabor, J. Kao and R.Salati. 2006. *Pepper & Eggplant Disease Guide A Practical Guide For Seedmen, Grower and Agricultural Advisors*. Oxnard. Seminis Vegetable Seed Inc.'s Plant Health Departement.

Dangl, J.L. and J.D.G. Jones. 2001. Plant Pathogens and Integrated Defense response to infection. *Nature*. 411 : 826-833.

Djarwaningsih, T.2005.Review: *Capsicum* spp. (Cabai): Asal, Persebaran dan Nilai Ekonomi ; *Capsicum* soo. (Chili) : Origin, Distribution, and Its Economical Value.*Biodiversitas*. Volume 6 No. 4 : 292-296.

Duriat, A.S., N. Gunaeni, dan A.W. Wulandari. 2007. *Penyakit Penting pada Tanaman Cabai dan Pengendaliannya*.Bandung.Balai Penelitian Tanaman Sayuran.

Edel,V., C. Steinberg, I. Avelange, and C. Alabouvette.1995. Comparisson of three molecular methods for the characterization of *Fusarium oxysporum* strains. *Phytopathology* 85: 579-585.

Gandjar, I., R.A. Samson, K.U.D. Tweel-Vermenien, A. Oetori, dan I. Santosp, 1996, *Pengenalan Kapang Tropik Umum*, Yayasan Obor Indonesia, Jakarta.

Gilling, M., and M. Holley.1997.Repetitive element PCR fingerprinting (rep-PCR) using enterobacterial repetitive intergenic consensus (ERIC) primers is not necessarily directed at ERIC element.*Letters in Applied Microbiology* 25:17-21.

Godoy, P., J.Cano, J. Gene, J. Guarro, A. L. Hofling-Lima and A. L. Colombo.2004.Genotyping of 44 isolates of *Fusarium solani*, the main agent of fungal keratitis in Brasil.*Journal of Clinical Microbiology* 42:4494-4497.

Gomes S., P. Prieto, T. Carvalho, H, Guedes-Pinto, and P. Martins-Lopes, 2012, *Colletotrichum acutatum* : An Example of Fruit Fungal Interaction, *Plant Breeding*, diakses melalui <http://intechopen.com/plant-breeding> pada tanggal 5 Juli 2017.

Heil, M., and R.M. Bostock.2002. Botanical Briefing : Induce Systemic Resistance (ISR) Against Patogens in the Context of Induce Plant Defense. *Annals of Botany* 89 : 503-512.

Hendry, G., P. Thonart, and M. Ongena. 2012.PAMPs, MAMPs, DAMPs and Other : An Update on the Diversity of Plant Immunity Elicitor.*Biotechnol. Agron.Soc. Environ.* 16 : 257-268.

Herwidyarti, K.H., S. Ratih, dan D.R.J. Sembodo.2013. *Keparahan Penyakit Antraknosa pada Cabai (Capsicum annuum L.) dan Berbagai Jenis Gulma.*

Hidayat, I.M., I. Sulastrini, Y. Kusandriani, dan A. H. Pemadi, 2004, Lesio sebagai komponen tanggap buah 20 galur dan atau varietas cabai terhadap inokulasi *Colletotrichum capsici* dan *Colletotrichum gloeosporioides*. J. Hort. 14 (3) : 161-162.

Istikorini, Y. 2000. *Pengimbasan Ketahanan terhadap Penyakit Antraknos pada Cabai Besar (Capsicum annum) dengan Colletotrichum gloeosporoides avirulen*. Yogyakarta: Pascasarjana Universitas Gadjah Mada.

Jedryczka, M., T. Rouxel, and M.H. Balesdent. 1999. Rep-PCR based genomic fingerprinting of isolates of *Leptosphaeria maculans* from Poland. European Journal of Plant Pathology 205:813-823.

Jones, J.D.G. and J.L. Dangl. 2006. The Plant Immune System. *Nature* 444: 323-328.

Korabecna, M. 2007. The variability in the fungal ribosomal DNA (ITS1, ITS2 and 5,8 S rRNA gene): Its biological meaning and application in medical mycology. *Formatex*. 783-787.

Kraikruan, W., S. Sangchote, and S. Sukprakarn. 2008. Effect of Capsaicin on Germination of *Colletotrichum capsici* Conidia, *Nat.Sci* 42: 417-422.

Krishna, A. D. 2003. *Capsicum : The Genus Capsicum*. London. CRC Press.

Liu F., G. Tang, X. Zheng, Y. Li, X. Sun, X. Qi, Y. Zhou, J. Xu, H. Chen, X. Chang, S. Zhang and G. Gong. 2016. Molecular and Phenotypic Characterization of *Colletotrichum* species associated with anthracnose disease in peppers from Sichuan Province, China. *Scientific Report* 6:1-16.

- Mahasuk, P., P.W.J. Taylor, and O.Mongkolporn.2009.Identification of two new gene conferring resistance to *Colletotrichum acutatum* in *Capsicum baccatum*.*Phytopatology* 99-9:1100-1104.
- Mehta, Y.R.A, A. Mehta, and Y.B. Rosato.2002. ERIC and REP-PCR banding patterns and sequence. Analysis of the internal transcribed spacer of rDNA of *Stremphylium solani* isolate from cotton.*Curr.Microbiol*.37:1752-1757.
- Mello, A.F.S., A. C.Z. Machado, and I.P. Bedendo. 2004. Development of *Colletotrichum gloeosporoides* isolated from green pepper in different culture media, temperature and light regiment.Sci. Agric.v.61,n.5, p.542-544.
- Noble, B.2006.*Belinda Noble Botanical Artis Gallery*.diakses melalui <http://www.belindanoble.com/gallery/gallery.php> 28 Agustus 2014.
- Oo, M.M., and S.K. Oh.2016. Chilli anthracnose (*Colletotrichum spp.*) disease and its management approach. *Korean Journal of Agricultural Science* 43 : 153-162.
- Peres, N.A., L.W. Timmer, J. E. Adaskaveg and J.C. Correl. 2005. Lifestyle of *Colletotrichum acutatum*. *Plant Disease*.89 (5) :784-795.
- Pieterse, C.M.J., A. Leon-Reyes, S. Van der Ent and C.M.Van Wees.2009.Networking by Small-molecule Hormone in Plant Immunity. *Nature Chemical Biology* 5 : 308-314.

Ratulangi, M.M., Sambel, D.T., C.S. Rante, M.F. Dien, E.R.M. Meray, M. Hammig, M. Shepard., G. Camer dan E. Benson. 2012. Diagnosis dan Indidensi Penyakit pada Beberapa Varietas Tanaman Cbe di Kota Bitung dan Kabupaten Minahasa. *Eugenia* Vol 18 No.2 : 81-88.

Robson, K.2014. Managing Fusarium Head Blight in 2015. Diakses melalui <https://agro.basf.ca/West/KnowledgeCenter/AgSolutionsAdvisor/PastIssues/June2015/headblight/index.html> pada tanggal 27 September 2015.

Rohmah, M.N.2016. Kadar kapsaisin dan aktivitas enzim peroksidase empat kultivar cabai pada tiga lingkungan pertumbuhan. Thesis.Fakultas Pertanian UGM. Yogyakarta.

Sahitya, L., S. Deepthi, P. Kasim, P. Suneetha, and M.S.R. Krishna.2014. Anthracnose a prevalent disease in *Capsicum*. *RJPBCS* 5 (3)1583-1594.

Saxena, A.,R. Raghuwanshii, V. K. Gupta and H. B. Singh.2016. Chilli Anthracnose : The Epidemiology and Management. *Front Microbiol.*7: 1527.

Setiawati, W., Y. Koesandriani, dan A. Hasyim.2015. Sumbangsih cabai keriting varietas kencana dalam menghadapi kebijakan swasembada cabai. *Inovasi Hortikultura Pengungkit Peningkatan Pendapatan Rakyat*. Badan Penelitian dan Pengembangan Pertanian Kementerian Pertanian. Jakarta.

Setijo, P.2003. *Benih Cabai*. Yogyakarta. Kanisius.

- Sharma, M., and S. Kulshrestha.2015.*Colletotrichum gloeosporoides* : An anthracnose causing pathogen of fruits and vegetables.Biosci.Biotech.Res.Asia v.12.(2) 1233-1246.
- Siregar, A.N., S. Ilyas, D. Ferdiaz, E. Murniati, dan S. Wiyono. 2007. Penggunaan Agen Biokontrol *Bacillus polymyxa* dan *Tricoderma harzianum* untuk Peningkatan Mutu Benih Cabai dan Pengendalian Penyakit Antraknosa. *Jurnal Penyuluhan Pertanian Vol.2 Nomor 2* : 105-114.
- Sudirga, S.K. 2015. *Pemanfaatan ekstrak daun awar-awar (Ficus septica Burm. F.) sebagai fungisida nabati untuk mengendalikan jamur Colletotrichum spp. penyebab penyakit antraknosa pada tanaman cabai besar*.Denpasar : Universitas Udayana.
- Sudirga, S.K. 2016. Isolasi dan identifikasi jamur *Colletotrichum spp.* isolat PCS penyebab penyakit antraknosa pada buah cabai besar (*Capsicum annum* L.) di Bali.Jurnal Metomorfosa III (1) : 23-30.
- Sumardiyono, C., T. Joko, Y. Kristiawati, dan Y.D. Chinta.2011. Diagnosis dan Pengendalian Penyakit Antraknosa pada Pakis dengan Fungisida.*J.HPT Tropika* Vol. 11 No. 2 : 194-200.
- Suryotomo, B, 2006, Ketahanan Alami Beberapa Genotipe Cabai (*Capsicum annum* L.) terhadap Penyakit Antraknosa, Jurnal Sains dan Teknologi Indonesia, Vol. 8 No.1 : 1-6.
- Sutariarti, G.A.K.2012. integrasi Teknik Invigorasi Benih Plus Agens Hayati untuk Pengendalian Penyakit dan Peningkatan Hasil Tanaman Cabai.*Agriplus* Vo.22 No.3:174-182.

Syukur, M., R. Yuniarti, Rustam dan Widodo. 2013. Pemanfaatan Sumber Daya Genetik Lokal dalam Perakitan Varietas Unggul Cabai (*Capsicum annum*) Tahan Terhadap Penyakit Antraknosa yang Disebabkan oleh *Colletotrichum* sp. *Jurnal Ilmu Pertanian* Vol 18 Agustus 2013.

Than, P., H. Prihastuti, S. Phoulivong, P.W.J. Taylor, and K. D. Hyde, 2008, Chili Anthracnose Disease Cause by *Colletotrichum* Species, *Journal of Zhejiang University Science* 9 (10): 764-778.

Voinnet, O. 2005. Induction and suppression of RNA silencing: insights from viral infections. *Nature Reviews Genetics* 6, 206-220.

Wardani, N. dan J. H. Purwata. 2008. *Teknologi Budidaya Cabai Merah*. Bogor. Badan Penelitian dan Pengembangan Pertanian.

Wharton, P.S. and J. Dieguez-Uribeondo, 2004, The Biology of *Colletotrichum acutatum*, (1): 3-22.