

### Literature Cited

- Adhipathi, P.A., Singh, V., Meena, A.S.C. 2013. Virulence and diversity of *Rhizoctonia solani* causing sheath blight disease in rice and its host interaction. *An International Quarterly Journal of Life Sciences* : 949-952.
- Ahn, S.W., Dela Pena, R.c., Candole, B.L., Mew, T.W. 1986. A scale for rice sheath blight (ShB) disease. *International Rice Research Newsletter* 11: 17.
- Amaradasa, B.S. 2011. Accurate Identification and grouping of *Rhizoctonia* isolates infecting turfgrasses in MD and VA and their sensitivity to selected fungicides *in vitro*. Dissertation of Faculty of the Virginia Polytechnic Institute and State University, Virginia. pp: 1-24.
- Anonymous. 2016. Characterization of *Rhizoctonia solani*. <http://www.gbif.org/species/103770134/classification>. Accessed on July 10 2017.
- Anonymous. 2015. Konsumsi Nasi Indonesia. <http://www.bantulkab.go.id>. Accessed on November 30 2016.
- Anonymous. 2016. Produktivitas Beras Indonesia. <http://www.bps.go.id>. Accessed on November 30 2016.
- Aye, S.S & Matsumoto, M. 2012. Characterization of antagonistic soil microbes against *Rhizoctonia* spp. and *Sclerotium hydrophilum*. *Archives of Phytopathology and Plant Protection* 20: 2465-2473.
- Baby, U.I and Manibushanrao, K. 1993. Control of rice sheath blight through the integration of fungal antagonists and organic amendments. *Tropical Agriculture* 70: 240-244.
- Baby, U.I and Manibushanrao, K. 1996. Influence of organic amendments on arbuscular mycorrhizal fungi in relation rice sheath blight disease. *Mychorrhiza* 6: 201-206.
- Baker, K.F. and Cook, H.J. 1974. *Biological Control of Plant Pathogens*. W.H. Freeman and Co., San Fransisco. pp: 1-56.
- Bååth, E., Diaz-Ravina, M., Frostegård, Å. Campbell, C.D.1998. Effect of metal-rich sludge amendents on the soil microbial community. *Applied and Environmental Microbiology* 64:238-245.
- Bracker, C.E. and Butler, E.E. 1963. The ultrastructure and development of septa in hyphae of *Rhizoctonia solani* . *Mycologia* 55: 35-58.
- Burpee, L. and Martin, B. 1992. Biology of *Rhizoctonia* species associated with turfgrasses. *Plant Disease* 76: 112-117.

- Bolton, H., Jr., J. L. Smith., S.O. Link. 1993. Soil microbial biomass and activity of a disturbed and undisturbed shrub-steppe ecosystem. *Soil Biology and Biochemistry* 25: 545-552.
- Borneman, J. & Triplett, E.W. 1997. Molecular microbial diversity in soils from eastern Amazonia: evidence for unusual microorganisms and microbial population shifts associated with deforestation. *Applied Environment Microbiology* 6: 2647–2653
- Cardinale, B.J., Duffy, J.E., Gonzalez, A., Hooper, D.U., Perrings, C., Narwani, A., Mace, G.M., Tilman, D., Wardle, D.A., Kinzig, A.P., Daily, G.C., Loreau, M.I., Grace, J.B., Larigauderie, A., Srivastava, D.S., Naeem, S. 2012. Biodiversity loss and its impact on humanity. *Nature* 486: 59-67.
- Carling, D.E., Helm., D.J., Leiner, R.H. 1990. *In vitro* sensitivity of *Rhizoctonia solani* and other multinucleate and binucleate *Rhizoctonia* to selected fungicides. *Plant Disease* 74: 860-863.
- Chet, I. 1987. *Trichoderma* application, mode of action, and potential as a biocontrol agent of soil-borne plant pathogenic fungi. In: *Innovative Approaches to Plant Disease Control*. John Wiley and Sons, New York. pp: 137-160.
- Clarholm, M. 1994. The microbial loop in soil. In: *Beyond the biomass*. K. Ritz, J. Dighton and K. E. Giller (Eds.). Chichester, John Wiley & Sons. pp. 221-230.
- Cook, R.J. 1993. Making greater use of introduced microorganisms for biological control of plant pathogens. *Annual Review of Phytopathology* 31: 53-80.
- Cook, R.J. and Baker, K.F. 1983. *The Nature and Practice of Biological Control of Plant Pathogens*. The American Phytopathological Society, St. Paul. pp: 1-56.
- Cook, R.J. 1984. Biological control of root pathogens: New technologies and the potential for impact on crop productivity. *Soilborne Crop Disease in Asia*. Ed. Jan Bay-Petersen. FFTC Book Series, St. Paul. pp: 206-214.
- Da Silva, J.C., Torres, D.B., Lustosa, D.C., de Filippi, da Silva, G.B. 2012. Rice sheath blight biocontrol and growth promotion by *Trichoderma* isolates from the Amazon. *Amazonian Journal* 4: 243-250.
- Das, B.C. and Hazarika, D.K. 2000. Biological management of sheath slight of rice. *Indian Phytopathology* 53: 433-436.
- Duggar, B.M. 1915. *Rhizoctonia crocorum* (Pers.) DC and *Rhizoctonia solani* Kuhn (*Corticium vagum* (B & C) with notes and other species. *Annual Missouri Botanical Garden* 2: 403-458.
- Giovannoni, S.J., Britschgi, T.B., Moyer, C.L & Field, K.G. 1990. Genetic diversity in Saragasso Sea Bacterioplankton. *Nature* 345: 60-62.

- Gnanamanickan, S.S. 2009. Biological Control of Rice Diseases. Springer, New York. pp: 79-87.
- Gonzalez-Vera, A.D., Bernardes-de-Assis, J., Zala, M., McDonald, B.A., Correa-Victoria, F., Graterol-Matute, J., Ceresini, P.C. 2010. Divergence between sympatric rice- and maize-infecting populations of *Rhizoctonia solani* AG 1 IA from Latin America. American Phytopathological Society 100: 172-182.
- Groth, D.E., Rush, M.C., Lindberg, G.D. 1990. Foliar fungicides for control rice disease in the United States. In: Pest Management in Rice. Ed. Grayson, B.T., Green, M.B., Copping, L.G. Elsevier Applied Science, London. pp: 31-52.
- Harman, G.E. 2006. Overview of mechanisms and uses of *Trichoderma* spp. Phytopathology 96: 190-194.
- Haryuni. 2013. Identifikasi *Rhizoctonia* mikoriza pada anggrekan dan anastomosisnya. Biosaintifika 1: 43-49.
- He, J.Z., Zheng, Y., Chen, C.R., He, Y.G., Zhang, L.M. 2008. Microbial composition and diversity of an upland red soil under long-term fertilization treatments as revealed by culture-dependent and culture-independent approaches. Journal Soils Sediment 8: 2008: 349-358.
- Ikeda, S., David, M., Roberts, L., Watanabe, K., Ytow, N. 2004. Microbial analysis using a simple, rapid detection method for DNA fingerprints with fluorescence scanner. Journal of Bioscience and Bioengineering 6: 500-503.
- Islam, Z., Pamplona, R., Atkinson, A.D., Azucena, E.J. 2012. Control of Rice Disease. International Rice Research Institute, Los Banos. pp: 10-12.
- Istiqomah, D. 2015. Seleksi Rizobakteri Bawang Merah untuk Mengendalikan Penyakit Moler. Tesis Universitas Gadjah Mada, Yogyakarta.
- Jacobsen, B.J. and Backman, P.A. 1993. Biological and cultural plant disease control: Alternatives and supplements to chemicals in IPM systems. Plant Disease 77: 311-315.
- Jones, R.K. and Belmar, S.B. 1989. Characterization and pathogenicity of *Rhizoctonia* spp. isolated from rice, soybean, and other crops grown in rotation with rice in Texan. Plant Disease 73: 1004-1010.
- Kuske, C.R., Ticknor, L.O., Miller, M.E., Dunbar, J.M., Davis, J.A., Barns, S.M., Belnap, J. 2002. Comparison of soil bacterial communities in rhizosphere of three plant species and the interspaces in arid grassland. Applied and Environmental Microbiology 2: 1854-1863.
- Knudsen, G.R. and Eschen, D.J. 1991. Potential of biocontrol of *Sclerotinia sclerotiorum* through colonization of sclerotia by *Trichoderma harzianum*. Plant Disease 75: 466-480.

- Larkin, R.P., Roberts, D.P., Gracia-Garza, J.A. 1998. Biological Control of Fungal Diseases. Wiley, England. pp: 149-191.
- Laurent, M.L., L., Phillipot., S. Hallet., R. Chaussod., J.C. Germon., G. Soullas., G. Catroux. 2001. DNA extraction from soils: old bias for new microbial diversity analysis methods. *American Society Microbiology* 67: 2354-2359.
- Lehtonen, M.J. 2009. *Rhizoctonia solani* as a Potato Pathogen Variation Isolates in Finland and Host Response. University of Helsinki, Helsinki. pp: 18.
- Lopes, A.R., Faria, C., Prieto-Fernández, Á., Trasa-Cepeda, C., Manaia, C.M., Nunes, O.C. 2011. Comparative study of the microbial diversity a bulk paddy soil of two rice fields subjected to organic and conventional farming. *Soil Biology & Chemistry* 43: 115-125.
- Lopez-Olmos, K., Delgado-Hernandez, S., Perez-Mayek, N. 2005. AFLP fingerprinting for identification of anastomosis groups of *Rhizoctonia solani* isolates from common bean (*Phaseolus vulgaris* L.) in Mexico. *Revista Mexicana de Fitopatologia* 23: 147-151.
- Lübeck, M. 2004. Molecular characterization of *Rhizoctonia solani*. *Applied Mycology and Biotechnology* 4: 205-224.
- Marschner, P., Crowley, D., Yang, C.H. 2004. Development of specific rhizosphere bacterial communities in relation to plant species, nutrition, and soil type. *Plant Soil* 261: 199-208.
- Matsumoto, T, Hirane, S. 1932. Physiology and parasitism of the fungi generally referred to as *Hypochnus sasakii* I, differentiation of strains by means of hyphal fusion and culture in differential media. *Journal Social Tropical Agriculture (Formosa)* 4: 370-338.
- Mekwatanakarn, P., Kositratana, W., Phromraksa, T., Zeigler, R.S. 1999. Sexually fertile *Magnaporthe grisea* rice pathogens in Thailand. *Plant Disease* 83: 939-943.
- Menzies, J.D. 1970. Survival of microbial plant pathogens in soil. *Botany* 29: 79-122.
- Mew, T.W. and Rosales, A.M. 1984. Relationship of soil microorganism to rice sheath blight development in irrigated and upland rice cultures. In: *Soilborne crop disease in Asia*. Ed. Jan Bay-Petersen. FFTC Book Series, St. Paul. pp: 147-158.
- Mew, T.W. and Rosales, A.M. 1985. Influence of *Trichoderma* on survival *Thanatephorus cucumeris* in association with rice in tropics. In: *Ecology and management of soilborne pathogens*. Proceeding of Section 5 of the Fourth International Congress of Plant Pathology. Ed. Parker, C.A., Rovira, A.D., Moore, K.J., Wong, P.T.W. The American Phytopathological Society, St. Paul. pp: 117-120.

- Mew, T.W., Rosales, A.M., Maningas, G.V. 1994. Biological control of *Rhizoctonia* sheath blight and blast of rice. In: Improving Plant Productivity with Rhizosphere Bacteria. International Workshop on Plant Promoting Rhizobacteria, Adelaide. pp: 9-13.
- Meyer, R.W. 1965. Heterokaryosis and nuclear phenomena in *Rhizoctonia solani*. Ph.D Thesis. University of California, Barkeley. pp: 118.
- Moni, Z.R., Ali, M.A., Alam, M.S., Rahman, M.A., Bhuiyan, M.R., Mian, M.S., Ifterkharuddaula, K.M., Latif, M.A., Khan, M.A.I. 2016. Morphological and genetic variability among *Rhizoctonia solani* isolates causing sheath blight disease of rice. Rice Science 23: 42-50.
- Nadarajah, K., Omar, N.S., Rosli, M.M., Ong, S.T. 2014. Molecular Characterization and screening for sheath blight resistance using Malaysian isolates of *Rhizoctonia solani*. BioMed Research International 2014: 1-18.
- Naeimi, S., Okhovvat, S.M., Javvan-Nikkhah, M., Vágvölgyi, C., Khosravi, V., Kredics, L. 2010. Biological control of *Rhizoctonia solani* AG1-IA the causal agent of rice sheath blight with *Trichoderma* strains. Phytopathology Mediterrania 49: 287-300.
- Nagaraju A, Sudisha, J, Mahadeva Murphy, S., Ito, S. 2012. Seed priming with *Trichoderma harzianum* isolates enhances plant growth and induces resistance against *Plasmopara halstedii* an incitant of sunflower downy mildew disease. Australia Plant Pathology 41: 609-620.
- Naiki, T. 1978. Ecobiological and morphological characteristics of the sclerotia of *Rhizoctonia solani* Kühn produced in soil. Soil Biology and Biochemistry 10: 471-478.
- Nuryanto, B., Priyatmojo, A., Hadisutrisno, B., Sunarminto, B.H. 2011. Perkembangan penyakit hawar upih padi (*Rhizoctonia solani* Kuhn) di sentra-sentra penghasil padi Jawa Tengah dan Daerah Istimewa Yogyakarta. Jurnal Budidaya Pertanian 7: 1-7.
- Okubara, P.A., Dickman, M.B., Blechi, A.E. 2014. Molecular and genetic aspects of controlling the soilborne necrotrophic pathogens *Rhizoctonia* and *Phytophthora*. Plant Science 228: 61-70.
- Ou, S.H. 1985. Rice diseases 2<sup>nd</sup> Edition. The Cambrian News (Aberystwyth) Ltd. England. pp: 272-286.
- Parmeter, J.R. 1970. *Rhizoctonia solani*, Biology and Pathology. University of California Press., Barkeley. pp: 3-10.

- Parmeter, J.R. and Whitney, H.S. 1970. Taxonomy and nomenclature of the imperfect state. In: *Rhizoctonia solani*, Biology and Pathology. University of California Press., Los Angeles and London. pp: 7-19.
- Pereira, P., Ibáñez, S.G., Agostini, E., Etcheverry, E. 2011. Effects of maize inoculation with *Fusarium verticillioides* and two bacterial biocontrol agents on seedlings growth and antioxidative enzymatic activities. *Applied Soil Ecology* 51:52–59.
- Ranjard, L., Brother, E., Nazaret, S. 2000. Sequencing bands of ribosomal intergenic spacer analysis fingerprints for characterization and microscale distribution of soil bacterium populations responding to mercury spiking. *American Society for Microbiology* 66: 5334-5339.
- Salazar, O., Julian, M.C., Rubio, V. 2000. Primers based on specific Rdna-ITS sequences for PCR detection *Rhizoctonia solani*, *R. solani* AG 2 subgroups and ecological types, binucleate *Rhizoctonia*. *Mycology Research* 104: 281-285.
- Sayler, R.J. and Yang, Y. 2007. Detection and quantification of *Rhizoctonia solani* AG1-IA, the rice sheath blight pathogen, in rice using Real-Time PCR. *Plant Disease* 12: 1663-1668.
- Schlegel, H.G & Jannasch, H.W. 1992. Prokaryotes and their habitats. In: Balows A, Truper, H.G, Dworkin, M, Harder, W, Schleifer, K-H (ed). *The prokaryotes* I. Springer-Verlag, New York. pp. 75–125.
- Schuster, A & Schmoll, M. 2010. Biology and biotechnology *Trichoderma*. *Applied Microbiology Biotechnology* 87:787–799.
- Sneh, B., Burpee, L., Ogoshi, A. 1991. Identification of *Rhizoctonia* Species. The American Phytopathological Society, St Paul. pp: 18-26.
- Sheng, Z.L., Min, L., Yong, H.C., Abid, S. 2005. Effect of nutrient and pest management in soil microorganism in hybrid rice double-annual cropping system. *Communications in Soil Science and Plant Analysis* 36: 1525-1536.
- Sivalingan, P.N., Vishwakarma, S.N., Singh, U.S. 2006. Role of seed borne inoculum of *Rhizoctonia solani* in sheath blight of rice. *Indian Journal Phytopathology* 4: 445-452.
- Smiley, R.W., Dernoeden, H., Clarke, B.B. 2005. *Compendium of Turgrass Disease*. APS Press., St. Paul.
- Sneh, B., Burpee, L., Ogoshi, A. 1991. Identification of *Rhizoctonia* Species. The American Phytopathological Society, St Paul. pp: 18-26.
- Subandiyah, S. 2003. Cara Kerja Ekstraksi DNA menggunakan CTAB. Workshop dan Training Course on Molecular Detection for Plant and Environmental Protection Fakultas Pertanian Universitas Gadjah Mada, Yogyakarta.

- Su, Pin., Liao Xiao-lan., Zhang Ya., Huang Huang. 2012. Influencing factors on rice sheath blight epidemics in integrated rice-duck systems. *Journal of Integrative Agriculture* 11: 1462-1473.
- Sudir. 2014. Penyakit Hawar Pelelah Daun Padi dan Cara Pengendaliannya. <http://www.artikelpadi.com>. Diakses pada 30 November 2016.
- Suparyono. 1991. Current status of research into the biological control of rice diseases in Indonesia. *Proceeding of the International Seminar on Biological Control of Plant Diseases and Virus Vectors*. Kuo Thai Cooler Printing, Taiwan. pp: 204-210
- Suparyono & Sudir. 1999. The role of sclerotia and other propagules of *Rhizoctonia solani* as the primary inoculum of rice sheath blight. *Entomology and Plant Pathology Journal* 1: 7-12.
- Song, Y.N., Su, J., Chen, R., Lin, Y., Wang, F. 2014. Diversity of microbial community in a paddy soil with *cry1Ac/cpti* transgenic rice. *Pedosphere* 3: 349-358.
- Talbot, P.H.B. 1970. Taxonomy and nomenclature of the perfect state. In: *Rhizoctonia solani*, Biology and Pathology. University of California Press., Los Angeles. pp: 20-31.
- Templeton, G.E. and Johnston, T.H. 1969. Brown-bordered leaf and sheath spot on rice. *Arkansas Farm Results* 18: 5.
- Tewari, L. and Singh, R. 2005. Biological control of sheath blight of rice by *Trichoderma harzianum* using delivery systems. *Indian Phytopathology* 58: 35-40.
- Toda, T., Hyakumachi, M., Arora, D.K. 1999. Genetic relatedness among and within different *Rhizoctonia solani* anastomosis groups as assessed by RAPD, ERIC and REP-PCR. *Microbiological Research* 154: 247-258.
- Trabelsi, D. and Mhamdi, R. Microbial inoculants and their impact on soil microbial communities. *BioMed Research International* 13: 1-11.
- Tsrer, L.J. 2010. Biology, epidemiology and management of *Rhizoctonia solani* on potato. *Journal of Phytopathology* 158: 649-658.
- Turco, R.F., Kennedy, A.C., Jawson, M.D. 1994. Microbial Indicators of Soil Quality. Soil Science Society of America and American Society of Agronomy, Madison. pp: 73-90.

- Van, E., Lan, N.T.P., Du, P.V., Mew, T. 2001. Current status and prospects in biological control of rice sheath blight in Mekong Delta. *Omonrice* 9: 79-86.
- Vasanth Devi, T.V. Malar Vizhi, R., Sakthivel, N., Gnanamanickam, S.S. 1989. Biological control of sheath blight of rice in India with antagonistic bacteria. *Plant and Soil* 119: 125-130.
- Vilgalys, R. 1987. Genetic relatedness among anastomosis groups in *Rhizoctonia* as measured by DNA-DNA hybridization. *The American Phytopathological Society* 1: 698-702.
- Wallwork, H. 1996. Cereal root and Crown Disease. Kondinin Group, Perth. pp: 14-16.
- Wamishe, Y., Cartwright, R., Lee, F. Sheath Blight and Blast. University of Arkansas, Fayetteville. pp: 1-12.
- Whitney, H. and Parmeter, J.R. 1963. Synthesis of heterokaryons in *Rhizoctonia solani* Kuhn. *Journal Botany* 41: 879-886.
- Wiwattanapatpee, R., Chumtong, A., Pegnoo, A., Kanjanamaneesathia, M. 2013. Preparation and evaluation of *Bacillus megaterium*-alginate microcapsules for control of rice sheath blight disease. *World Journal Microbiology Biotechnology* 29: 1487-1497.
- Woodburn, A.T. 1990. The current rice agrochemicals market. In *Pest Management in Rice*. Elsevier Applied Science, London. pp: 15-30.
- Xuan, Do Thi. 2012. Microbial Communities in Paddy Fields in the Mekong Delta of Vietnam. Swedish University of Agricultural Sciences, Uppsala. pp: 40-45.
- Yang, C.H. and Crowley, D.E. 2000. Rhizosphere microbial community structure in relation to root location and plant iron nutritional status. *Applied Environmental Microbiology* 66: 345-351.
- Yang, D. and Zhang, M. 2014. Effects of land-use conversion from paddy field to orchard farm on soil microbial genetic diversity and community structure. *European Journal of Soil Biology* 64: 30-39.
- Yao, R.J., Yang, J.S., Zhang, T.J., Gao, P., Yu, S.P., Wang, X.P. 2013. Short-term effect of cultivation and crop rotation systems on soil quality indicators in a coastal newly reclaimed farming area. *Journal Soils Sediment* 13: 1335-1350.
- Zhang, C.Q., Liu, Y.H., Ma, X.Y., Feng, Z., Ma, Z.H. 2009. Characterization of sensitivity of *Rhizoctonia solani*, causing rice sheath blight to mepronil and boscalid. *Crop Protection* 28: 381-386.
- Zhao, L., Ma, T., Gao, M., Gao, P., Cao, M., Zhu, X. and Li, G. 2012. Characterization of microbial diversity and community in water flooding oil

reservoirs in China. *World Journal of Microbiology and Biotechnology* 28: 3039-3052.

Zheng, A., Lin, R., Zhang, D., Qing, P., Xu, L., Ai, P., Ding, L., Wang, Y., Chen, Y., Liu, Y., Sun, Z., Feng, H., Liang, X., Fu, R., Tang, C., Li, Q., Zhang, J., Xie, Z., Deng, Q., Li, S., Wang, S., Zhu, J., Wang, L., Liu, H., Li, P. 2013. *The Evolution and Pathogenic Mechanisms of the Rice Sheath Blight Pathogen*. Macmillan Publisher Limited, England. pp: 1-10.

Zou, J.H., Pan, X.B., Chen, Z.X., Xu, J.Y., Lu, J.F., Zhai, W.X., Zhu, L.H. 2000. Mapping quantitative trait loci controlling sheath blight resistance in two rice cultivars (*Oryza sativa* L.). *Theory of Applied Genetic* 101: 569-573.