

REFERENCES

Dziedzic, T., Pera, J., Slowik, A., Gryz-Kurek, E. and Szczudlik, A. (2007).

Hypoalbuminemia in acute ischemic stroke patients: frequency and correlates. *European Journal of Clinical Nutrition*, 61(11), pp.1318-1322.

Truelsen, T., Begg, S. & Mathers, C., 2000. The global burden of cerebrovascular disease. *Global Burden of Disease*, pp.1–67.

Sacco, R.L. et al., 2013. AHA / ASA Expert Consensus Document An Updated Definition of Stroke for the 21st Century. *Stroke; a journal of cerebral circulation*, 44(7), pp.2064–2089.

Dziedzic, T., Slowik, A. & Szczudlik, A., 2004. Serum albumin level as a predictor of ischemic stroke outcome. *Stroke; a journal of cerebral circulation*, 35(6), pp.e156–e158.

Kusuma, Y. et al., 2009. Burden of stroke in Indonesia. *International journal of stroke : official journal of the International Stroke Society*, 4(5), pp.379–380.

Ballmer, P.E., 2001. Causes and mechanisms of hypoalbuminemia. *Clinical Nutrition*, 20(3), pp.271–273.

Butt, A., Ali, M.R. & Zameer, H., Frequency of Hypoalbuminemia and Mortality in Acute Ischemic Stroke. *Pakistan Journal of Medical and Health Sciences*, 10(1), pp.224–226.

Belayev, L. et al., 2001. Human albumin therapy of acute ischemic stroke: marked neuroprotective efficacy at moderate doses and with a broad therapeutic window. *Stroke; a journal of cerebral circulation*, 32(2), pp.553–560.

World Health Organization (WHO), 2010. ICD-10: International Classification of Diseases and Related Health Problems 10th Edition. *Family practice management*. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/22184833>.

Abubakar, S. et al., 2013. Low admission serum albumin as prognostic determinant of 30-day case fatality and adverse functional outcome following acute ischemic stroke. *Pan African Medical Journal*, 8688, pp.1–7.

Bagg, S., Pombo, A.P. & Hopman, W., 2002. Effect of Age on Functional Outcomes After Stroke Rehabilitation. *Stroke*, 33(1), pp.179–185.

Gatta, A., Verardo, A. & Bolognesi, M., 2012. Hypoalbuminemia. *Internal and Emergency Medicine*, 7(SUPPL. 3), pp.193–199.

Idicula, T.T. et al., 2009. Serum albumin in ischemic stroke patients: the higher the better. The Bergen Stroke Study. *Cerebrovascular diseases (Basel, Switzerland)*, 28(1), pp.13–7. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/19420917>.

Kasundra, G. & Sood, I., 2014. Prognostic Significance Of Serum Albumin Levels In Acute Ischemic Stroke. *National Journal of Integrated Research in Medicine*, 5(2), pp.1–4.

Yudiarto, F. et al., 2014. Indonesia stroke registry. *Neurology*, 82(10). Available at: http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&D=emed12&AN=71468565%5Cnhttp://sfx.ucl.ac.uk/sfx_local?sid=OVID:embase&id=pmid:&id=doi:&issn=0028-3878&isbn=&volume=82&issue=10+SUPPL.+1&spage=&pages=&date=2014&title=Neurology&atitle=Indone.

Kusuma, Y. et al., 2009. Burden of stroke in Indonesia. *International journal of stroke : official journal of the International Stroke Society*, 4(5), pp.379–380.

Salter, K. et al., 2006. Impact of Early Vs Delayed Admission To Rehabilitation on Functional Outcomes in Persons With Stroke. *Journal of Rehabilitation Medicine*, 38(2), pp.113–117. Available at: <https://medicaljournals.se/jrm/content/abstract/10.1080/16501970500314350>