

DAFTAR PUSTAKA

- Alblowi, J.1., Kayal, R.A., Siqueira, M., McKenzie, E., Krothapalli, N., McLean, J., Conn, J., Nikolajczyk, B., Einhorn, T.A., Gerstenfeld, L., dan Graves, D.T. 2009. High levels of tumor necrosis factor-alpha contribute to accelerated loss of cartilage in diabetic fracture healing. *Am J Pathol* 2009;175(4):1574–85.
- Ando, Y., Matsubara, K., Ishikawa, J., Fujio, M., Shohara, R., Hibi, H., Ueda, M., dan Yamamoto, A. 2014. Stem cell-conditioned medium accelerates distraction osteogenesis through multiple regenerative mechanisms. *Bone*.;61:82–90.
- Anief, M. 2005. *Farmasetika*. UGM Press. Yogyakarta.
- Anonim. 2016. *Femoral Fracture*. http://www.physio-pedia.com/Femoral_Fractures. Diakses 12 Desember 2016.
- Archibald, J. 2000. *Canine Surgery*. America Veterinary Publication. USA.
- Aydin, A., Halici, Z., Akoz, A., Karaman, A., Ferah, I., Bayir, Y., Aksakal, A.M., Akpinar, E., Selli, J., Kovaci, H. 2014. Treatment with α -lipoic acid enhances the bone healing after femoral fracture model of rats. *Naunyn-Schmiedeberg's Arch Pharmacol* (2014) 387:1025–1036.
- Bennett, N. dan Schultz, G. 1993. Growth factors and wound healing: part II. Role in normal and chronic wound healing. *American Journal of Surgical Pathology*. Vol 166 (1) : Hlm 74-81.
- Bollini, S, Gentili, C., Tasso, R. dan Cancedda, R. 2013. The Regenerative Role of the Fetal and Adult Stem Cell Secretome. *J. Clin. Med.* 2013, 2, 302-327.
- Brinker, R dan Daniel, P.O.C. 2008. Basic Science; Mark D. Miller Review Of Orthopaedics 5th Edition. p.19-21.
- Cameron, J.A., Milner, D.J., Lee, J.S., Cheng, J., Fang, N.X., dan Jasiuk, I.M. 2012. Employing the Biology of Successful Fracture Repair to Heal Critical Size Bone Defects. *Microbiology and Immunology* (2012) 367: 113–132.
- Carlevaro, M.F., Cermelli, S., Cancedda, R., Cancedda, F.D. 2000. Vascular endothelial growth factor (VEGF) in cartilage neovascularization and chondrocyte differentiation: auto-paracrine role during endochondral bone formation. *J Cell Sci* 113:59–69.
- Chamberlain, G., Fox, J., Ashton, B., Middleton, J. 2007. Concise review: mesenchymal stem cells: their phenotype, differentiation capacity,

- Clarke, B .2008. Normal bone anatomy and physiology. *Clin J Am Soc Nephrol* 3:S131–S139.
- Cornell, C.N. dan Lane, J.M. 1992. Newest factors in fracture healing. *Clin Orthop Relat Res* 297–311.
- Einhorn, T.A. 1998. The cell and molecular biology of fracture healing. *JClin Ortho*, 355S:S7–S2.
- Einhorn, T.A. dan Gerstenfeld, L.C. 2014. Fracture healing: Mechanisms and interventions. *Nature Reviews Rheumatology*. <https://www.researchgate.net/publication/266325190>. Diakses tanggal 06 Desember 2016.
- Feng, L., Milner, D., Chunguang, X., Nye, H.L.D., Redwood, P., Cameron, J.A., Stocum, D.L., Fang, N., Jasiuk, I. 2011. *Xenopus laevis* a novel model to study long bone critical size defect repair by growth factor mediated regeneration. *Tissue Eng Part A* 17:691–701.
- Fukuoka, H. dan Suga, H. 2015. Hair Regeneration Treatment Using Adipose-Derived Stem Cell Conditioned Medium: Follow-up With Trichograms. Eplasty. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4379938/pdf/eplasty15e10.pdf>. Diakses tanggal 01 Desember 2016.
- Gerstenfeld, L.C., Alkhiary, Y.M., Krall, E.A., Nicholls, F.H., Stapleton, S.N., Fitch, J.L., Bauer, M., Kayal, R., Graves, D.T., Jepsen, K.J., Einhorn, T.A. 2006. Three-dimensional reconstruction of fracture callus morphogenesis. *J Histochem Cytochem* 54:1215–1228.
- Gerstenfeld, L.C., Cho, T.J., Kon, T., Aizawa, T., Cruceta, J., Graves, B.D., Einhorn, T.A. 2001. Impaired intramembranous bone formation during bone repair in the absence of tumor necrosis factor-alpha signaling. *Cells Tissues Organs*; 169(3):285–94.
- Han, Y., Chai, J., Sun, T., Li, Dongjie, T.R. 2011. Differentiaion of human umbilical cord mesenchymal stem cells into dermal fibroblast in vitro. *Biochemical and Biophysical Research Communications*. (413) : 561-565.
- Harada S. dan Rodan, G.A. 2003. Control of osteoblast function and regulation of bone mass. *Nature* 423: 349–355.
- Hashimoto, J., Yoshikawa, H., Takaoka, K., Shimizu, N., Masuhara, K., Tsuda, T., Miyamoto, S., Ono, K. 1989. Inhibitory effects of tumor necrosis factor alpha on fracture healing in rats. *Bone* 10:453–457.

Karnes, J.M., Daffner, S.D., dan Watkins, C.M. 2015. Multiple Roles of Tumor Necrosis Factor-Alpha in Fracture Healing. *Journal Bone* 78 87–93.

Katagiri, W., Osugi, M., Kawai, T., dan Hibi, H. First-in-human study and clinical case reports of the alveolar bone regeneration with the secretome from human mesenchymal stem cells. 2016. *Head & Face Medicine* 12:5.

Kini, U. dan Nandeesh, B.N. 2012. Physiology of Bone Formation, Remodeling, and Metabolism. *Radionuclide and Hybrid Bone Imaging*. pp 29-57.

Kon, T., Cho, T.J., Aizawa, T., Yamazaki, M., Nooh, N., Graves, D., Gerstenfeld, L.C., dan Einhorn, T.A. 2001. Expression of Osteoprotegerin, Receptor Activator of NF- κ B Ligand (Osteoprotegerin Ligand) and Related Proinflammatory Cytokines During Fracture Healing. *Journal of Bone and Mineral Research*.16 (6).

Kusindarta, D.L., Wihadmadyatami, H., Fibrianto, Y.H., Nugroho, W.S., Susetya, H., Musana, D.K., Wijayanto, H., Prihatna, S.A., Wahyuni, A.E.T.H. 2016. Human umbilical mesenchymal stem cells conditioned medium promote primary wound healing regeneration. *Veterinary World*, EISSN: 2231-0916. www.veterinaryworld.org/Vol.9/June-2016/12.pdf. Diakses tanggal 01 Desember 2016.

Linero, I. dan Chaparro, O. 2014. Paracrine Effect of Mesenchymal Stem Cells Derived from Human Adipose Tissue in Bone Regeneration. *PLoS ONE* 9(9): e107001. doi:10.1371/journal.pone.0107001.

Liu, Y., Mu, R., Wang, S., Long, L., Liu, X., Li, R., Sun, J., Jianping, G., Xiaoping, Z., Jing, G., Ping, Y., Chunlei, L., Xiangyuan, L., Zhenyu, H., Dapeng, W., Hu, L., Zhifeng, G., Bing, L., Zhanguo, L. 2010. Therapeutic potential of human umbilical cord mesenchymal stem cells in the treatment of reumatoid arthritis. *Arthritis Research & Therapy* (12) : R210.

Lu, Z., Wang, G., Dunstan, C.R., Zreiqat, H. 2012. Short-term exposure to tumor necrosis factor-alpha enables human osteoblasts to direct adipose tissue derived mesenchymal stem cells into osteogenic differentiation. *Stem Cells Dev* 21(13):2420–9.

Makridakis, Manousos., Roubelakis, Maria G., Vlahou, Antonia. 2013. Stem cells: Insights into the secretome. *J. Biochimica et Biophysica Acta Proteins and Proteomics* 1834: 2380–2384.

Márquez, A. L. dan Wagner, J. 2012. Rheology of Cream-like Emulsions Prepared with Soybean Milk and Low Trans Vegetable Fat. *Journal of the American Oil Chemists' Society*, 89 (10): 1857–1865.

- Marquez, A. L., Palazolo, G. G., dan Wagner, J. R. 2005. Emulsiones tipo crema preparadas a base de leche de soja 3: *Efecto de ciclos de temperatura*. *Grasas y Aceites*, 56(3), 182–187.
- Marsell, R. dan Einhorn, T.A. 2011. The biology of fracture healing. *Inj-Int J Care Inj* 42:551–555.
- Maxson, S., Lopez, E.A., Yoo, D., Miagkova, A.D., 2012. Concise review : role of mesenchymal stem cells in wound repair. *Stem Cell Translational Medicine*. Vol 1 : Hlm 142-149.
- Nanes, M.S. 2003. Tumor necrosis factor-alpha: molecular and cellular mechanisms in skeletal pathology. *Gene* 321:1–15.
- Nikolaou, E. dan Tsiridis, E. 2007. Minisymposium: fracture healing (i) Pathways and signaling molecules. *Curr Orthop* 21:249–257.
- Nugroho, W.S., Kusindarta, D.L., Susetya, H., Fitriana, I., Mulyani, G.T., Fibrianto, Y.H., Haryanto, A., dan Budipitojo, T. 2016. The structural and functional recovery of pancreatic β -cells in type 1 diabetes mellitus induced mesenchymal stem cell-conditioned medium. *Veterinary World*, *EISSN: 2231-0916*. www.veterinaryworld.org/Vol.9/May-2016/18.pdf. Diakses tanggal 01 Desember 2016.
- Parekkadan, B. dan Milwil, J.M. 2010. Mesenchymal stem cells as therapeutics. *Annual Review Biomedical Engineering* (12), 87-117.
- Pawitan, J.A. 2014. Prospect of stem cell conditioned medium in regenerative medicine. *Biomedical Research International*, 1-14.
- Phinney, D.G. dan Prockop D.J. 2007. Concise review: mesenchymal stem/multipotent stromal cells: the state of transdifferentiation and modes of tissue repair-current views. *Stem Cells* (25) : 2896-2902.
- Piermattei, D.L., Flo, G.L., De Camp, C.E. 2006. *Handbook of Small Animal Orthopedics and Fracture Repair*. Missouri. WB Saunder Elsevier.
- Pittenger, M.F., Mackay, A.M., Beck, S.C., Jaiswal, R.K., Douglas, R., Mosca J.D., Moorman, M.A., Simonetti, D.W., Craiq, S., Marshak, D.R. 1999. Multilineage potential of adult human mesenchymal stem cells. *Science* (284) : Hlm 143-147.
- Puolakkainen, P., Twardzik, D., Ranchimis, J., Pankey, S., Reed, M., Gombotz, W. 1995. The enhancement in wound healing by transforming growth factor- β 1 depends on the topical delivery system. *Journal of Surgery Research*. Vol 58 : Hlm 321-329.
- Ripamonti, U. 2010. Soluble and insoluble signals sculpt osteogenesis in angiogenesis. *World J Biol Chem* 1:109–132.

- Ruedi, P. dan William, M. 2000. *Biology and Bomechanics of Fracture Healing, AO Principles of Fracture Management*. Copyright 2000 by AO Publishing. Claadelerstrasse Davos Platz.
- Sakti, Y.M. 2011. *Evaluasi Struktur dan Aplikasi pada Hewan Coba Graft Hydroxyapatite Berpori dari Limbah cangkang Telur sebagai Substitusi Tulang (uji komparasi dengan Graft Hydroxyapatite komersial berpori)*. Tesis. Bagian Orthopaedi dan Traumatologi RS DR. Sardjito. Fakultas Kedokteran. Universitas Gadjah Mada. Yogyakarta.
- Sarugaser, R., Lickorish, D., Baksh, D., Hosseini, M.M., Davies, J.E 2005. Human umbilical cord perivascular (HUCPV) cells: a source of mesenchymal progenitors. *Stem Cells* (23) : Hlm. 220-229.
- Schmidt-Bleek, K., Schell, H., Schulz, N., Hoff, P., Perka, C., Buttgerit, F., Volk, H-D., Lienau, J., Duda, G.N. 2011. Inflammatory phase of bone healing initiates the regenerative healing cascade. *Cell Tissue Res*. doi:10.1007/s00441-011-1205-7.
- Shindeler A, McDonald MM, Bokko P, Little DG (2008) Bone remodeling during fracture repair: The cellular picture. *Semin Cell Dev Biol* 19:459–466.
- Skjodt, H. dan Russell, G. 1992. Bone cell biology and the regulation of bone metabolism. In: Gown M (ed.) *Cytokines and Bone Metabolism*, CRC Press, FL, USA, pp. 1–70.
- Suda, T. 1999. Modulation of Osteoclast Differentiation and Function by the New Members of TNF Families. *Endocr Rev* 20:345.
- Syamsuni, H. 2002. *Farmasetika Dasar dan Hitungan Farmasi*. Penerbit EGC. Jakarta.
- Taichman, R.S. 2005. Blood and bone: two tissues whose fates are intertwined to create the hematopoietic stem cell niche. *Blood* 105:2631–2639.
- Towler DA (2008) The osteogenic-angiogenic interface: novel insights into the biology of bone formation and fracture repair. *Curr Osteoporos Rep* 6:67–71.
- Traversa, B. dan Sussman, G. 2001. The role of growth factor, cytokine and proteases in wound management. *Primary Intention*. Vol 9 (4). Hlm 161-167.
- Vaanen, H.K. 2000. The Cell Biology of Osteoclast Function. *J Cell Sci* 113:377.
- Wasitaatmadja, S.M. 1997. *Penuntun Ilmu Kosmetik Medik*. UI Press. Jakarta.



UNIVERSITAS
GADJAH MADA

**PENGARUH PEMBERIAN KRIM EKSTRAK MEDIA PENUMBUH SEL PUNCA MESENKIMAL SECARA
TOPIKAL TERHADAP PROSES
REGENERASI TULANG DAN DISTRIBUSI TUMOR NEKROSIS FAKTOR ALFA PADA FRAKTUR
TULANG FEMUR TIKUS DI
TINGKAT SELULER**

ANGGI MUHTAR PRATAMA, drh. Teguh Budipitojo, M.P., Ph.D.

Universitas Gadjah Mada, 2017 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Xu, J., Wang, B., Sun, Y., Wu, T., Liu, Y., Zhang, J., Lee, W.Y., Pan, X., Chai, Y., Li, G. 2016. Human fetal mesenchymal stem cell secretome enhances bone consolidation in distraction osteogenesis. *Stem Cell Research & Therapy* (2016) 7:134.