



DAFTAR PUSTAKA

- Abidin. 1994. Dasar-dasar Pengetahuan tentang Zat Pengatur Tumbuh. CV. Angkasa, Bandung.
- Alahudin, M. 2013. Kondisi termal bangunan *greenhouse* dan *screenhouse* pada Fakultas Pertanian Universitas Musamus Merauke. Jurnal Ilmiah Mustek Anim 2: 16-27.
- Ali, S. & I. Javed. 2012. Influence of physical factors on callogenesis in sugarcane (*Saccharum officinarum* L.) Sci. Int. (Lahore) 24: 167-170.
- Anonim. 2015. Data Kecamatan Sanden. <www.bantulkab.go.id>. (diakses 20 Juni 2015).
- Association of Seed Analyst (AOSA). 1983. Seed vigor testing handbook. Prepared by the seed vigor test committee of the association of official seed analyst contribution. No 32. 88p.
- Ayu, L.S. 2015. Teknologi Benih Bijji atau True Seed of Shallot (TSS) pada Budidaya Bawang Merah. Pedoman Teknis Sertifikasi Benih Bawang Merah, Bappeluh KP, Demak.
- Bandurski, R.S., J.D. Cohen. J.P. Slovin & D.M. Reinecke. 1995. Auxin biosynthesis and metabolism. In Davies P.J. (ed.) Plant Hormones. Kluwer Academic Publishers, Dordrecht. 39-65.
- Basuki, R.S., 2009. Analisis kelayakan teknis dan ekonomis teknologi budidaya bawang merah dengan biji botani dan benih umbi tradisional. Jurnal Hort. 19: 214-217.
- Beyl, C.A. 2011. Plant Tissue Culture Development and Biotechnology: PGRs and Their Use in Micropropagation. CRC press, New York.
- Bhojwani, S.S. and Dantu, P.K. (2013) Plant Tissue Culture: An Introductory Text. Springer, London
- Daud, M.E. 1996. Tissue culture and the selection of resistance to pathogens. Annual Review of Phytopathology. 24:159-186.
- Duval Y., T.D. Gasselin, K. Konan & C. Pannetier. 1988. In vitro vegetative micropropagation of oil palm (*Elaeis guineensis* Jacq.). Strategy and Results. Proceedings of the 1987 International Oil Palm/Palm Oil Conference (Agriculture), Bangi. Malaysia.



- Baswarsiyati, T. Sudaryono, K. B. Andri & S. Purnomo Pengembangan varietas bawang merah ptensial dari Jawa Timur. Balai Pengkajian Teknologi Pertanian, Jawa Timur.
- Berson, Mariati & Rosita. 2015. Produksi biji bawang merah Samosir aksesii Simanindo terhadap konsentrasi GA₃ dan lama perendaman di dataran tinggi Samosir. Jurnal online Agroteknologi. 3: 1147-1151.
- Budiarto, K. & S. Wuryaningsih. 2007. Respon pembungaan beberapa kultivar anthurium bunga potong. Agritop 2: 51-56.
- Brar, D.S. & S.M. Jain.1998. Somaclonal Variation: mechanism and application in crop improvement. Current Plant Science and Biotechnology in Agriculture, Kluwer Academic Publisher.
- Brenner, M.L. & N. Cheikh. 1995. The role of hormones in photosynthate partitioning and seed filling. Plant Hormones: Physiology, Biochemistry and Molecular Biology, Kluwer Academic Publisher, Dordrecht.
- Gaspar, T., C. Kevers, C. Penel, H. Greppin, D.M. Reid & T.A. Thorpe. 1996. Plant hormones and plant growth regulators in plant tissue culture. In Vitro Cell. 32: 272-289.
- Hailekidan, B., M. Andargie, & K. Assefa. 2013. In vitro planlet regeneration from the bulbs of shallot (*Allium cepa* var. group *Aggregatum*). Research in Plant Science. 1: 45-52.
- Herawati, M.M., E. Pudjihartati, S. Pramono, E. Sulistyarningsih & A. Purwanto. 2015. Obtaining *Artemisia cina* polyploidy through plant growth regulator treatment in shoot culture. Agrivita. 37: 178-184.
- Hidayat, I.M., S. Putrasameja, dan C. Azmi. 2011. Persiapan pelepasan varietas bawang merah umbi dan TSS. Laporan Kegiatan.
- Hye M.A., M.S.Haque & M.A. Karim. 2002. Influence of growth regulators and their time of application on yield of onion. Pakistan Journal of Biological Science 5: 1021-1023.
- Iriani, E. 2013. Prospek pengembangan inovasi teknologi bawang merah di lahan sub optimal (lahan pasir) dalam upaya peningkatan pendapatan petani. Jurnal Litbang Provinsi Jawa Tengah, 11: 231-243.
- Jouanneau, J.P. 1971 Cōntrole par les cytokinines de la synchronisation des mitoses dans les cellules de tabac. Exp. Cell Res. 67: 329-337.
- Kaeppler, S.M., H.F. Kaeppler & Y. Rhee. 2000. Epigenetic aspects of somaclonal variation in plants. Plant Molecular Biology. 43: 179-188.



- Khokhar, K.M., P. Hedley & S. Pearson. 2007. Effect of cold temperature duration of onion sets in store on the incidence of bolting, bolting and seed yield. *Scientia Horticulturae*. 12: 16-22.
- Kikuchi A., Sanuki N., Higashi K., Koshihara T., Kamada H. 2006. Abscisic acid and stress treatment are essential for the acquisition of embryogenic competence by carrot somatic cells. *Planta* 223: 637-645.
- Kumar, P.S. & V.L. Mathur. 2004. Chromosomal instability in callus culture of *Pisum sativum*. *Plant Cell Tiss. Org. Cult.* 78: 267-271
- Larkin, P.J. & W.R. Scowcroft. 1981. Somaclonal variation a novel source of variability from cell cultures for plant improvement. *Theor. Appl. Genet* 60: 197-214.
- Leva, A.R., R. Petruccelli & L.M.R. Rinaldi. 2012. Somaclonal Variation in Tissue Culture: A Case Study With Olive. *Recent Advance in Plant In Vitro Culture*. 10-17.
- Ling A.P.K., K.Y. Tang, J.A. Gansau & S. Hussein. 2009. Induction and maintenance of callus from leaf explants of *Mirabilis jalapa* L.. *Medicinal and Aromatic Plant Science and Biotechnology* 3: 42-47.
- Mendoza, M.G. and H.F. Kaeppler. 2002. Auxin and sugar effects on callus induction and plant regeneration frequencies from mature embryos of wheat (*Triticum aestivum* L.). *In Vitro Cell Dev. Pl.* 38: 39-45.
- Murashige T. dan F. Skoog. 1962. A revised medium for rapid growth and bio assay with tobacco tissue cultures. *Physiologia Plantarum* 15: 473-497.
- Niizeki M. 1972. Studies on plant cell and tissue culture: effect of different kinds of media on the variation of chromosome numbers in tobacco callus. *Jour. Facul. Agr., Hokaido Univ., Sapporo*. 57: 179-191.
- Ni'mah, F., E. Ratnasari dan L.S. Budipramana. 2012. Pengaruh pemberian berbagai kombinasi konsentrasi sukrosa dan kinetin terhadap induksi umbi mikro kentang (*Solanum tuberosum* L.) kutivar granola kembang secara *in vitro*. *Latera Bio* 1:41-48.
- Ockendon, D.J, P.J. Gates. 1976. Variation in pollen viability in the onion (*Allium cepa* L.). *Euphytica* 25: 753-759
- Pangestuti, R., dan E. Sulistyarningsih. 2011. Potensi penggunaan *true seed shallot* (TSS) sebagai sumber benih bawang merah di Indonesia. *Prosiding Semiloka Nasional. "Dukungan Agro-Inovasi untuk Pemberdayaan Petani"*, Semarang.



- Peloquin, S. J. 1981. Manipulation of Chromosome and Cytoplasmic 117-150 p dalam J. F. Kenneth [ed.]. Plant Breeding. Iowa University Press, Ames.
- Permadi, A.H., 1993. Growing shallot from true seed. Research result problem, Onion newsletter for the Tropics, NRI. Kingdom. 5: 35-8.
- Putrasamedja, S. & Suwandi. 1996. Varietas Bawang Merah di Indonesia. Balai Penelitian Tanaman Sayuran, Bandung.
- Purnomo, D., T.A. Syakia, & M. Rahayu. 2010. Fisiologi Tumbuhan. UNS Perss, Surakarta.
- Putrasamedja, S. & A.H.Permadi. 2001. Varietas Bawang Merah Unggul Baru Kramat-1, Kramat-2, dan Kuning. J.Hort. 11:143-147.
- Rahayu, E. & N. V. A. Berlian. 2004. Mengenal Varietas Unggul dan Cara Budidaya secara Kontinu Bawang Merah. Penebar Swadaya, Jakarta.
- Rani V & Raina S. 2000. Genetic fidelity of organized meristemderived micropropagated plants: reappraisal. In Vitro Cellular Developmental Biology Plant. 36: 319-330.
- Rauf, A. 1999. Dinamika populasi *Spodoptera exigua* (Hubner) (Lepidoptera: Noctuidae) pada pertanaman bawang merah di dataran rendah. Buletin Hama dan Penyakit Tumbuhan 11: 39-47.
- Riduan, A. 2007. Variasi somaklonal sebagai salah satu sumber keragaman genetik untuk perbaikan sifat tanaman. Jurnal Agronomi. 11: 107-112.
- Rosmaina & D. Aryani. 2015. Optimasi NAA dan BAP terhadap pertumbuhan dan perkembangan tunas mikro tanaman kantong semar (*Nepenthes mirabilis*) secara *in vitro*. Jurnal Agroteknologi 5: 29-36.
- Salisbury, F.B. & C.W. Ross. 1995. Fisiologi tumbuhan, Jilid 3. ITB, Bandung.
- Sharma, V.K., R. Hansch, R.R. Mendel & J. Schulze. 2005. Mature embryo axis based high frequency somatic embryogenesis and plant regeneration from multiple cultivars of barley (*Hordeum vulgare* L.). J. Exp. Bot. 56: 1913-1922.
- Skirvin, R.M., M. Norton, & K.D. Mcpheetter. 1993. Somaclonal variation: Has it proved useful for plant improvement. Acta Hort. 336: 333-340.



- Sopha, G.A., W.D. Widodo, R. Poerwanti & E.R. Palupi. 2014. Photoperiod and gibberellins effect on true shallot seed formation. *International Journal of the Bioflux Society* 6: 70-76.
- Sukmadjaja, D. & M. Ade. 2011. Pertunasan dan Pertumbuhan Beberapa Varietas Tebu (*Sacharum officinarum* L.) secara in vitro. Balai Besar Penelitian dan Pengembangan Bioteknologi Sumberdaya Genetik Pertanian, Bogor.
- Sulistyaningsih, E., Y. Aoyagi, & Y. Tashiro. 2006. Flower bud culture of shallot (*Allium cepa* L. Aggregatum group) with cytogenetic analysis of resulting gynogenic plants and somaclones. *Plant Cell Tiss Organ Cult.* 86: 248-25.
- Sulistyaningsih, E. 2006. Kajian awal potensi benih True Shallot Seed (TSS) untuk pemenuhan kebutuhan bahan tanam bawang merah di Bantul. Prosiding Seminar Penelitian Klaster Lembaga Penelitian Universitas Gadjah Mada. Yogyakarta. 87-92.
- Sumiati, E. 1996. Konsentrasi optimum mepiquat klorida untuk meningkatkan hasil umbi bawang merah varietas Bima Brebes di Majalengka. *J. Hort.* 6: 120-128.
- Sumiati, E. & N. Sumarni. 2006. Pengaruh varietas dan ukuran umbi bibit bawang bombay introduksi terhadap pembungaan dan produksi benih. *J. Hort.* 16: 12-20.
- Sumarni, N., Suwandi, N. Gunaeni & S. Putrasamedja. 2013. Pengaruh varietas dan cara aplikasi GA₃ terhadap pembungaan dan hasil biji bawang merah di dataaran tinggi Sulawesi Selatan. *J. Hort.* 23: 153-163.
- Sumarni, N., R. Guswanto, R.S. Basuki. 2009. Implementasi teknologi TSS untuk memenuhi kebutuhan benih bawang merah sebanyak > 30% pada waktu tanam off season. *J. Hort.* in Press.
- Sumarni, N. & A. Hidayat, 2005. Panduan teknis budidaya bawang merah. Balai Penelitian Tanaman Sayuran. Pusat Penelitian dan Pengembangan Pertanian. Badan Penelitian dan Pengembangan Pertanian.
- Sun, S., J. Q. Zhong, S.H Li & X.J. Wang. 2013. Tissue culture induced somaclonal variation of decreased pollen viability in torenia (*Torenia fournieri* Lind.). *Botanical Studies.* 54;36.
- Taryono. 2014. Pengantar Bioteknologi untuk Pemuliaan Tanaman. Gadjah Mada University Press, Yogyakarta.
- Triharyanto, E. & D. Purnomo. 2014. Study of viability and seed structure of shallot. *Journal of Agricultural Science and Technology.* 4: 121 – 125.



- Verma, D., R. Joshi, A. Shukla & P. Kumar. 2011. Protocol for in vitro somatic embryogenesis and regeneration of rice (*Oryza sativa* L.). *Indian Journal of Experimental Biology* 49: 958-963.
- Wattimena, G.A. 1992. *Bioteknologi Tanaman*. Departemen Pendidikan dan Kebudayaan. Direktorat Jenderal Pendidikan Tinggi. Pusat Antar Universitas IPB. Bogor. 308 p.
- Wulandari, A., D. Purnomo & Supriyono. 2014. Potensi biji botani bawang merah (*true shallot seed*) sebagai bahan tanam budidaya bawang merah di Indonesia. *El-vivo* 2: 28-36.
- Yunita, R. 2009. Pemanfaatan variasi somaklonal dan seleksi *in vitro* dalam perakitan tanaman toleran cekaman abiotik. *Jurnal Litbang Pertanian*, 28: 142-148.
- Zheng, S., B.Henken, E. Sofiari, E. Jacobsen, F. A. Krens & C.Kik. 1998. Factors influencing induction, propagation and regeneration of mature zygotic embryo-derived callus from *Allium cepa*. *Plant Cell Tissue and Organ Culture* 53: 99-105.