

## DAFTAR PUSTAKA

- Abechi, S.E., Gimba, C.E, Uzairu, A. dan Dallatu, Y.A. (2013). Preparation and characterization of activated carbon from palm kernel shell by chemical activation. *Research Journal of Chemical Sciences* **3**(7): 54-61.
- Acton, Q.A. (2013). *Carotenoids-Advances in Research and Applications*. ScholarlyEditions, Atlanta, Georgia. <http://books.google.co.id> [14 Mei 2014].
- Adinata, D., Daud, W.M.A.W. dan Aroua, M.K. (2007). Preparation and characterization of activated carbon from palm shell by chemical activation with  $K_2CO_3$ . *Bioresource Technology* **98**: 145-149.
- Ahmad, A.L., Chan, C.Y., Shukor, A.R.A. dan Mashitah, M.D. (2008). Recovery of oil and carotenes from palm oil mill effluent (POME). *Chemical Engineering Journal* **141**: 383-386.
- Akmil-Başar, C., Durmaz, G., Karabulut, I. Dan Önal, Y. (2017).  $\beta$ -Carotene rejection from organic medium by using activated carbon produced from waste biomass apricot. *Particulate Science and Technology an International Journal* **35**: 369-378.
- Allwar, Noor, A.B.M., Nawi, M.A.B.M. (2008). Textural characteristics of activated carbon prepared from oil palm shells activated with  $ZnCl_2$  and pyrolysis under nitrogen and carbon dioxide. *Journal of Physical Science* **19**: 93-104
- Allwar (2012<sup>a</sup>). Characteristics of micro- and mesoporous structure and surface chemistry of activated carbons produced by oil palm shell. *Dalam: International Conference on Chemical, Ecology and Environmental Sciences Proceedings*, hal 138-141, Bangkok.
- Allwar (2012<sup>b</sup>). Characteristics of pore structure and surface chemistry of activated carbon by physisorption, FTIR and Boehm methods. *IOSR Journal of Applied Chemistry* **2**:09-15
- Anonim (1986). *Test Methos for Activated Carbon*. European Council of Chemical Manufacturers' Federations. CEFIC, European
- \_\_\_\_\_ (2004<sup>a</sup>). *Bahan Tanaman Berkualiti*. <http://mpobf1.com/bm/category/berita/> [20 Juli 2017]
- \_\_\_\_\_ (2004<sup>b</sup>). *Official Methods and Recommended Practices of The AOCS*, 5<sup>th</sup> edn. American Oil Chemist' Society, United State of America.
- \_\_\_\_\_ (2006). *Association of Official Analytical Chemist*. Official Method of Analysis International, 18th ed., Gaithersburg
- \_\_\_\_\_ (2012).  *$\beta$ -Carotene Handling/Processing*. Technical Evaluation Report. Technical Services Branch for the USDA National Organic Program. <https://www.ams.usda.gov/.../Beta%20Carotene%20Synthetic%20> [1 Mei 2017].
- \_\_\_\_\_ (2013). *Material Safety Data Sheet Tetrahydrofuran MSDS*. Science Lab.com [24 Juli 2017]

- \_\_\_\_\_ (2014). *Formula, molecular weight and properties of fatty acids and their methylesters*. [http://www.ipst.gatech.edu/faculty/ragauskas\\_art/technical\\_reviews/basic%20biodiesel%20properties.pdf](http://www.ipst.gatech.edu/faculty/ragauskas_art/technical_reviews/basic%20biodiesel%20properties.pdf) [14 Mei 2014].
- \_\_\_\_\_ (2015<sup>a</sup>). *Statistik Perkebunan Indonesia Komoditas Kelapa Sawit 2014 – 2016*. Direktorat Jenderal Perkebunan, Jakarta.
- \_\_\_\_\_ (2015<sup>b</sup>). *Polycyclic Aromatic Hydrocarbons (PAHs) in Food*. Food safety Authority of Ireland. 2: 1-10.
- \_\_\_\_\_ (2016<sup>a</sup>). Sustainable Oil Palm Farming/Tenera, Dura, and Pisifera. <http://akvopedia.org/wiki/> [24 Juli 2017].
- \_\_\_\_\_ (2016<sup>b</sup>). Safety Data Sheet Tetrahydrofuran (THF). [www.leading-solvents.co.uk/pdf/THFTetrahydrofuran.pdf](http://www.leading-solvents.co.uk/pdf/THFTetrahydrofuran.pdf) [23 Agustus 2107].
- \_\_\_\_\_ (2017<sup>a</sup>). *Consumption of vegetable oils worldwide from 2012/13 to 2016/2017, by oil type (in million metric tons)*. <https://www.statista.com> [1 Mei 2017].
- \_\_\_\_\_ (2017<sup>b</sup>). *Refleksi Industri Kelapa Sawit 2016 & Prospek 2017*. <https://gapki.id/refleksi-industri-kelapa-sawit-2016-prospek-2017> [22 Mei 2017].
- \_\_\_\_\_ (2017<sup>c</sup>). *Global Palm Oil Production*. [www.globalpalmoilproduction.com](http://www.globalpalmoilproduction.com) [22 Mei 2017].
- \_\_\_\_\_ (2017<sup>d</sup>). *Oxyacids of Phosphorus*. <http://www.transtutors.com/chemistry-homework-help/s-and-p-block-elements/oxyacids-of-phosphorous.aspx>. [24 Juli 2017].
- Ariviani, S., Raharjo, S. dan Hastuti, P. (2011<sup>a</sup>). Potensi mikroemulsi  $\beta$ -karoten dalam menghambat fotooksidasi vitamin C sistem aqueous. *Jurnal Teknologi dan Industri Pangan* **22**(1): 33-39.
- Ariviani, S., Raharjo, S. dan Hastuti, P. (2011<sup>b</sup>). Aplikasi mikroemulsi  $\beta$ -karoten untuk menghambat kerusakan fotooksidatif vitamin C pada sari buah jeruk *Agritech* **31**(3): 180-189.
- Ariviani, S., Anggrahini, S., Naruki, S. dan Raharjo, S. (2015). Characterization and chemical stability evaluation of  $\beta$ -carotene microemulsions prepared by spontaneous emulsification method using VCO and palm oil as oil phase. *International Food Research Journal* **22**(6): 2432-2439.
- Badr, N. dan Al-Qahtani, K.M. (2013). Treatment of wastewater containing arsenic using rhazya stricta as a new adsorbent. *Environmental Monitoring and Assessment* **185**:9669–968.
- Baharin, B.S., Abdul Rahman, K., Abdul Karim, M.I., Oyaizu, T., Tanaka, K., Tanaka, Y. dan Takagi, S. (1998). Separation of palm carotene from crude palm oil by adsorption chromatography with a synthetic polymer adsorbent. *Journal of the American Oil Chemists' Society* **75**(3): 399-404.
- Baharin, B.S., Latip, R.A., Che Man, Y.B. dan Abdur Rahman, R. (2001). The Effect of carotene extraction system on crude palm oil quality, carotene composition,

and carotene stability during storage. *Journal of the American Oil Chemists' Society* **78**(8): 851-855.

- Balbuenat, P.B. dan Gubbins, K.E. (1993). Theoretical interpretation of adsorption behavior of simple fluids in slit pores. *Langmuir* **9** (7): 1801–1814.
- Baró, A.M., Hla, S.W. dan Rieder, K.H. (2003). LT-STM study of self-organization of  $\beta$ -carotene molecular layers on Cu (111). *Chemical Physics* **369**: 240-247
- Bouchemal, N., Belhachemi, M., Merzougui, Z. dan Addoun, F. (2009). The effect of temperature and impregnation ratio on the active carbon porosity. *Desalination and Water Treatment* **10**: 115–120.
- Bhatnagar, A., Hogkand, W., Marques, M. dan Sillanpa, M. (2013). An overview of the modification methods of activated carbon for its water treatment application. *Chemical Engineering Journal* **219**: 499-511.
- Blaizot (1956). *Methods of Obtaining Carotene from Palm Oil*. US Patent 2741644
- Boateng, C.O. dan Lee, K.T. (2013). Sustainable utilization of oil palm wastes for bioactive phytochemicals for the benefit of the oil palm and nutraceutical industries. *Phytochemistry Reviews* **12**: 173-190.
- Boluk, Y. (2005). Acid-base interactions and swelling of cellulose fibers in organic liquids. *Cellulose* **12**: 577-593
- Boon, C.S., McClement, D.J., Weiss, J. dan Decher, E.A. (2010). Factors influencing the chemical stability of carotenoids in food. *Critical Review in Food Science and Nutrition* **50**: 515-532.
- Bouchemal, N., Belhachemi, M., Merzougui Z. dan Addoun, F. (2009). The effect of temperature and impregnation ratio on the active carbon porosity. *Desalination and Water Treatment* **10**: 115–120.
- Braddy, J.E. (1998). *General Chemistry: Principles & Structure*. John Wiley & Sons, New York.
- Britton, G., Liaaen-Jensen, S. dan Pfander, H. (1995). *Carotenoids, Volume 1A: Isolation and Analysis*. Birkhäuser Verlag, Berlin.
- Castellan, G.W. (1983). *Physical Chemistry*, 3<sup>th</sup> edn. Addison-Wesley Publishing Company, Amsterdam.
- Çeçen, F. dan Aқтаş, O. (2012). *Activated Carbon for Water and Wastewater Treatment*, hal 16-24. Wiley-VHC Verlag GmbH Co. KGaA., Germany.
- Chiu, M.C., Coutinho, C. de. M. dan Gonçalves, L.A.G. (2009). carotenoids concentration of palm oil using membrane technology. *Desalination* **245**: 783-786.
- Choo, Y.M., Yap, S.C., Ong, A.S.H., Ooi, C.K. dan Goh, S.H. (1989). Extraction of carotenoids from palm oil. <http://www.archive.umi.edu/unupress/food/8F152e/8F152E05.htm> [12 Mei 2014].
- Choo, Y.M., Yap, S.C., Ooi, C.K., Ong, A.S.H. dan Goh, S.H. (1992). *Production of Palm Oil Carotenoid Concentrate and Its Potential Application In Nutrition*.

- Hal 243-254. Lipid-Soluble Antioxidants: Biochemistry and Clinical Application. A.s.H. Ong & L. Packer (eds). BirkhauserVerlag, Basel/Switzerland. <http://studentsrepo.um.edu> [15 Mei 2014].
- Choo, Y.M., Yap, S.C., Ooi, C.K., Ma, A.N., Goh, S.H. dan Ong, A.S.H. (1996). recovered oil from palm-pressed fiber: a good source of natural carotenoids, Vitamin E, and sterols. *Journal of the American Oil Chemists' Society* **73**:599-602.
- Choe, E. dan Min, D.B. (2006). Mechanism and factors for edible oil oxidation. *Comprehensive Reviews in Food Science and Food Safety* **5**: 169-186.
- Chowdhury, Z.Z., Hamid, S.B.A., Das, R., Hasan, M.R., Zain, S.M., Khalid, K. dan Uddin, M.N. (2013). Preparation of carbonaceous adsorbents from lignocellulosic biomass and their use in removal of contaminants from aqueous solution. *BioResources* **8**(4): 6523-6555.
- Coates, J. (2000). Interpretation of infrared spectra, a practical approach. *Dalam Meyers, R.A. (Ed.). Encyclopedia of Analytical Chemistry*, hal 10815–10837. John Wiley & Sons Ltd., Chichester.
- Collard, F. X. dan Blin, J. (2014). A review on pyrolysis of biomass constituents: Mechanisms and composition of the products obtained from the conversion of cellulose, hemicelluloses and lignin. *Renewable and Sustainable Energy Reviews* **38**: 594–608
- Craft, N.E. (1992). Relative solubility, and absorptivity of lutein and  $\beta$ -carotene in organic solvents. *Journal of Agricultural and Food Chemistry* **40**: 431-434.
- Datta, R. (1981). Acidogenic fermentation of lignocellulose-acid yield and conversion of components. *Biotechnology and Bioengineering* **23** (9): 2167- 2170.
- Daud, W.M.A.W. dan Ali, W.S.W.A. (2004). Comparison on pore development of activated carbon produced from palm shell and coconut shell. *Bioresource Technology* **93**: 63–69.
- Dariusz, W.Ł.Ó.K. dan Marzena, S.M.O.L. (2014). Evaluation of extraction methods of polycyclic aromatic hydrocarbons (PAHs) from soil and sewage sludge matrix. *Inżynieria i Ochrona Środowiska* **17**(4): 689-702.
- Davarnejad, R., Kassim, K.M., Zainal, A. dan Sata, S.A. (2008). Supercritical fluid extraction of  $\beta$ -carotene from crude palm oil using CO<sub>2</sub>. *Journal of Food Engineering* **89**: 472–478.
- Deng, H., Zhang, G., Xu, X., Tao, G. dan Dai, J. (2010). Optimation of preparation of activated carbon from cotton stalk by microwave assisted posphoric acid-chemical activation. *Journal of Hazardous Materials* **182**: 217-224.
- Durán-Valle, C.J. (2012). Technicques employed in physicochemical characterization of activated carbons. <http://www.intechopen.com> (16 Mei 2014)
- Eckey, E.W. (1949). *Process for Preparing Carotenoid Concentrates from Palm Oil*. US Patent No. 2460796.

- Egbuna, S.O. (2014). Development of kinetic model for adsorption of carotenoids on activated clay in the bleaching of palm oil. *International Journal of Research in Engineering and Technology* **03**(1): 371-380.
- Fauzi, N.A.M. dan Sarmidi, M.R. (2010). Extraction of heat treated palm oil and their stability on  $\beta$ -carotene during storage. *Journal of Science Education and Technology* **2**(1):45-54
- Fettouche, S., Tahiri, M., Madhouni, R. Dan Cherkaoui, O. (2015). Removal of reactive dyes from aqueous solution by adsorption onto alfa fibers powder. *Journal of Materials and Environmental Science* **6**(1): 129-137.
- Frone, A.N., Panaitescu, D.M. dan Donescu (2011). Some aspects concerning the isolation of cellulose micro- and nano fibers. *Article in UPB Scientific Bulletin, Series B: Chemistry and Materials Science*. <https://www.researchgate.net/publication/265536637> [1 Mei 2017]
- Fuadi, N.A., Ibrahim, A.S. dan Ismail, K.N. (2012). Review Study for Activated Carbon from Palm Shell Used for Treatment of Waste Water. *Journal Of Purity, Utility Reaction and Environmental* **1**(5): 252-266.
- Gaziano, J.M., Hatta, A., Flynn, M., Johnson, E.J., Krinsky, N.I., Ridker, P.M., Hennekens, C.H. dan Frei, B. (1995). Supplementation with beta-carotene in vivo and in vitro does not inhibit low density lipoprotein oxidation. *Atherosclerosis* **112**:187-195.
- Geoffrey, H.W. (2000). *Method for Purifying Beta-Carotene*. European Patent No. EP 0 666 845 B1.
- Gunston, F.D., Larwood, J.I. dan Dijkstra, A.J. (2007). *The Lipid Handbook with CD-ROM*, 3<sup>th</sup> Ed. Books. Google.co.id [25 Mei 2014].
- Hadoun, H., Sadaoui, Z., Souami, N., Sahel, D. dan Toumert, I. (2013). characterization of mesoporous carbon prepared from date stems by H<sub>3</sub>PO<sub>4</sub> chemical activation. *Applied Surface Science* **280**: 1-7.
- Hale, S.E., Lehmann, J., Rutherford, D., Zimmerman, A.R., Bachmann, R.T., Shitumbanuma, V., O'Toole, A., Sundqvist, K.L., Arp, H.P.H. dan Cornelissen, G. (2012). *Quantifying the Total and Bioavailable Polycyclic Aromatic Hydrocarbons and Dioxins in Biochars*. American Chemical Society Publication. [pubs.acs.org/est](https://pubs.acs.org/est) [1 Mei 2017]
- Hayashi, K. (2007). *Environmental Impact of Palm Oil Industry in Indonesia*. Proceeding of International Symposium on Eco Topia Science-ISETSO7, Japan.
- Hesas, R.H., Daud, W.M.A.W., Sahu, J.N. dan Niya, A.A. (2013). The effect of a microwave heating method on the production of activated carbon from agricultural waste: A review. *Journal of Analytical and Applied Pyrolysis* **100**: 1-11.
- Huang, L., Sun, Y., Wang, W., Yue, Q. and Yang, T. (2011). Comparative study on characterization of activated carbons prepared by microwave and conventional

- heating methods and application in removal of oxytetracycline (OYC). *Chemical Engineering Journal* **171**: 1446-1453.
- Hui, Y.h. (1996). *Bailey's Industrial Oil and Fat Products*. Volume 2. 4<sup>th</sup> edn. A Wiley & Sons, Inc., New York.
- Abdel-Shafy, H.I., Mansour, M.S.M. (2016). A review on polycyclic aromatic hydrocarbons: Source, environmental impact, effect on human health and remediation. *Egyptian Journal of Petroleum* **25**: 107–123.
- Jabit, N.B. (2007). *The Production and Characterization of Activated Carbon Using Local Agricultural Waste Through Chemical Activation*. Thesis. Universiti Sains, Malaysia. <http://www.eprints.usm.my>. [1 Juli 2015].
- Jain, S.M. dan Priyadarshan, P.M. (2009), *Breeding Plantation Tree Crops: Tropical Species*. Springer Science + Business Media. LLC 2009. Springer.com [26 Juli 2017]
- Karabulut, I., Topcu, A., Akmil-Basar, C., Onal, Y. dan Lampi, A.M. (2008). Obtaining butter oil triacylglycerols free from  $\beta$ -carotene and  $\alpha$ -tocopherol via activated carbon adsorption and alumina-column chromatography treatments. *Journal of the American Oil Chemists' Society* **85**: 213-219.
- Keat, O.C., Choo, Y.M. dan Hock, A.O.S. (1991). *Recovery of Carotenoids*. US Patent No. 5019668.
- Khachik, F. (2006). *Process for Purification and Crystallization of Palm Oil Carotenoids*. U.S. Patent No. 7.119.238 B2
- Khah, A.M. dan Ansari, R. (2009). Activated charcoal: Preparation, characterization and application: A review article. *International Journal of ChemTech Research* **1**(4): 859-864.
- Kumar P.K.P. dan Krishna AG.G. (2014). Physico-chemical characteristics and nutraceutical distribution of crude palm oil and its fractions. *Grasas Aceites* **65** (2): e018. doi: <http://dx.doi.org/10.3989/gya.097413>.
- Lambert, J.B., Shurvell, H.F. and Cooks, R.G. (1987). *Introduction to Organic Spectroscopy* 1<sup>st</sup> edn. Macmillan Publication, New York.
- Lamria, M. dan Soerawidjaja, T.H. (2006). Solvolytic micellization dalam penjumlahan karoten dari biodiesel sawit. *Journal Teknik Kimia Indonesia* **5**(1): 332-340.
- Latip, R.A, Baharin, B.S., Che Man, Y.B. dan Rahman, R.A. (2000). evaluation of different types of synthetic adsorbents for carotene extraction from crude palm oil. *Journal of the American Oil Chemists' Society* **77**(12):1277-1281.
- Latip, R.A, Baharin, B.S., Che Man, Y.B. dan Rahman, R.A. (2001). effect of adsorption and solvent extraction process on percentage of carotene extracted from crude palm oil. *Journal of the American Oil Chemists' Society* **78**(1): 83-87.
- Lau, H.L.N., Choo, Y.M., Ma, A.N. dan Chuah, C.H. (2006). Quality of residual oil from palm-pressed mesocarp fiber (*Elais guineensis*) using supercritical CO<sub>2</sub>

- with and without ethanol. *Journal of the American Oil Chemists' Society* **83**(10):893-898.
- Lee, C.G., Seng, C.E. dan Liew, K.Y. (2000). Solvent efficiency for oil extraction from spent bleaching clay. *Journal of the American Oil Chemists' Society* **77**(11): 1219-1222.
- Lim, W.C., Srinivasakannan C. dan Balasubramanian, N. (2010). Activation of palm shell by phosphoric acid impregnation for high yielding activated carbon. *Journal of Analytical and Applied Pyrolysis* **88**: 181-186.
- Lim, W.C., Srinivasakannan, C. dan Doshi, V. (2012). Preparation of high surface area mesoporous activated carbon: kinetics and equilibrium isotherm. *Separation Science and Technology* **47**: 886-895.
- Liu, Q., Zheng, T., Wang, P. dan Guo, L. (2010). Preparation and characterization of activated carbon from bamboo by microwave-induced phosphoric acid activation. *Industrial Crops and Products* **31**: 233-238.
- Lu, C., Pan, L. dan Zhuc, B. (2015). Study the static adsorption/desorption of formaldehyde on activated carbons. *International Forum on Energy, Environment Science and Materials (IFEESM)* **2015**: 943-947.
- Mak, S.M., Tey, B.T., Cheah, K.Y., Siew, W.L. dan Tan. K.K. (2009). Porosity characteristics and pore developments of various particle sizes palm kernel shells activated carbon (PKSAC) and its potential application. *Adsorption* **15**: 507-519.
- Menéndez-Díaz, J.A. dan Martín-Gullón, I. (2006). Types of carbon adsorbents and their production. Dalam: Bandoz, T. (ed.) *Activated carbon surfaces in environmental remediation (Interface science and technology series, 7)*, hal: 1-48. ELSEVIER, Amsterdam.
- Meyer, L.H. (1973). *Food Chemistry*. Affiliated East-West Press PVT. LTD., New Delhi.
- Mi, T., Chen, L., Xin, S.Z. dan Yu, X.M. (2015). Activated carbon from the Chinese herbal medicine waste by H<sub>3</sub>PO<sub>4</sub> activation. *Journal of Nanomaterials* **2015**: 1-9.
- Min, D.B. dan Boff, J.M. (2002). Chemistry and reaction of singlet oxygen in food. *Comprehensive Reviews in Food Science and Food Safety* **1**: 58-72.
- Morad N.A., Aziz M.K.A. dan Rohani (2006). *Process design in degumming and bleaching of palm oil*. Centre of Lipids Engineering and Applied Research, Universiti Teknologi Malaysia, Malaysia.
- Mortensen, A. (2006). Carotenoids and Other Pigments as Natural Colorants. *Pure and Applied Chemistry* **78**(8): 1477-1491.
- Muchtadi, T.R. (1995). Teknologi ekstraksi minyak sawit kaya akan beta karoten untuk aplikasi mikroenkapsulasi provitamin A. *Indonesian Science and Technology Digital Library* [4 April 2014].

- Muchtadi, T.R. dan Syamsir, E. (2011). Studi penentuan formulasi pelarut kimia untuk ekstraksi minyak sawit kaya akan  $\beta$ -karoten. <http://repository.ipb.ac.id> [7 Mei 2014].
- Muslich, P., Suryadarma P., Indri R. dan Hayuningtyas R. (2009). Kinetika adsorpsi isothermal  $\beta$ -karoten dari olein sawit kasar dengan menggunakan bentonit. *Journal Teknologi Industri Pertanian* **19**(2): 93-100.
- Muhammad, Choong, T.S.Y., Chuah, T.G., Yunus, R. dan Yap, Y.H.T. (2010). Adsorption of  $\beta$ -carotene onto mesoporous carbon coated monolith in isopropyl alcohol and n-hexane solution: equilibrium and thermodynamic study. *Chemical Engineering Journal* **164**: 178-182.
- Muhammad, Choong, T.S.Y. Chuah, T.G. Yunus, R. dan Yap, Y.H.T. (2011). Desorption of  $\beta$ -carotene from mesoporous carbon coated monolith: Isotherm, kinetics and regeneration studies. *Chemical Engineering Journal* **173**: 474-479.
- Muhammad, M., Khan, M.A. dan Choong, T.S.Y. (2013). Adsorptive separation studies of  $\beta$ -carotene from methyl ester using mesoporous carbon coated monolith. *Journal of Chemistry* (Hindawi Publishing Corporation) **2013**: 1-6.
- Mohammed, R.R. (2013). Decolorisation of Biologically Treated Palm Oil Mill Effluent (POME) Using Adsorption Technique. *International Refereed Journal of Engineering and Science (IRJES)* **2**(10): 01-11.
- Mustapa, A.N., Manan, Z.A., Mohd Azizi, C.Y., Setianto, W.B. dan Mohd Omar, A.K. (2011). Extraction of  $\beta$ -carotenes from palm oil mesocarp using sub-critical R134a. *Food Chemistry* **125**: 262-267.
- Nasri, N.S., Hamza, U.D., Ismail, S.N., Ahmed, M.M. dan Mohsin, R. (2013). Assessment of porous carbon derived from sustainable palm solid waste for carbon dioxide capture. *Journal of Cleaner Production* **xxx**: 1-10.
- Nitsche, M., Johannsbauer, W. dan Jordan, V. (1999). *Process for Obtaining Carotene from Palm Oil*. US Patent No. 5902890 A.
- Okoniewska, E., Lach, J., Ociepa, E. dan Stepniak, L. (2013). Removal of selected organic compounds on modified activated carbons. *Environment Protection Engineering* **39**(2): 135-144.
- Okoroigwe, E.C., Saffron, C.M. dan Kamdem, P.D. (2014). Characterization of palm kernel shell for materials reinforcement and water treatment. *Journal of Chemical Engineering and Materials Science* **5** (1): 1-6.
- Ooi, C.K, Choo, Y.M, Yap, S.C, Basiron, Y. dan Ong, A.S. H. (1994). Recovery of carotenoids from palm oil. *Journal of American Oil Chemical Society* **71**: 423-42.
- Ooi, C.K., Choo, Y.M., Ma, A.N. dan Yap, S.C. (2000). *Recovery of Carotenes*. US Patent No. 6072092.
- Othman, N., Manan, Z.A., Wan Alwi, S.R. dan Sarmidi, M.R. (2010). A review of extraction technology for carotenoids and Vitamin E recovery from palm oil. *Journal of Applied Sciences* **10**(12): 1187-1191.

- Panjaitan, F.R., Siahaan, D., Herawan, T., Rivani, M. dan Hasibuan, H.A. (2008). Studi awal penjumlahan karoten sawit dengan teknik *solvolytic micellization* menggunakan pelarut mayor etanol. *Jurnal PPKS* **16**(3):163-170.
- Rahman, M.M., Adil, M. dan Yusof, A.M. (2012). Porosity development in activated carbon from palm kernel and coconut shell by chemical activation method. *Research Journal of Chemistry and Environment* **16**(4): 189-191.
- Radzian, R. (2010). *GRAS Exemption Claim Palm Carotenoid*. Malaysian Palm Oil Board, Malaysia.
- Riberio, M.H.L., Lourenço, P.A.S., Monteiro, J.P. dan Ferreira-Dias, S. (2001). Kinetics of selective adsorption of impurities from a crude vegetable oil in hexane to activated earths and carbon. *European Food Research and Technology* **213**: 132-138.
- Rivani, M., Panjaitan, F.R., Hasibuan, H.A., Siahaan, D. dan Herawan, T. (2009). Optimasi penjumlahan karotenoid dari metil ester sawit dengan metode *solvolytic micellization*. *Journal Penelitian Kelapa Sawit* **7**(1): 30-36.
- Rodriguez-Amaya, D.B. dan Kimura, M. (2004). *Harvestplus Handbook for Carotenoid Analysis*. HarvestPlus Technical Monograph 2. International Food Policy Research Institute (IFPRI) and International Center for Tropical Agriculture (CIAT). Copyright HarvestPlus, Washington.
- Sabah, E., Çinar, M. dan Çelik, M.S. (2007). Decolorization of vegetable oils: Adsorption mechanism of b-carotene on acid-activated sepiolite. *Food Chemistry* **100**: 1661–1668.
- Saka, S., Munusamy, M.V., Shibata, M., Tono, Y. Dam Miyafigi, H. (2008). Chemical constituents of the different anatomical part of the palm (*Elais guinensis*) for their sustainable utilization. *Dalam: Natural Resourcec Energy Environment-JSPS-VCC Group Seminar 2008*, hal: 19-34, Kyoto
- Shahidi, F. (2005). *Edible Oil and Fat Products: Edible Oils*. Bailey's Industrial Oil and Fat Products. 6<sup>th</sup> Ed. A John Wiley & Sons, Inc., Publication. <http://www.mrw.interscience.wiley.com/boifp> [2 Mei 2014].
- Sicaire, A.G., Vian, M., Fine, F., Joffre, F., Carré, P., Tostain, S. dan Chemat, F. (2015). Alternative bio-based solvents for extraction of fat and oils: solubility prediction, global yield, extraction kinetics, chemical composition and cost of manufacturing. *International Journal Molecular Sciences* **16**: 8430-8453.
- Silberberg, M.S. (2015). *Chemistry: The Molecular Nature of Matter and Change*, 7<sup>th</sup> edn. McGraw-Hill Education, New York.
- Silva, S.M., Sampaio, K.A., Ceriani, R., Verhe, R., Stevens, C., Grey, W.D. dan Meirelles, A.J.A. (2013). Adsorption of carotenes and phosphorus from palm oil onto acid activated bleaching earth: Equilibrium, kinetics and thermodynamics. *Journal of Food Engineering* **118**: 341-349.
- Sings, A. (2017). Flame Retardent Finishes. *Mechanism of Flame Retardant Finishes*. [www.technicaltextile.net](http://www.technicaltextile.net) [13 Maret 2015].

- Sricharoenchaikul, V., Pechyen, C., Aht-ong, D. dan Atong, D. (2008). Preparation and characterization of activated carbon from the pyrolysis of physic nut (*Jatropha curcas* L.) waste. *Energy & Fuels* **22**: 31–37.
- Stavropoulos, G.G., Samaras, P. dan Sakellaropoulos (2008). Effect of activated carbon modification on porosity, surface structure and phenol adsorption. *Journal of Hazardous Materials* **151**: 414-421.
- Sun, Y., Yue, Q., Gao, B., Wang, Y., Gao, Y. dan Li, Q. (2013). Preparation of highly developed mesoporous activated carbon by  $H_4P_2O_7$  activation and its adsorption behavior for oxytetracycline. *Powder Technology* **249**: 54-62.
- Sundram, K., Sambanthamurthi, R. dan Tan, Y.A. (2003). Palm fruit chemistry and nutrition. *Asia Pacific Journal of Clinical Nutrition* **12**(3): 355-362.
- Tascón, J.M.D. (2012). *Novel Carbon Adsorbent*. Elsevier, USA. <http://www.books.google.co.id> (14 April 2014).
- Üner, O., Geçgel, Ü. dan Bayrak, Y. (2015). Preparation and characterization of mesoporous activated carbons from waste watermelon rind by using the chemical activation method with zinc chloride. *Arabian Journal of Chemistry*. xxx: xxx-xxx [In Press].
- Vargas, F.D., Jiménez, A.R. dan López, O.P. (2000). Natural pigments: Carotenoids, anthocyanins, and betalains-characteristics, biosynthesis, processing, and stability. *Critical Reviews in Food Science and Nutrition* **40**(3):173-289.
- Wang, X., Li, D., Li, W., Peng, J., Xis, H., Zhang, L., Guo, S. dan Chen, G. (2013). Optimization of mesoporous activated carbon from coconut shells by chemical activation with phosphoric acid. *BioResources* **8**(4): 6184-6195.
- Wang, S. Dan Luo, Z. (2017). *Pyrolysis of Biomass*. Walter de Gruyter GmbH, Berlin.
- Weber, J.R.W.J. (1974). *Adsorption Processes*, hal 375-392. <http://www.pac.iupac.org> [14 April 2014].
- Wei, P.C., May, C.Y., Ngan, M.A. dan Hock, C.C. (2005). Supercritical fluid extraction of palm carotenoids. *American Journal of Environmental Sciences* **1**(4):264-269.
- Wei, P.C., May, C.Y., Ngan, M.A. dan Hock, C.C. (2008). Production of carotenoids and tococls concentrate from palm oil using supercritical carbon dioxide. *Journal of Oil Palm Research* **2008**: 12-15.
- Witte, M. (1956). *Method of Obtaining Concentrates of Carotene*. US Patent No. 2717210.
- Wu, X.W., Ma H.W., Zhang, L.T. dan Wang, F.J. (2012). Adsorption properties and mechanism of mesoporous adsorbents prepared with fly ash for removal of Cu (II) in aqueous solution. *Applied Surface Science* **261**: 902-907.
- Wulandari, N. (2007). Produksi konsentrat karotenoid dari fraksi cair minyak sawit menggunakan metode kromatografi kolom adsorpsi. *Journal Ilmu Pertanian Indonesia* **12**(1): 28-34.

- Yahya, M. A., Al-Qodah, Z. dan Ngah, C.W.Z. (2015). Agricultural bio-waste materials as potential sustainable precursors used for activated carbon production: A review. *Renewable and Sustainable Energy Reviews* **46**(2015): 218–235.
- Yusufu, M. I., Ariaahu, C. C. dan Igbabul, B. D. (2012). Production and characterization of activated carbon from selected local raw materials. *African Journal of Pure and Applied Chemistry* **6**(9): 123-131.
- Zeb, A. (2011). Effects of  $\beta$ -carotene on the thermal oxidation of fatty acids. *African Journal of Biotechnology* **10**(68): 15346-15352.
- Zhang, J., Zang, J., Lin, L., Chen, T., Zhang, J., Liu, S., Li, Z. dan Ouyang, P. (2009). Dissolution of microcrystalline (MCC) in phosphoric acid-molecular changes and kinetics. *Molecules* **14**: 5027-5041.
- Zhong, Z., Yang, Q., Li, X., Luo, K., Liu, Y. dan Zeng G. (2012). Preparation of peanut hull-based activated carbon by microwave-induced phosphoric acid activation and its application in Remazol Brilliant Blue R adsorption. *Industrial Crops and Products* **13**:178-185.
- Zuo, S., Yang, J., Liu, J. dan Cai, X. (2009). Significance of the carbonization of volatile pyrolytic products on the properties of activated carbons from phosphoric acid activation of lignocellulosic material. *Fuel Process Technology* **90**(7-8): 994-1001
- Zuo, S., Xiao, Z. dan Yang, J. (2012). Evolution of gaseous products from biomass pyrolysis in the presence of phosphoric acid. *Journal of Analytical and Applied Pyrolysis* **95**: 236-240.