

DAFTAR PUSTAKA

- [1] J. Edquist, T. Horberry, S. Hosking, and I. Johnston, "Effects of advertising billboards during simulated driving," *Appl. Ergon.*, vol. 42, no. 4, pp. 619–626, May 2011.
- [2] J. O. Brooks *et al.*, "Simulator sickness during driving simulation studies," *Accid. Anal. Prev.*, vol. 42, no. 3, pp. 788–796, May 2010.
- [3] C. F. Alberti, L. Gamberini, A. Spagnoli, D. Varotto, and L. Semenzato, "Using an Eye-Tracker to Assess the Effectiveness of a Three-Dimensional Riding Simulator in Increasing Hazard Perception," *Cyberpsychology, Behav. Soc. Netw.*, vol. 15, no. 5, pp. 274–276, May 2012.
- [4] F. Bella, A. Calvi, and F. D'Amico, "Analysis of driver speeds under night driving conditions using a driving simulator," *J. Safety Res.*, vol. 49, no. February, p. 45.e1-52, Jun. 2014.
- [5] C. Stough, L. A. Downey, R. King, K. Papafotiou, P. Swann, and E. Ogden, "The acute effects of 3,4-methylenedioxymethamphetamine and methamphetamine on driving: A simulator study," *Accid. Anal. Prev.*, vol. 45, pp. 493–497, Mar. 2012.
- [6] M. Biernacki and Ł. Dziuda, "Mood and simulator sickness after truck simulator exposure," *Int. J. Occup. Med. Environ. Health*, vol. 27, no. 2, pp. 278–292, Jan. 2014.
- [7] K. Zuzewicz, A. Saulewicz, M. Konarska, and Z. Kaczorowski, "Heart rate variability and motion sickness during forklift simulator driving," *Int. J. Occup. Saf. Ergon.*, vol. 17, no. 4, pp. 403–410, 2011.
- [8] S. Classen, C. Levy, D. L. Meyer, M. Bewernitz, D. N. Lanford, and W. C. Mann, "Simulated Driving Performance of Combat Veterans With Mild Traumatic Brain Injury and Posttraumatic Stress Disorder: A Pilot Study," *Am. J. Occup. Ther.*, vol. 65, no. 4, pp. 419–427, Jul. 2011.
- [9] N. Fouladinejad, N. Fouladinejad, M. K. Abd Jalil, and J. M. Taib, "Modeling virtual driving environment for a driving simulator," in *2011 IEEE International Conference on Control System, Computing and Engineering*, 2011, no. Vdm, pp. 27–32.
- [10] M. L. van Emmerik, S. C. de Vries, and J. E. Bos, "Internal and external fields of view affect cybersickness," *Displays*, vol. 32, no. 4, pp. 169–174, Oct. 2011.
- [11] N. Sugita *et al.*, "Relationship between Physiological Indices and a Subjective Score in Evaluating Visually Induced Motion Sickness," in *Conference: Virtual and Mixed Reality, Third International Conference, VMR 2009, Held as Part of HCI International 2009, San Diego, CA, USA, July 19-24, 2009. Proceedings*, 2009, pp. 114–119.
- [12] L. Rebenitsch and C. Owen, "Review on cybersickness in applications and visual displays," *Virtual Real.*, vol. 20, no. 2, pp. 101–125, Jun. 2016.
- [13] J. J. LaViola, "A discussion of cybersickness in virtual environments," *ACM SIGCHI Bull.*, vol. 32, no. 1, pp. 47–56, 2000.
- [14] S. Wibirama and K. Hamamoto, "Investigation of Visually Induced Motion Sickness in Dynamic 3D Contents based on Subjective Judgment , Heart

- Rate Variability , and Depth Gaze Behavior,” *36th Annu. Int. Conf. IEEE Eng. Med. Biol. Soc.*, pp. 4803–4806, 2014.
- [15] R. H. Y. So and H. Ujike, “Visually induced motion sickness, visual stress and photosensitive epileptic seizures: What do they have in common? - Preface to the special issue,” *Appl. Ergon.*, vol. 41, no. 4, pp. 491–493, 2010.
- [16] B. Keshavarz and H. Hecht, “Pleasant music as a countermeasure against visually induced motion sickness,” *Appl. Ergon.*, vol. 45, no. 3, pp. 521–527, 2014.
- [17] Malik SH. Blake H. Suggs LS., “A systematic review of Cybersickness,” *Br. J. Health Psychol.*, vol. 19, pp. 149–180, 2014.
- [18] M. B. Flanagan, J. G. May, and T. G. Dobie, “Sex Differences in Tolerance to Visually-Induced Motion Sickness,” vol. 76, no. 7, pp. 642–646, 2005.
- [19] “Motion sickness in public road transport: passenger behaviour and susceptibility,” no. November 2014, pp. 37–41, 2010.
- [20] H. Duh, D. Parker, and T. Furness, “An independent visual background reduced simulator sickness in a driving simulator,” *Presence Teleoperators Virtual ...*, vol. 13, no. 5, pp. 578–588, 2004.
- [21] M. Emoto, M. Sugawara, and Y. Nojiri, “Viewing angle dependency of visually-induced motion sickness in viewing wide-field images by subjective and autonomic nervous indices,” *Displays*, vol. 29, no. 2, pp. 90–99, 2008.
- [22] D. M. Johnson, “Introduction to and review of simulator sickness research. Research Report. United States Army Research Institute for the Behavioral and Social Sciences.pdf,” no. April, 2005.
- [23] J. M. Drexler, “Identification of System Design Features that Affect Sickness in Virtual Environments,” *Diss. Univ. Cent. Florida*, 2006.
- [24] J. E. Bos, S. C. de Vries, M. L. van Emmerik, and E. L. Groen, “The effect of internal and external fields of view on visually induced motion sickness,” *Appl. Ergon.*, vol. 41, no. 4, pp. 516–521, Jul. 2010.
- [25] Ł. Dziuda, M. P. Biernacki, P. M. Baran, and O. E. Truszczyński, “The effects of simulated fog and motion on simulator sickness in a driving simulator and the duration of after-effects,” *Appl. Ergon.*, vol. 45, no. 3, pp. 406–412, May 2014.
- [26] C. Guo, C. Tsoi, Y. Wong, K. Yu, and R. So, “Visually induced motion sickness during computer game playing,” in *Contemporary Ergonomics and Human Factors 2013*, Taylor & Francis, 2013, pp. 51–58.
- [27] Z. Sharafi, Z. Soh, and Y.-G. Guéhenec, “A systematic literature review on the usage of eye-tracking in software engineering,” *Inf. Softw. Technol.*, vol. 67, pp. 79–107, Nov. 2015.
- [28] B.-C. Min, S. Chung, Y. Min, and K. Sakamoto, “Psychophysiological evaluation of simulator sickness evoked by a graphic simulator,” *Appl. Ergon.*, vol. 35, no. 6, pp. 549–556, Nov. 2004.
- [29] J. T. T. Ji, R. H. Y. So, and R. T. F. Cheung, “Isolating the Effects of Vection and Optokinetic Nystagmus on Optokinetic Rotation-Induced Motion Sickness,” *Hum. Factors J. Hum. Factors Ergon. Soc.*, vol. 51, no.

- 5, pp. 739–751, Oct. 2009.
- [30] E. M. Kolasinski, “Simulator sickness in virtual environments. Technical Report. United States Army Research Institute for Behavioral and Social Sciences.pdf.” 1995.
 - [31] S. Bruck and P. A. Watters, “Estimating cybersickness of simulated motion using the Simulator Sickness Questionnaire (SSQ): A controlled study,” *Proc. 2009 6th Int. Conf. Comput. Graph. Imaging Vis. New Adv. Trends, CGIV2009*, pp. 486–488, 2009.
 - [32] G. D. Park, R. W. Allen, D. Fiorentino, T. J. Rosenthal, and M. L. Cook, “Simulator Sickness Scores According to Symptom Susceptibility, Age, and Gender for an Older Driver Assessment Study,” *Proc. Hum. Factors Ergon. Soc. Annu. Meet.*, vol. 50, no. 26, pp. 2702–2706, Oct. 2006.
 - [33] S. Classen, M. Bewernitz, and O. Shechtman, “Driving simulator sickness: An evidence-based review of the literature,” *Am. J. Occup. Ther.*, vol. 65, no. 2, pp. 179–188, Mar. 2011.
 - [34] L. N. Boyle and J. D. Lee, “Using driving simulators to assess driving safety,” *Accid. Anal. Prev.*, vol. 42, no. 3, pp. 785–787, May 2010.
 - [35] A. Science, “Driving Simulator Laboratory, Center for Intelligent Systems Research GW Transportation Research Institute School of Engineering and Applied Science.”
 - [36] J. L. Rosch and J. J. Vogel-Walcutt, “A review of eye-tracking applications as tools for training,” *Cogn. Technol. Work*, vol. 15, no. 3, pp. 313–327, 2013.
 - [37] J. Li, X. Zhao, S. Xu, J. Ma, and J. Rong, “The Study of Driving Simulator Validation for Physiological Signal Measures,” *Procedia - Soc. Behav. Sci.*, vol. 96, no. Cictp, pp. 2572–2583, Nov. 2013.
 - [38] F. Bella, “Driving simulator for speed research on two-lane rural roads,” *Accid. Anal. Prev.*, vol. 40, no. 3, pp. 1078–1087, May 2008.
 - [39] C. Diels and P. a. Howarth, “Frequency Characteristics of Visually Induced Motion Sickness,” *Hum. Factors*, vol. 55, no. 3, pp. 595–604, 2013.
 - [40] S. Bouchard, G. Robillard, P. Renaud, and F. Bernier, “Exploring new dimensions in the assessment of virtual reality induced side effects,” *J. Comput. Inf. Technol.*, 2011.
 - [41] P. A. Howarth and P. J. Costello, “The occurrence of virtual simulation sickness symptoms when an HMD was used as a personal viewing system,” vol. 18, pp. 107–116, 1997.
 - [42] M. Sickness and V. Environments, “Motion Sickness and Oculomotor Systems in,” vol. I, no. 3, pp. 302–305, 1992.
 - [43] H. M. Pinsky and F. E. Dudek, “Motion Sickness: An Evolutionary Hypothesis,” no. November 1976, 1977.
 - [44] M. B. Flanagan, J. G. May, and T. G. Dobie, “The role ofvection , eye movements and postural instability in the etiology of motion sickness,” vol. 14, pp. 335–346, 2004.
 - [45] B. Chan, S. Cheol, S. Jin, C. Jung, M. Sim, and K. Sakamoto, “Autonomic responses of young passengers contingent to the speed and driving mode of a vehicle,” vol. 29, pp. 187–198, 2002.

- [46] Y. Yokota, M. Aoki, K. Mizuta, Y. Ito, and N. Isu, "Motion sickness susceptibility associated with visually induced postural instability and cardiac autonomic responses in healthy subjects," *Acta Otolaryngol.*, vol. 125, no. 3, pp. 280–285, Mar. 2005.
- [47] G. F. Wilson, "The International Journal of Aviation An Analysis of Mental Workload in Pilots During Flight Using Multiple Psychophysiological Measures An Analysis of Mental Workload in Pilots During Flight Using Multiple Psychophysiological Measures," no. November 2014, pp. 37–41, 2009.
- [48] P. A. Bick, "Physiological and psychological correlates of motion sickness," *Br. J. Med. Psychol.*, vol. 56, no. 2, pp. 189–196, Jun. 1983.
- [49] R. KRUK, "Simulator sickness experience in simulators equipped with fiber optic helmet mounted display systems," in *Flight Simulation Technologies Conference*, 1992.
- [50] C. Deniaud, V. Honnet, B. Jeanne, and D. Mestre, "An investigation into physiological responses in driving simulators: An objective measurement of presence," *Proc. 2015 Sci. Inf. Conf. SAI 2015*, pp. 739–748, 2015.
- [51] P. Konstantopoulos, P. Chapman, and D. Crundall, "Driver ' s visual attention as a function of driving experience and visibility . Using a driving simulator to explore drivers ' eye movements in day , night and rain driving," *Accid. Anal. Prev.*, vol. 42, no. 3, pp. 825–832, 2010.
- [52] M. E. McCauley and T. J. Sharkey, "Cybersickness: Perception of Self-Motion in Virtual Environments," *Presence Teleoperators Virtual Environ.*, vol. 1, no. 3, pp. 311–318, Jan. 1992.
- [53] C. Wei, S. Chuang, W. Wang, L. Ko, T. Jung, and C. Lin, "Implementation of a Motion Sickness Evaluation System Based on EEG Spectrum Analysis," pp. 1081–1084, 2011.
- [54] Ehrlich SD, "Motion sickness," 2012. [Online]. Available: <http://umm.edu/health/medical/altmed/condition/motion-sickness>. [Accessed: 11-Feb-2017].
- [55] R. S. Kennedy, J. Drexler, and R. C. Kennedy, "Research in visually induced motion sickness," *Appl. Ergon.*, vol. 41, no. 4, pp. 494–503, Jul. 2010.
- [56] R. S. Kennedy, N. E. Lane, S. Kevin, and M. G. Lilienthal, "Simulator Sickness Questionnaire : An Enhanced Method for Quantifying Simulator Sickness," *Int. J. Aviat. Psychol.*, vol. 3, no. 3, pp. 203–220, 1993.
- [57] S. Wibirama, *Study on 3D Gaze Measurement and Its Application to Analyze Visually Induced Motion Sickness in Stereoscopic Environment*. Tokai University, 2014.
- [58] S. Chandra, S. Malhotra, G. Sharma, and D. Jha, "Eye Tracking based Human Computer Interaction," 2015.
- [59] S. T. Moore, T. Haslwanter, I. I. A. N. S. Curthoys, and S. T. Smiths, "A Geometric Basis for Measurement of Three-dimensional Eye Position Using Image Processing," vol. 36, no. 3, 1996.
- [60] W. Liu, D. Zhuang, X. Yuan, and C. Liu, "Eye movement measure system and its applications," *Proc. - 2010 Int. Conf. Web Inf. Syst. Mining, WISM*

- 2010, vol. 2, pp. 239–243, 2010.
- [61] K. Benzeroual and R. S. Allison, “CYBER (MOTION) SICKNESS IN ACTIVE STEREOSCOPIC 3D GAMING,” pp. 1–7, 2013.
 - [62] S. Zugal and J. Pinggera, “Low–Cost Eye–Trackers: Useful for Information Systems Research?,” in *International Conference on Advanced Information Systems Engineering*, 2014, pp. 159–170.
 - [63] J. W. Creswell, “Educational research: planning, conducting, and evaluating quantitative and qualitative research,” in *Pearson Education. Boston*, 2012.
 - [64] A. Duchowski, “Eye Tracking Methodology,” in *Springer-Verlag London*, London: Springer-Verlag London, 2007, p. 125.
 - [65] L. Research, “ANOVA with Repeated Measures using SPSS Statistics.” [Online]. Available: <https://statistics.laerd.com/spss-tutorials/one-way-anova-repeated-measures-using-spss-statistics.php>. [Accessed: 19-Feb-2017].
 - [66] Ltd and L. Research, “Two-way repeated measures ANOVA using SPSS Statistics.” [Online]. Available: <https://statistics.laerd.com/spss-tutorials/two-way-repeated-measures-anova-using-spss-statistics.php>.
 - [67] “City Car Driving.” .
 - [68] R. Lenth, “Java applets for sample size,” *Power sample size page*. (<http://www.stat.uiowa.>, 2003.
 - [69] B. Sharif and J. I. Maletic, “An eye tracking study on the effects of layout in understanding the role of design patterns,” in *2010 IEEE International Conference on Software Maintenance*, 2010, pp. 1–10.