

- Artis, D. 2006. New Weapons in The War on Worms : Identification of Putative Mechanism of Immune-Mediated Expulsion of Gastrointestinal Nematodes. *Int. J. Parasitol.* 36 (6) : 723-73.
- Bader Abdul KM, Cherian S, Hamdy Ibrahim AR. 2002. Hyperinfection with *Strongyloides stercoralis*. Kuwait Medical Journal.
- Bangs MJ, Sirait S, Purnomo, Maguire JD. 2006. Strongyloidiasis with Gastric Mucosal Invasion Presenting with Acute Interstitial Nephritis. Southeast Asian J Trop Med Public Health.
- Bashar, Y.L.D., 2013, Makalah *Strongyloides stercoralis*, Bina Husada Kendari, Sulawesi Tenggara.
- Bethony, J., Brooker, S., Albonico, M., Geiger, S.M., Loukas, A., Diemert, D., Hotez, P.J. 2006. Soil-Transmitted Helminth Infections : Ascariasis, Trichuriasis, and Hookworm. *Lancet.* 367 : 1521-1532.
- Brooker, S., Neal, A., Stefan, G., Moyeed, A.R., Stander, J., Fleming, F., Hotez, P.J. 2006. Contrasting Patterns in The Small-Scale Heterogeneity of Human Helminth Infections in Urban and Rural Environments in Brazil. *Int. J. Parasitol.* 36 (10-11) : 1143-1151.
- Bustan, M.N. dan Arsunan, A. 2002. *Diagnosis Sakit di dalam Pengantar Epidemiologi*. hal 21-27. Rineka Cipta, Jakarta.
- CDC. *Strongyloides*. <http://www.cdc.gov/parasites/strongyloides/>.
- Chatterjee, K.D. 2009. *Phylum Nematelminthes Class Nematoda di dalam Parasitology : Protozoology and Helminthology*, hal 205-233, 13th edition, Thomshon Press (India) Ltd, New Delhi.
- Chauhan HC, Kher HN, Chandel BS, Dadawala AL, Jain L, Agrawal SM, Bhadaniya A. 2009. Evaluation of group specific nested pcr for detection of bluetongue virus. *Veterinary World* 2(5):179-182
- Craig, C.F., et al. 1970. *Strongyloides*. Craig and Faust's Clinical Parasitology. Michigan : Lea & Febinger. CDC.
- Craig, C.F., et al. 1979. *Strongyloides*. Craig and Faust's Clinical Parasitology. Michigan : Lea & Febinger. CDC.
- Dachi, RA. 2005. *Hubungan Perilaku Anak Sekolah Dasar No. 174593 Hatoguan terhadap Infeksi Cacing Perut di Kecamatan Palipi Kabupaten Samosir*. <http://repository.usu.ac.id/bitstream/123456789/15363/1/mkides2005-%2829.pdf>. Diakses pada tanggal 28 Juni 2011.

Depkes RI. 2009. *Pencapaian Kegiatan Pengendalian Penyakit dan Penyehatan Lingkungan di dalam Profil Pemberantasan Penyakit Menular dan Penyehatan Lingkungan 2008*, hal 19-173. Depkes RI, Jakarta.

Ditjen PPM dan PL. 2014. *Kebijakan dan strategi akselerasi pengendalian penyakit menular dan penyehatan lingkungan*. Jakarta.

DPDx. 2013. *Laboratory Identification of Parasitic Diseases of Public Health Concern*. CDC.

Endrawati, H. 2014. *Diagnosis Hookworm, Ancylostoma duodenale, Necator americanus, dan Strongyloides stercoralis*. Universitas Brawijaya. Surabaya.

Ericksson, C.D., 2001. *Diagnosis of Strongyloides Stercoralis infection*. Infectious diseases society of America, Texas.

Flori, P., 2004. *Comparison Between Real-Time PCR, Conventional PCR and Different Staining Techniques For Diagnosing Pneumocystis jiroveci Pneumonia From Bronchoalveolar lavage specimens*, *Journal of Medical Microbiology* (2004), 53, 603-607, doi 10.1099/jmm.0.45528-0.

Gandahusada, S. 2000. *Parasitologi Kedokteran*. Edisi ketiga. Jakarta. Balai Penerbit Fakultas Kedokteran Universitas Indonesia.

Gandahusada, S., Illahude, D.H., Pribadi, W. 2006. *Helminthologi di dalam Parasitologi Kedokteran*, hal 7-23. Balai Penerbit Fakultas Kedokteran Universitas Indonesia, Jakarta.

Genta, R.M. 1988. *Predictive Value of an Enzyme-Linked Immunosorbent Assay (ELISA) for the Serodiagnostic of Strongyloidiasis*. *Am J Clin Pathol*. 89: 391-394.

Ghokale Uday, A., Pillai, G. Rajasekharan., Said Al-Mammari., Dhia Al-Layla. 2010. *Hyperinfection by Strongyloides stercoralis*. *Oman Medical Journal*. Volume 25. Issue 2.

Glinz, D., et al., 2010. *Comparing Diagnostic Accuracy of Kato-Katz, Koga Agar Plate, Ether-Concentration, and FLOTAC for Schistosoma mansoni and Soil-Transmitted Helminths*. *PLoS Negl Trop Dis*, 4 (7): e754 (1-10) pdf

Goh SK, Chow PK, Chung AY, et al; *Strongyloides colitis in patient with Cushing Syndrom*. *Gastrointest Endosc*. 2004. May; 59 (6); 738-741.

Greiner K, Bettencourt J, Semolic C. 2008. *Strongyloidiasis: A Review and Up Date by Case Example*. *Clin Lab Sci*.

Hasibuan, I.C.L., 2012. *Kejadian Infeksi Cacing dan Gambaran Kebersihan Pribadi Pada Anak Usia SD di 27 Propinsi di Indonesia*. Tesis. UIN Syarif Hidayatullah. Jakarta.

Hewajuli, D.A., 2014. *Perkembangan Teknologi Reverse Transcriptase Polymerase Chain Reaction dalam Mengidentifikasi Genom Avian Influenza dan Newcastle Disease*. Balai Besar Penelitian Veteriner. Bogor.

Hotez, P.J., Brooker, S., Bethony, J.M., Botazzi, M.E., Loukas, A., Xiao, S. 2004. Current Concept : Hookworm Infections. *New Engl. J. Med.* 351 : 799-807

Hotez, P.J., Molyneux, D.H., Fenwick, A., Kumaresan, J., *et al.* 2007. Control of Neglected Tropical Disease. *N Engl. J. Med.* 357 : 1018-1027.

Husman, A. 20016. Mahluk hidup: Daur hidup cacing tambang. Jakarta. Pusat Ilmu Biologi.

Jia, T.W., Melville, S., Utzinger, J., King, C.H., Zhou, X. 2012. Soil-Transmitted Helminth Reinfection after Drug Treatment : A Systematic Review and Metaanalysis. *PLoS Negl. Trop. Dis.* 6(5) : e1621.

Kassalik, M., 2011. *Strongyloides stercoralis* Hyperinfection Syndrome and Disseminated Disease. Department of Internal Medicine and Gastroenterology, Marienhospital, Bottrop, Germany.

Kemenkes RI, 2011. Pedoman umum penanggulangan daerah bermasalah kesehatan kabupaten-kota (PDBK). Kementerian Kesehatan Republik Indonesia, Jakarta.

Kementerian Pekerjaan Umum Republik Indonesia, 2012. Peta infrastruktur Kabupaten Maluku Tengah. Loket Pelayanan Informasi Peta [website] [cited 2015 Apr 25];[1 screen]. Available from: URL: http://loketpeta.pu.go.id/assets/cms/uploads/images/media-peta/petainfrastruktur/pii-8100/8103_2012.gif.

Keiser, P.B., 2004. *Strongyloides stercoralis* in the Immunocompromised Population. Clinical Microbiology Review. Maryland.

Khieu, V., 2013. Diagnosis, Treatment, and Risk Factors of *Strongyloides stercoralis* in Schoolchildren in Cambodia. PLOS Neglected Tropical Diseases.

Knopp, S., *et al.*, 2008. Diagnosis of Soil-Transmitted Helminths in the Era of Preventive Chemotherapy: Effect of Multiple Stool Sampling and Use of Different Diagnostic Techniques. *PLoS Negl Trop Dis*, 2 (11): e331 (1-8) pdf

Kurt. 1999. Prinsip-prinsip Ilmu Penyakit Dalam. Vol.2. Penerbit Buku Kedokteran EGC. Jakarta.

Louise AM, Scott AA, Patricia BM, Stephen JR, Mark C, Martin OS, Shern LC, Adrian JLC. 2001. Pseudoexon Activation as a Novel Mechanism for Disease Resulting in Atypical Growth-Hormone Insensitivity. *Am. J. Hum. Genet.* 69:641–46.

Loutfy, M.R., Wilson M, Keystone JS, Kain KC, 2002. Serology and Eosinophil Count in the Diagnosis and Management of Strongyloidiasis in the Non Endemic Area. *American Journal of Tropical Medicine and Hygiene.* 66. 749-752.

Mayta H *et al.* 2008. Nested PCR for specific diagnosis of *Taenia solium* Taeniasis. *J Clin Microbiol* 46(1):286-289.

Maguire WF, Mintzer DM, Stopyra GA, Stern J. 2006. Strongyloidiasis Diagnosed by Endoscopic Biopsy in a Patient with Multiple Myeloma. *Common Oncol.*

- Mani RK, Sardana R, Chawla R, Bansal A, Kanwar MS, Kansal S. 2003. Respiratory Failure, Coma and Cutaneous Lesions Due to Disseminated Strongyloidiasis. *Indian J Crit Med*.
- Mardiana, L., Agustina, N., Riris, Djarismawati dan Sukijo. 2000. Telur *Ascaris lumbricoides* pada Tinja dan Kuku Anak Balita serta Tanah di Kecamatan Paseh, Kabupaten Bandung, Jawa Barat. *Maj. Parasitol Ind*. 13 (1-2) : 28– 32.
- Mardiana dan Djarismawati. 2008. Prevalensi Cacing Usus pada Murid Sekolah Dasar Wajib Belajar Pelayanan Gerakan Terpadu Pengentasan Kemiskinan Daerah Kumuh di Wilayah DKI Jakarta. *Jurnal Ekologi Kesehatan*. Vol.7 (2).
- Melianus, S., 2010. *Beberapa aspek ekoepidemiologi dan dinamika populasi geohelminths serta prevalensi dan distribusinya di perdesaan Pulau Ambon Maluku* [dissertation]. Universitas Gadjah Mada, Yogyakarta.
- Moghaddassani, H., 2011. Molecular Diagnosis of *Strongyloides stercoralis* Infection By PCR Detection of Specific DNA In Human Stool Samples, *Iranian J Parasitol*. Tehran University of Medical Sciences Publication.
- Nam SC, Han MH, Kim YS, Kum YS, Suh IS, Bae HI. 2007. Two Cases of Strongyloidiasis Diagnosed by Colonoscopy Biopsy. *Korean J Parasitol*.
- Nassi F. 2003. Leptospirosis diagnosis using Nested-PCR. *Braz. J. Microbiol*. 34(1):90-92.
- Ndonga, M.V., 2015. Hubungan Pengetahuan, Sanitasi Lingkungan, dan Sosial Ekonomi dengan Infeksi Soil Transmitted Helminths (STH) pada Anak Usia Sekolah Dasar di Kecamatan Salahutu dan Leihitu Kabupaten Maluku Tengah Provinsi Maluku. Tesis. Universitas Gadjah Mada. Yogyakarta.
- Neva, F.A. and Brown, H.W. 1994. *Basic Clinical Parasitology*. Appleton and Lange. New York.
- Partono, F. Kurniawan, A. Oemijati, S. 2003. *Nematoda Jaringan*. Penyunting: Gandahusada, S. Illahude, H. Pribadi, W. *Parasitologi Kedokteran*. Edisi ke-3. Jakarta. Balai Penerbit FKUI. 35-49.
- Paula, F.M., 2015. Molecular diagnosis of Strongyloidiasis in tropical areas: a comparison of conventional and real time PCR with parasitological methods, *Instituto de Medicina Tropical*. Rio de Janeiro.
- Pezzani, B.C., Minvielle, M.C., De-Luca, M.M. 1996. Intestinal Parasite Infections in a Peri Urban Community from the Province of Buenos Aires, Argentina. *Bol Chil Parasitol*. 51 : 42-5.
- Rayan, H. Z., 2012. Detection of *Strongyloides stercoralis* in Fecal Samples Using Conventional Parasitological Techniques and Real Time PCR: A Comparative Study, Medical Parasitology Department, Faculty of Medicine, Suez Canal University, Ismailia, Egypt. ISSN: 0258-3216, Vol.5, No. 1, 2012.

Rivasi F, Pampiglione S, Boldorini R, Cardinale L. 2006. Histopathology of Gastric and Duodenal *Strongyloides stercoralis* Locations in Fifteen Immunocompromised Subjects. Arch Pathol Lab Med.

Salatalohy, N. M., 2012. Pengetahuan ibu tentang infeksi cacing *Ascaris lumbricoides* pada anak usia pra sekolah di desa batu merah kota Ambon. *Molluca medika*, Universitas Pattimura, Ambon.

Salakory, M. 2010. Beberapa Aspek Ekoepidemiologi dan Dinamika populasi Geohelminths serta Prevalensi dan Distribusinya di Pedesaan Pulau Ambon Maluku. *Disertasi*, Program Doktor Ilmu Kedokteran dan Kesehatan Universitas Gadjah Mada, Yogyakarta.

Sandjaja, Bernandus. 2007a. *Ascaris lumbricoides di dalam Parasitologi Kedokteran, Helminthologi Kedokteran* Buku-2, hal 116-125, Pedro Herri (ed). Prestasi Pustaka, Jakarta.

Sandjaja, Bernandus. 2007b. *Ascaris lumbricoides di dalam Parasitologi Kedokteran, Helminthologi Kedokteran* Buku-2, hal 116-125, Pedro Herri (ed). Prestasi Pustaka, Jakarta

Schar,F, 2013. Evaluation of real-time PCR for *Strongyloides stercoralis* and hookworm as diagnostic tool in asymptomatic schoolchildren in Cambodia. Elsevier. Acta Trop.Vol. 126, issue 2, May 2013, pages 89-92, doi: 10.1016/j.actatropica.2012.12.012.

Schar, F., 2013. *Strongyloides stercoralis*: Global Distribution and Risk Factors. PLOS Neglected Tropical Diseases. Vol. 7. Issue 7.

Skotnikova OI et al. 1999. Application of Nested PCR technique for the diagnosis of Tuberculosis. *Bulletin of experimental biology and medicine* 129 (6):612-614.

Scrimgeour EM, Mehta FR, Ali Jaffer MS. 1999. Infections and Tropical Diseases in Oman: A Review. Am J Trop Med Hyg.

Siddiqui, A.A., 2001. Diagnosis of *Strongyloides stercoralis* Infection. Texas Tech University Health Sciences Center and Amarilio Veterns Affairs Healthcare System, Amarilio, Texas.

Sitta,R.B., 2014. Conventional PCR for Molecular Diagnosis of Human Strongyloidiasis. Pubmed. Parasitology Impact Factor.

Soedarto. 2011. *Buku Ajar parasitologi Kedokteran*. Sagung Seto, Jakarta.

SSI. 2015. Parasite Diagnostic Services Offered By SSI. Statens Serum Institute. English.

Sunarno *et al.* 2013. PCR: Sebuah Alternatif Metode Diagnostik Secara Tepat, Cepat, Mudah dan Hemat, Makara Seri Kesehatan, 17(2), 88-94.

- Therese KL, Jayanthi U, Madhavan HN. 2005. Application of Nested Polymerase Chain Reaction (nPCR) Using MPB 64 Gene Primers to Detect Mycobacterium Tuberculosis DNA in Clinical Specimens From Extrapulmonary Tuberculosis Patients. *Indian J Med Res.* 122:165–170.
- Uga, S., Wandee, N., Viraksadi, C. 1997. Contamination of Soil with Parasite Eggs and Oocytes in Southern Thailand. *Southeast Asian J. Trop Med. Pub. Health*, 28 (suppl 3) : 14-7.
- Vandemark, L.M., Jia, T.W., Zhou, Z.N. 2010. Social Science Implications for Control of Helminth Infections in Southeast Asia. *Adv. Parasitol.* 73 : 137-170.
- Wachidaniyah, Sutomo, A.H., Padmawati, R.S. 2002. Pengetahuan, Sikap dan Perilaku Anak serta Lingkungan rumah dan Sekolah dengan Kejadian Infeksi kecacingan anak Sekolah Dasar (Studi di Kecamatan prembun kabupaten Kebumen. *Berita Kedokteran Masyarakat.* 18 (4) : 177-183.
- Wang, J.X., 2012. Application of a real-time PCR method for detecting and monitoring hookworm *Necator Americanus* infections in Southern China.
- Wardhiana, S. 1997. Peranan Ibu Rumah Tangga dalam Meningkatkan Kesehatan Lingkungan sebagai Upaya Memutus Rantai Penularan Penyakit Cacing pada Anak SD. *Tesis*, Program Pasca Sarjana Universitas Gadjah Mada, Yogyakarta.
- WHO. 2005. *Deworming for Health and Development. Report of The Third Global Meeting of The Partners for Parasite Control.* Geneva : World Health Organization.
- WHO. 2014. Standard Operating Procedure Khusus Untuk Kerja di Laboratorium Nidiag. Nidiag Digestive Study.
- Widyaningsih, I. 2009. Strongyloides. Fakultas Kedokteran Universitas Wijaya Kusuma Surabaya.
- Yaldiz M, Hakverdi S, Aslan A, Temiz M, Culha G. 2009. Gastric Infection by Strongyloides stercoralis: A Case Report. *Turk J Gastroenterol.*