

DAFTAR PUSTAKA

- Aday M. S., Caner C., 2013, The shelf life extension of fresh strawberries using an oxygen absorber in the biobased package, *Food Science and Technology* (52) 102-109
- Afrianti M., Dwiloka B., Setiani B.E., 2013, Perubahan Warna, Profil Protein, dan Mutu Organoleptik Daging Ayam Broiler Setelah Direndam dengan Ekstrak Daun Senduduk. *Jurnal Aplikasi Teknologi Pangan*, (2) 116-120.
- Ahmadi, T. E. (2009). *Teknologi Pengolahan Pangan*. Jakarta: PT Bumi Aksara.
- Ali, Z. M., Chin, L.-H., Marimuthu, M., dan Lazan, H. (2004). Low temperature storage and modified atmosphere packaging of carambola fruit and their effects on ripening related texture changes, wall modification and chilling injury symptoms. *Postharvest Biology and Technology*, 33(2), 181-192.
- Almatsier S. 2006. *Prinsip Dasar Ilmu Gizi*. Jakarta: Gramedia Pustaka Utama.
- Amarnath B., 2004. A Study On Antioxidant Nature Of Petai (*Parkia Speciosa*), Thesis. Nagarjuna University. Singapura.
- [AOAC] Association of Official Analytical Chemist. 2005. *Official Method of Analysis of The Association of Official Analytical of Chemist*. Arlington, Virginia, USA: Association of Analytical Chemist, Inc.
- AOCS (American Oil Chemists' Society). 2005. *Official Methods and Recommended Practices of The American Oil Chemists' Society*. Illinois: Am Oil Chem Soc Press' Champaign.
- Apriyantono A. 2002. *Pengaruh Pengolahan Terhadap Nilai Gizi dan Keamanan Pangan*. Fakultas Teknologi Pertanian. Universitas Bakrie.
- Arias MT, Pontes E, Linares G. 2003. Cooking-freezing-reheating (CFR) of sardine (*Sardine Pilchardus*) fillets, effect of different cooking and reheating procedures on the proximate and fatty acid composition. *Food Chem* 83: 349-356.
- Avanza M., Acevedo B., Chaves M., Añón M.(2013), Nutritional and anti-nutritional components of four cowpea varieties under thermal treatments: Principal component analysis, *Food Science and Technology*, (51) 148-157

- Baron, M. dan Fiala, J. 2012. Chasing after Minerality, Relationship to Yeast Nutritional Stress and Succinic Acid Production. *Czech J. Food Sci.* 30 (2) 188-193.
- Bautista O.K., Kosiyachinda S.A.S., Abd R. dan Soenoadji. 1988. Traditional vegetables of ASEAN. *ASEAN Food Journal.* 4(2), 47-58.
- Bufe, B. dan Meyerhof, W. 2006. 'Sensory Analysis of Food Flavor', dalam Voilley A. dan Etievan, P. *Flavour in Food.* Woodhead Publishing Limited. Cambridge. Inggris
- Chau, C. F., Cheung, P. C., dan Wong, Y. S. (1997). Effect of cooking on content of amino acids and antinutrients in three Chinese indigenous legume seeds. *Journal of the Science of Food and Agriculture*, 75, 447-452.
- Debnath, S., K.K. Bhat, and N.K. Rastogi, 2003. Effect of predrying on kinetics of moisture loss and oil uptake during deep fat frying of chickpea flour-based snack food. *J of Lebensm - Wiss. U - Technol.* 36 (2003): 91-98.
- Dostalova, P. K. J (2009). The Changes of - Galaktosidase during Germination and High Pressure Treatment of Legume Seeds. *Czech J. Food Science*, 57, S76.
- Koswara. (n.d.). Kacang-kacangan Sumber Serat Sarat Gizi. Retrieved Mei 2011
- Doyle, M.E. 2008. Sodium Reduction and Its Effect on Food Safety, Food Quality, and Human Health—A Brief Review of literature. Food Research Institute, University of Wisconsin. Madison
- El-Adawy, T. A. (2002). Nutritional composition and antinutritional factors of chickpeas (*Cicer arietinum* L.) undergoing different cooking methods and germination. *Plant Food for Human Nutrition*, 57, 83-97.
- French M, Sundram K, Clandinin M. 2002. Cholesterol-aemic effect of palmitic acid in relation to other dietary fatty acids. *J Clin Nutr* 8(2): 401-407.
- Folch, J., M. Lees, G.H.S. Stanley. 1957. A Simple Method For The Isolation and Purification Of Total Lipids From Animal Tissues. *The Journal of Biological Chemistry.*
- Gmelin. R, Susilo. R, dan Fenwick. G. R. 1981. Cyclic Polysulphides from *Parkia Speciosa*. *Phytochemistry* 20(11): 2521-2523

- Gomez, M.; Oliete, B.; Rosell, C. M.; Pando, V. dan Fernandez, E. (2008). Studies on cake quality made of wheat-chickpea flour blends. *LWT - Food Science and Technology* 41: 1701-1709.
- Guillen, S., Bel, J.M., Oria, R., Salvador, L., (2017). Influence of cooking conditions on organoleptic and health-related properties of artichokes, green beans, broccoli and carrots. *Food Chemistry* 217; 209-216
- Guillon, F., & Champ, M. J. (2002). Carbohydrate fractions of legumes: Uses in human nutrition and potential for health. *British Journal of Nutrition*, 88, 293–306.
- Gumilar GG, Zackiyah, Dwiyanti G, HM Siti. 2009. Pengaruh pemanasan terhadap profil asam lemak tak jenuh minyak bekatul. *Jurnal Pengajaran MIPA* 14(2): 143-150.
- Harris RS. 1998. General discussion on the stability of nutrients. Di dalam: Karmas E, Harris RS, editor. *Nutritional Evaluation of Food Processing*. New York: Van Nostrand Reinhold Co:3-6.
- Helen C. dan Fortune H. 1993. The Indo-Pacific species of parkia (leguminous: mimosoideae). *Kew Bulletin*, 49(2), 181-234
- Herlina, N dan H. S. *Ginting*, 2002. Lemak dan Minyak. Fakultas Teknik Jurusan. Teknik Kimia USU: Medan.
- Hurrell, R.K dan K.J. Carpenter. 1976. Nutritional Significance of crosslinking formation during food processing Dalam M. Fredman (Ed). *Protein crosslinking, nutritional and medical consequences*. Adv. Appl. Med. . Biol. Vol. 86B. Plenum Press, New York.
- Iorgyer, M.I., I.A. Adeka, N.D. Ikondo, dan J.J. Okoh. 2009. The Impact of Boiling Periods on the Proximate Composition and Level of Some Anti-Nutritional Factors in Pigeon Pea (*Cajanus cajan*) Seeds. *PAT* 2009; 5(1): 92-102 ISSN: 0794-5213.
- Jabeen, S., Alam, S., Saleem, M., Ahmad, W., Bibi, R., Hamid, F.S., dan Shah, H.u. 2015. Withering Timings Affect the Total Free Amino Acids and Mineral Contents of Tea Leaves During Black Tea Manufacturing. *Arabian Journal of Chemistry* (2015) xxx,xxx-xxx (<http://dx.doi.org/10.1016/j.arabjc.2015.03.011>)

- Jacob A. M., Cakti N. W., Nurjanah., 2008, Composition Alteration of Protein and Amino Acid of Ronggeng Shrimp (*Harpionosquilla raphidea*) Meat by Boiling. Jurnal Teknologi Hasil Perikanan. 9: 1-20.
- Jamaldin F., dan Mohamed S., 1993., Hypoglycemic Effect of Extracts of Petai Papan (*Parkia speciosa*, Hassk.), Pertanian J Trap. Agric. Sci. 16(3): 161-165.
- Kamisah, Y. Othman, F. Qodriyah, H.M.S. 2013. *Parkia speciosa* Hassk. A potential Phytochemistry. Evidence-Based complementary and alternative Kimiawi, 1-9
- Kalachova GS, Demirchieva SM, Gubanenko GA, Sushcik NN, & Gladyshev MI. 2006. Effect of boiling and frying on the content of essential polyunsaturated fatty acids in muscle tissue of four fish species. J Chem Food, 101(2007),1694—1700.
- Kapsimali, M. dan Barlow, L.A. 2013. *Developing a Sense of Taste* [Review]. Seminars in Cell & Developmental Biology. 24:200-209
- Kataria, A., Chauhan, B. M., dan Punia, D. (1989). Antinutrients in amphidiloids (blackgram & mung bean) varietal differences and effect of domestic processing and cooking. Plant Food and Human Nutrition, 39, 257–266.
- Knorr, D. (1999). Process assessment of high-pressure processing of foods: An overview. In F. A. R. Oliveira & J. C. Oliveira (Eds.), Processing foods. Quality optimization and process assessment (pp. 249–267). Boca Raton, FL: CRC Press.
- Kristinawati F., 2011, Effect Of Boiling Temperatures On Vitamin C, Antioxidant Activity, Texture, And Color Of Flowering White Cabbage (*Brassica rapa parachinensis* L. H. Bailey), Fakultas Teknologi Pertanian. Universitas Katolik Soegijapranata. Semarang.
- Laurena, A. C., Van Den, T., dan Mendoza, E. M. T. (1984). Effects of condensed tannins on the in vitro protein digestibility of cowpea (*Vigna unguiculata* (L.) Walp). Journal of Agricultural and Food Chemistry, 32, 1045–1048.
- Leblanc J, Sirot V, Oseredezuk, Bemrah N. 2008. Lipid and fatty acid composition of fish and seafood consumed in France: CALIPSO study. Journal of Food Composition and Analysis 21: 8-16.
- Li, W., Gu, Z., Yang, Y., Zhou, S., Liu, Y., Zhang, J., 2014. Non volatile taste components of several cultivated mushrooms. Food Chemistry. 145:427-431
- Lund, D. B., 1973, effect of Heat Processing. Food Tech. 27 (1)

- Mitsuo M. dan Osman F. 2001. Headspace constituents of parkia speciosa seeds. Natural products letters, 15(3), 171-176.
- Mohamed S., Shamsuddin ABD Md., Rehman, Sulaiman S. dan Abdullah F. 1987. Some nutritional and antinutritional components in jering (*pithecellobium jeringa*), kerdas (*pithecellobium microcarpum*) and petai (*parkia speciosa*). Pertanika, 10(1), 61-68
- Morris, W.S., Shepherd, T., Verral, S.R., McNicol, J.W., and Taylor, M.A. 2010. Relationship Between Volatile and Non-Volatile Metabolites and Attributes of Processed Potato Flavor. Phytochemistry. 71: 1765-1773
- Mubarak AE. 2004. Nutritional composition and antinutritional factors of mung bean seeds (*Phaseolus aureus*) as affected by some home traditional processes. J Chem Food, 89, (2005), 489—495.
- Mulyaningtyas, 2011. Perubahan Kandungan Asam Lemak dan Kolesterol Pada Daging Remis (*Corbicula Javanica*) Akibat Proses Pengolahan. Fakultas Perikanan dan Ilmu Kelautan, Institut Pertanian Bogor, Bogor.
- Mulyati, N.D.1994. Mempelajari Pengaruh Metode Pemasakan Terhadap Stabilitas Karoten Pada Beberapa Sayuran Hijau. Jurusan Gizi Masyarakat dan Sumber Daya Keluarga, Institut Pertanian Bogor, Bogor.
- Murray RK, Granner DK, Mayes, Peter A. 2003. *Biokimia Harper's*, Edisi ke-25. Terjemahan Jakarta: EGC Japan.
- Neta, E.R.D., Johanningsmeier, S.D., McFeeters, R.F. 2007. The Chemistry and Physiologi of Sour Taste- A Review. J. Food Science 72 (2) 33-38
- Onuegbu N.C., Nworah K.O., Essien P.E., Nwosu J.N. dan Ojukwu M., (2013), Proximate, Functional and Anti-Nutritional Properties of Boiled Ukpo Seed (*Mucuna flagellipes*) Flour, Nigerian Food Journal, 31(1): 1 – 5
- P'erez-D'iaz, I.M. 2010. Preservation of Acidified Cucumber with a Combination of Fumaric Acid and Cinnamaldehyde That Target Lactic Acid Bacteria and Yeast. J. Food Science 76 (7) 473-477

- Poelman, A.A.M., Delahunty, C.M., deGraaf, C., 2013. Cooking time but not cooking method affects children's acceptance of Brassica vegetables. *Food Qual. Prefer.* 28(2), 441–448.
- Purwaningsih S., Salamah E., Apriyana G.P., 2013. Protein and Amino Acid Profiles in Ipong-ipong Snail (*Fasciolaria salmo*) on Different Processing. *Jurnal Gizi dan Pangan*, 8(1): 77—82
- Rahardjo, S. 2004. Kerusakan Oksidatif pada Makanan. Pusat Studi Pangan dan Gizi. Universitas Gadjah Mada: Yogyakarta.
- Rehman Z., Shah W.H., (2005) Thermal heat processing effects on antinutrients, protein and starch digestibility of food legumes, *Food Chemistry Journal* 91:327–331
- Rockland, B. L., & Nishi, K. S. 1979. Tropical grain legumes. Hawaii: Honolulu (pp. 547–574).
- Sari, F.K 2017. Perubahan Komponen Rasa dan Kecernaan Protein Petai (*Parkia speciosa* Hassk.) Selama Penyimpanan Pada Suhu Kamar dan Suhu 15°C [Tesis]. Universitas Gadjah Mada. Yogyakarta
- Sartika R.A.D., 2009. Pengaruh Suhu Dan Lama Proses Menggoreng (*Deep Frying*) Terhadap Pembentukan Asam Lemak Trans. *Makara, Sains*, (13) 23-28.
- Singh, U. (1993). Protein quality of pigeon pea as influenced by seed polyphenols and cooking process. *Plant Food and Human Nutrition*, 43, 171–179.
- Slamet S., 2010, Optimasi Perendaman Dalam Larutan CaCl₂ Terhadap Sifat Fisik dan Tingkat Kesukaan Stick Pisang. *Jurnal AgriSains* (1)1-9.
- Sudarmadji, S., B. Haryono, Suhardi. 1997. Analisa Bahan Makanan Dan Pertanian. Penerbit Liberty. Yogyakarta. 127 hal.
- Suharjo C dan Kusharto. 1987. Prinsip-prinsip Ilmu Gizi. Bogor: Pusat Antar Universitas, Institut Pertanian Bogor.
- Sukarsa D. 2004. Studi aktivitas asam lemak omega-3 ikan laut pada mencit sebagai model hewan percobaan. *Buletin Teknologi Hasil Perairan* 8(1):68-79.
- Sulvi, P., Murdijati, G., Umar, S., Supriyadi. 2013. Umami Potential from Crude Extract of Bekkai lan (*Albertya papuana* Becc.) leaves an indigenous plant in

East Kalimantan-Indonesia. International Food Research Journal 20(2): 545-549

Suntanti, A. 2016. Perubahan Sifat Fisik dan Kimia, Aktivitas Antioksidan, Serta Profil Senyawa Volatil Petai (*Parkia speciosa* Hassk.) Selama Penyimpanan Pada Suhu Kamar dan Suhu 15°C [Tesis]. Universitas Gadjah Mada. Yogyakarta

Syafutri M.I., Pratama F., Saputra D., 2006. Physical and Chemical Characteristics of Mangoes (*Mangifera indica* L.) during Storage with Various Methods of Packaging. Fakultas Pertanian, Universitas Sriwijaya, Palembang.

Tamura M, Nakatsuka, T. Tada, M. Yoshihiro Kawasaki, Eiichi Kikuchi and Hideo Okai. 2014. The Relationship between Taste and Primary Structure of "Delicious Peptide" (Lys-Gly-Asp-Glu-Glu-Ser-Leu-Ala) from Beef Soup, Agricultural and Biological Chemistry, 53:2, 319-325.

Tang, C. H., Chen, L., & Ma, C. Y. (2009). Thermal aggregation, amino acid composition and in vitro digestibility of vicilin-rich protein isolates from three Phaseolus legumes: A comparative study. Food Chemistry, 113, 957–963.

Tiwari, U., Cummins, E., 2013. Factors influencing levels of phytochemicals in selected fruit and vegetables during pre- and post-harvest food processing operations. Food Res. Int. 50(2), 497–506.

Trugo L.C., Donangelo C. M., Trugo N.M.F., dan Bach Knudsen K.E., 2000. Effect of Heat Treatment on Nutritional Quality of Germinated Legume Seeds. *J. Agric. Food Chem.* 2000, 48, 2082-2086.

Winarno FG. 2008. *Kimia Pangan dan Gizi*. Bogor: M-Brio Press

Wong KW. 2005. Clinical efficacy of n-3 fatty acid supplementation in patients with asthma. *Journal of the American Dietetic Association* 105: 98-105

Yin, J., Zhang, Y., Du, Q., Chen, J., Yuan, H., and Xu, Y., 2014. Effect of Ca²⁺ Concentration on the Tastes From the Main Chemicals in Green Tea Infusions. *Food Research International* 62 (2014) 941-946

Yuanita, Leny dkk.. 2010. Isolasi, Pemurnian dan Karakterisasi Fitase *Bacillus subtilis* Dari Hollywood Gresik. Surabaya Indo. *J.Chem.*, 2005, Vol (3), 245 - 250: Jurusan Kimia FMIPA Universitas Negeri Surabaya.

Yu-Hui, T. (1991). Effect of the hard to cook defect and processing on protein and starch digestibility of cowpeas. *Journal of the Cereal Chemistry*, 68:413–418.

Williams, M.C. 1979. *Food Fundamentals*. John Wiley and Sons, New York, Toronto.