

## REFERENCE

- Al-Jabri, N. N., and M. A., Hossain. 2014. Comparative chemical composition and antimicrobial activity study of essential oils from two imported lemon fruits samples against pathogenic bacteria. *Journal of Basic and Applied Science*. 3 (2014). 247-253.
- Amerine, M. A., R. M., Pangborn, and E. B., Roessler. 1965. Principles of sensory evaluation of food. Departemens of Viticulture and Enology, Food science and technology and mathematics, University of California, Davis, California. Academic press. New York. Sanfransisco. London.
- Amiel, E., R., N., Ofir, E., Dudai, T., Soloway, Rabinsky, and S., Rachmilevitch. 2012.  $\beta$ -caryophyllene, a compound isolated from the Biblical Balm of Gilead (*Commiphora gileadensis*), is a selective apoptosis for tumor cell lines. *Journal of Evidence-Based Complementary and Alternative Medicine*. 2012. 1-8.
- Ardhannarong, S. 1996. Use of dried Som-Khaek as sour flavouring in Tom Yum cubes. Available in : FAO (Food and Agriculture Organization of the United Nations).
- Aree-Oonmetta, J., T., Suzuki, P., Gasaluck, and G. A., Eumkeb. 2006. Antimicrobial Properties And Action Of Galangal (*Alpinia Galanga* Linn.) On *Staphylococcus Aureus*. *LWT-Food Science And Technology*. 39 (10). 1214-1220.
- Aumatell, M. R., Vargas, L., S., Vichi, J. M., Guadayol, E. L., Tamames, and S., Buxaderas. 2011. Characterization of volatile composition of white salsify (*Tragopogon porrifolius* L.) by heasspace solid-phase microextraction (HS-SPME) and simultaneous distillation-extraction (SDE) coupled to GC-MS. *Journal of Food Chemistry*. 129. 557-564.
- Ayseli, MT, Y. I. A. Ayseli. 2016. Flavors Of The Future: Health Benefits Of Flavor Precursors And Volatile Compounds In Plant Foods Trends In Food Science Ando Technology. 48. 69-77.
- Balamurugan, V., V., Balakrishnan, and A., Sundaresan. 2015. GC-MS of leaf and Bark Extract of *Moringa concanensis* Nimmo, a siddha medicinal plant of South India. *Journal of European Journal of Biotechnology and Bioscience*. 3 (12). 57-61.

- Belitz, H.D., W., Grosch, and P., Schieberle. 2009. Food Chemistry. 4th revised and extended edition. Springer-Verlag Berlin Heidelberg.
- Bosch-Fuste, J., M. Riu-Aumatell, J. M. Guadayol, J. Caixach, E. Lopez-Tamames, and S. Buxaderas. 2007. Volatile profiles of sparkling wines obtained by three extraction methods and gas chromatography-mass spectrometry analysis. Food chemistry. 105 (1). 428-435.
- Chai, Q., B., Wu, W., Liu, L., Wang, C., Yang, Y., Wang, J., Fang, Y., Liu, and S., Li. 2012. Volatiles of plums evaluated by HS-SPME with GC-MS at the germplasm level. Journal of Food Chemistry. 130. 432-440.
- Christie, W. W. 1989. Gas chromatography and lipids. A practical guide. P. J. Barnes and Assoc. Oily Press. Scotland. 6-12.
- Colecio-Juárez, M. C., R. E., Rubio-Núñez, J. E., Botello-Álvarez, G. M., Martinez-Gonzalez, J. L., Navarrete-Bolanos, and H., Jimenez-Islas. 2012. Characterization of volatile compounds in the essential oil of sweet lime (*Citrus limetta* Risso). Chilean Journal of agricultural research. 72 (2). 275-280.
- Cortés, P. G., G. L., Sacks, J. T. Brenna. 2016. Quantitative analysis of volatiles in edible oils following accelerated oxidation using broad spectrum isotope standards. Journal of food chemistry. Vol 174. 310-318.
- Engel, W., W., Bahr, P. A., Schieberle. 1999. Solvent Assisted Flavour Evaporation- A New And Versatile Technique For The Careful And Direct Isolation Of Aroma Compounds From Complex Food Matrices. European Food Research And Technology. 209 (3-4). 237-241.
- Fujio, Y. 2001. Tom Yum Khung. Foods and Food Ingredient Journal of Japan. No 158. Available: <http://www.ffcr.or.jp/zaidan/FFCRHOME.nsf/pages/ffij-e158>.
- Gu, X., Z., Zhang, X., Wan, J., Ning, C., Yao, and W., Shao. 2009. Simultaneous Distillation Extraction of Some Volatile Flavor Components from Pu-erh Tea Samples-Comparison with Steam Distillation-Liquid/ Liquid Extraction and Soxhlet Extraction. International Journal of Analytical chemistry. 2009. 1-6.
- Hu, C-D., Y. Z., Liang, F. Q., Guo, X. R., Li, and W. P., Wang. 2010. Determination of essential oil composition from Osmanthus fragrans Tea by GC-MS Combined with a Chemometric Resolution Method. Journal of Molecules. 15. 3683-3693.
- Jennings, W.G., and A., Rapp. 1983. Sample Preparation For Gas Chromatographic Analysis . Huthig.

- Juárez, M.C.C., R. E. R., Núñez, J. E. B., Alvarez, G. M. M., Gonzales, J. L. N., Bolanos, and H. J., Islas. 2012. Characterization of volatile compounds in the essential oil of sweet lime (*Citrus limetta* Risso). Chilean Journal of Agricultural Research. 72 (2). 275-280.
- Kanchanakunjara T., S., Chantachon, M., Koseyayothin, and T., Kuljanabhagavad. 2015. Traditional curry pastes during Sukhothai to Ratthanakosin: The subjective experience of the past and present. Journal of Asian Culture and History. 7 (1). 175-186.
- Karlberg, Ann-Therese, K., Magnusson, U., Nilsson. 1992. Air oxidation of d-limonene (the citrus solvent) creates potent allergens. Contact Dermatitis. 26 (5). 332-40.
- Kitsawad, K., and N., Tuntisripreecha. 2016. Sensory Charactrization of Instant Tom Yum Soup. KMUTNB-International Journal of Application Science Technology. 9 (2). 145-152.
- Li, C., C., Zhao, X., He, L., Yang, Y., Fu, K., Wang, Y., Zhang, Y., Ni. 2016. A microwave-assisted simultaneous distillation and extraction method for the separation of polysaccharides and essential oil from the leaves of *Taxus chinensis* Var. mairei. Journal of applied science. 6 (19). 1-15.
- Li, S., W. Yuan, G. Deng, P. Wang, P. Yang. 2011. Chemical composition and product quality control of turmeric (*Curcuma longa* L.). Pharmaceutical Crops. 2011 (2). 28-54.
- Li-bin, W., J., Bai, and Y. Zhi-fang. 2016. Difference in volatile profile between pericarp tissue and locular gel in tomato fruit. Journal of Integrative Agriculture. 15 (12). 2911-2920.
- Lim, J. 2011. Hedonic scaling: A review of methods and theory. Journal of Food quality and preference. 22. 733-747.
- Lin, P. C. 2014. Comparison of Simultaneous Distillation and Extraction (SDE) and Headspace Solid Phase Microextraction (SPME) for Determination of Volatiles of Muscadine Grapes (*Vitis rotundifolia*). A thesis of Graduate school of Clemson University. In partial fulfillment of the Requirement for the degree master of science food, nutrition, and packing science. 2014.
- Lorjaroenphon, Y. 2004. Effect Of Processing On Aroma Compound Of Tom Yum Soup Bases. Kasetsart University. Bangkok.

- Mala, N., and H., Tamura. 2016. Identification of volatile compounds in dried kaffir lime leaves by liquid-liquid extraction method. Laboratorium of food chemistry. Faculty of agriculture. Kagawa university. Japan.
- Maimulyanti, A., and A. R., Prihadi. 2016. Chemical composition of essential oil and hexane extract and antioxidant activity of various extracts of *Acmella uliginosa* (Sw.) Cass flowers from Indonesia. Journal of Agriculture and Natural Resources. 50 (2016). 264-269.
- Majors, RE. 2013. Sample Preparation Fundamentals For Chromatography. Agilent Technologies, Mississauga, Canada .
- Mayachiew, P., S. A., Devahastin. 2008. Antimicrobial And Antioxidant Activities Of Indian Gooseberry And Galangal Extracts. LWT-Food Science And Technology . 41 (7). 1153-1159.
- Moldoveanu, S. C. and V., David. 2002. Sample preparation in Chromatography-1<sup>st</sup> edition. Journal of Chromatography Library. 65. 320.
- Mondello. L., A. Casilli, Q.P. Tranchida, L. Cicero, P. Dugo, and G. Dugo. 2003. Comparison of fast and conventional GC analysis for citrus essential oils. Journal of Agriculture and Food Chemistry. 51. 5602-5606.
- Murakami, A., A., Kondo, Y., Nakamura, H., Ohigashi, and K., Koshimizu. 1993. Possible anti-tumour promoting properties of edible plants from Thailand and Identification of an active constituent cardomonin (2', 4' dihydroxy-6' methoxychalcone) of *boesenbergia pandurata*. Bioscience Biotechnology and Biochemistry. 57. 1971-1973.
- Murakami, A. H., Ohigasi, and K., Koshimisu. 1994. Possible anti-tumour promoting properties of traditional Thai items and some of their active constituents. Asia Pacific Journal of Clinical Nutrition. 19. 185-191.
- Muthusamy, K., Gopal, V., and V., Sivanandham. 2015. GC-MS analysis of bioactive components of Karisalai Karpa Chooranam – A Shidda polyherbal formulation. Journal of International Journal of Phytopharmacology. 6 (3). 131-136.
- Pino, J. A., R., Marbot, and C., Vazquez. 2004. Volatile components of Tamarind (*Tamarindus indica* L.) Grown in Cuba. Journal of Essential Oil Research. 16. 318-320.

- Phornphisutthimas, S. 1996. Use of dried Som-Khaek as sour flavouring in Tom Yum cubes. Summary on Thai National AGRIS centre. Food and Agriculture Organization of The United Nations. 16. 318-320.
- Puspasari, I., S.M., Tasirin, A. W., Lun, P. V., Chai, and W. T., Lee. 2014. Drying of kaffir lime leaves in a fluidized bed dryer with inert particles: Kinetics and quality determination. *Journal of Industrial Crops and Products*. 61 (2014). 193-201.
- Raghavan, S. 2007. *Handbook of Spices, Seasonings, and Flavorings*. 2<sup>nd</sup> Edition. CRC Press. Taylor and Francis Group. Boca Raton. London. New York. 85-127.
- Romeo, V., M. Ziino, D., Giuffrida, C. Condurso, and A. Verzera. 2007. Flavour profile of capers (*Capparis spinosa* L.) from the Eolian Archipelago by HS-SPME/GC-MS. *Food Chemistry*. 110 (3). 1272-1278.
- Roriz, CL, L., Barros, A. M., Carvalho, C., Santos-Buelga, I. C. A., Ferreira. 2014. Pterospartum Tridentatum, Gomphrena Globosa And Cymbopogon citratus: A Phytochemical Study Focused On Antioxidant Compounds *Food Research International*. 62. 684-693.
- Russel, R., and P. R., Perez-Cacho. 2007. Citrus Flavour, Berger, R. G. (ed.), Chapter 6th. *Flavours and Fragrances Chemistry, Bioprocessing and Sustainability*. 16 (648). 117-134.
- Seah, R., S., Siripongvutikorn, W. A., Usawakesmanee. 2010. Antioxidant And Antibacterial Properties In Keang-Hleung Paste And Its Ingredients. In *Asian Journal Of Food And Agro-Industry*. King Mongkut's University of Technology Thonburi (KMUTT). 3(2). 213-220.
- Siripongvutikorn, S., T., Paibon, and H., Yao-wen. 2005. Antimicrobial and antioxidant effects of Thai seasoning, Tom Yum. *Swiss Society of Food Science and Technology*. 38. 347-352.
- Siripongvutikron, S., W., Usawakesmanee, T., Wittaya, B., Koonpaew, and N., Pengseng. 2012. Combined effect of low acid paste and modified atmospheric condition on quality changes of white shrimp, *Litopenaeus vannamei* during chilled storage. *International Food Research Journal*. 19 (4). 1573-1580.
- Sohilait, H. J. 2015. Chemical composition of the essential oils in *Eugenia caryophyllata*, Thunb from Amboina Island. *Science Journal of Chemistry*. 3 (6). 95-99.

- Somporn, C., A., Kamtuo, P., Theerakulpisut, and S., Siriamornpun. 2011. Effects of roasting degree on radical scavenging activity, phenolics and volatile compounds of Arabica coffee beans (*Coffea arabica* L. Cv. Catimor). *International Journal of Food Science and Technology*. 46. 2287-2296.
- Sonwa, M. M., C. Kost, A. Biedermann, R. Wegener, S. Schulz, and W. Boland. 2007. Dehydrogenation of ocimene by active carbon: artifact formation during headspace sampling from leaves of *Phaseolus lunatus*. *ARKICOV*. 3. 164-172.
- Stone, H., and Sidel, J. L. 2004. *Sensory Evaluation Practices: Third edition*. Academic Press Inc., Tragon Corporation, Redwood City. 87-152.
- Surburg, H. and J., Panten. 2006. *Common Fragrance and Flavor Materials. Preparation, Properties and Uses*. 5<sup>th</sup> Ed. WILEY-VCH Verlag GmbH and Co. KGaA. Weinheim.
- Tamura, H., R.H., Yang, and H., Sugisawa. 1993. Aroma profiles of peel oils of acid citrus. In Teranishi, R., Buttery, R. G., and Sugisawa, H. Eds., *Bioactive Volatile Compounds From Plants*. American Chemical Society, San Fransisco. 121-136.
- Tamura, H., A., Padrayuttawat, T. T., Ando. 1999. Seasonal Change Of Volatile Compounds Of Citrus Sudachi During Maturation. *Food Science And Technology Research* . 5 (2). 156-160.
- Tamura, H., S., Boonbumrung, T., Yoshizawa, and W., Varanyanond. 2000. Volatile components of the Essential Oils in the Pulp of Four Yellow Mangoes (*Mangifera indica* L.) in Thailand. *Journal of Food Science and Technology*. 6 (11). 68-73.
- Tasirin, S. M., I., Puspasari, A. W., Lun, P. V., Chai, and W. T. A., Lee. 2014. Drying Of Kaffir Lime Leaves In A Fluidized Bed Dryer With Inert Particles: Kinetics And Quality Determination *Industrial Crops And Products*. 61. 193-201.
- Teng, H., and W. Y., Lee. 2014. Antibacterial and antioxidant activities and chemical composition of volatile oils extracted from *Schisandra chinensis* Baill, seed using simultaneous distillation extraction method, and comparison with Soxhlet and microwave-assisted extraction. *Journal of Bioscience, Biotechnology, and Biochemistry*. 78 (1). 79-85.
- Tokitomo, Y., M., Steinhaus, A. Buttner, and P., Schieberle. 2014. Odor-active constituents in fresh pineapple (*Ananas comosus* [L.] Merr.) by quantitative and sensory evaluation. *Journal of Bioscience, Biotechnology, and Biochemistry*. 69 (7). 1323–1330.

- Turek, C. and C., Stintzing. 2005. Stability of essential oils: a review. *Comprehensive reviews in food science and food safety*. 12. 40-53.
- Watthanaphiromsakul, M., H., Tamura, J., Mookdasanit, L., Yonekura. 2015. Comparison of Extraction Methods and Characteristic Aroma Components of Traditional Tom Yum Paste. Kagawa University.
- Yang, L., C., Fengli, and Z., Yuangang. 2015. A novel approach for isolation of essential oil from fresh leaves of *Magnolia sieboldii* using Microwave-assisted simultaneous distillation extraction. *Journal of Separation and Purification Technology*. 154. 271-280.
- Yu, X., M., Zhao, F., Liu, S., Zeng, and J., Hu. 2013. Antioxidants in volatile Maillard reaction products; Identification and interaction. *Journal of LWT-Food Science and Technology*. 53. 22-28.
- Zhang, W., R., Wang, Y., Yuan, T., Yang, and S., Liu. 2016. Changes in volatiles of palm kernel oil before and after kernel roasting. *LWT-Food science and technology*. 73. 432-441.