

DAFTAR PUSTAKA

- Anand, P., Chellaram, C., Kumaran, S., Felicia, C. 2012. Screening for antibiotic producing marine bacteria against fish pathogens. *Inter J Pharm BioSci.* **2(1)**: 314–325.
- Auparakkitanon, S., Noonpakdee, W., Ralph, R.K., Denny W.A., & Wilairat, P., 2003, Antimalarial 9-anilinoacridine compounds detected at hematin, *J Antimicrob Chemother*, **47(12)**: 3708-3712.
- Baird, J.K., & Hoffman, S.L., 2004, Primaquine therapy for malaria, *Clin infect Dis*, **39**: 1336-1345.
- Bakar, N.A., Klonis, N., Hanssen, E., Chan, C., & Tilley, L., 2010, Digestive–vacuole genesis and endocytic processes in the early intraerythrocytic stages of *Plasmodium falciparum*, *J Cell Sci*, **123**: 441-450.
- Basco, L.K. 2007. *Field Application of In Vitro Assays for the sensitivity of Human Malaria Parasites to Antimalarial Drugs*. WHO, Geneva.
- Berdy, Janos. 2005. Bioactive Microbial Metabolites (review article). *J.Antibiot.* **58(1)**:1-26.
- Bergqvist, Y., & Lundegardh, N., 2007. *Antimalarial drug levels in body fluids*, in *Schalgenahauf-Lowlor & Patricia*, 2nd Edition, BC Decker Inc, Shelton USA. 248-268.
- Boncler, M., Rozalski, M., Krajewska, U., Podsednik, A., and Watala, C. 2014. Comparison of PrestoBlue and MTT assays of cellular viability in the assessment of anti-proliferative effects of plant extracts on human endothelial cells. *J. Pharmacol. Toxicol. Methods.* **69**: 9-16.
- Cowman, A.F., and Foote, S.J. 1990. Chemotherapy and drug resistance in malaria. *Int. J. Parasitol.* **20**: 503-513.
- Cross, T. 1982. Actinomycetes : *A Continuing Source of New Metabolites*. Di dalam Lancini G, Rolando L. 1993. *Biotechnology of Antibiotic and Other Bioactive Microbial Metabolites*. New York: Kluwer Academic Publisher Group.
- David, H.A., dan Oskar, R.Z. 1993. *Marine Biotechnology vol. 1*. New York, Plenum Press.
- Desjardins, R.E., Canfield, C.J., Haynes, J.D., and Chulay, J.D. 1979. Quantitative assessment of antimalarial activity *in vitro* by a semiautomated microdilution technique. *Antimicrob. Agents Chemother.* **16**: 710-718.

- Eisenbrand, G., Pool-Zobel, B., Baker, V., Balls, M., Blaauboer, B.J., Boobies, A., Carere, A., Kevekordes, S., Lhuguenot, J.C., Pieters, R., and Kleiner, J. *et al*, 2002. Methods of *in vitro* toxicology. *Food Chem. Toxicol.* **40**: 193-236.
- Ekwall, B., Silano, V., Paganuzzi-Stammati, A., and Zuko, F. 1990. Toxicity test with mammalian cell cultures. In Bourdeau (eds). *Toxicity Test for Non-genotoxic Effect*. John Wiley & Sons Ltd. 75-80.
- El-Gendy, M. A. A., Shaaban, K.A., El Bondkly, A.M., Laatsch H., 2008. Essramycin : a first triazolopyrimidine antibiotic isolated from nature. *J Antibiot* **61**: 149-157.
- Fidock, D.A., Eastman, R.T., Ward, S.A., & Meshnick, S.R., 2008, Recent highlights in antimalarial drug resistance and chemotherapy research, *Trends in Parasitol.* **24(12)**: 537-544.
- Fiedler, H.P., Christina, B., Alan.T.Bull., Alan, C.W., Michael, G., Olivier, P., Carsten, P., & Gerhard, H. 2005. Marine actinomycetes as a source of novel secondary metabolites. *Antonie van Leeuwenhoek*, **87**:37-42.
- Fuerst, J.A., 2014. Diversity and biotechnological potential of microorganism associated with marine sponges. *Appl Microbiol Biotechnol*, **98(17)**: 731-734.
- Ghanem. B.N., Soraya. A.S., Zeinab. M. E., & Gehan. A.A.E. 2000. Isolation and Enumeration of Marine Actinomycetes from Seawater and Sediments in Alexandria. *J.Gen. Appl.Microbiol.* **46(45)**:105-111.
- Gibbons, S., 2012. An introduction to planar chromatography and its application to natural products isolation. *Methods in Molecular Biology (Clifton, N.J.)*, **864**: 117–153.
- Goodfellow, M., William, S.T., & Mordarski. M., 1988. *Actinomycetes in Biotechnology*. Academic Press New York. p. 43-45.
- Holt, J.G., 1989, Bergey's Manual of Systematic Bacteriology, vol 4, S.T Williams & M.E. Sharpe, Baltimore, Md: Williams & Williams.
- Houson 2012. *Guidelines for The Treatment of Malaria* – 2nd edition, WHO Press, Geneva, 1-22.
- Hunt, B. and Vincent, A.C.J. 2006. Scale and sustainability of marine bioprospecting for pharmaceuticals. *Ambio*, **35(2)**: 57-64.
- Hunter-Cevera, J.C. & D.E. Eveleigh, 1990, *Actinomycetes in Dindal, D.L. (Eds) Soil Biology Guide*, A Willey-Interscience Publication, John Willey & Sons, New York. 33-47.

- Huy, N.T., Maeda, A., Uyen, D.T., Trang, D.T.X., Sasai, M., Shiono, T. 2007, Alcohols induce beta-hematin formation via the dissociation of aggregated hem and reduction in interfacial tension of the solution, *Acta Tropica*, **101**: 130-138.
- Ilias, M., Ibrahim, M., Khan, S., Jacob, M., Tekwani, B., Walker, L., Samoylenko, V., 2015. Pentacyclic Ingamine Alkaloids, a New Antiplasmodial Pharmacophore from the Marine Sponge *Petrosid Ng5 Sp5*. *Planta Med.* **78**: 1690–1697.
- Isnansetyo, A., Tri joko, S.E.P., Anshory, H.H. 2009. *In vitro* antibacterial activity of methanol extract of a sponge *Geodia* sp. against oxytetracycline resistant *Vibrio harveyi* and its toxicity. *J Biol Sci* **9**. pp: 224-230.
- Johnson, J.A., Citarasu, T., and Mary, H. 2012. Screening of antibiotic producing actinomycetes from streams. *J. Chem. Biol. Phys. Sci.* **2(3)**: 1363–1370.
- Jongrungroangchok, S., Tanasupawat, S., Kitakoop, P., Bavovada, R., Kobayashi, H., Kudo, T, 2006. Identification of *Sterptomyces* and *Kitasatospora* strains from Thai soil with geldamycin production strain. *Actinomycetologica.* **20(1)**: 10-14.
- Kalanon, M., and McFadden, G.I., 2010. Malaria, *Plasmodium falciparum* and its apicoplast. *Biochem.Soc. Trans.* **38**: 775-782.
- Kämpfer, P., 2006. The family Streptomycetaceae, Part 1 : taxonomy. In Dworkin, M (Ed): *The prokaryotes : a handbook on the biology of bacteria*, pp. 538-604.
- Kementerian Kesehatan RI. 2011. Epidemiologi malaria di Indonesia. *Buletin Jendela Data dan Informasi Kesehatan*. Volume III triwulan I : 1 – 14.
- Kementerian Kesehatan RI. 2014. Situasi malaria di Indonesia. *Infodatin*. Pusat data dan informasi Kementria Kesehatan RI. Jakarta.
- Kyaw MP, Nyunt MH, Chit K, Aye MM, Aye KH, Aye MM, 2013. Reduced susceptibility of *Plasmodium falciparum* to artesunate in southern Myanmar. *PLoS One*; **8(3)**:e57689.
- Lacey, J., 1997, Actinomycetes in Compost. *Annals, Agr. Environ. Med*, **4** : 113.
- Lam, K.M. 2006. Discovery of novel metabolites from marine actinomycetes. *Current Opinion in Microbiology* **9**:245–251.
- Locci. R., & G.P. Sharples. 1984. Morphology of Actinomycetes In Goodfellow M., Mordarski, M. & Williams, S.T. (Eds.) *The Biology of the*

Actinomycetes. Academic Press, London, pp. 7164.

- Mamoun, C.B., Prigge, S.T., and Vial, H. 2010. Targeting the lipid metabolic pathways for the treatment of malaria. *Drug Dev. Res.* **71**: 44-45.
- Mandal, S. 2014. Epidemiological aspects of vivax and falciparum malaria : global spectrum. *Asian Pac J Trop Dis.* 4 (Suppl 1) : S13-S26.
- Maskey, R.P., Helmke, E., Kayser, O., Fiebig, H., Mayer, A., Busche, A., Laatsch, H., 2004. Anticancer and Antibacterial trioxacarcins with high anti-malaria activity from amarine *Streptomyces* sp. H668. *Tetrahedron Lett*, **49(44)**: 6282-6285.
- Mayer, Alejandro M.S., Abimael D. Rodríguez, Roberto G.S. Berlinck, Nobuhiro Fusetani. 2011. Marine pharmacology in 2007–8: Marine compounds with antibacterial, anticoagulant, antifungal, anti-inflammatory, antimalarial, antiprotozoal, antituberculosis, and antiviral activities; affecting the immune and nervous system, and other miscellaneous mechanisms of action. *Comparative Biochemistry and Physiology*, **153** : 191–222.
- McCormick, G.J., Canfield, C.J., and Willet, G.P. 1974. *In vitro* antimalarial activity of nucleic acid precursor analogues in the simian malaria plasmodium knowlesi. *Antimicrob. Agents Chemother.* **6(1)**: 16.
- Menezes, C., Valério, E., and Dias, E. 2013. The kidney vero-e6 cell line: a suitable model to study the toxicity of microcystins. *New Insights into Toxicity and Drug Testing*. Dr. Sivakumar Gowder (Ed.), [Online] <http://www.intechopen.com/books/new-insights-into-toxicity-and-drug-testing/the-kidney-vero-e6-cell-line-a-suitable-model-to-study-the-toxicity-of-microcystins> (diakses 27 Agustus 2016).
- Mitra, P., Deshmukh, A.S., and Dhar, S.K. 2012. DNA replication during intraerythrocytic stages of human malarial parasit *Plasmodium falciparum*. *Current Sci.* **102**: 725-740.
- Moncheve, P., Tishkov, S., Dimitrova, N., Chieva, V., Nikolova, S.A., and Bogatzevicka, N., 2002, Characteristic of Soil Actinomycetes from Antarctica, *J. Cul. Collections*, **3** : 3-14.
- Mustofa. 2006. *In vitro* antiplasmodial activity and stage-specificity of 1,10-phenantroline derivatives on *Plasmodium Falciparum* cycles. *Berkala Ilmu Kedokteran.* **38(4)**: 175-182.
- Nguyen-Dinh, P., and payne, D. 1980. Pyrimethamine sensitivity in plasmodium falciparum : determination *in vitro* by a modified 48-hour test. *Bull. Who.* **58**: 909-912.

- Nisbet, L.J., & Cross, T., 1991, The Importance of Microbial Diversity to Biotechnology, In The Biodiversity microorganism and Invertebrate : It's Role in Sustainable Agriculture, ed. D,L, Hawksworth, 224-229, CAB International.
- Noedl, H., Wongsrichanalai, C., and Wernsdorfer, W. H. 2003. Malaria drug sensitivity testing: new assays, new perspectives. *Trends in Parasitol.* **19(4)**: 175-181.
- Osada, H., 2001, An Overview on the Diversity of Actinomycete Metabolites, *Actinomycetologica*, **15** : 11-14.
- Oskay, M., Tamer, A.U., and Azeri, C. 2004. Antibacterial activity of some actinomycetes isolated from farming soils of Turkey. *Afr. J. Biotechnol.* **3(9)**: 441-446.
- Pandey, B., Ghimire, P., & Agrawal, V.P. 2004. Studies on the antibacterial activity of actinomycetes isolated from the Khumbu region of Mt. Everest. International Conference on the Great Himalayas: Climate, Health, Ecology, Management and Conservation, Kathmandu. Kathmandu University and the Aquatic Ecosystem Health and Management Society, Canada. January 12-15, 2004.
- Pelzar, J.M. dan Chan, E., 1998. *Dasar-Dasar Mikrobiologi 2*. Penerbit UI Press, Jakarta.
- Purwantini, I. 2016, "Isolasi Senyawa Antiplasmodium dari Fungi Endofit Tanaman *Artemisia annua* L.," *Disertasi*, Dr., Universitas Gadjah Mada, Yogyakarta.
- Ramalhete, C., da Cruz, F.P., Mulhovo, S., Souza, I.J., Fernandes, M.X., Prudencio, M., and Ferreira, M.U., *et al.* 2014. Dual-stage Triterpenoid from an African medical plant targeting the malarial parasite. *Bioorg. Med. Chem.* **22**: 3887-3890.
- Ravichandran, S., Kathiresan, K., dan Balaram, H. 2009. Antimalarials from marine sponges. *Biotechnol Mol Biol Rev*, **2(2)**: 033-038.
- Rosenthal, J.P., 2003, Antimalarial drug discovery: old and new approaches, *J experimental Biol*, **206**: 3735-3744.
- Salinas, J.L., Kissinger, J.C., Jones, D.P., & Galanski, M.R., 2014, Metabolomics in the fight against malaria, *Mem Inst Oswaldo Cruz*, **109(5)**: 589-597.
- Sholikhah, E. N., Wijayanti, M. A., Nurani, L. H., and Mustofa. 2008. Stage specificity of pasak bumi root (*Eurycoma longifolia* Jack) isolate on

- Plasmodium falciparum cycles. *Med. J. Malasya*. **63** (Suppl A): 98-99.
- Singh, L.S., Buruah, I., Bora, T.C., 2006, Actinomycetes of Loktat Habitat : Isolation & Screening for Antimicrobial Activity, *Biotechnology* **5(2)**: 217-221.
- Smit, F.J., and N'Da, D. 2014. Synthesis, *in vitro* antimalarial activity and cytotoxicity of novel 4-aminoquinolinyl-chalcone amides. *Bioorg. Med. Chem. Pharm. Res.* **6(5)**: 1076-1088.
- Smith, D.G.G., & Aronson, J.K., 2002, *Oxford Textbook of Clinical Pharmacology and Drug Therapy*, 3th Edition, Oxford University Press, New York.
- Stackebrandt, E., Rainey, F. A., Ward Rainey, N.L., 1997. Proposal for a new hierarchic classification system Actinobacteria classic nov. *Int J Syst Bacteriol* **47**: 479-491.
- Steele, J.C.P., Phelps, R.J., Simmonds, M.S.J., Warhust, D.C., & Meyer, D.J., 2002, Two Novel Assays for the Detection of Haemin-Binding Properties of Antimalarial Evaluated with Compounds Isolated from Medical Plants, *J Antimicrob Chemother*, **50**: 25-31.
- Sunaryanto, R., 2012. Diversitas dan Bioaktivitas Aktinomisetes Laut dari Pantai Selatan Yogyakarta. *J. Pascapanen Dan Bioteknol. Kelaut. Dan Perikan.* **7**, **31–38**.
- Supong, K., Thawai, C., Suwanborirux, K., Choowong, W., Supothina, S., dan Pittayakhajonwut, P. 2012. Antimalarial and Antitubercular C-glycosylated benz[α]anthraquinones from the marine-derived *Streptomyces* sp. BCC45596. *Phytochemistry Letters*, **5**: 651-656.
- Tan, R.X., and W.X., Zou. 2001. Endophytes : a rich source of functional metabolites. *Nat Pro Rep*, **18**: 448-459.
- Taylor, S.M., and Juliano, J.J. 2014. Artemisinin combination therapies malaria parasite drug resistance : the game is afoot. *J Infect Dis.* **210**: 335-337.
- Teixeria, F.R., Lima, M.C.O.P., Almeida, H.O., Romeiro, R.S., Silva, D.J.H., Pereira, P.R.G., 2006. Bioprospecting of cationic and anionic antimicrobial peptides from bell papper leaves for inhibition of *Ralstonia solanacearum* and *Clavibacter michiganensis* sp. *Michiganensis*. *J Phytopathol*, **154**: 7-8.

- Turkington C.A. and Frey, R.J. 2010. An overview of malaria. *In* Dziedzic, N. (eds). *Perspective on Disease and Disorder Malaria*. 1st ed. Greenhaven Press. Farmington hills.
- Valdes, A.F., Martinez, J.M., Lizama, R.S., Gaiten, Y.G., Rodriguez, D.A., and Payrol, J.A. 2010. *In vitro* antimalarial activity and cytotoxicity of some selected Cuban medicinal plants. *Rev. Inst. Med. Trop. Sao Paulo*. **52(4)**: 197-201.
- Waksman, S.A., 1950. *The Actinomycetes, Their Nature, Occurrence, Activities & Importance*, Mass : Chronica Botanica, Co., Walthman.
- Wang, H., Wang, F., Tao, X., and Cheng, H. 2012. Ammonia-containing dimethyl sulfoxide: An improved solvent for the dissolution of formazan crystals in the 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyl tetrazolium bromide (MTT) assay. *Analytic. Biochem.* **421** : 324-326.
- WHO, 2006. *Guidelines for The Treatment of Malaria*, WHO Press, Geneva, 25.
- WHO, 2013, *World Malaria Report*, WHO Press, Geneva.
- WHO, 2015, *World Malaria Report*, WHO Press, Geneva.
- WHO, 2016, *World Malaria Report*, WHO Press, Geneva.
- Wilson, D.W., Langer, C., Goodman, C.D., McFadden, G.I., & Beeson, J.G., 2013, Defining the Timing of Action of Antimalarial Drugs against *Plasmodium falciparum*, *Antimicrob Agents Chemother*, **57(3)**: 1455-1467. Houson 2012. *Guidelines for The Treatment of Malaria – 2nd edition*, WHO Press, Geneva, 1-22.
- Yun, J.M., Sim, T.B., Heung, S.H., and Lee, W.K. 2003. Efficient synthesis of enantiomerically pure 2-acyla ziridines: facile synthesis of N-Boc-safingol, NBoc-D-erythro-sphinganine, and N-Boc-spisulosine from a common intermediate. *J. Org. Chem.* **68**: 7675-7680.
- Yusuf, H. 2014, "Semisintesis Turunan Eurikumanon dari Eurikumanon Akar Pasak Bumi (*Eurycoma longifolia* Jack, Uji Aktivitas Antiplasmodium dan Kajian Hubungan Kuantitatif Antara Struktur Aktivitas," *Disertasi*, Dr., Universitas Gadjah Mada, Yogyakarta.