

## REFERENCES

- Abrams, P., Andersson, K.E., Buccafusco, J.J., Chapple, C., Groat, W.C., Fryer, A.D., *et.al.*, 2006, Muscarinic Receptors: Their Distribution and Function in Body Systems, and The Implications for Treating Overactive Bladder., *Br. J. Pharmacol.* 148, 565–578. doi:10.1038/sj.bjp.0706780
- Alzheimer's Society, 2015, Helping You to Assess Cognition A Practical Toolkit for Clinicians, Department of Health of United Kingdom
- Ancelin, M.L., 2006, Non-degenerative Mild Cognitive Impairment in Elderly People and Use of Anticholinergic Drugs: Longitudinal Cohort Study, *BMJ* 332, 455–459. doi:10.1136/bmj.38740.439664.DE
- Anderson, R.P., Jin, R., Grunkemeier, G.L., 2003, Understanding Logistic Regression Analysis in Clinical Reports: An Introduction, The Society of Thoracic Surgeons, *Elsevier Science Inc. AnnThoracSurg* 2003;75:753–7
- American Geriatrics Society, 2015, Updated Beers Criteria for Potentially Inappropriate Medication Use in Older Adults. *J. Am. Geriatr. Soc.* 63, 2227–2246. doi:10.1111/jgs.13702
- Aymanns, C., Keller, F., Maus, S., Hartmann, B., Czock, D., 2010, Review on Pharmacokinetics and Pharmacodynamics and the Aging Kidney., *Clin. J. Am. Soc. Nephrol.*, 5, 314–327. doi:10.2215/CJN.03960609
- Ball, P., Morrissey, H., Pilotto, L., 2013, Anticholinergic Burden Assessed Using General Practice Electronic Records., *J Pharm Pract Res*;43:202–205.
- Battig, K, Buzzi, R., 1986, Effect of Coffee on The Speed of Subject-paced Information Processing., *Neuropsychobiology.*, 16: 126-130
- Baumgart, M., Snyder, H.M., Carillo, M.C., Fazio, S., Kim, H., Johns, H., 2015. Summary of The Evidence on Modifiable Risk Factors for Cognitive Decline and Dementia: A Population-based Perspective, *Elsevier Inc.* on behalf of the Alzheimer's Association. *Alzheimer's & Dementia* 11 (2015) 718-726. <http://dx.doi.org/10.1016/j.jalz.2015.05.016>.
- Becker, D.E., 2012, Basic and Clinical Pharmacology of Autonomic Drugs, *Anesth. Prog.* 59, 159–169. doi:10.2344/0003-3006-59.4.159
- Beydoun, M.A., Beydoun, H.A., Gamaldo, A.A., Teel, A., Zonderman A.B., Wang Y., 2014., Epidemiologic Studies of Modifiable Factors Associated with Cognition and Dementia: Sistemc Review and Meta Analysis, *BMC Public Health*, 14:643<http://www.biomedcentral.com/1471-2458/14/643>

- Boustani, M., Campbell., N, Munger., S, Maidment, I., Fox C., 2008, Impact of Anticholinergics on The Aging Brain: A Review and Practical Application., *Aging Health.*;4(3):311–20.
- Brodaty, H., Pond, D., Kemp, N.M., 2002, The GPCOG: A New Screening Test for Dementia Designed for General Practice. *JAGS*; 50:530–4.
- Brooke, P., Bullock, R., 1999., Validation of A 6 Item Cognitive Impairment Test with AView to Primary Care Usage,*Int. J. Geriatr. Psychiatry* 14, 936–940.
- Brown, E.S., Chandler, P.A., 2001, Mood and Cognitive Changes During Systemic Corticosteroid Therapy, Primary Care Companion, *J Clin Psychiatry*,3 : 17-21
- Burkhardt, H., 2013, Pharmacotherapy and Special Aspects of Cognitive Disorders in The Elderly, in Wehling, M., Drug Therapy for the Elderly, Springer Verlag, Wien, 279
- Burns, A., Lawlor, B., Craig, S., 2004, Assessment Scales in Old Age Psychiatry, 2nd edn., Martin Dunitz, London
- Campbell, N., Boustani, M., Limbil, T., Ott, C., Fox, C., Maidment, I., *et al.*, 2009, The Cognitive Impact of Anticholinergics: A Clinical Review,*Clin. Interv. Aging* 4, 225–233.
- Carnahan, R.M., Lund, B.C., Perry, P.J., Pollock, B.G., Culp, K.R., 2006, The Anticholinergic Drug Scale as a Measure of Drug-Related Anticholinergic Burden: Associations With Serum Anticholinergic Activity. *J. Clin. Pharmacol.*, 46, 1481–1486. doi:10.1177/0091270006292126
- CDC, 2011, Cognitive Impairment : A Call for Action, Now!, Department of Health and Human Services, Centers for Disease Control and Prevention.
- Chapple, C., Khullar, V., Gabriel, Z., Dooley, J.A., 2005, The Effects of Antimuscarinic Treatments in Overactive Bladder: A Systematic Review and Meta-Analysis. *Eur. Urol.* 48, 5–26. doi:10.1016/j.eururo.2005.02.024
- Chew, M.L., Mulsant, B.H., Pollock, B.G., Lehman, M.E., Greenspan, A., Mahmoud, R.A., *et al.*, 2008, Anticholinergic Activity of 107 Medications Commonly Used by Older Adults: Anticholinergic Activity of Medication, *J. Am. Geriatr. Soc.*, 56, 1333–1341. doi:10.1111/j.1532-5415.2008.01737.x
- Clegg A. and Young J.B., 2011, Which Medications to Avoid in People at Risk of Delirium: A Systematic Review, *Age and Ageing*, 2011;40:23–29 doi: 10.1093/ageing/afq140

- Ciriaco, M., Ventrice, P., Russo, G., Scicchitano, M., Mazzitello, G., Scicchitano F., *et al*, 2013, Corticosteroid-related Central Nervous System Side Effect, *Journal of Pharmacology and Pharmacotherapeutics*, Vol 4, Supplement 1, DOI:10.4103/0976-500X.120975
- Colcombe, S.J., Erickson K.I., Scalf, P.E., 2006., Aerobic Exercise Training Increases Brain Volume in Aging Humans., *J Gerontol A Biol Sci Med Sci*;61:1166–1170.
- Conn, P.J., Jones, C.K., Lindsley, C.W., 2009, Subtype-selective Allosteric Modulators of Muscarinic Receptors for The Treatment of CNS Disorders, *Trends Pharmacol. Sci.* 30, 148–155. doi:10.1016/j.tips.2008.12.002
- Corsonello, A., Pedone, C., Incalzi, R., 2010, Age-Related Pharmacokinetic and Pharmacodynamic Changes and Related Risk of Adverse Drug Reactions, *Curr. Med. Chem.* 17, 571–584. doi:10.2174/092986710790416326
- Dahlan, S.M., 2014, Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat, dan Multivariat dilengkapi dengan Aplikasi Menggunakan SPSS, Seri 1, Edisi 6, Epidemiologi Indonesia, Jakarta.
- Ehrt, U., Broich, K., Larsen, J.P., Ballard, C., Aarsland, D., 2010, Use of Drugs with Anticholinergic Effect and Impact on Cognition in Parkinson's Disease: A Cohort Study, *J Neurol Neurosurg Psychiatry*, 2010;81(2):160–5.
- Feng L., Ting X., Yap P., Li J., Shih Lee T., Hakansson K., *et al.*, 2014, Marital Status and Cognitive Impairment among Community-Dwelling Chinese Older Adults: The Role of Gender and Social Engagement, *Dement Geriatr Cogn Disord Extra* 2014;4:375–384, DOI: 10.1159/000358584
- Folstein, M.F., Folstein, S.E., McHugh, P.R., 1975, 'Mini-mental state' A Practical Method for Grading The Cognitive State of Patients for The Physician, *J Psychiatr Res*, 1975; 12:189–98.
- Fox, C., Richardson, K., Maidment, I.D., Savva, G.M., Matthews, F.E., Smithard, D., *et al.*, 2011, Anticholinergic Medication Use and Cognitive Impairment in the Older Population: The Medical Research Council Cognitive Function and Ageing Study: Anticholinergic Activity and Cognition, *J. Am. Geriatr. Soc.* 59, 1477–1483. doi:10.1111/j.1532-5415.2011.03491.x
- Gallagher, P., O'Mahony, D., 2008, STOPP (Screening Tool of Older Persons' potentially Inappropriate Prescriptions): Application to Acutely Ill Elderly Patients and Comparison with Beers' Criteria, *Age Ageing*, 37, 673–679. doi:10.1093/ageing/afn197

- Glisky, E.L., 2007, Changes in Cognitive Function in Human Aging - Brain Aging - NCBI Bookshelf [WWW Document]. URL <https://www.ncbi.nlm.nih.gov/books/NBK3885/> (accessed 11.1.16).
- Goodman, L.S., L. Brunton, L., Gilman, A., Chabner, B., C. Knollman, B., 2011. Goodman & Gilman's The Pharmacological Basis of Therapeutics, (eBook, 2011) [WorldCat.org] [WWW Document]. URL <http://www.worldcat.org/title/goodman-gilmans-the-pharmacological-basis-of-therapeutics/oclc/713909010> (accessed 9.21.16).
- Gray, S.L., Anderson, M.L., Dublin, S., Hanlon, J.T., Hubbard, R., Walker, R., *et al.*, 2015. Cumulative Use of Strong Anticholinergics and Incident Dementia: A Prospective Cohort Study. *JAMA Intern. Med.* 175, 401. doi:10.1001/jamainternmed.2014.7663
- Hajjar, E., Hanlon, J.T., Sloane, R.J., 2005, Unnecessary Drug Use in Frail Older People at Hospital Discharge, *J Am Geriatr Soc.*; 53:1518–1523. [PubMed: 16137281]
- Hamel, R., Ramakers I., Oosterveld S., 2014, The Influence of Comorbidities on Cognitive Decline and Conversion to Dementia in Patients with Mild Cognitive Impairment, *Mental Health and Neuroscience*, Maastricht, Netherlands
- Han, L., Agostini, J.V., Allore, H.G., 2008, Cumulative Anticholinergic Exposure is Associated with Poor Memory and Executive Function in Older Men, *J Am Geriatr Soc.*;56(12):2203–10.
- Hodkinson, H.M.,1972, Evaluation of A Mental Test Score for Assessment of Mental Impairment in The Elderly, *Age Ageing*; 1:233–8.
- Hosmer, D.W., Lemeshow, S. , 2000, Applied Logistic Regression Second Edition, : John Wiley & Sons, New York
- Inouye, S.K., Van Dyck, C.H., Alessi C.A, Balkin, S., Siegal, A.P., Horwitz, R.I., 1990, Clarifying Confusion: The Confusion Assessment Method. A New Method for Detection of Delirium, *Ann Intern Med.*;113:941–948.
- Inouye, S.K., Studenski, S., Tinetti, M.E., Kuchel, G.A., 2007, Geriatric Syndromes: Clinical, Research, and Policy Implications of a Core Geriatric Concept: (See Editorial Comments by Dr. William Hazzard on pp 794–796). *J. Am. Geriatr. Soc.* 55, 780–791. doi:10.1111/j.1532-5415.2007.01156.x
- Ioannou, N., Liapi, C., Sekeris, C.E., Palaiologos, G., 2003, Effects of Dexamethasone K(+)- Evoked Glutamate Release from Rat Hippocampal Slices, *NeurochemRes*;28:875-81.

- Jacob, S., Ibrahim, M., Mohammed, F., 2013, Polypharmacy in the Management of Patients with Schizophrenia on Risperidone in ATertiary-care Hospital in Malaysia. - PubMed - NCBI [WWW Document]. URL <http://www.ncbi.nlm.nih.gov/pubmed/24381653> (accessed 8.12.16).
- Jia, J., Zhou, W., Xu, M., Chu, C., Yan, X., Sun, Y., 2004, Differential Acetylcholine and Choline Concentrations in The Cerebrospinal Fluid of Patients with Alzheimer's Disease and Vascular Dementia, *Chin. Med. J. (Engl.)* 117, 1161–1164.
- Jitapunkul, S., Pillay, I., Ebrahim, S., 1991, The Abbreviated Mental Test: Its Use and Validity, *Age Ageing*; 20:332–6.
- Kalisch Ellett, L.M., Pratt, N.L., Ramsay, E.N., Barratt, J.D., Roughead, E.E., 2014, Multiple Anticholinergic Medication Use and Risk of Hospital Admission for Confusion or Dementia, *J. Am. Geriatr. Soc.*, 62, 1916–1922. doi:10.1111/jgs.13054
- Kellar K.J., Wonnacott, S., 1990, Nicotinic Cholinergic Receptors in Alzheimer's Disease, in *Nicotine Psychopharmacology: Molecular, Cellular, and Behavioral Aspects*, Oxford University Press
- Kersten, H., Wyller, T.B., 2014, Anticholinergic Drug Burden in Older People's Brain - How well is it Measured? *Basic Clin. Pharmacol. Toxicol.* 114, 151–159. doi:10.1111/bcpt.12140
- Letenneur, L., Larrieu, S., Barberger-Gateau, P., 2004, Alcohol and Tobacco Consumption as Risk Factors of Dementia: A Review of Epidemiological Studies, *Biomed Pharmacother.* 2004, 58: 95-99.
- Lepouse, C., Lautner, A., Liu, L., Gomis, P., and Leon, A., 2006, Emergence Delirium in Adults in The Post-anaesthesia Care Unit, *British Journal of Anaesthesia* , 96 (6) : 747–53 (2006) doi:10.1093/bja/ael094
- Lindmeier, C., Brunier, A., 2015., WHO | WHO: Number of People Over 60 years Set to Double by 2050; Major Societal Changes Required [WWW Document]. WHO Number People 60 Years Set Double 2050 Major Soc. Chang. Required. URL <http://www.who.int/entity/mediacentre/news/releases/2015/older-persons-day/en/> (accessed 7.1.16).
- Mangoni, A.A., Jackson, S.H.D., 2003, Age-related Changes in Pharmacokinetics and Pharmacodynamics: Basic Principles and Practical Applications: Age-

related Changes in Pharmacokinetics and Pharmacodynamics,*Br. J. Clin. Pharmacol.*, 57, 6–14. doi:10.1046/j.1365-2125.2003.02007.x

Markesbery W.R., Carney J.M., 1999, Oxidative Alterations in Alzheimer's Disease, *Brain Pathol*, 9: 133-146.

Mate, K.E., Kerr, K.P., Pond, D., Williams, E.J., Marley, J., Disler, P.,*et. al.* 2015, Impact of Multiple Low-Level Anticholinergic Medications on Anticholinergic Load of Community-Dwelling Elderly With and Without Dementia, *Drugs Aging*, 32, 159–167. doi:10.1007/s40266-014-0230-0

Mustari, A.S., Rachmawati, Y., Nugroho, S.W., 2015, Statistik Penduduk Lanjut Usia 2014, Hasil Survei Sosial Ekonomi Nasional [WWW Document]. URL <https://www.bps.go.id/index.php/publikasi/1117> (accessed 8.11.16).

Mycek, M.J., Harvey, R.A., Champe, P.C., 2000, Lippincott's Illustrated Reviews of Pharmacology 2nd Edition [WWW Document]. URL <https://youngpharmacists.com/2014/04/12/lippincotts-illustrated-reviews-of-pharmacology-2nd-edition-by-mary-j-mycek-richard-a-harvey-pamela-c-champe/> (accessed 8.11.16).

Ness, J., Hoth, A., Barnett, M.J., Shorr, R.I., Kaboli, P.J., 2006. Anticholinergic Medications in Community-dwelling Older Veterans: Prevalence of Anticholinergic Symptoms, Symptom Burden, and Adverse Drug Events,*Am.J. Geriatr. Pharmacother.*, 4, 42–51. doi:10.1016/j.amjopharm.2006.03.008

Nobili, A., Licata. G., Salerno. F., 2011, Polypharmacy, Length of Hospital Stay and Inpatient Mortality Among Elderly Patients in Internal Medicine Wards. The REPOSI study,*Eur J Clin Pharmacol.*;67:507–519. [PubMed: 21221958

O'Keefe, S.T., Mulkerrin, E.C., Nayeem, K., 2005, Use of Serial Mini-Mental State Examinations to Diagnose and Monitor Delirium in Elderly Hospital Patients., *JAGS* ; 53:867–70

Pandharipande, P.P., Pun, B.T., Herr, D.L., Maze, M., Girard, T.D., Miller, R.R., 2007, Effect of Sedation With Dexmedetomidine vs Lorazepam on Acute Brain Dysfunction in Mechanically Ventilated Patients, The MENDS Randomized Controlled Trial, *JAMA*, 2007;298(22):2644-2653

Pasina, L., Djade CD, Lucca U, Nobili A, Tettamanti M, Franchi C, *et al.*, 2013, Association of Anticholinergic Burden with Cognitive and Functional Status in A Cohort of Hospitalized Elderly: Comparison of The Anticholinergic Cognitive Burden Scale and Anticholinergic Risk Scale: Results from the REPOSI study, *Drugs Aging* ;30(2):103–12.

- Pfistermeister, B., TuÈmena, T., Gaùmann, K., Maas, R., Fromm, M.F., 2017, Anticholinergic Burden and Cognitive Functionin A Large German Cohort of Hospitalized Geriatric Patients, *PLOS ONE* | DOI:10.1371/journal.pone.0171353
- Plassman, B.L., Langa, K.M., Fisher, G.G.,Heeringa, S.G., Weir, D.R., OfstedalM.B.,*et al*, 2008, Prevalence of Cognitive Impairment without Dementia in the United States, *Ann Intern Med.* 2008 March 18; 148(6): 427–434.
- Plassman, B.L, Williams, J.W. Jr.,Burke, J.R.,; Holsinger, T., and Benjamin, S., 2010, Systematic Review: Factors Associated With Risk for and Possible Prevention of Cognitive Decline in Later Life, *Ann Intern Med.* 2010;153:182-193. [www.annals.org](http://www.annals.org).
- Prince, M.J., Wu, F., Guo, Y., Gutierrez Robledo, L.M., O'Donnell, M., Sullivan, R., Yusuf, S., 2015, The Burden of Disease in Older People and Implications for Health Policy and Practice,*The Lancet* 385, 549–562. doi:10.1016/S0140-6736(14)61347-7
- Qato, D.M., Alexander, G.C., Conti, R., 2008, Use of Prescription and Over-the-counter Medications and Dietary Supplements Among Older Adults in The United States,*JAMA.*; 300:2867–2878.[PubMed: 19109115]
- Radiyanti, 2016, Potentially Innapropriate Prescription dan Adverse Drug Events pada Pasien Geriatri Rawat Inap di RSU PKU Muhammadiyah Yogyakarta, *Thesis*, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta
- Rahmawati, F., Pramantara, I.D.P, Rochmah, W., Sulaiman S.A, 2017, Evaluation of Ranitidine Prescribing among Hospitalized Geriatric patients in A Teaching Hospital Yogyakarta Indonesia, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Riedel, W., Hogervorst, E., Lebourg, R., Verhey, F., van Praag H, Jolles. J,1995. Caffeine Attenuates Scopolamine-induced Memory Impairment in Humans, *Psychopharmacology (Berl)*. 1995, 122: 158-168.
- Routledge, P.A., O'Mahony, M.S., Woodhouse, K.W., 2003. Adverse drug Reactions in Elderly Patients: Adverse Drug Reactions in Elderly Patients,*Br. J. Clin. Pharmacol*, 57, 121–126. doi:10.1046/j.1365-2125.2003.01875.x

- Rudolph, J.L., 2008, The Anticholinergic Risk Scale and Anticholinergic Adverse Effects in Older Persons, *Arch. Intern. Med.* 168, 508. doi:10.1001/archinternmed.2007.106
- Sachs-Ericsson, N., Blazer, D.G., 2015. The new DSM-5 Diagnosis of Mild Neurocognitive Disorder and Its Relation to Research in Mild Cognitive Impairment, *Aging Ment. Health* 19, 2–12. doi:10.1080/13607863.2014.920303
- Salahudeen, M.S., Duffull, S.B., Nishtala, P.S., 2015, Anticholinergic Burden Quantified by Anticholinergic Risk Scales and Adverse Outcomes in Older People: A Systematic Review, *BMC Geriatr.*, 15. doi:10.1186/s12877-015-0029-9
- Scarr, E., 2012, Muscarinic Receptors: Their Roles in Disorders of the Central Nervous System and Potential as Therapeutic Targets: Muscarinic Receptors. *CNS Neurosci. Ther.* 18, 369–379. doi:10.1111/j.1755-5949.2011.00249.x
- Schliebs, R., Arendt, T., 2006, The Significance of The Cholinergic System in The Brain during Aging and in Alzheimer's Disease, *J. Neural Transm.* 113, 1625–1644. doi:10.1007/s00702-006-0579-2
- Simpson, J., 2014, DSM-5 and Neurocognitive Disorders [WWW Document]. URL <http://www.jaapl.org/content/42/2/159.full> (accessed 10.27.16).
- Sachdev, P.S., Lipnicki, D.M., Kochan, N.A., Crawford, J.D., Thalamuthu, A., Andrews, G., *et al.*, 2015, The Prevalence of Mild Cognitive Impairment in Diverse Geographical and Ethnocultural Regions: The COSMIC Collaboration. *PLoS ONE* 10(11): e0142388. doi:10.1371/journal.pone.0142388
- Sittironnarit, G., Ames, D., Bush, A.I., Faux, N., Flicker, L., Foster, J., *et al.*, 2011, Effects of Anticholinergic Drugs on Cognitive Function in Older Australians: Results from the AIBL study, *Dement Geriatr Cogn Disord.*;31(3):173–8.
- Steward, S.A., 2005, The Effect of Benzodiazepines on Cognition, *J. Clin Psychiatry*; 66 (suppl) : 9-13
- Swain, D.G., O'Brien, A.G., Nightingale, P.G., 1999, Cognitive Assessment in Elderly Patients Admitted to Hospital: The Relationship between The Abbreviated Mental Test and the Mini-Mental State Examination, *Clin Rehabil* , 13:503–8.
- Tuijl, J.P., Scholte, E.M., Craen, A.J.M., Mast, R.C., 2012, Screening for cognitive impairment in older general hospital patients: comparison of the

Six-Item Cognitive Impairment Test with the Mini-Mental State Examination: 6 CIT cognitive impairment test. *Int. J. Geriatr. Psychiatry* 27, 755–762. doi:10.1002/gps.2776

Turnheim, K., 2004, Drug Therapy in The Elderly. *Exp. Gerontol.* 39, 1731–1738. doi:10.1016/j.exger.2004.05.011

Volpicelli, L.A., Levey, A.I., 2004, Muscarinic Acetylcholine Receptor Subtypes in Cerebral Cortex and Hippocampus, in: Progress in Brain Research. Elsevier, pp. 59–66.

Wehling M., 2013, Drug Therapy for The Elderly : Arterial Hypertension, Springer-Verlag Wien

WHO, 2015, WHO | Ageing and Health [WWW Document]. URL <http://www.who.int/mediacentre/factsheets/fs404/en/> (accessed 8.11.16).

WHO, n.d. WHO | Definition of an Older or Elderly Person [WWW Document]. WHO. URL <http://www.who.int/healthinfo/survey/ageingdefnolder/en/> (accessed 8.12.16).

Wolkowitz OM, Rubinow D, Doran AR, Breier A, Berrettini WH, KlingMA., 1990, Prednison Effects on Neurochemistry and Behavior. *Preliminaryfindings. Arch Gen Psychiatry*;47:963-8.

Woodford, H.J., George, J., 2007, Cognitive Assessment in The Elderly: A Review of Clinical Methods. *QJM* 100, 469–484. doi:10.1093/qjmed/hcm051

Yaffe K, Barnes D, Nevitt M, Lui LY, Covinsky K., 2001, A Prospectivestudy of Physical Activity and Cognitive Decline Inelderly Women: Women Who Walk. *Arch Intern Med* 161:1703–1708.

Yaffe K., Fiocco A.J., Lindquist K., Vittinghoff E., Simonsick E.M., Newman A.B.,2009, Predictors of Maintaining Cognitive Function in Older Adults The Health ABC Study, AAN enterprises inc.