

DAFTAR PUSTAKA

- Akbar., Agung Endro Nugroho., Sudarsono., 2014. Efek Sitotoksik Fraksi Etil Asetat Komponen Larut Etanol Dari Ekstrak Etanolik Daun Awar-Awar (*Ficus Septica* Burm. F.) Terhadap Sel Kanker Payudara T47d Dan Profil Senyawa Alkaloidnya. Universitas Gadjah Mada.
- Alberts, B., Johnson, A., Lewis, J., Raff, M., Roberts, K., Walter, P., 2002. Programmed Cell Death (Apoptosis).
- Arai, M., Yoguchi, A., Takizawa, T., Yokoyama, T., Kanda, T., Kurabayashi, M., Nagai, R., 2000. Mechanism Of Doxorubicin-Induced Inhibition Of Sarcoplasmic Reticulum Ca(2+)-Atpase Gene Transcription. *Circ. Res.* 86, 8–14.
- Arun, B., Hortobagyi, G.N., 2002. Progress In Breast Cancer Chemoprevention. *Endocr. Relat. Cancer* 9, 15–32.
- Booser, D.J., Hortobagyi, G.N., 1994. Anthracycline Antibiotics In Cancer Therapy. Focus on drug resistance. *Drugs* 47, 223–258.
- Bouker, K.B., 2005. Interferon regulatory factor-1 (IRF-1) exhibits tumor suppressor activities in breast cancer associated with caspase activation and induction of apoptosis. *Carcinogenesis* 26, 1527–1535. doi:10.1093/carcin/bgi113.
- Burdall, S.E., Hanby, A.M., Lansdown, M.R., Speirs, V., 2003. Breast cancer cell lines: friend or foe? *Breast Cancer Res.* 5, 89–95.
- Cabeza, L., Ortiz, R., Arias, J.L., Prados, J., Ruiz Martínez, M.A., Entrena, J.M., Luque, R., Melguizo, C., 2015. Enhanced antitumor activity of doxorubicin in breast cancer through the use of poly(butylcyanoacrylate) nanoparticles. *Int. J. Nanomedicine* 10, 1291–1306. doi:10.2147/IJN.S74378
- Chemler, S.R., 2009. Phenanthroindolizidines and Phenanthroquinolizidines: Promising Alkaloids for Anti-Cancer Therapy. *Curr. Bioact. Compd.* 5, 2–19. doi:10.2174/157340709787580928
- Cooper, G.M., 2000. The Development and Causes of Cancer.
- Damu, A., Kuo, P.-C., Shi, L.-S., Li, C.-Y., Su, C.-R., Wu, T.-S., 2009. Cytotoxic Phenanthroindolizidine Alkaloids from the Roots of *Ficus septica*. *Planta Med.* 75, 1152–1156. doi:10.1055/s-0029-1185483
- Damu, A.G., Kuo, P.-C., Shi, L.-S., Li, C.-Y., Kuoh, C.-S., Wu, P.-L., Wu, T.-S., 2005. Phenanthroindolizidine Alkaloids from the Stems of *Ficus septica*. *J. Nat. Prod.* 68, 1071–1075. doi:10.1021/np050095o

- Elmore, S., 2007. Apoptosis: A Review of Programmed Cell Death. *Toxicol. Pathol.* 35, 495–516. doi:10.1080/01926230701320337
- Gandjar I.G. dan Abdul Rohman, 2007. *Kimia Farmasi Analisis*. Pustaka Pelajar, Yogyakarta.
- Gibbs, J.B., 2000. Anticancer drug targets: growth factors and growth factor signaling. *J. Clin. Invest.* 105, 9–13. doi:10.1172/JCI9084
- Greenwald, P., 2002. Cancer chemoprevention. *BMJ* 324, 714–718.
- Guarneri, V., Conte, P., 2009. Metastatic Breast Cancer: Therapeutic Options According to Molecular Subtypes and Prior Adjuvant Therapy. *The Oncologist* 14, 645–656. doi:10.1634/theoncologist.2009-0078
- Harborne, J. B, n.d. *Metode Fitokimia*. Diterjemahkan oleh Kosasih Padmawinata dan Iwang Sudiro, Terbitan II, ITB, Jakarta.
- Hegnauer R, 1986. *Chemotaxonomie der Pflanzen*,. Bhrkhauser Verlag, Stuttgart.
- Jemal, A., Bray, F., Center, M.M., Ferlay, J., Ward, E., Forman, D., 2011. Global cancer statistics. *CA. Cancer J. Clin.* 61, 69–90. doi:10.3322/caac.20107
- Keydar, I., Chen, L., Karby, S., Weiss, F.R., Delarea, J., Radu, M., Chaitcik, S., Brenner, H.J., 1979. Establishment and characterization of a cell line of human breast carcinoma origin. *Eur. J. Cancer* 1975 15, 659–670. doi:10.1016/0014-2964(79)90139-7
- Li, X., Fan, Z., 2004. Modulation of doxorubicin toxicity by PI3-K/Akt in breast cancer cells. *Cancer Res.* 64, 491–492.
- Liu, Z.-J., Lv, H.-N., Li, H.-Y., Zhang, Y., Zhang, H.-J., Su, F.-Q., Si, Y.-K., Yu, S.-S., Chen, X.-G., 2011. Anticancer effect and neurotoxicity of S-(+)-deoxytylophorinidine, a new phenanthroindolizidine alkaloid that interacts with nucleic acids. *J. Asian Nat. Prod. Res.* 13, 400–408. doi:10.1080/10286020.2011.566868
- Lodish, H., Berk, A., Zipursky, S.L., Matsudaira, P., Baltimore, D., Darnell, J., 2000a. *Overview of the Cell Cycle and Its Control*.
- Lodish, H., Berk, A., Zipursky, S.L., Matsudaira, P., Baltimore, D., Darnell, J., 2000b. *Molecular Cell Biology*, 4th ed. W. H. Freeman.
- Mandhare, A.A., Dhulap, S.A., Dhulap, A.S., Biradar, S.C., 2015. Review on the Anticancer and In-silico Binding Studies of Phenanthroindolizidine Alkaloids. *Chem. Inform.*

- Martin, A.M., Weber, B.L., 2000. Genetic and hormonal risk factors in breast cancer. *J. Natl. Cancer Inst.* 92, 1126–1135.
- Mayer, E.L., Burstein, H.J., 2007. Chemotherapy for Metastatic Breast Cancer. *Hematol. Clin.* 21, 257–272. doi:10.1016/j.hoc.2007.03.001
- McIlwain, D.R., Berger, T., Mak, T.W., 2013. Caspase Functions in Cell Death and Disease. *Cold Spring Harb. Perspect. Biol.* 5, a008656. doi:10.1101/cshperspect.a008656
- Minotti, G., Menna, P., Salvatorelli, E., Cairo, G., Gianni, L., 2004. Anthracyclines: Molecular Advances and Pharmacologic Developments in Antitumor Activity and Cardiotoxicity. *Pharmacol. Rev.* 56, 185–229. doi:10.1124/pr.56.2.6
- Nitiss, J.L., Beck, W.T., 1996. Antitopoisomerase drug action and resistance. *Eur. J. Cancer* 32, 958–966.
- Nugroho, A.E., Hermawan, A., Nastiti, K., Suven, null, Elisa, P., Hadibarata, T., Meiyanto, E., 2012. Immunomodulatory effects of hexane insoluble fraction of *Ficus septica* Burm. F. in doxorubicin-treated rats. *Asian Pac. J. Cancer Prev. APJCP* 13, 5785–5790.
- Nugroho, A.E., Hermawan, A., Putri, D.D.P., Novika, A., Meiyanto, E., 2013. Combinational effects of hexane insoluble fraction of *Ficus septica* Burm. F. and doxorubicin chemotherapy on T47D breast cancer cells. *Asian Pac. J. Trop. Biomed.* 3, 297–302. doi:10.1016/S2221-1691(13)60066-0
- Nugroho, A.E., Ikawati, M., Hermawan, A., Putri, D.D.P., Meiyanto, E., 2011. Cytotoxic effect of ethanolic extract fractions of Indonesia plant *Ficus septica* Burm. F. on human breast cancer T47D cell lines. *Int. J. Phytomedicine* 3, 216.
- Parkin, D.M., 1998. The global burden of cancer. *Semin. Cancer Biol.* 8, 219–235.
- Saraswati, S., Kanaujia, P.K., Kumar, S., Kumar, R., Alhaider, A.A., 2013. Tylophorine, a phenanthraindolizidine alkaloid isolated from *Tylophora indica* exerts antiangiogenic and antitumor activity by targeting vascular endothelial growth factor receptor 2–mediated angiogenesis. *Mol. Cancer* 12, 82. doi:10.1186/1476-4598-12-82
- Sharma, G.N., Dave, R., Sanadya, J., Sharma, P., Sharma, K.K., 2010. VARIOUS TYPES AND MANAGEMENT OF BREAST CANCER: AN OVERVIEW. *J. Adv. Pharm. Technol. Res.* 1, 109–126.
- Siwon J, 1982. A Pharmacognostical Study of Some Indonesia Medicinal Plants of The Family Menispermaceae.

- Staerk, D., Lykkeberg, A.K., Christensen, J., Budnik, B.A., Abe, F., Jaroszewski, J.W., 2002. In vitro cytotoxic activity of phenanthroindolizidine alkaloids from *Cynanchum vincetoxicum* and *Tylophora tanakae* against drug-sensitive and multidrug-resistant cancer cells. *J. Nat. Prod.* 65, 1299–1302.
- Sundhani, E., Agung Endro Nugroho, Sudarsono., A., 2015. efek sitotoksik, proliferasi, dan apoptosis fraksi alkaloid daun awar-awar (*ficus septica burm.f.*) terhadap sel kanker payudara T47D. Universitas Gadjah Mada.
- Tan, M., Yu, D., 2013. Molecular Mechanisms of ErbB2-Mediated Breast Cancer Chemoresistance. Landes Bioscience.
- Thorn, C.F., Oshiro, C., Marsh, S., Hernandez-Boussard, T., McLeod, H., Klein, T.E., Altman, R.B., 2011. Doxorubicin pathways: pharmacodynamics and adverse effects. *Pharmacogenet. Genomics* 21, 440–446. doi:10.1097/FPC.0b013e32833ffb56
- Ueda, J., Takagi, M., Shin-ya, K., 2009. Aminocaprophenone- and Pyrrolidine-Type Alkaloids from the Leaves of *Ficus septica*. *J. Nat. Prod.* 72, 2181–2183. doi:10.1021/np900580f
- Wang, P., Henning, S.M., Heber, D., 2010. Limitations of MTT and MTS-based assays for measurement of antiproliferative activity of green tea polyphenols. *PloS One* 5, e10202. doi:10.1371/journal.pone.0010202
- Weston, A., Harris, C.C., 2003. Multistage Carcinogenesis.
- WHO, 2008. WHO | Breast cancer: prevention and control [WWW Document]. WHO. URL <http://www.who.int/cancer/detection/breastcancer/en/> (accessed 10.24.16).
- Wu, C.-M., Yang, C.-W., Lee, Y.-Z., Chuang, T.-H., Wu, P.-L., Chao, Y.-S., Lee, S.-J., 2009. Tylophorine arrests carcinoma cells at G1 phase by downregulating cyclin A2 expression. *Biochem. Biophys. Res. Commun.* 386, 140–145. doi:10.1016/j.bbrc.2009.05.138
- Wu, P.-L., Rao, K.V., Su, C.-H., Kuoh, C.-S., Wu, T.-S., 2002. Phenanthroindolizidine alkaloids and their cytotoxicity from the leaves of *Ficus septica*. *Heterocycles* 57, 2401–2408.
- Xiao, Z., Chen, Z., Gunasekera, A.H., Sowin, T.J., Rosenberg, S.H., Fesik, S., Zhang, H., 2003. Chk1 mediates S and G2 arrests through Cdc25A degradation in response to DNA-damaging agents. *J. Biol. Chem.* 278, 21767–21773. doi:10.1074/jbc.M300229200