

## DAFTAR PUSTAKA

- Acharya, S.P., Pundarikakshudu, K., Panchal, A., Lalwani, A., 2013, Preparation and evaluation of transnasal microemulsion of carbamazepine, *Asian J. Phar, Sci*, **8**: 64–70. doi:10.1016/j.ajps.2013.07.008
- Afandi, M., 2013. Optimasi Formula Fast Disintegrating Tablet Natrium Diklofenak dengan Bahan Penghancur Ac-Di-Sol dan Filler Binder Avicel PH 102, *Tesis*, Universitas Gadjah Mada, Yogyakarta.
- Akinlade, B., Elkordy, A.A., Essa, E.A., Elhagar, S., 2010, Liquisolid Systems to Improve the Dissolution of Furosemid, *Sci. Phar*, **78**: 325–344. doi:10.3797/scipharm.0912-23
- Al-Mohizea, A.M., 2010, Influence of intestinal efflux pumps on the absorption and transport of furosemid, *Saudi Pharm. J*, **18**: 97–101. doi:10.1016/j.jsps.2010.02.005
- Ambrogi, V., Perioli, L., Pagano, C., Marmottini, F., Ricci, M., Sagnella, A., Rossi, C., 2012, Use of SBA-15 for furosemid oral delivery enhancement, *Eur. J. Pharm. Sci. Off. J. Eur. Fed. Pharm. Sci*, **46**: 43–48. doi:10.1016/j.ejps.2012.02.004
- Amrutkar, C., Salunkhe, K., Chaudhari, S., 2014, Study on Self Nano Emulsifying Drug Delivery System of Poorly Water Soluble Drug Rosuvastatin Calcium, *World J. Pharm. Res*, **3**: 2137–2151.
- Ankith, K.R.B., Subhashis, D.M., Niranjana, B.M., 2013, Nanoemulsion : A Novel Approach for Lipophilic Drugs- A Review, *Asian J Pharm Res*, **3**: 84–92.
- Anonim, 2002, *AHFS Drug Information*, Bethesda: American Society of Health- System Pharmacists, Inc. pp 2019-2020.
- Anonim, 2014, *Farmakope Indonesia*, 5<sup>th</sup> Edition. Departemen Kesehatan Republik Indonesia, Jakarta, pp 477.
- Ansel, H., 1989, *Pengantar Bentuk Sediaan Farmasi*, 4<sup>th</sup> Edition, UI Press, Jakarta.
- Anton, N., Benoit, J.P., Saulnier, P., 2008, Design and production of nanoparticles formulated from nano-emulsion templates-a review, *J. Control. Release Off. J. Control. Release Soc*, **128**: 185–199. doi:10.1016/j.jconrel.2008.02.007
- Anton, N., Vandamme, T.F., 2009, The universality of low-energy nano-emulsification, *Int. J. Phar*, **377**: 142–147. doi:10.1016/j.ijpharm.2009.05.014
- Anwer, M.K., Jamil, S., Ibnouf, E.O., Shakeel, F., 2014, Enhanced antibacterial effects of clove essential oil by nanoemulsion, *J. Oleo Sci*, **63**: 347–354.



2012, *Peer Verified Method Program : Manual on Policies and Procedures*, Vancouver, Association of Official Analytical Chemist.

- Aprian, R., 2015, Formulasi SNEDDS (*Self-Nano Emulsifying Drug Delivery System*) Ekstrak Etanolik Akar Purwoceng Gunung (*Artemisia lactiflora* Wall. ex Dc.) dengan VCO sebagai Fase Minyak, Tween 80 sebagai Surfaktan dan PEG 400 sebagai Kosurfaktan. *Tesis*, Universitas Gadjah Mada, Yogyakarta.
- Babchin, A.J. and Scramm, L.L. 2012, Osmotic Repulsion Force Due to Adsorbed Surfactants, *Colloids and Surfaces B: Biointerfaces*, **91**: 137-143.
- Baron DN, 1992, *Kapita Selekta Patologi Klinik*. Edisi ke-4. Andrianto P dan Gunawan J; penerjemah. Terjemahan dari: A Short Textbook of Chemical Pathology, EGC, Jakarta, pp 113-231.
- Basalious, E.B., Shawky, N., Badr-Eldin, S.M., 2010, SNEDDS containing bioenhancers for improvement of dissolution and oral absorption of lacidipine. I: development and optimization, *Int. J. Pharm*, **391**: 203–211. doi:10.1016/j.ijpharm.2010.03.008
- Belhadj, Z., Zhang, S., Zhang, W., Wang, J., 2013, Formulation Development and Bioavailability Evaluation of a Self-nanoemulsifying Drug Delivery System (SNEDDS) of Atorvastatin Calcium, *Int. J. Pharm*, **29**: 1103–1111.
- Ben, E.S., Suardi, M., Chalid, T.C., Yulianto, T., 2013, Optimasi Nanoemulsi Minyak Kelapa Sawit (Palm Oil) Menggunakan Sukrosa Monoester. *Pros. Semin. Nas. Perkemb. Terkini Sains Farm. dan Klin.* III, ISSN : 2339-2592.
- Birger, B., Bente, S., Carsten, U., 2010, *Molecular Biopharmaceutics: Aspect of Drug Characterization, Drug Delivery and Dosage Form Evaluation*. Pharmaceutical press, London, pp 1-346.
- Bouchemal, K., Briançon, S., Perrier, E., Fessi, H., 2004, Nano-emulsion formulation using spontaneous emulsification: solvent, oil and surfactant optimisation, *Int. J. Pharm*, **280**: 241–251. doi:10.1016/j.ijpharm.2004.05.016
- Brater, D.C., Seiwel, R., Anderson, S., Burdette, A., Dehmer, G.J., Chennavasini, P., 1982, Absorption and disposition of furosemid in congestive heart failure. *Kidney Int*, **22**: 171–176.
- Brüsewitz, C., Schendler, A., Funke, A., Wagner, T., Lipp, R., 2007, Novel poloxamer-based nanoemulsions to enhance the intestinal absorption of active compounds, *Int. J. Pharm*, **329**: 173–181. doi:10.1016/j.ijpharm.2006.08.022
- Burra, S and Galipelly S.K., 2010, Enhancement of Solubility and Dissolution Rate of Furosemide through Liquisolid Technique. *Der Pharmacia Lettre* **2**(6): 321-328.



- Cerretani, L., Maggio, R.M., Barnaba, C., Toschi, T.G., Chiavaro, E., 2011, Application of Partial Least Square Regression to Differential Scanning Calorimetry Data for Fatty Acid Quantitation in Olive Oil. *Food Chem*, **127**: 1899–1904. doi:10.1016/j.foodchem.2011.02.041
- Chan, C.C., H.L.Y.C. LEE., & X. Zhang, 2004, *Analytical Method Validation and Instrumental Performant Verification*. Willey Intercine A. John Willy and Sons. Inc., Publication, pp 16.
- Chang, Y., McClements, D.J., 2014, Optimization of orange oil nanoemulsion formation by isothermal low-energy methods: influence of the oil phase, surfactant, and temperature, *J. Agric. Food Chem*, **62**: 2306–2312. doi:10.1021/jf500160y
- Chennamsetty, N., Bock, H., Scanu, L.F., Siperstein, F.R., Gubbins, K.E., 2005, Cosurfactant and cosolvent effects on surfactant self-assembly in supercritical carbon dioxide.
- Chinnala, K.M., Goli, U.R., Panigrahy, R.N., 2015, Formulation and In Vitro Evaluation of Ffurosemid Self Emulsifying Drug Delivery Systems, *Int. J. Med. Nanotechnol*, **2**: 219–227.
- Chong, E., Kalia, V., Willsie, P., 2014, Drug-drug Interaction between Sucroferric Oxyhydroxide and Losartan, Furosemide, Omeprazole, Digoxin and Warfarin in Healthy Subjects, *J.Nephrol*, **27**: 659-666.
- Constantinides, P.P., Chaubal, M.V., Shorr, R., 2008, Advances in lipid nanodispersions for parenteral drug delivery and targeting, *Adv. Drug Deliv. Rev*, **60**: 757–767. doi:10.1016/j.addr.2007.10.013
- Costa, J.A., Lucas, E.F., Queirós, Y.G.C., Mansur, C.R.E., 2012, Evaluation of nanoemulsions in the cleaning of polymeric resins, *Colloids Surf. Physicochem. Eng. Asp*, **415**: 112–118. doi:10.1016/j.colsurfa.2012.10.011
- Cui, S.X., Nie, S.F., Li, L., Wang, C.G., Pan, W.S., Sun, J.P., 2009, Preparation and evaluation of self-microemulsifying drug delivery system containing vinpocetine, *Drug Dev. Ind. Pharm*, **35**: 603–611. doi:10.1080/03639040802488089
- Cuiné, J.F., Charman, W.N., Pouton, C.W., Edwards, G.A., Porter, C.J.H., 2007, Increasing the proportional content of surfactant (Cremophor EL) relative to lipid in self-emulsifying lipid-based formulations of danazol reduces oral bioavailability in beagle dogs. *Pharm. Res*, **24**: 748–757. doi:10.1007/s11095-006-9194-z
- Custodio, J.M., Wu, C.Y., Benet, L.Z., 2008, Predicting drug disposition, absorption elimination btransporter interplay and the role of food on drug absorption, *Adv. Drug Deliv. Rev*, **60**: 717–733. doi:10.1016/j.addr.2007.08.043



- Czajkowska-Kośnik, A., Szekalska, M., Amelian, A., Szymańska, E., Winnicka, K., 2015, Development and Evaluation of Liquid and Solid Self-Emulsifying Drug Delivery Systems for Atorvastatin, *Mol. Basel Switz*, **20**: 21010–21022. doi:10.3390/molecules201219745
- Date, A.A., Desai, N., Dixit, R., Nagarsenker, M., 2010, Self-nanoemulsifying drug delivery systems: formulation insights, applications and advances, *Nanomed*, **5**: 1595–1616. doi:10.2217/nnm.10.126
- Date, A.A., Nagarsenker, M.S., 2007, Novel delivery systems of atorvastatin should be evaluated for pharmacodynamics instead of pharmacokinetics, *J. Pharm. Pharmacol*, **59**: 1583–1584. doi:10.1211/jpp.59.11.0017
- Dauqan, E.M.A., Sani, H.A., Abdullah, A., Kasim, Z.M., 2011, Fatty Acids Composition of Four Different Vegetable Oils (Red Palm Olein, Palm Olein, Corn Oil and Coconut Oil) by Gas Chromatography. 2nd Int, *Conf. Chem. Chem. Eng*, **14**: 31–34.
- Davidov-Pardo, G., McClements, D.J., 2015, Nutraceutical delivery systems: Resveratrol encapsulation in grape seed oil nanoemulsions formed by spontaneous emulsification, *Food Chem*, **167**: 205–212. doi:10.1016/j.foodchem.2014.06.082
- Davis, S.S., 2005, Formulation strategies for absorption windows, *Drug Discov, Today*, **10**: 249–257. doi:10.1016/S1359-6446(04)03351-3
- DeSesso J.M., and Jacobson C.F., 2001, Anatomical and Physiological Parameters Affecting Gastrointestinal Absorption in Human and Rats, *Food and Chemical Toxicology*, **39**: 209-228.
- De Zordi, N., Moneghini, M., Kikic, I., Grassi, M., Del Rio Castillo, A.E., Solinas, D., Bolger, M.B., 2012, Applications of supercritical fluids to enhance the dissolution behaviors of Furosemid by generation of microparticles and solid dispersions, *Eur. J. Pharm. Biopharm. Off. J. Arbeitsgemeinschaft Für Pharm. Verfahrenstechnik EV*, **81**: 131–141. doi:10.1016/j.ejpb.2012.01.002
- Dixit, A.R., Rajput, S.J., Patel, S.G., 2010, Preparation and bioavailability assessment of SMEDDS containing valsartan, *AAPS PharmSciTech*, **11**: 314–321. doi:10.1208/s12249-010-9385-0
- Doh, H.J., Jung, Y., Balakrishnan, P., Cho, H.J., Kim, D.D., 2013, A novel lipid nanoemulsion system for improved permeation of granisetron, *Colloids Surf. B Biointerfaces*, **101**: 475–480. doi:10.1016/j.colsurfb.2012.07.019
- Drew, J.H., Wells, R., 1979, The Effect of Drugs on Albumin Binding of Bilirubin and on Free Bilirubin Concentration as Determined by Fluorescence Quenching, *Drug Intell. Clin. Pharm*, **13**: 498–503. doi:10.1177/106002807901300903



- El-Massik, Abdallah, 2009, Self-nanoemulsifying drug delivery systems of tamoxifen citrate: design and optimization, *Int. J. Pharm*, **380**:133–141.
- Fanun, M., 2010, *Colloids in Drug Delivery*, CRC Press, Florida, pp 1-652.
- Fudholi, A., 2013, *Disolusi dan Pelepasan Obat In Vitro*, Pustaka Pelajar, Yogyakarta, pp 1-180.
- Garnero, C., Chattah, A.K., Longhi, M., 2013, Supramolecular complexes of maltodextrin and furosemid polymorphs: a new approach for delivery systems, *Carbohydr. Polym*, **94**: 292–300. doi:10.1016/j.carbpol.2013.01.055
- Gerber, T., Schomerus, H., 2000, Hepatic encephalopathy in liver cirrhosis: pathogenesis, diagnosis and management, *Drugs*, **60**: 1353–1370.
- Ghosh, P.K., Majithiya, R.J., Umrethia, M.L., Murthy, R.S.R., 2006, Design and development of microemulsion drug delivery system of acyclovir for improvement of oral bioavailability. *AAPS PharmSciTech*, **7**: E172–E177. doi:10.1208/pt070377
- Giknis, M.L., Clifford, C.B., 2006, *Clinical Laboratory Parameters for Crl:CD (SD) Rats*, Charles River Laboratories, pp 1-14.
- Gillete, J., Mitchell, J., 1975, Concepts in Biochemical Pharmacology, vol.28 part.3, *Handbook Experimental of Pharmacolog*, Berlin.
- Gonzales, A.G., Herador, M.A., 2007, A Practical Guide to Analytical Method Validation, Including Measurement Uncertainty and Accuracy Profiles, *Trend Anal. Chem*, **26**(3): 228-238.
- Goodman, L.S., Gilman, A., New York. *The Pharmacological basis of therapeutics*, 9<sup>th</sup> Edition. 1996, pp 1-1787.
- Granero, G.E., Longhi, M.R., Mora, M.J., Junginger, H.E., Midha, K.K., Shah, V.P., Stavchansky, S., Dressman, J.B., Barends, D.M., 2010, Biowaiver monographs for immediate release solid oral dosage forms: furosemid, *J. Pharm. Sci*, **99**: 2544–2556. doi:10.1002/jps.22030
- Gray, H., 2000, *Anatomy of the Human Body*, Philadelphia; In Bartleby.com, 2000. [www.bartleby.com/107/](http://www.bartleby.com/107/) diakses pada tanggal 26 Desember 2016.
- Grevel, J., Nüesch, E., Abisch, E., Kutz, K., 1986, Pharmacokinetics of oral cyclosporin A (Sandimmun) in healthy subjects, *Eur. J. Clin. Pharmacol*, **31**: 211–216.
- Gupta, H., Bhandari, D., Sharma, A., 2009, Recent trends in oral drug delivery: a review. *Recent Pat. Drug Deliv, Formul*, **3**: 162–173.



- Gupta, S., Chavhan, S., Sawant, K.K., 2011, Self-nanoemulsifying drug delivery system for adefovir dipivoxil: Design, characterization, in vitro and ex vivo evaluation, *Colloids Surf. Physicochem. Eng. Asp.*, **392**: 145–155. doi:10.1016/j.colsurfa.2011.09.048
- Gurjeet, K., Pankaj, C., Harikumar, S., 2013, Formulation Development of Self Nanoemulsifying Drug Delivery System (SNEDDS) of Celecoxib for Improvement of Oral Bioavailability, *Pharmacophore*, **4**: 120–133.
- Gutiérrez, J.M., González, C., Maestro, A., Solè, I., Pey, C.M., Nolla, J., 2008, Nano-emulsions: New applications and optimization of their preparation, *Curr. Opin. Colloid Interface Sci*, **13**: 245–251. doi:10.1016/j.cocis.2008.01.005
- Hadgraft, J., Walters, K.A., 1993, Pharmaceutical Skin Penetration Enhancement.
- Hall, P., Johny, C., 2012, What is the real function of the liver "function" test, *Ulster Med J*, **81**: 30-36.
- Hammarlund, M.M., Paalzow, L.K., Odland, B., 1984, Pharmacokinetics of furosemid in man after intravenous and oral administration. Application of moment analysis, *Eur. J. Clin. Pharmacol.*, **26**: 197–207.
- Harmita, 2004, Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya, *Maj. Ilmu Kefarmasian*, **I**: 117–135.
- Harriss, B.I., Vella-Zarb, L., Wilson, C., Evans, I.R., 2013, Furosemid cocrystals: Structures, hydrogen bonding, and implications for properties, *Cryst. Growth Des.*, **14**: 783–791.
- Hartono, 2011, SPSS 16. *Analisis Data Statistika dan Penelitian*. Pustaka Pelajar, Yogyakarta.
- Hetal, T., Bindesh, P., Sneha, T., 2010, A Review On Techniques For Oral Bioavailability Enhancement of Drugs, <http://connection.ebscohost.com/c/articles/57621873/review-techniques-oral-bioavailability-enhancement-drugs>, diakses pada 8 April 2016.
- Hoffmeier, K., 2007, *Microencapsulation of Leydig Cells*, structure PEG.
- Hafizah, A.U., 2014, Formulasi dan Uji Aktivitas Self-Nanoemulsifying Drug Delivery System (SNEDDS) sebagai Anti-Hiperkolesterol dari Kombinasi Ekstrak Temulawak (*Curcuma xanthorrhiza* Roxb) dan Daun Sambung Nyawa (*Gynura procumbent* (Lour) Merr) Menggunakan *Virgin coconut Oil* sebagai Fase Minyak, *Tesis*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Huang, Y.B., Tsai, Y.H., Yang, W.C., Chang, J.S., Wu, P.C., Takayama, K., 2004, Once-daily propranolol extended-release tablet dosage form: formulation design and in

- vitro/in vivo investigation, *Eur. J. Pharm. Biopharm*, **58**: 607–614.  
doi:10.1016/j.ejpb.2004.03.037
- Jeevana, J.B., Sreelakshmi, K., 2011, Design and evaluation of self-nanoemulsifying drug delivery system of flutamide, *J. Young Pharm*, **3**: 4–8. doi:10.4103/0975-1483.76413
- Kabir, M.T., Munir, M.S., Rahman, M.A., 2016, Self-emulsifying Drug Delivery System (SEDDS): An Approach for Solubility, Dissolution and Bioavailability Enhancement of Furosemid, *Sch. Acad. J. Pharm. SAJP*, **5**: 289–296.
- Kale, A.A., Patravale, V.B., 2008, Design and evaluation of self-emulsifying drug delivery systems (SEDDS) of nimodipine, *AAPS Pharm Sci Tech*, **9**: 191–196. doi:10.1208/s12249-008-9037-9
- Karkhile, V.G., Sontakke, M.A., Karmarkar, R.R., Barhate, S.D., Tupkari, S.V., 2010, Formulation and Evaluation of Floating Tablets of Furosemid, *Int. J. Pharm. Res. Development*, **1**(12): 1-9.
- Karla, O., Aggarwal, A., 2012, *Rational Use of Diuretics and Pathophysiology of Edema*, **22**: 601–610.
- Kassem, A.A., Marzouk, M.A., Ammar, A.A., Elosaily, G.H., 2010, Preparation and in vitro evaluation of self-nanoemulsifying drug delivery systems (SNEDDS) containing clotrimazole, *Drug Discov. Ther*, **4**: 373–379.
- Kassem, A.A., Mohsen, A.M., Ahmed, R.S., Essam, T.M., 2016, Self-Nanoemulsifying Drug Delivery System (SNEDDS) with Enhanced Solubilization of Nystatin for Treatment of Oral Candidiasis: Design, Optimization, In Vitro and In Vivo Evaluation, *J. Mol. Liq*, **218**: 219–232.
- Kaur, G., Chandel, P., Harikumar, S., 2013, Formulation Development of Self NanoEmulsifying Drug Delivery System (SNEDDS) of Celecoxib for Improvement of Oral Bioavailability, **4**: 120–133.
- Kerwin, B.A., 2008, Polysorbates 20 and 80 used in the formulation of protein biotherapeutics: structure and degradation pathways, *J. Pharm. Sci*, **97**: 2924–2935. doi:10.1002/jps.21190
- Kirchain, W.R., Allen, R.E., 2014, *Drug-Induced Liver Disease*, Mc.Graw-Hill Education, pp 261-267.
- Komaiko, J., McClements, D.J., 2014, Optimization of isothermal low-energy nanoemulsion formation: hydrocarbon oil, non-ionic surfactant, and water systems, *J. Colloid Interface Sci*, **425**: 59–66. doi:10.1016/j.jcis.2014.03.035



- Larsen, A.T., Ogbonna, A., Abu-Rmaileh, R., Brahamsson, B., Ostergaard, J., Mullertz, A., 2012, SNEDDS Containing Poorly Water Soluble Cinnarizine; Development and in Vitro Characterization of Dispersion, Digestion and Solubilization, <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3834928/> diakses pada 8 April 2016.
- Lima, E.Q., Albuquerque, M.M., Rodrigues, O.G., Alencar, J.R., Medeiros, F.P., Neto, P.J.R., 2007, Technological Development of 40mg Furosemid Tablets: Equivalence and Bioavailability Study in Dogs. *Presq Vet Bras*, **27**: 462–466.
- Löbenberg, R., Amidon, G.L., 2000, Modern bioavailability, bioequivalence and biopharmaceutics classification system. New scientific approaches to international regulatory standards, *Eur. J. Pharm. Biopharm. Off. J. Arbeitsgemeinschaft Für Pharm. Verfahrenstechnik EV*, **50**: 3–12.
- Makadia, M.H.A., Bhatt, M.A.Y., Parmar, M.R.B., Paun, M.J.S., Tank, D.H.M., 2013, Self-nano Emulsifying Drug Delivery System (SNEDDS): Future Aspects. *Int. J. Technol*, **3**: 21-27
- Martin, A., Swarbrick, J., Cammarata, A., 1993, *Farmasi Fisik*, III. Edisi 2. UI-Press, Jakarta, pp 827-837.
- Meirista, I., 2014, Formulasi dan Uji Aktivitas Nano-Herbal Anti-Hiperkolesterol dari Kombinasi Ekstrak Temulawak (*Curcuma xanthorrhiza* Roxb.) dan Sambung Nyawa (*Gynura procumbens* (Lour.) Merr.) Menggunakan Myritol 318 sebagai Fase Minyak, *Tesis*, Fakultas Farmasi Universitas Gajah Mada, Yogyakarta.
- Miryala, V., Kurakula, M., 2013, Self-Nano Emulsifying Drug Delivery System (SNEDDS) for Oral Delivery of Atorvastatin- Formulation and Bioavailability Studies, *J. Drug Deliv. Ther*, **3**: 131–142.
- Mohsin, K., Shahba, A.A., Alanazi, F.K., 2012, Lipid Based Self Emulsifying Formulations for Poorly Water Soluble Drugs-An Excellent Opportunity. *Research Gate*, **46**: 88–96.
- Mona, H.A.E., 2009, Formulation and evaluation of felodipine in softgels with a solubilized core, *Asian. J. Pharm. Sci*, **4**(3): 144–160.
- Mountfield, R.J., Senepin, S., Schleimer, M., Walter, I., Bittner, B., 2000, Potential inhibitory effects of formulation ingredients on intestinal cytochrome P450. *Int. J. Pharm*, **211**: 89–92.
- Mulder, M., 1996, *Basic Principle of Membran Technology*, 2<sup>nd</sup> Edition, Kluwer Academic Publisher, Dordrecht.



- Nag, D.C., Murshed, A.K.M., Chakraborty, R., Rahman, M.R., 2012, Mechanism and management of diuretic resistance in congestive heart failure, *J. Dhaka Natl. Med. Coll. Hosp*, **17**: 44–46.
- Nazzal, S., Smalyukh, I.I., Lavrentovich, O.D., Khan, M.A., 2002, Preparation and in vitro characterization of a eutectic based semisolid self-nanoemulsified drug delivery system (SNEDDS) of ubiquinone: mechanism and progress of emulsion formation. *Int. J. Phar*, **235**: 247–265.
- Neslihan Gursoy, R., Benita, S., 2004, Self-emulsifying drug delivery systems (SEDDS) for improved oral delivery of lipophilic drugs. *Biomed. Pharmacother*, **58**: 173–182. doi:10.1016/j.biopha.2004.02.001
- Nigade, P.M., Patil, S.L., Tiwari, S.S., 2012, Self Emulsifying Drug Delivery System (SEDDS): A Review. *Int. J. Pharm. Biol. Sci*, **2**: 42–52.
- Niu, Z., Conejos-Sánchez, I., Griffin, B.T., O’Driscoll, C.M., Alonso, M.J., 2016, Lipid-based nanocarriers for oral peptide delivery, *Adv. Drug Deliv. Rev., Oral delivery of peptides Opportunities and issues for translation*, **106**: 337–354. doi:10.1016/j.addr.2016.04.001
- Obitte, N., Ofokansi, K., 2011, Self-Nanoemulsifying Drug Delivery Systems Based on Melon Oil and its Admixture with a Homolipid form *Bos indicus* for the Delivery of Indomethacin, *Tropical Journal of Pharmaceutical Research*, **10** (3): 299-307.
- O’Driscoll, C.M., 2002, Lipid-based formulations for intestinal lymphatic delivery, *Eur. J. Pharm. Sci. Off. J. Eur. Fed. Pharm. Sci*, **15**: 405–415.
- Olivares-Morales, A., Lennernäs, H., Aarons, L., & Rostami-Hodjegan, A., 2015, Translating Human Effective Jejunal Intestinal Permeability to Surface-Dependent Intrinsic Permeability: a Pragmatic Method for a More Mechanistic Prediction of Regional Oral Drug Absorption, *The AAPS Journal*, **17**(5): 1177–1192.
- Pachioni-Vasconcelos, J. de A., Lopes, A.M., Apolinário, A.C., Valenzuela-Oses, J.K., Costa, J.S.R., Nascimento, L. de O., Pessoa, A., Barbosa, L.R.S., Rangel-Yagui, C. de O., 2016, Nanostructures for protein drug delivery, *Biomater. Sci*, **4**: 205–218. doi:10.1039/c5bm00360a
- Pacifici, G.M., 2013, Clinical Pharmacology of Furosemid in Neonates: A review, *Pharm*, **6**: 1094-1129.
- Panjaitan, R.G.P., Handharyani, E., Chairul, Masriani, 2007, Pengaruh Pemberian Karbon Tetraklorida Terhadap Fungsi Hati dan Ginjal tikus, *Makara*, **11**: 11–16.
- Patel, J., Aneja, K., Ravi, T., 2010, Bioavailability and Bioequivalence Trials and Its Necessity. *Int. J. Pharm. Pharm. Sci*, **2**: 1–8.



- Patel, J., Kevin, G., Patel, A., Raval, M., Sheth, N., 2011, Design and development of a self-nanoemulsifying drug delivery system for telmisartan for oral drug delivery, *Int. J. Pharm. Investig*, **1**: 112–118. doi:10.4103/2230-973X.82431
- Patil, P., Patil, V., Paradkar, A., 2007, Formulation of a self-emulsifying system for oral delivery of simvastatin: in vitro and in vivo evaluation, *Acta Pharm. Zagreb Croat*, **57**: 111–122.
- Ping, B.T., May, C., 2000, Valuable Phytonutrients in Commercial Red Palm Oil, *Palm Oil Dev*. **32**: 20–25.
- Pires, M.A.S., Souza Dos Santos, R.A., Sinisterra, R.D., 2011, Pharmaceutical composition of hydrochlorothiazide:β-cyclo-dextrin: preparation by three different methods, physico-chemical characterization and in vivo diuretic activity evaluation, *Mol. Basel Switz*, **16**: 4482–4499. doi:10.3390/molecules16064482
- Pol, A.S., Patel, P.A., Hegde, D., 2013, Peppermint Oil Based Drug Delivery System of Aceclofenac with Improved Anti-Inflammatory Activity and Reduced Ulcerogenicity, *Int. J. Pharm. Biosci. Technol*, **1**: 89–101.
- Ponto L.L, Schoewald, R.D., 1990, Ffurosemid (frusemide). A Pharmacokinetic/ Pharmacodinamic review (Part II), *Clin. Pharmacokinet*, **18**(5): 381-408.
- Porter, H. J. C, L. N. Trevaskis and W. N. Charman, 2007, Lipids and lipid-based formulations: optimizing the oral delivery of lipophilic drugs, *Nat. Rev. Drug Discov*. **6**: 231–248; DOI: 10.1038/nrd2197
- Porter, C.J.H., Pouton, C.W., Cuine, J.F., Charman, W.N., 2008, Enhancing intestinal drug solubilisation using lipid-based delivery systems. *Adv. Drug Deliv. Rev*, **60**: 673–691. doi:10.1016/j.addr.2007.10.014
- Pouton, C.W., 1997, Formulation of self-emulsifying drug delivery systems., The Potential of Oily Formulations for Drug Delivery to the Gastro-intestinal Tract, *Adv. Drug Deliv. Rev*, **25**: 47–58. doi:10.1016/S0169-409X(96)00490-5
- Pouton, C.W., Porter, C.J.H., 2008, Formulation of lipid-based delivery systems for oral administration: materials, methods and strategies, *Adv. Drug Deliv. Rev*, **60**: 625–637. doi:10.1016/j.addr.2007.10.010
- Prabhakar, K., Afzal, S.M., Surender, G., Kishan, V., 2013, Tween 80 containing lipid nanoemulsions for delivery of indinavir to brain. *Acta Pharm. Sin*, **3**: 345–353. doi:10.1016/j.apsb.2013.08.001
- Prajapati, S.T., Joshi, H.A., Patel, C.N., 2013, Preparation and Characterization of Self-Microemulsifying Drug Delivery System of Olmesartan Medoxomil for Bioavailability Improvement. *J. Pharm*, **2013**: 1-9. doi:10.1155/2013/728425



- Prasad, D., Jain, A., Garad, S., 2017, Oral Delivery of Poorly Soluble Drugs in *Pan Stanford Series on Pharmaceutical Analysis*, pp 163-167.
- Quan, D., Xu, G., Wu, X., 2007, Studies on preparation and absolute bioavailability of a self-emulsifying system containing puerarin. *Chem. Pharm. Bull*, **55**: 800–803.
- Rachmawati, A.N., 2012, Optimasi Tablet Dispersibel Ekstrak Daun Jambu Biji (*Psidium guajava* L) dengan Kombinasi Bahan Penghancur Croscarmellose Sodium dan Sodium Strarch Glycolate. *Tesis*, Fakultas Farmasi Universitas Gajah Mada, Yogyakarta.
- Rajesh, B., Reddy, T., Srikanth, G., Mallikarjun, V., Nivethithai, P., 2010, Lipid Based Self-emulsifying Drug Delivery System (SEDDS) for Poorly water-soluble Drugs: A Review, *J Glob Pharma Technol*, **2**: 47–55.
- Rhao, S.V.R and Shao, J., 2008, Self Nanoemulsifying Drug Delivery System (SNEDDS) for Oral Delivery of Protein Drug, *International Journal of Pharmaceutics*, **362**: 2-9.
- Rege, B.D., Kao, J.P.Y., Polli, J.E., 2002, Effects of nonionic surfactants on membrane transporters in Caco-2 cell monolayers. *Eur. J. Pharm. Sci. Off. J. Eur. Fed. Pharm. Sci*, **16**: 237–246.
- Ren, F., Jing, Q., Cui, J., Chen, J., Shen, Y., 2008, Self-Nanoemulsifying drug delivery system (SNEDDS) of anethole trithione by combined use of surfactants, *J Disp Sci Tech*, **30**: 664–670.
- Rosida, A., 2016, Pemeriksaan Laboratorium Penyakit Hati, *Berkala Kedokteran*, **12**(1):123-131.
- Rowe, R., Sheskey, P., Owen, S., 2009. *Handbook of Pharmaceutic Excipients*, 6<sup>th</sup> Edition, 6. Pharmaceutical Press and American Pharmacist Association, London, pp 466-467.
- Saberi, A.H., Fang, Y. & McClements, D.J., 2013, Fabrication of vitamin E-enriched nanoemulsions: factors affecting particle size using spontaneous emulsification, *J of Coll and Inter Sci*, **391**: 95–102.
- Sadurní, N., Solans, C., Azemar, N., García-Celma, M.J., 2005, Studies on the formation of O/W nano-emulsions, by low-energy emulsification methods, suitable for pharmaceutical applications. *Eur. J. Pharm. Sci*, **26**: 438–445. doi:10.1016/j.ejps.2005.08.001
- Sagar K.S., 2015, A Review - Self Nanoemulsifying Drug Delivery System (SNEDDS), *Inter J of Research in Pharm and Nano Scien*, **4**(6): 385 – 397.
- Sahu, B.P., Das, M.K., 2014, Formulation, optimization, and in vitro/in vivo evaluation of ffurosemid nanosuspension for enhancement of its oral bioavailability, *J. Nanoparticle Res*, **16**: 2360. doi:10.1007/s11051-014-2360-z



- Sakloetsakun, D., Dünnhaupt, S., Barthelmes, J., Perera, G., Bernkop-Schnürch, A., 2013, Combining two technologies: multifunctional polymers and self-nanoemulsifying drug delivery system (SNEDDS) for oral insulin administration, *Int. J. Biol. Macromol*, **61**: 363–372. doi:10.1016/j.ijbiomac.2013.08.002
- Sakthi, M.U., Lobo, F. josephine R., Uppuluri, K.B., 2013, Self Nanoemulsifying Drug Delivery Systems for Oral Delivery of Hydrophobic Drugs, *Biomed. Pharmacol. J.* **6**: 355–362.
- Sapra, K., Sapra, A., Singh, S.K., and Kakkar, S., 2012, Self Emulsifying Drug Delivery System: A Tool in Solubility Enhancement of Poorly Soluble Drugs, *Indo Global J Pharm Scien*, **2**(3): 313-332.
- Savale, S.K., 2015, A Review: Self Nanoemulsifying Drug Delivery System (SNEDDS), *Inter J Research in Pharm and Nano Scien*, **4**(6): 385-397.
- Seeballuck, F., Lawless, E., Ashford, M.B., O'Driscoll, C.M., 2004, Stimulation of triglyceride-rich lipoprotein secretion by polysorbate 80: in vitro and in vivo correlation using Caco-2 cells and a cannulated rat intestinal lymphatic model. *Pharm. Res*, **21**: 2320–2326.
- Shafiq, S., Shakeel, F., Talegaonkar, S., Ahmad, F.J., Khar, R.K., Ali, M., 2007, Development and bioavailability assessment of ramipril nanoemulsion formulation, *Eur. J. Pharm. Biopharm. Off. J. Arbeitsgemeinschaft Für Pharm. Verfahrenstechnik EV*, **66**: 227–243. doi:10.1016/j.ejpb.2006.10.014
- Shahnaz, G., Hartl, M., Barthelmes, J., Leithner, K., Sarti, F., Hintzen, F., Rahmat, D., Salvenmoser, W., Bernkop-Schnürch, A., 2011, Uptake of phenothiazines by the harvested chylomicrons ex vivo model: Influence of self-nanoemulsifying formulation design. *Eur. J. Pharm. Biopharm., New facets of nanopharmaceutics*, **79**: 171–180. doi:10.1016/j.ejpb.2011.01.025
- Shaji, J., Jadhav, D., 2010, Newer Approches to Self Emulsifying Drug Delivery System. *Int. J. Pharm. Pharm. Sci.* **2**: 37–42.
- Shihab, F.A., Ebian, A.R., and Mustafa, R.Y., 1979, Effect of Polyethyleneclycol, Sodium Lauryl Sulfate and Polysorbate-80 on The Solubility of Ffurosemid, *International Journal of Pharmaceutics*, **4**: 13-20
- Shilpirawat, Derle, D.V., Parve, B.S., Shinde, P.R., 2014, Self Emulsifying Drug Delivery System (SEDDS): A Method for Bioavailability Enhancement. *Int. J. Pharm. Chem. Biol. Sci.* **4**: 479–494.
- Shugarts, S., Benet, L.Z., 2009, The Role of Transporters in the Pharmacokinetics of Orally Administered Drugs, *Pharm. Res*, **26**: 2039–2054. doi:10.1007/s11095-009-9924-0



- Silva, H.D., Cerqueira, M.A., Souza, B.W.S., Ribeiro, C., Avides, M.C., Quintas, M.A.C., Coimbra, J.S.R., Carneiro-da-Cunha, M.G., Vicente, A.A., 2011, Nanoemulsions of  $\beta$ -carotene using a high-energy emulsification–evaporation technique, *J. Food Eng.*, **102**: 130–135. doi:10.1016/j.jfoodeng.2010.08.005
- Singla, N., Gupta, G., Kohli, K., Singla, A., 2009, A Discriminatory and Biorelevant Dissolution Test Method for Simvastatin Drug Product, *Dissolution Techno*, pp 11-13.
- Sinko, P., 2011. *Martin Farmasi Fisika dan Ilmu Farmasetika*, 5<sup>th</sup> Edition. EGC, Jakarta, pp 378-379.
- Snyder, L.R., Kirkland, J.J., Dolan, J.W., 2010. *Introduction to Modern Liquid Chromatography*, 3<sup>th</sup> Edition. John Wiley & Sons, inc. Publication, USA.
- Soltani, S., Jouyban, A., 2011, Optimization and Validation of An Isocratic HPLC-UV Method for the Simultaneous Determination of Five Drugs Used in Combined Cardiovascular Therapy in Human Plasma, *Asian J. Chem.* **23**: 1728–1734.
- Stockham, S.L., Scott, M.A., 2008, *Fundamentals of Veterinary Clinical Pathology*. Ames (USA): Balckwell Publishing.
- Strickley, R.G., 2004, Solubilizing excipients in oral and injectable formulations, *Pharm. Res.* **21**: 201–230.
- Subramanian, N., Ray, S., Ghosal, S.K., Bhadra, R., Moulik, S.P., 2004, Formulation design of self-microemulsifying drug delivery systems for improved oral bioavailability of celecoxib. *Biol. Pharm. Bull.*, **27**: 1993–1999.
- Sun, M., Han, J., Guo, xiaoran, li, Z., Yang, J., Zhang, Y., Zhang, D., 2011, Design, preparation and in vitro evaluation of paclitaxel-loaded self-nanoemulsifying drug delivery system, *Asian J. Pharm. Sci.*, **6**: 18–25.
- Swaroop, A., Aparna, C., Srinivas, P., 2014, Formulation, Evaluation and Characterization of Periodontal Microemulsion Gel, *Int. J. Pharm. Sci. Drug Res.*, **6**: 20–25.
- Sweetman, S., 2009. *Martindale: The Complete Drug Reference*, Electronic Version. ed. Pharmaceutical Press, UK.
- Syed, H.K., Peh, K.K., 2014, Identification of phases of various oil, surfactant/ co-surfactants and water system by ternary phase diagram, *Acta Pol. Pharm.*, **71**: 301–309.
- Talegaonkar, S., Azeem, A., Ahmad, F.J., Khar, R.K., Pathan, S.A., Khan, Z.I., 2008, Microemulsions: a novel approach to enhanced drug delivery. *Recent Pat. Drug Deliv. Formul.*, **2**: 238–257.



- Thakur, A., Walia, M.K., and Kumar S.L.H., 2013, Nanoemulsion In Enhancement of Bioavailability of Poorly Soluble Drug: A Review, *Pharmacophore*, **4**(1): 15-25.
- Thapaliya, K., Bhandary, A., Basnet, S., Aryal, B., 2013, Clinical Status of Furosemid on Liver Cirrhosis with Portal Hypertention and Ascites. *J. Chitwan Med. Coll.* **3**: 65–66.
- Trommer, H., Neubert, R.H.H., 2006, Overcoming the stratum corneum: the modulation of skin penetration. A review, *Skin Pharmacol. Physiol*, **19** :106–121. doi:10.1159/000091978
- Vankatesh, M., Mallesh, K., 2013, Self-Nano Emulsifying Drug Delivery System (Snedds) For Oral Delivery Of Atorvastatin- Formulation And Bioavailability Studies, *J. Drug Deliv. Ther*, **3**: 131–142.
- Varma, M.V.S., Panchagnula, R., 2005, Prediction of in vivo intestinal absorption enhancement on P-glycoprotein inhibition, from rat in situ permeability, *J. Pharm. Sci*, **94**: 1694–1704. doi:10.1002/jps.20309
- Verbeeck, R.K., Patwardhan, R.V., Villeneuve, J.P., Wilkinson, G.R., Branch, R.A., 1982, *Furosemid disposition in cirrhosis*. Departements Pharmacol. Med.
- Vilas, P.C., Nayan A, G., Bhushan R, R., Sunil P, P., 2014, Preparation and In vitro Evaluation of Self-Nanoemulsifying Drug Delivery System (SNEDDS) Containing Clopidogrel, *Int. J. Pharm. Sci*, **25**: 10–15.
- Vlachou, M., Papaïoannou, G., 2003, Preparation and characterization of the inclusion complex of furosemid with hydroxypropyl-beta-cyclodextrin, *J. Biomater. Appl*, **17**: 197–206.
- Wahyuningsih, I., Utamy, E., Binarjo, A., 2012, The Influence of Pre-treatment and Co-treatment of ambon banana fruit juice to furosemid bioavailability, *Proceeding of The International Conference on Drug Development From Natural Resources*, Ahmad Dahlan University, Yogyakarta, pp 189-194.
- Wallach, S.M., Charbon, G.A., Beijer, H.J., Endeman, H.J., Hoeke, J.O.O., Schrijver, J., Struyvenberg, A., 1983, *Effect of Furosemid on Biliary Secretion, Pancreatic Blood Flow, and Pancreatic Exocrine Secretion*, **22**: 401–403.
- Waller, E.S., Massarella, J.W., Tomkiw, M.S., Smith, R.V., Doluisio, J.T., 1985, Pharmacokinetics of furosemid after three different single oral doses, *Biopharm. Drug Dispos*, **6**: 109–117.
- Wang, L., Dong, J., Chen, J., Eastoe, J., Li, X., 2009, Design and optimization of a new self-nanoemulsifying drug delivery system, *J. Colloid Interface Sci*, **330**: 443–448. doi:10.1016/j.jcis.2008.10.077



- Wankhade, V., Kiran Tapar, Shrikant Pande and Nishant Bobade, 2010, Design and evaluation of self-nanoemulsifying drug delivery systems (SNEDDS) for Gliclazide, *Der Pharmacia Lettre*, **2**(4): 132-143
- Watts, T.L., Fasano, A., 2000, Modulation of Intestinal Permeability: A Novel and Innovative Approach for the Oral Delivery of Drugs, Macromolecules and Antigens, *Biotechnol Genet Eng Rev*, **17**: 433-453.
- Williams, A., 2003. *Transdermal and Topical Drug Delivery*, 1st ed. Pharmaceutical Press, USA.
- Williams, A.C., Barry, B.W., 2004, Penetration enhancers, *Adv. Drug Deliv. Rev*, **56**: 603–618. doi:10.1016/j.addr.2003.10.025
- Xia, D., Quan, P., Piao, Hongze, Piao, Hongyu, Sun, S., Yin, Y., Cui, F., 2010, Preparation of stable nitrendipine nanosuspensions using the precipitation-ultrasonication method for enhancement of dissolution and oral bioavailability, *Eur. J. Pharm. Sci. Off. J. Eur. Fed. Pharm. Sci.* **40**: 325–334. doi:10.1016/j.ejps.2010.04.006
- Yadav, P., Yadav, E., Verma, A., Amin, S., 2014, In vitro characterization and pharmacodynamic evaluation of furosemid loaded self nano emulsifying drug delivery systems (SNEDDS), *J. Pharm. Investig*, **44**: 443–453. doi:10.1007/s40005-014-0138-z
- Yadav, P.S., Yadav, E., Verma, A., Amin, S., 2014, Development, Characterization, and Pharmacodynamic Evaluation of Hydrochlorothiazide Loaded Self-Nanoemulsifying Drug Delivery Systems, *Sci. World*, **2014**: 1-9. doi:10.1155/2014/274823
- Yu, B., Kim, K.H., So, P.T.C., Blankschtein, D., Langer, R., 2003, Visualization of oleic acid-induced transdermal diffusion pathways using two-photon fluorescence microscopy, *J. Invest. Dermatol*, **120**: 448–455. doi:10.1046/j.1523-1747.2003.12061.x
- Yüksel, N., Karataş, A., Ozkan, Y., Savaşer, A., Ozkan, S.A., Baykara, T., 2003, Enhanced bioavailability of piroxicam using Gelucire 44/14 and labrasol: in vitro and in vivo evaluation, *Eur. J. Pharm. Biopharm. Off. J. Arbeitsgemeinschaft Für Pharm. Verfahrenstechnik EV*, **56**: 453–459.
- Zakeri-Milani, P., Barzegar-Jalali, M., Tajerzadeh, H., Azarmi, Y., Valizadeh, H., 2005, Simultaneous determination of naproxen, ketoprofen and phenol red in samples from rat intestinal permeability studies: HPLC method development and validation, *J. Pharm. Biomed. Anal*, **39**: 624–630. doi:10.1016/j.jpba.2005.04.008
- Zhang, P., Liu, Y., Feng, N., Xu, J., 2008, Preparation and Evaluation of Self Microemulsifying Drug Delivery Systems of Oridonin, *International Journal of Pharmaceutics*, **355**: 269-276.



- Zhang, Y., Huo, M., Zhou, J., Zou, A., Li, W., Yao, C., Xie, S., 2010, DDSolver: An Add-In Program for Modeling and Comparison of Drug Dissolution Profiles, *AAPS J*, **12**: 263–271. doi:10.1208/s12248-010-9185-1
- Zhao, C., Hobbs, B.E., Ord, A., Peng, S., 2010, Effects of Mineral Dissolution Ratios on Chemical-Dissolution Front Instability in Fluid-Saturated Porous Media, *Transp. Porous Media*, **82**: 317–335. doi:10.1007/s11242-009-9427-9
- Zhi, J., Wang, Y., Luo, G., 2005, Adsorption of diuretic furosemid onto chitosan nanoparticles prepared with a water-in-oil nanoemulsion system, *React. Funct. Polym*, **65**: 249–257. doi:10.1016/j.reactfunctpolym.2005.06.009
- Zvonar, A., Berginc, K., Kristl, A., Gasperlin, M., 2010, Microencapsulation of self-microemulsifying system: improving solubility and permeability of furosemid, *Int. J. Pharm*, **388**: 151–158. doi:10.1016/j.ijpharm.2009.12.055