

DAFTAR PUSTAKA

- Abreu, I. A. & D. E. 2010. Superoxide dismutases-a review of the metalassociated mechanistic variations. *Biochim. Biophys. Acta* 1804 : 263-274.
- Alschner, R. G., N. Erturk, & L. N. Heath. 2002. Role of superoxide dimutase (SODs) in controlling oxidative stress in plants. *Journal of Experimental Botany*, 53 (72) :1331-1341.
- Alva, A. K., T. J. Baugh, K. S. Sajwan, & S. Paramasivam. Soil pH and anion abundance affects on copper adsorption. *Journal Environmental Science Health*, 39 (5-6) : 903-910.
- Azooz, M. M., M. F. Abou-Elhamd, & M. A. Al-Fredan. 2012. Biphasic effect of copper on growth, proline, lipid peroxidation and antioxidant enzyme activities of wheat (*Triticum aestivum* cv. Hasaawi) at early growing stage. *Australian Journal of Crop Science*, 6 (4) : 688-694.
- Balitpa (balai Besar Penelitian Tanaman Padi. 2010. Mengenal Beras Hitam. *Bank Pengetahuan Tanaman Pangan Indonesia*. Departemen Pertanian.
- Cambrolle, J., E. Mateos-Naranjo, S. Redondo-Gomez, T. Luque, & M. Figueroa. 2011. Growth, reproductive and photosynthetic responses to copper in the yellow-horned poppy *Glaucium flavum* Crantz. *Environ. Exp. Bot.*, 71 : 57-64.
- Cheng, W., G. Zhang, H. Yao, W. Wu, & M. Xu. 2006. Genotypic and environmental variation in cadmium, chromium, arsenic, nickel, and lead concentrations in rice grains. *Journal of Zhejiang University Sciences* 7 (7): 565-571.
- Chuan-Ming, Y. H. W. Chi, & H. H. Jen. 2003. Copper treatment activates mitogen-activated protein kinase signalling in rice. *Plant Physiol.*, 119 : 392-399.
- Chung, M. J., P. A. Walker, & C. Hogstrand. 2006. Dietary phenolic antioxidants, caffeic acid and trolox, protect rainbow trout gill cells from nitric oxide-induced apoptosis. *Aquat. Toxicol.*, 80 : 321-328.
- Cronquist, A. 1981. *Integrated System of Classification of Flowering Plants*. Columbia University Press. New York. 1262 pp.
- Cu, N. X. The effect of Cu concentration in soil and phosphorous fertilizer on plant growth and Cu uptake by *Brassica juncea* L. grown on contaminated soils. *VNU Journal of Science*, 24 : 113-117.
- Das, S. K. 2014. Role of micronutrient in rice cultivation and management strategy in organic agriculture – a reappraisal. *Agricultural Sciences*, 5 : 765-769.
- Dobermann, A., & T. Fairhurst. 2000. *Rice Nutrient Disorders and Nutrient Management*. Oxford Graphic Printers Pte Ltd. United Kingdom.
- Ducic, T. & A. Pole. 2005. Transport and detoxification of manganese and copper in plants. *Braz. J. Plant Physiol.*, 17 (1) : 103-112.
- FAO. 2007. *Faostat*". Tersedia (Online) : <http://faostat.fao.org/site/526/default.aspx>. diakses pada 6 Juni 2016.

- Garcia, A., F. J. Baquedano, P. Navarro, & F. J. Castillo. 1999. Oxidative stress induced by copper in sunflower plants. *Rad. Res.*, 31 : 45-50.
- Giannopolitis, C. N., & S. K. Ries. 1976. Superoxide dismutases. *Plant Physiol.*, 59 : 309-314.
- Goffman, F. D. & C. J. Bergman. 2004. Rice kernel phenolic content and its relationship with antiradical efficiency. *J. Sci Food Agr.*, 84 : 1235-1240.
- Hamid, N., N. Bukhari, & F. Jawaid. 2010. Physiological responses of *Phaseolus vulgaris* to different lead concentrations. *Pak. J. Bot.*, 42 (1) : 239-246.
- Hanhineva, K. 2008. *Metabolic engineering of phenolic biosynthesis pathway and metabolite profiling of strawberry (Fragaria ananassa)*. Doctoral dissertation. Faculty of Natural and Environmental Sciences, University of Kuopio. Finland.
- Harbone, J. B. 2006. *Phytochemical Methods : A Guide to Modern Techniques of Plant Analysis*. Terjemahan K. Padmawinata & I. Soediro. Metode Fisikokimia Penuntun Cara Modern Menganalisis Tumbuhan. Penerbit ITB. Bandung.
- Hu, C., J. Zawistowski, W. Ling, & D. D. Kitts. 2003. Black rice (*Oryza sativa* L. indica) pigmented fraction suppresses both reactive oxygen species and nitric oxide in chemical and biological model systems. *J. Agric. Food Chem.*, 51 : 5271-5277.
- Huang, Y., Y. Hu, & Y. Liu. Combined toxicity of copper and cadmium to six rice genotypes (*Oryza sativa* L.). *Journal Environmental Science*, 21 (5) : 647-653.
- Iqbal, S., M. I. Bhangar, & F. Anwar. 2005. Antioxidant properties and components of some commercially available varieties of rice bran in Pakistan. *Food Chem.*, 93 : 265-272.
- Jackson, M. T. & R. J. L. Lettington. 2003. Conservation and use of rice germplasm, an evolving paradigm under the international treaty on plant genetic resources for food and agriculture : in sustainable rice production for food security. *Proceedings of the 20th session of the International Rice Commission*. Bangkok, Thailand, 23-26 July 2002, pp. 75-88.
- Jain, A., M. D. Polling, A. P. Smith, V. K. Nagarajan, B. Lahner, R. B. Meagher, & K. G. Raghothama. 2009. Variations in the composition of gelling agents affect morphophysiological and molecular responses to deficiencies of phosphate and other nutrients. *Plant Physiol.*, 150 : 1033-1049.
- Khatun, A., M. B. Ali, E. J. Hahn, K. Y. Paek. 2008. Changes antioxidant and lignifying enzyme activities in sunflower roots (*Helianthus annuus* L.) stressed with copper excess. *Comptes Rend. Biol.*, 326 : 639-644.
- King, A. & G. Yong. 1999. Characteristics and occurrence of phenolic phytochemical. *J. Am. Diet Assoc.*, 99 : 213-218.
- Kris-Etherton, P. M., K. D. Hecker, A. Bonanome, S. M. Coval, A. E. Binkoski, K. F. Hilpert, A. E. Griel, & T. D. Etherton. 2003. Bioactive compounds in foods : their role in the prevention of cardiovascular disease and cancer. *Am. J. Med.*, 113:71-88.
- Kristamtini & H. Puwaningsih. 2009. Potensi pengembangan beras merah sebagai plasma nutfah Yogyakarta. *Jurnal Litbang Pertanian*. 28 (2) : 88-95.

- Lewis, S., M. E. Donkin & M. H. Depledge. 2001. Hsp70 expression in *Enteromorpha intestinalis* (Chlorophyta) exposed to environmental stressors. *Aquatic Toxicol.* 51 : 277-291.
- Maekawa. 1998. Recent information on anthocyanin pigmentation. *Rice Genetics Newsletter*, 13 : 25-26.
- Mahmood, T. & K. R. Islam. 2009. Response of rice seedlings to copper toxicity and acidity. *Journal of Plant Nutrition*, 29 (4) : 943-957.
- Marschner, H. 1996. *Mineral Nutrition of Higher Plants*. Academic Press, London.
- Mittler, R., S. Vanderauwera, M. Gollery, & F. V. Breusegem. 2004. Abiotic stress series : reactive oxygen gene network of plants. *Trends Plant Sci.*, 9 : 490-498.
- Morimitsu, Y., K. Kubota, T. Tashiro, E. Hashizume, T. Kamiya, & T. Osawa. 2002. Inhibitory effect of anthocyanins and colored rice on diabetic cataract formation in the rat lenses. *Int. Congr. Ser.*, 1245 : 503-508.
- Muntana, N. & S. Prasong. 2010. Study on total phenolic contents and their antioxidant activities of thai white, red, and black rice bran extracts. *Pakistan Journal of Biological Sciences* 13 (4) : 170-174.
- Parr, A. J. & G. P. Bolwell. 2000. Phenol in the plant and in man : the potential for possible nutritional enhancement of the diet by modifying the phenols content or profile. *J. Sci Food Agr.*, 80 : 985-1012.
- Payus, C., A. F. Abu Talip, T. W. Hsiang. 2015. Heavy metals accumulation in paddy cultivation area of kompipinan, papar district, sabah. *Journal of Sustainability Science and Management*. 10 (1) : 76-86.
- Posmyk, M. M., R. Kontek, K. M. Janas. 2009. Antioxidant enzymes activity and phenolic compounds content in red cabbage seedlings exposed to copper stress. *Ecotoxicology and Environmental Safety*, 72 : 596-602.
- Pullido, R., L. Bravo, & F. Saura-Calixto. 2000. Antioxidant activity of dietary polyphenols as determined by a modified ferric reducing/antioxidant power assay. *J. Agric. Food Chem.*, 48 : 3396-3402.
- Purnowo & H. Purnawati. 2007. *Budidaya 8 Jenis Tanaman Pangan Unggul*. Swadaya. Depok, pp. 9-29.
- Schulte, E. E. & K. A. Kelling. 1999. *Understanding plant nutrients : soil and applied copper*. University of Wisconsin.
- Sakihama, Y., M. F. Cohen, S. C. Grace, & H. Yamasaki. Plant phenolic antioxidant and prooxidant activities : phenolics-induced oxidative damage mediated by metals in plants. *Toxicology* 177 : 67-80.
- Sharma, S. 2009. Study on impact of heavy metal accumulation in *Brachythecium populeum* (Hedw.) *B.S.G. Ecol. Indic.*, 9 : 807-811.
- Smirnoff, N. 1993. The role of active oxygen in the response of plants water deficit and dessication. *New Phytol.*, 125 : 27-58.
- Srivastava, S., S. Mishra, R. D. Tripathi, S. Dwivedi, & D. K. Gupta. Copper-induced oxidative stress and responses of antioxidants and phytochelatin in *Hydrilla verticillata* (L.f.) Royle. *Aquat Toxicol.*, 80 (4) : 405-415.

- Sulistiyono, E. & F. Rokhmah. 2012. Pengaruh kandungan cu dalam air irigasi terhadap pertumbuhan dan produksi padi (*Oryza sativa* L.). *J. Agron. Indonesia*, 40 (3) : 180-18.
- Sunitha, M. S. L., S. Prashant, S. A. Kumar, S. Rao, M. L. Narasu, & P. B. K. Kishor. 2014. Cellular and mollecular mechanism of heavy metal tolerance in plants : a brief overview of transgenic plants over-expressing phytochelatin synthase and metallothionein genes. *Plant Cell Biotechnology and Molecular Biology*, 14(1-2) : 33-48.
- Suardi, D. & I. Ridwan. 2009. Beras hitam, pangan berkhasiat yang belum populer. *Warta Penelitian dan Pengembangan Pertanian*, 31 (2) : 9-10.
- Tjitrosoepomo, G. 2005. *Taksonomi Tumbuhan Obat-obatan*. Gadjah Mada University Press. Yogyakarta.
- van Steenis, C. G. G. J. 2005. *Flora*. PT Pradnya Paramita. Jakarta.
- Verloo, M. 1993. *Chemical Aspect of Soil Pollution*. ITC-Gen Publications. Series No. 4 : 17-46.
- Verma, S., & R. S. Dubey. 2003. Lead toxically induces –lipid peroxidation and alters the activities of antioxidation enzymes in growing rice plants. *Plant Science*, 645-655.
- Vinod, K., G. Awasthi, & P. K. Chauhan. 2012. Cu and zn tolerance and responses of the biochemical and physiochemical system of wheat. *Journal of Stress Physiology & Biochemistry*, 8 (3) : 203-213.
- Yawadio, R., S. Tanimori, & N. Morita. 2007. Identification of phenolic compounds isolated from pigmented rices and their aldose reductase inhibitory activities. *Food Chem.*, 101 : 1616-1625.
- Yruela, I. 2005. Copper in plants. *Braz. J. Plant Physiol.*, 17 (1) : 145-156.
- Zhang, G. P, M. Fukami, & H. Sekimoto. 2002. Influence of cadmium on mineral concentrations and yield components in wheat genotypes differing in Cd tolerance at seedling stage. *Field Crops Res*, 77(2-3) : 93–98.
- Zheng, W. & S. Y. Wang. 2001. Antioxidant activity and phenolic compounds in selected herbes. *J. Agric. Food. Chem.* 49 : 5165-5170.
- Zhou, Z., K. Robards, S. Helliwell, & C. Blanchard. 2004. The distribution of phenolic acids in rice. *Food Chem.*, 87 : 401-406.
- Zhu, X. F., C. Zheng, Y. T. Hu, T. Jiang, Y. Liu, N. Y. Dong, J. L. Yang, & S. J. Zheng. 2011. Cadmium-induced oxalate secretion from root apex is associated with cadmium exclusion and resistance in *Lycopersicon esculentum*. *Plant Cell Environ.*, 34: 1055-1064.